

Acoustic techniques

The influence of microcracking on the mechanical behavior of cement based materials (Landis EN, Shah SP), 1995;2:105-118

Review of noninvasive techniques for detecting microfracture (Maji AK), 1995;2:201-209

Agglomerates

Influences of mixing methods on the microstructure and rheological behavior of cement paste (Yang M, Jennings HM), 1995;2:70-78

Alkali

Effect of supplementary cementing materials on the composition of cement hydration products (Duchesne J, Bérubé MA), 1995;2:43-52

Alkali-silica reactivity

Effect of supplementary cementing materials on the composition of cement hydration products (Duchesne J, Bérubé MA), 1995;2:43-52

Beam tests

Cracking characteristics of reinforced steel fiber concrete beams under short- and long-term loadings (Tan K-H, Paramasivam P, Tan K-C), 1995;2:127-137

Finite element analysis of partially prestressed steel fiber concrete beams in shear (Paramasivam P, Tan K-H, Murugappan K), 1995;2:231-239

Investigations of chemical and physical properties of white cement concrete (Hamad BS), 1995;2:161-167

Bond

Fiber-matrix interaction in microfiber-reinforced mortar (Betterman LR; Ouyang C, Shah SP), 1995;2:53-61

Book review

Micromechanics: Overall properties of heterogeneous materials, Nemat-Nassar S, Hori M (Ouyang C), 1995;2:125

Calcium silicate hydrate

Effect of supplementary cementing materials on the composition of cement hydration products (Duchesne J, Bérubé MA), 1995;2:43-52

Intrinsic sorption potential of aluminum-substituted calcium silicate hydroxy hydrate for cesium-137 (Shrivastava OP, Verma T, Wattal PK), 1995;2:80-83

Sr²⁺ sorption and leach rate studies on synthetic calcium silicate hydroxy hydrate (Shrivastava OP, Verma T), 1995;2:119-124

Cement

Determining cement composition by Fourier transform infrared spectroscopy (Hughes TL, Methven CM, Jones TGJ, Pelham SE, Fletcher P, Hall C), 1995;2:91-104

Fiber-matrix interaction in microfiber-reinforced mortar (Betterman LR; Ouyang C, Shah SP), 1995;2:53-61

Mechanical properties of the aggregate and cement interface (Aquino MJ, Li Z, Shah SP), 1995;2:211-223

Cement paste

Electrochemical behavior of portland cement pastes containing phosphonates (Gu P, Ramachandran VS, Beaudoin JJ, Quinn E), 1995;2:182-188

Influences of mixing methods on the microstructure and rheological behavior of cement paste (Yang M, Jennings HM), 1995;2:70-78

Rheological changes associated with setting of cement paste (Struble LJ, Lei W-G), 1995;2:224-230

Viscosity of portland cement paste as a function of concentration (Struble L, Sun G-K), 1995;2:62-69

Cesium-137

Intrinsic sorption potential of aluminum-substituted calcium silicate hydroxy hydrate for cesium-137 (Shrivastava OP, Verma T, Wattal PK), 1995;2:80-83

Composite materials

Fiber-matrix interaction in microfiber-reinforced mortar (Betterman LR; Ouyang C, Shah SP), 1995;2:53-61

Compression tests

Investigations of chemical and physical properties of white cement concrete (Hamad BS), 1995;2:161-167

Concrete

An approach to determine diffusivity in hardening concrete based on measured humidity profiles (Xin D, Zollinger DG, Allen GD), 1995;2:138-144

A comparison of the Jenq-Shah two-parameter procedure and the cohesive zone procedure for predicting the failure of large concrete structures (Smith E), 1995;2:85-90

Effect of supplementary cementing materials on the composition of cement hydration products (Duchesne J, Bérubé MA), 1995;2:43-52

Fiber-matrix interaction in microfiber-reinforced mortar (Betterman LR; Ouyang C, Shah SP), 1995;2:53-61

Finite element analysis of partially prestressed steel fiber concrete beams in shear (Paramasivam P, Tan K-H, Murugappan K), 1995;2:231-239

Interfacial transition zone in concrete (Ollivier JP, Maso JC, Bourdette B), 1995;2:30-38

Investigations of chemical and physical properties of white cement concrete (Hamad BS), 1995;2:161-167

Modeling the influence of the interfacial zone on the DC electrical conductivity of mortar (Garboczi EJ, Schwartz LM, Bentz DP), 1995;2:169-181

Review of noninvasive techniques for detecting microfracture (Maji AK), 1995;2:201-209

Conductivity

Modeling the influence of the interfacial zone on the DC electrical conductivity of mortar (Garboczi EJ, Schwartz LM, Bentz DP), 1995;2:169-181

Corrosion

Effect of corrosion-inhibitor-added deicing salts and salt substitutes on reinforcing steels: I. Influence of concentration (Jang J-W, Iwasaki I, Gillis HJ, Weiblen PW), 1995;2:145-151

Effect of corrosion-inhibitor-added deicing salts and salt substitutes on reinforcing steels: II. Influence of temper-

- ature and oxygen content (Jang J-W, Iwasaki I, Gillis HJ, Weiblen PW), 1995;2:152-160
- Cracking characteristics**
Cracking characteristics of reinforced steel fiber concrete beams under short- and long-term loadings (Tan K-H, Paramasivam P, Tan K-C), 1995;2:127-137
- Debonding**
Mechanical properties of the aggregate and cement interface (Aquino MJ, Li Z, Shah SP), 1995;2:211-223
- Deicing salts**
Effect of corrosion-inhibitor-added deicing salts and salt substitutes on reinforcing steels: I. Influence of concentration (Jang J-W, Iwasaki I, Gillis HJ, Weiblen PW), 1995;2:145-151
Effect of corrosion-inhibitor-added deicing salts and salt substitutes on reinforcing steels: II. Influence of temperature and oxygen content (Jang J-W, Iwasaki I, Gillis HJ, Weiblen PW), 1995;2:152-160
- Desorption isotherm**
An approach to determine diffusivity in hardening concrete based on measured humidity profiles (Xin D, Zollinger DG, Allen GD), 1995;2:138-144
- Diffusion coefficient**
An approach to determine diffusivity in hardening concrete based on measured humidity profiles (Xin D, Zollinger DG, Allen GD), 1995;2:138-144
- Editorial**
Setting the pace for innovations in advanced cement-based materials (Shah SP, Young JF), 1995;2:1
- Electrochemical behavior**
Electrochemical behavior of portland cement pastes containing phosphonates (Gu P, Ramachandran VS, Beaudoin JJ, Quinn E), 1995;2:182-188
Modeling the influence of the interfacial zone on the DC electrical conductivity of mortar (Garboczi EJ, Schwartz LM, Bentz DP), 1995;2:169-181
- European developments**
Cement production and use in Italy (Massazza F), 1995;2:79
- Ferrite**
Novel cement matrices by accelerated hydration of the ferrite phase in portland cement via chemical activation: Kinetics and cementitious properties (Schwarz W), 1995;2:189-200
- Fiber-reinforced concrete**
Finite element analysis of partially prestressed steel fiber concrete beams in shear (Paramasivam P, Tan K-H, Murugappan K), 1995;2:231-239
- Fibers**
Fiber-matrix interaction in microfiber-reinforced mortar (Betterman LR, Ouyang C, Shah SP), 1995;2:53-61
- Fly ash, pulverized**
Effect of supplementary cementing materials on the composition of cement hydration products (Duchesne J, Bérubé MA), 1995;2:43-52
- Fourier transform infrared spectroscopy**
Determining cement composition by Fourier transform infrared spectroscopy (Hughes TL, Methven CM, Jones TGJ, Pelham SE, Fletcher P, Hall C), 1995;2:91-104
Prediction of thickening times of oil field cements using artificial neural networks and Fourier transform infrared spectroscopy (Fletcher P, Coveney P), 1995;2:21-29
- Fracture mechanics**
A comparison of the Jenq-Shah two-parameter procedure and the cohesive zone procedure for predicting the failure of large concrete structures (Smith E), 1995;2:85-90
The influence of microcracking on the mechanical behavior of cement based materials (Landis EN, Shah SP), 1995;2:105-118
Mechanical properties of the aggregate and cement interface (Aquino MJ, Li Z, Shah SP), 1995;2:211-223
- Ground granulated blast furnace slag**
Effect of supplementary cementing materials on the composition of cement hydration products (Duchesne J, Bérubé MA), 1995;2:43-52
- Hardening**
An approach to determine diffusivity in hardening concrete based on measured humidity profiles (Xin D, Zollinger DG, Allen GD), 1995;2:138-144
Novel cement matrices by accelerated hydration of the ferrite phase in portland cement via chemical activation: Kinetics and cementitious properties (Schwarz W), 1995;2:189-200
- Hydrating slurries**
Ultrasonic measurements on hydrating cement slurries: Onset of shear wave propagation (D'Angelo R, Plona TJ, Schwartz LM, Coveney P), 1995;2:8-14
- Hydration**
Interfacial transition zone in concrete (Ollivier JP, Maso JC, Bourdette B), 1995;2:30-38
- Hydration, cement**
Electrochemical behavior of portland cement pastes containing phosphonates (Gu P, Ramachandran VS, Beaudoin JJ, Quinn E), 1995;2:182-188
Novel cement matrices by accelerated hydration of the ferrite phase in portland cement via chemical activation: Kinetics and cementitious properties (Schwarz W), 1995;2:189-200
Rheological changes associated with setting of cement paste (Struble LJ, Lei W-G), 1995;2:224-230
- Hydration kinetics**
An in-situ Raman spectroscopy study of the hydration of tricalcium silicate (Tarrida M, Madon M, Le Rolland B, Colombet P), 1995;2:15-20
- Impedance behavior**
Electrochemical behavior of portland cement pastes containing phosphonates (Gu P, Ramachandran VS, Beaudoin JJ, Quinn E), 1995;2:182-188
- Infrared spectroscopy**
Determining cement composition by Fourier transform infrared spectroscopy (Hughes TL, Methven CM, Jones TGJ, Pelham SE, Fletcher P, Hall C), 1995;2:91-104
Prediction of thickening times of oil field cements using artificial neural networks and Fourier transform infrared spectroscopy (Fletcher P, Coveney P), 1995;2:21-29
- Interfacial zone**
Interfacial transition zone in concrete (Ollivier JP, Maso JC, Bourdette B), 1995;2:30-38
Mechanical properties of the aggregate and cement interface (Aquino MJ, Li Z, Shah SP), 1995;2:211-223

- Modeling the influence of the interfacial zone on the DC electrical conductivity of mortar (Garboczi EJ, Schwartz LM, Bentz DP), 1995;2:169-181
- Interferometry**
Review of noninvasive techniques for detecting microfracture (Maji AK), 1995;2:201-209
- Leaching**
 Sr^{2+} sorption and leach rate studies on synthetic calcium silicate hydroxy hydrate (Shrivastava OP, Verma T), 1995;2:119-124
- Loading, sustained**
Cracking characteristics of reinforced steel fiber concrete beams under short- and long-term loadings (Tan K-H, Paramasivam P, Tan K-C), 1995;2:127-137
- Macro-defect-free cement**
Effects of an organotitanate cross-linking additive on the processing and properties of macro-defect-free cement (Lewis JS, Boyer MA), 1995;2:2-7
- Matrix, cement**
Novel cement matrices by accelerated hydration of the ferite phase in portland cement via chemical activation: Kinetics and cementitious properties (Schwarz W), 1995;2:189-200
- Microcracking**
The influence of microcracking on the mechanical behavior of cement based materials (Landis EN, Shah SP), 1995;2:105-118
- Microfracture**
Review of noninvasive techniques for detecting microfracture (Maji AK), 1995;2:201-209
- Microstructure**
Influences of mixing methods on the microstructure and rheological behavior of cement paste (Yang M, Jennings HM), 1995;2:70-78
Interfacial transition zone in concrete (Ollivier JP, Maso JC, Bourdette B), 1995;2:30-38
Mechanical properties of the aggregate and cement interface (Aquino MJ, Li Z, Shah SP), 1995;2:211-223
- Mineralogy**
Determining cement composition by Fourier transform infrared spectroscopy (Hughes TL, Methven CM, Jones TGJ, Pelham SE, Fletcher P, Hall C), 1995;2:91-104
- Mixing methods**
Influences of mixing methods on the microstructure and rheological behavior of cement paste (Yang M, Jennings HM), 1995;2:70-78
- Moisture diffusion**
An approach to determine diffusivity in hardening concrete based on measured humidity profiles (Xin D, Zollinger DG, Allen GD), 1995;2:138-144
- Moisture resistance**
Effects of an organotitanate cross-linking additive on the processing and properties of macro-defect-free cement (Lewis JS, Boyer MA), 1995;2:2-7
- Mortar**
Fiber-matrix interaction in microfiber-reinforced mortar (Betterman LR, Ouyang C, Shah SP), 1995;2:53-61
Modeling the influence of the interfacial zone on the DC electrical conductivity of mortar (Garboczi EJ, Schwartz LM, Bentz DP), 1995;2:169-181
- Neural networks**
Prediction of thickening times of oil field cements using artificial neural networks and Fourier transform infrared spectroscopy (Fletcher P, Coveney P), 1995;2:21-29
- Oil field cements**
Determining cement composition by Fourier transform infrared spectroscopy (Hughes TL, Methven CM, Jones TGJ, Pelham SE, Fletcher P, Hall C), 1995;2:91-104
Prediction of thickening times of oil field cements using artificial neural networks and Fourier transform infrared spectroscopy (Fletcher P, Coveney P), 1995;2:21-29
- Phosphonates**
Electrochemical behavior of portland cement pastes containing phosphonates (Gu P, Ramachandran VS, Beaudoin JJ, Quinn E), 1995;2:182-188
- Polymer cross-linking**
Effects of an organotitanate cross-linking additive on the processing and properties of macro-defect-free cement (Lewis JS, Boyer MA), 1995;2:2-7
- Polyvinyl alcohol fibers**
Fiber-matrix interaction in microfiber-reinforced mortar (Betterman LR, Ouyang C, Shah SP), 1995;2:53-61
- Porosity**
Interfacial transition zone in concrete (Ollivier JP, Maso JC, Bourdette B), 1995;2:30-38
Modeling the influence of the interfacial zone on the DC electrical conductivity of mortar (Garboczi EJ, Schwartz LM, Bentz DP), 1995;2:169-181
- Portland cement**
Electrochemical behavior of portland cement pastes containing phosphonates (Gu P, Ramachandran VS, Beaudoin JJ, Quinn E), 1995;2:182-188
Investigations of chemical and physical properties of white cement concrete (Hamad BS), 1995;2:161-167
Novel cement matrices by accelerated hydration of the ferite phase in portland cement via chemical activation: Kinetics and cementitious properties (Schwarz W), 1995;2:189-200
Rheological changes associated with setting of cement paste (Struble LJ, Lei W-G), 1995;2:224-230
Viscosity of portland cement paste as a function of concentration (Struble L, Sun G-K), 1995;2:62-69
- Push-out**
Mechanical properties of the aggregate and cement interface (Aquino MJ, Li Z, Shah SP), 1995;2:211-223
- Radial basis functions**
Prediction of thickening times of oil field cements using artificial neural networks and Fourier transform infrared spectroscopy (Fletcher P, Coveney P), 1995;2:21-29
- Raman spectroscopy**
An in-situ Raman spectroscopy study of the hydration of tricalcium silicate (Tarrida M, Madon M, Le Rolland B, Colombet P), 1995;2:15-20
- Reinforcement**
Cracking characteristics of reinforced steel fiber concrete beams under short- and long-term loadings (Tan K-H, Paramasivam P, Tan K-C), 1995;2:127-137
Effect of corrosion-inhibitor-added deicing salts and salt substitutes on reinforcing steels: I. Influence of concen-

- tration (Jang J-W, Iwasaki I, Gillis HJ, Weiblen PW), 1995;2:145-151
- Effect of corrosion-inhibitor-added deicing salts and salt substitutes on reinforcing steels: II. Influence of temperature and oxygen content (Jang J-W, Iwasaki I, Gillis HJ, Weiblen PW), 1995;2:152-160
- Fiber-matrix interaction in microfiber-reinforced mortar (Betterman LR; Ouyang C, Shah SP), 1995;2:53-61
- Finite element analysis of partially prestressed steel fiber concrete beams in shear (Paramasivam P, Tan K-H, Murugappan K), 1995;2:231-239
- Rheology**
- Influences of mixing methods on the microstructure and rheological behavior of cement paste (Yang M, Jennings HM), 1995;2:70-78
- Rheological changes associated with settings of cement paste (Struble LJ, Lei W-G), 1995;2:224-230
- Viscosity of portland cement paste as a function of concentration (Struble L, Sun G-K), 1995;2:62-69
- Shear strength**
- Finite element analysis of partially prestressed steel fiber concrete beams in shear (Paramasivam P, Tan K-H, Murugappan K), 1995;2:231-239
- Shear waves**
- Ultrasonic measurements on hydrating cement slurries: Onset of shear wave propagation (D'Angelo R, Plona TJ, Schwartz LM, Coveney P), 1995;2:8-14
- Silica fume**
- Mechanical properties of the aggregate and cement interface (Aquino MJ, Li Z, Shah SP), 1995;2:211-223
- Silica fume, condensed**
- Effect of supplementary cementing materials on the composition of cement hydration products (Duchesne J, Bérubé MA), 1995;2:43-52
- Slag**
- Effect of supplementary cementing materials on the composition of cement hydration products (Duchesne J, Bérubé MA), 1995;2:43-52
- Sorption**
- Intrinsic sorption potential of aluminum-substituted calcium silicate hydroxy hydrate for cesium-137 (Shrivastava OP, Verma T, Wattal PK), 1995;2:80-83
- Sr^{2+} sorption and leach rate studies on synthetic calcium silicate hydroxy hydrate (Shrivastava OP, Verma T), 1995;2:119-124
- Steel, reinforcing**
- Effect of corrosion-inhibitor-added deicing salts and salt substitutes on reinforcing steels: I. Influence of concentration (Jang J-W, Iwasaki I, Gillis HJ, Weiblen PW), 1995;2:145-151
- Effect of corrosion-inhibitor-added deicing salts and salt substitutes on reinforcing steels: II. Influence of temperature and oxygen content (Jang J-W, Iwasaki I, Gillis HJ, Weiblen PW), 1995;2:152-160
- Steel fibers**
- Cracking characteristics of reinforced steel fiber concrete beams under short-and long-term loadings (Tan K-H, Paramasivam P, Tan K-C), 1995;2:127-137
- Finite element analysis of partially prestressed steel fiber concrete beams in shear (Paramasivam P, Tan K-H, Murugappan K), 1995;2:231-239
- Strontium-90**
- Sr^{2+} sorption and leach rate studies on synthetic calcium silicate hydroxy hydrate (Shrivastava OP, Verma T), 1995;2:119-124
- Technology transfer**
- An Indian experience of technology acquisition in cement (Chatterjee AK), 1995;2:240-243
- Questions to Richard D. Gaynor, Executive Vice President, National Ready Mixed Concrete Association/National Aggregate Association, Silver Spring, Maryland (Skalny JP), 1995;2:39-41
- Tensile properties**
- Fiber-matrix interaction in microfiber-reinforced mortar (Betterman LR; Ouyang C, Shah SP), 1995;2:53-61
- Testing**
- A comparison of the Jenq-Shah two-parameter procedure and the cohesive zone procedure for predicting the failure of large concrete structures (Smith E), 1995;2:85-90
- Thickening time**
- Prediction of thickening times of oil field cements using artificial neural networks and Fourier transform infrared spectroscopy (Fletcher P, Coveney P), 1995;2:21-29
- Tobermorite**
- Intrinsic sorption potential of aluminum-substituted calcium silicate hydroxy hydrate for cesium-137 (Shrivastava OP, Verma T, Wattal PK), 1995;2:80-83
- Sr^{2+} sorption and leach rate studies on synthetic calcium silicate hydroxy hydrate (Shrivastava OP, Verma T), 1995;2:119-124
- Transition zone**
- Interfacial transition zone in concrete (Ollivier JP, Maso JC, Bourdette B), 1995;2:30-38
- Modeling the influence of the interfacial zone on the DC electrical conductivity of mortar (Garboczi EJ, Schwartz LM, Bentz DP), 1995;2:169-181
- Tricalcium aluminate**
- Investigations of chemical and physical properties of white cement concrete (Hamad BS), 1995;2:161-167
- Tricalcium silicate**
- An in-situ Raman spectroscopy study of the hydration of tricalcium silicate (Tarrida M, Madon M, Le Rolland B, Colombet P), 1995;2:15-20
- Ultrasonics**
- Ultrasonic measurements on hydrating cement slurries: Onset of shear wave propagation (D'Angelo R, Plona TJ, Schwartz LM, Coveney P), 1995;2:8-14
- Viscosity**
- Viscosity of portland cement paste as a function of concentration (Struble L, Sun G-K), 1995;2:62-69
- White cement**
- Investigations of chemical and physical properties of white cement concrete (Hamad BS), 1995;2:161-167
- Yield stress**
- Rheological changes associated with setting of cement paste (Struble LJ, Lei W-G), 1995;2:224-230