

SUBJECT INDEX TO VOLUME 5

Accelerated strength

Accelerated strength and testing of concrete using blended cement (Resheidat MR, Ghanma MS), 1997;5:49–56

Accelerated testing

Accelerated strength and testing of concrete using blended cement (Resheidat MR, Ghanma MS), 1997;5:49–56

Activation energy

Damping maximum of hardened cement paste (hcp) in the region of -90°C : A mechanical relaxation process (Xu X, Setzer MJ), 1997;5:69–74

Adhesion

Effects of transition zone densification on fiber/cement paste bond strength improvement (Chan Y-W, Li VC), 1997;5:8–17

Beam bending

Splitting tension tests to determine concrete fracture parameters by peak-load method (Yang S, Tang T, Zollinger DG, Gurjar A), 1997;5:18–28

Blended cement

Accelerated strength and testing of concrete using blended cement (Resheidat MR, Ghanma MS), 1997;5:49–56

Bonding

Effects of transition zone densification on fiber/cement paste bond strength improvement (Chan Y-W, Li VC), 1997;5:8–17

Calcium-silicate hydrate

Raman spectroscopy of C–S–H, tobermorite, and jennite (Kirkpatrick RJ, Yarger JL, McMillan PF, Yu P, Cong X), 1997;5:93–99

Cement

Accelerated strength and testing of concrete using blended cement (Resheidat MR, Ghanma MS), 1997;5:49–56

Discussion of 'The Process of Sulfate Attack on Cement Mortars' by Shen Yang, Xu Zhongzi, and Tang Mingshu (Mather B), 1997;5:109–110

Durability of glass fiber reinforced cement composites (Marikunte S, Aldea C, Shah SP), 1997;5:100–108

Interparticle potential and sedimentation behavior of cement suspensions: Review and results from paste (Yang M, Neubauer CM, Jennings HM), 1997;5:1–7

Raman spectroscopy of C–S–H, tobermorite, and jennite (Kirkpatrick RJ, Yarger JL, McMillan PF, Yu P, Cong X), 1997;5:93–99

A reply to discussion by B. Mather of the paper 'The Process of Sulfate Attack on Cement Mortars' (Yang S, Zhongzi X, Mingshu T), 1997;5:111–112

Cement paste

Damping maximum of hardened cement paste (hcp) in the region of -90°C : A mechanical relaxation process (Xu X, Setzer MJ), 1997;5:69–74

Dielectric amplification in cement pastes (Ford SJ, Hwang

J-H, Olson RA, Moss GM, Jennings HM, Mason TO), 1997;5:41–48

Effects of transition zone densification on fiber/cement paste bond strength improvement (Chan Y-W, Li VC), 1997;5:8–17

Influence of the interfacial zone on the chloride diffusivity of mortars (Delagrave A, Bigas JP, Ollivier JP, Marchand J, Pigeon M), 1997;5:86–92

Chlorides

Influence of the interfacial zone on the chloride diffusivity of mortars (Delagrave A, Bigas JP, Ollivier JP, Marchand J, Pigeon M), 1997;5:86–92

Cohesion

Effects of transition zone densification on fiber/cement paste bond strength improvement (Chan Y-W, Li VC), 1997;5:8–17

Composite materials

Durability of glass fiber reinforced cement composites (Marikunte S, Aldea C, Shah SP), 1997;5:100–108

Concrete

Accelerated strength and testing of concrete using blended cement (Resheidat MR, Ghanma MS), 1997;5:49–56

Influence of the interfacial zone on the chloride diffusivity of mortars (Delagrave A, Bigas JP, Ollivier JP, Marchand J, Pigeon M), 1997;5:86–92

A pullout test for determining interface properties between rebar and concrete (Yeih W, Huang R, Chang JJ, Yang CC), 1997;5:57–65

Shear of structural concrete members and pure mode II testing (Reinhardt HW, Ozbolt J, Xu S, Dinku A), 1997;5:75–85

Splitting tension tests to determine concrete fracture parameters by peak-load method (Yang S, Tang T, Zollinger DG, Gurjar A), 1997;5:18–28

Concrete-polymer composites

Recent progress in concrete-polymer composites (Ohama Y), 1997;5:31–40

Damping maximum

Damping maximum of hardened cement paste (hcp) in the region of -90°C : A mechanical relaxation process (Xu X, Setzer MJ), 1997;5:69–74

Densification

Effects of transition zone densification on fiber/cement paste bond strength improvement (Chan Y-W, Li VC), 1997;5:8–17

Dielectric amplification

Dielectric amplification in cement pastes (Ford SJ, Hwang J-H, Olson RA, Moss GM, Jennings HM, Mason TO), 1997;5:41–48

Diffusion/diffusivity

Influence of the interfacial zone on the chloride diffusivity of mortars (Delagrave A, Bigas JP, Ollivier JP, Marchand J, Pigeon M), 1997;5:86–92

Dispersion

Damping maximum of hardened cement paste (hcp) in the region of -90°C : A mechanical relaxation process (Xu X, Setzer MJ), 1997;5:69–74

DLVO theory

Interparticle potential and sedimentation behavior of cement suspensions: Review and results from paste (Yang M, Neubauer CM, Jennings HM), 1997;5:1–7

Durability

Durability of glass fiber reinforced cement composites (Marikunte S, Aldea C, Shah SP), 1997;5:100–108

Dynamic elastic modulus

Damping maximum of hardened cement paste (hcp) in the region of -90°C : A mechanical relaxation process (Xu X, Setzer MJ), 1997;5:69–74

Eccentric compression

Splitting tension tests to determine concrete fracture parameters by peak-load method (Yang S, Tang T, Zollinger DG, Gurjar A), 1997;5:18–28

Eigenfrequency

Damping maximum of hardened cement paste (hcp) in the region of -90°C : A mechanical relaxation process (Xu X, Setzer MJ), 1997;5:69–74

Elastic properties

Damping maximum of hardened cement paste (hcp) in the region of -90°C : A mechanical relaxation process (Xu X, Setzer MJ), 1997;5:69–74

Failure mode

A pullout test for determining interface properties between rebar and concrete (Yeih W, Huang R, Chang JJ, Yang CC), 1997;5:57–65

Fiber bond

Effects of transition zone densification on fiber/cement paste bond strength improvement (Chan Y-W, Li VC), 1997;5:8–17

Fibers

Effects of transition zone densification on fiber/cement paste bond strength improvement (Chan Y-W, Li VC), 1997;5:8–17

Flexure

Durability of glass fiber reinforced cement composites (Marikunte S, Aldea C, Shah SP), 1997;5:100–108

Fracture energy

Shear of structural concrete members and pure mode II testing (Reinhardt HW, Ozbolt J, Xu S, Dinku A), 1997;5:75–85

Fracture mechanics

Shear of structural concrete members and pure mode II testing (Reinhardt HW, Ozbolt J, Xu S, Dinku A), 1997;5:75–85

Splitting tension tests to determine concrete fracture parameters by peak-load method (Yang S, Tang T, Zollinger DG, Gurjar A), 1997;5:18–28

Glass fibers

Durability of glass fiber reinforced cement composites (Marikunte S, Aldea C, Shah SP), 1997;5:100–108

Impedance spectroscopy

Dielectric amplification in cement pastes (Ford SJ, Hwang J-H, Olson RA, Moss GM, Jennings HM, Mason TO), 1997;5:41–48

Interface properties

A pullout test for determining interface properties between rebar and concrete (Yeih W, Huang R, Chang JJ, Yang CC), 1997;5:57–65

Interfacial structure

Discussion of 'The Process of Sulfate Attack on Cement Mortars' by Shen Yang, Xu Zhongzi, and Tang Mingshu (Mather B), 1997;5:109–110

A reply to discussion by B. Mather of the paper 'The Process of Sulfate Attack on Cement Mortars' (Yang S, Zhongzi X, Mingshu T), 1997;5:111–112

Interfacial transition zone

Effects of transition zone densification on fiber/cement paste bond strength improvement (Chan Y-W, Li VC), 1997;5:8–17

Influence of the interfacial zone on the chloride diffusivity of mortars (Delagrave A, Bigas JP, Ollivier JP, Marchand J, Pigeon M), 1997;5:86–92

Mechanical relaxation

Damping maximum of hardened cement paste (hcp) in the region of -90°C : A mechanical relaxation process (Xu X, Setzer MJ), 1997;5:69–74

Metakaolin

Durability of glass fiber reinforced cement composites (Marikunte S, Aldea C, Shah SP), 1997;5:100–108

Microstructure

Dielectric amplification in cement pastes (Ford SJ, Hwang J-H, Olson RA, Moss GM, Jennings HM, Mason TO), 1997;5:41–48

Influence of the interfacial zone on the chloride diffusivity of mortars (Delagrave A, Bigas JP, Ollivier JP, Marchand J, Pigeon M), 1997;5:86–92

Migration

Influence of the interfacial zone on the chloride diffusivity of mortars (Delagrave A, Bigas JP, Ollivier JP, Marchand J, Pigeon M), 1997;5:86–92

Mortar

Discussion of 'The Process of Sulfate Attack on Cement Mortars' by Shen Yang, Xu Zhongzi, and Tang Mingshu (Mather B), 1997;5:109–110

A reply to discussion by B. Mather of the paper 'The Process of Sulfate Attack on Cement Mortars' (Yang S, Zhongzi X, Mingshu T), 1997;5:111–112

Peak load

Splitting tension tests to determine concrete fracture parameters by peak-load method (Yang S, Tang T, Zollinger DG, Gurjar A), 1997;5:18–28

Percolation

Dielectric amplification in cement pastes (Ford SJ, Hwang J-H, Olson RA, Moss GM, Jennings HM, Mason TO), 1997;5:41–48

Polymer concrete

Recent progress in concrete-polymer composites (Ohama Y), 1997;5:31–40

Polymer-impregnated concrete

Recent progress in concrete-polymer composites (Ohama Y), 1997;5:31–40

Polymer-impregnated mortar

Recent progress in concrete-polymer composites (Ohama Y), 1997;5:31-40

Polymer-modified concrete

Recent progress in concrete-polymer composites (Ohama Y), 1997;5:31-40

Polymer-modified (or cement) mortar

Recent progress in concrete-polymer composites (Ohama Y), 1997;5:31-40

Polymer mortar

Recent progress in concrete-polymer composites (Ohama Y), 1997;5:31-40

Pore system

Dielectric amplification in cement pastes (Ford SJ, Hwang J-H, Olson RA, Moss GM, Jennings HM, Mason TO), 1997;5:41-48

Portland cement

Discussion of 'The Process of Sulfate Attack on Cement Mortars' by Shen Yang, Xu Zhongzi, and Tang Mingshu (Mather B), 1997;5:109-110

A reply to discussion by B. Mather of the paper 'The Process of Sulfate Attack on Cement Mortars' (Yang S, Zhongzi X, Mingshu T), 1997;5:111-112

Pozzolan

Durability of glass fiber reinforced cement composites (Marikunte S, Aldea C, Shah SP), 1997;5:100-108

Pretreated aggregate

Discussion of 'The Process of Sulfate Attack on Cement Mortars' by Shen Yang, Xu Zhongzi, and Tang Mingshu (Mather B), 1997;5:109-110

A reply to discussion by B. Mather of the paper 'The Process of Sulfate Attack on Cement Mortars' (Yang S, Zhongzi X, Mingshu T), 1997;5:111-112

Pull-out test

A pullout test for determining interface properties between rebar and concrete (Yeih W, Huang R, Chang JJ, Yang CC), 1997;5:57-65

Raman spectroscopy

Raman spectroscopy of C-S-H, tobermorite, and jennite (Kirkpatrick RJ, Yarger JL, McMillan PF, Yu P, Cong X), 1997;5:93-99

Rebar

A pullout test for determining interface properties between rebar and concrete (Yeih W, Huang R, Chang JJ, Yang CC), 1997;5:57-65

Reinforcement

Durability of glass fiber reinforced cement composites (Marikunte S, Aldea C, Shah SP), 1997;5:100-108

Rheology

Interparticle potential and sedimentation behavior of cement suspensions: Review and results from paste (Yang M, Neubauer CM, Jennings HM), 1997;5:1-7

Sedimentation

Interparticle potential and sedimentation behavior of cement suspensions: Review and results from paste (Yang M, Neubauer CM, Jennings HM), 1997;5:1-7

Shear

Shear of structural concrete members and pure mode II testing (Reinhardt HW, Ozbolt J, Xu S, Dinku A), 1997;5:75-85

Silica fume

Durability of glass fiber reinforced cement composites (Marikunte S, Aldea C, Shah SP), 1997;5:100-108

Size effects

Shear of structural concrete members and pure mode II testing (Reinhardt HW, Ozbolt J, Xu S, Dinku A), 1997;5:75-85

Spectroscopy

Dielectric amplification in cement pastes (Ford SJ, Hwang J-H, Olson RA, Moss GM, Jennings HM, Mason TO), 1997;5:41-48

Raman spectroscopy of C-S-H, tobermorite, and jennite (Kirkpatrick RJ, Yarger JL, McMillan PF, Yu P, Cong X), 1997;5:93-99

Splitting tension

Splitting tension tests to determine concrete fracture parameters by peak-load method (Yang S, Tang T, Zollinger DG, Gurjar A), 1997;5:18-28

Statistics

Splitting tension tests to determine concrete fracture parameters by peak-load method (Yang S, Tang T, Zollinger DG, Gurjar A), 1997;5:18-28

Strength

Accelerated strength and testing of concrete using blended cement (Resheidat MR, Ghanma MS), 1997;5:49-56

Sulfate attack

Discussion of 'The Process of Sulfate Attack on Cement Mortars' by Shen Yang, Xu Zhongzi, and Tang Mingshu (Mather B), 1997;5:109-110

A reply to discussion by B. Mather of the paper 'The Process of Sulfate Attack on Cement Mortars' (Yang S, Zhongzi X, Mingshu T), 1997;5:111-112

Temperature

Damping maximum of hardened cement paste (hcp) in the region of -90°C : A mechanical relaxation process (Xu X, Setzer MJ), 1997;5:69-74

Tension

Durability of glass fiber reinforced cement composites (Marikunte S, Aldea C, Shah SP), 1997;5:100-108

Test method

Accelerated strength and testing of concrete using blended cement (Resheidat MR, Ghanma MS), 1997;5:49-56

Shear of structural concrete members and pure mode II testing (Reinhardt HW, Ozbolt J, Xu S, Dinku A), 1997;5:75-85

Splitting tension tests to determine concrete fracture parameters by peak-load method (Yang S, Tang T, Zollinger DG, Gurjar A), 1997;5:18-28

Toughness

Durability of glass fiber reinforced cement composites (Marikunte S, Aldea C, Shah SP), 1997;5:100-108

Transition zone

Effects of transition zone densification on fiber/cement paste bond strength improvement (Chan Y-W, Li VC), 1997;5:8-17

Two-parameter fracture model

Splitting tension tests to determine concrete fracture parameters by peak-load method (Yang S, Tang T, Zollinger DG, Gurjar A), 1997;5:18-28

Zeta potential

Interparticle potential and sedimentation behavior of cement suspensions: Review and results from paste (Yang M, Neubauer CM, Jennings HM), 1997;5:1-7