

## SUBJECT INDEX TO VOLUME 8

### Basic creep

Quasi-instantaneous and long-term deformations of high performance concrete with sealed curing (Persson, B), 1997;8:1–16

### Bearing

Extruded fiber reinforced cement pressure pipe (Aldea C, Marikunte S, Shah SP), 1997;8:47–55

### Bond strength

Effects of polyvinyl alcohol on aggregate-paste bond strength and the interfacial transition zone (Kim J-H, Robertson RE), 1997;8:66–76

### Burst

Extruded fiber reinforced cement pressure pipe (Aldea C, Marikunte S, Shah SP), 1997;8:47–55

### Calcium aluminate

Processing/property/structure interactions in a calcium aluminate-phenol resin composite (Walberer JA, McHugh AJ), 1997;8:91–100

### Calcium hydroxide

Solvent replacement studies of hydrated Portland cement systems: The role of calcium hydroxide (Beaudoin JJ, Gu P, Marchand J, Tamtsia B, Myers RE, Liu Z), 1997;8:56–65

### Cement

Extruded fiber reinforced cement pressure pipe (Aldea C, Marikunte S, Shah SP), 1997;8:47–55

Interparticle potential and sedimentation behavior of cement suspensions: Effects of admixtures (Neubauer CM, Yang M, Jennings HM), 1997;8:17–27

### Cement paste

Exchange rates of ethanol with water in water-saturated cement pastes probed by NMR (Gran HC, Hansen EW), 1997;8:108–117

Relationship between differences in silica fume additives and fine-scale microstructural evolution in cement based materials (Allen AJ, Livingston RA), 1997;8:118–131

### Cement-based grout

Microstructural changes due to elevated temperature in cement based grouts (Palardy D, Onofrei M, Ballivy G), 1997;8:132–138

### Chemical admixtures

Interparticle potential and sedimentation behavior of cement suspensions: Effects of admixtures (Neubauer CM, Yang M, Jennings HM), 1997;8:17–27

### Chloride ions

$\text{Cl}^-$ ,  $\text{SO}_4^{2-}$ , and  $\text{PO}_4^{3-}$  distribution in concrete slabs ponded by corrosion-inhibitor-added deicing salts (Jang J-W, Hagen MG, Engstrom G, Iwasaki I), 1997;8:101–107

### Composite materials

Extruded fiber reinforced cement pressure pipe (Aldea C, Marikunte S, Shah SP), 1997;8:47–55

### Compressive strength

Quasi-instantaneous and long-term deformations of high performance concrete with sealed curing (Persson, B), 1997;8:1–16

### Concrete

Multiscale analytical/numerical theory of the diffusivity of concrete (Garboczi EJ, Bentz DP), 1997;8:77–88

A numerical test of air void spacing equations (Snyder KA), 1997;8:28–44

### Concrete slabs

$\text{Cl}^-$ ,  $\text{SO}_4^{2-}$ , and  $\text{PO}_4^{3-}$  distribution in concrete slabs ponded by corrosion-inhibitor-added deicing salts (Jang J-W, Hagen MG, Engstrom G, Iwasaki I), 1997;8:101–107

### Corrosion-inhibitor

$\text{Cl}^-$ ,  $\text{SO}_4^{2-}$ , and  $\text{PO}_4^{3-}$  distribution in concrete slabs ponded by corrosion-inhibitor-added deicing salts (Jang J-W, Hagen MG, Engstrom G, Iwasaki I), 1997;8:101–107

### Creep compliance

Quasi-instantaneous and long-term deformations of high performance concrete with sealed curing (Persson, B), 1997;8:1–16

### Deflection

Extruded fiber reinforced cement pressure pipe (Aldea C, Marikunte S, Shah SP), 1997;8:47–55

### Deicing salts

$\text{Cl}^-$ ,  $\text{SO}_4^{2-}$ , and  $\text{PO}_4^{3-}$  distribution in concrete slabs ponded by corrosion-inhibitor-added deicing salts (Jang J-W, Hagen MG, Engstrom G, Iwasaki I), 1997;8:101–107

### Diffusion

Exchange rates of ethanol with water in water-saturated cement pastes probed by NMR (Gran HC, Hansen EW), 1997;8:108–117

### Diffusivity

Multiscale analytical/numerical theory of the diffusivity of concrete (Garboczi EJ, Bentz DP), 1997;8:77–88

### Durability

Multiscale analytical/numerical theory of the diffusivity of concrete (Garboczi EJ, Bentz DP), 1997;8:77–88

### Entrained air voids

A numerical test of air void spacing equations (Snyder KA), 1997;8:28–44

### Extrusion

Extruded fiber reinforced cement pressure pipe (Aldea C, Marikunte S, Shah SP), 1997;8:47–55

### Fibers

Extruded fiber reinforced cement pressure pipe (Aldea C, Marikunte S, Shah SP), 1997;8:47–55

### Flexure

Extruded fiber reinforced cement pressure pipe (Aldea C, Marikunte S, Shah SP), 1997;8:47–55

### Freeze thaw

A numerical test of air void spacing equations (Snyder KA), 1997;8:28–44

### Hardened cement paste

Effects of polyvinyl alcohol on aggregate-paste bond strength and the interfacial transition zone (Kim J-H, Robertson RE), 1997;8:66–76

### High temperatures

Microstructural changes due to elevated temperature in cement based grouts (Palardy D, Onofrei M, Ballivy G), 1997;8:132-138

### High-performance concrete

Quasi-instantaneous and long-term deformations of high performance concrete with sealed curing (Persson, B), 1997;8:1-16

### Hydrostatic

Extruded fiber reinforced cement pressure pipe (Aldea C, Marikunte S, Shah SP), 1997;8:47-55

### Interactions

Processing/property/structure interactions in a calcium aluminate-phenol resin composite (Walberer JA, McHugh AJ), 1997;8:91-100

### Interfacial transition zone

Effects of polyvinyl alcohol on aggregate-paste bond strength and the interfacial transition zone (Kim J-H, Robertson RE), 1997;8:66-76

Multiscale analytical/numerical theory of the diffusivity of concrete (Garboczi EJ, Bentz DP), 1997;8:77-88

### Internal relative humidity

Quasi-instantaneous and long-term deformations of high performance concrete with sealed curing (Persson, B), 1997;8:1-16

### Latex

Extruded fiber reinforced cement pressure pipe (Aldea C, Marikunte S, Shah SP), 1997;8:47-55

### Liquid exchange

Exchange rates of ethanol with water in water-saturated cement pastes probed by NMR (Gran HC, Hansen EW), 1997;8:108-117

### Maturity

Quasi-instantaneous and long-term deformations of high performance concrete with sealed curing (Persson, B), 1997;8:1-16

### Metakaolin

Extruded fiber reinforced cement pressure pipe (Aldea C, Marikunte S, Shah SP), 1997;8:47-55

### Microstructure

Multiscale analytical/numerical theory of the diffusivity of concrete (Garboczi EJ, Bentz DP), 1997;8:77-88

Relationship between differences in silica fume additives and fine-scale microstructural evolution in cement based materials (Allen AJ, Livingston RA), 1997;8:118-131

### Microstructure modifications

Microstructural changes due to elevated temperature in cement based grouts (Palardy D, Onofrei M, Ballivy G), 1997;8:132-138

### Modeling

Multiscale analytical/numerical theory of the diffusivity of concrete (Garboczi EJ, Bentz DP), 1997;8:77-88

### Modulus of elasticity

Extruded fiber reinforced cement pressure pipe (Aldea C, Marikunte S, Shah SP), 1997;8:47-55

### Nuclear magnetic resonance

Exchange rates of ethanol with water in water-saturated cement pastes probed by NMR (Gran HC, Hansen EW), 1997;8:108-117

### Organo-ceramic composite

Processing/property/structure interactions in a calcium aluminate-phenol resin composite (Walberer JA, McHugh AJ), 1997;8:91-100

### Performance prediction

Multiscale analytical/numerical theory of the diffusivity of concrete (Garboczi EJ, Bentz DP), 1997;8:77-88

### Permeability

Microstructural changes due to elevated temperature in cement based grouts (Palardy D, Onofrei M, Ballivy G), 1997;8:132-138

### Phenol resin

Processing/property/structure interactions in a calcium aluminate-phenol resin composite (Walberer JA, McHugh AJ), 1997;8:91-100

### Phosphate ions

$\text{Cl}^-$ ,  $\text{SO}_4^{2-}$ , and  $\text{PO}_4^{3-}$  distribution in concrete slabs ponded by corrosion-inhibitor-added deicing salts (Jang J-W, Hagen MG, Engstrom G, Iwasaki I), 1997;8:101-107

### Polymer-cement

Processing/property/structure interactions in a calcium aluminate-phenol resin composite (Walberer JA, McHugh AJ), 1997;8:91-100

### Ponding

$\text{Cl}^-$ ,  $\text{SO}_4^{2-}$ , and  $\text{PO}_4^{3-}$  distribution in concrete slabs ponded by corrosion-inhibitor-added deicing salts (Jang J-W, Hagen MG, Engstrom G, Iwasaki I), 1997;8:101-107

### Porosity

Quasi-instantaneous and long-term deformations of high performance concrete with sealed curing (Persson, B), 1997;8:1-16

### Portland cement

Solvent replacement studies of hydrated Portland cement systems: The role of calcium hydroxide (Beaudoin JJ, Gu P, Marchand J, Tamtsia B, Myers RE, Liu Z), 1997;8:56-65

### Pressure

Extruded fiber reinforced cement pressure pipe (Aldea C, Marikunte S, Shah SP), 1997;8:47-55

### Processing

Processing/property/structure interactions in a calcium aluminate-phenol resin composite (Walberer JA, McHugh AJ), 1997;8:91-100

### Property

Processing/property/structure interactions in a calcium aluminate-phenol resin composite (Walberer JA, McHugh AJ), 1997;8:91-100

### Rheology

Interparticle potential and sedimentation behavior of cement suspensions: Effects of admixtures (Neubauer CM, Yang M, Jennings HM), 1997;8:17-27

### Sedimentation

Interparticle potential and sedimentation behavior of cement suspensions: Effects of admixtures (Neubauer CM, Yang M, Jennings HM), 1997;8:17-27

### Self-desiccation

Quasi-instantaneous and long-term deformations of high performance concrete with sealed curing (Persson, B), 1997;8:1-16

### Silica fume

Extruded fiber reinforced cement pressure pipe (Aldea C, Marikunte S, Shah SP), 1997;8:47-55

- Quasi-instantaneous and long-term deformations of high performance concrete with sealed curing (Persson, B), 1997;8:1–16
- Relationship between differences in silica fume additives and fine-scale microstructural evolution in cement based materials (Allen AJ, Livingston RA), 1997;8:118–131
- Silica sand**
- Extruded fiber reinforced cement pressure pipe (Aldea C, Marikunte S, Shah SP), 1997;8:47–55
- Small-angle scattering**
- Relationship between differences in silica fume additives and fine-scale microstructural evolution in cement based materials (Allen AJ, Livingston RA), 1997;8:118–131
- Solvent replacement**
- Solvent replacement studies of hydrated Portland cement systems: The role of calcium hydroxide (Beaudoin JJ, Gu P, Marchand J, Tamtsia B, Myers RE, Liu Z), 1997;8:56–65
- Spacing equations**
- A numerical test of air void spacing equations (Snyder KA), 1997;8:28–44
- Static leaching**
- Microstructural changes due to elevated temperature in cement based grouts (Palardy D, Onofrei M, Ballivy G), 1997;8:132–138
- Statistical geometry**
- Multiscale analytical/numerical theory of the diffusivity of concrete (Garboczi EJ, Bentz DP), 1997;8:77–88
- Strain**
- Extruded fiber reinforced cement pressure pipe (Aldea C, Marikunte S, Shah SP), 1997;8:47–55
- Strength**
- Extruded fiber reinforced cement pressure pipe (Aldea C, Marikunte S, Shah SP), 1997;8:47–55
- Structure**
- Processing/property/structure interactions in a calcium aluminate-phenol resin composite (Walberer JA, McHugh AJ), 1997;8:91–100
- Sulfate ions**
- $\text{Cl}^-$ ,  $\text{SO}_4^{2-}$ , and  $\text{PO}_4^{3-}$  distribution in concrete slabs ponded by corrosion-inhibitor-added deicing salts (Jang J-W, Hagen MG, Engstrom G, Iwasaki I), 1997;8:101–107
- Tension**
- Extruded fiber reinforced cement pressure pipe (Aldea C, Marikunte S, Shah SP), 1997;8:47–55
- Toughness**
- Extruded fiber reinforced cement pressure pipe (Aldea C, Marikunte S, Shah SP), 1997;8:47–55
- Type H cement**
- Microstructural changes due to elevated temperature in cement based grouts (Palardy D, Onofrei M, Ballivy G), 1997;8:132–138
- Type K cement**
- Microstructural changes due to elevated temperature in cement based grouts (Palardy D, Onofrei M, Ballivy G), 1997;8:132–138