



Key Word Index

- AAC, 855
Abrasion Resistance, 1215
AC Impedance, 1085, 1685, 1689
Accelerated, 1541
Accelerated Chloride Ion Diffusion Test, 585
Acceleration, 249, 537, 1737
Acid Attack, 2005
Acid Resistance, 1215, 1681
Active Thin Sections, 281
Adhesion, 95
Adhesion Strength, 909
Adiabatic Temperature Rise, 553
Admixture, 9, 223, 479, 591, 699, 761, 899, 909, 1103, 1271, 1743, 1769, 1847
Adsorption, 99, 591, 777, 923, 1159, 1769
Adsorption Capillary, 339
AF_m phases, 861
Aggregate, 331, 607, 1061, 1277, 1289, 1403, 1835, 1863, 1905, 1983
Aggregate Geochemistry, 1019
Aggregate Size, 1393
Aggregate Size Grading, 1393
Aggregate Volume Concentration, 1995
Aging, 1149, 1249
Air Curing, 497
Air Lime Mortars, 1749
Air Void System, 273
Aircyclosizing, 765
Alkali, 1893
Alkali-Activated Cement, 113, 249, 455, 459, 467, 607, 659, 713, 997, 1313, 1323, 1619
Alkali-Aggregate Reaction, 1271, 1277, 1281, 1289, 1393, 1915
Alkalis, 71, 187, 361, 467, 1753
Aluminium Additives, 1759
Amorphous Material, 527, 1189
Analcite, 1759
Anhydrite, 1173
ANOVA, 1749
Apparent Viscosity, 1791
Autogenous, 567
Autogenous Shrinkage, 611

B. Backscattered Electron Imaging, 1131
B. Calcium-Silicate-Hydrate (C-S-H), 1131
B. Microstructure, 1131
B. TEM, 1131
BaO, 1857
Bending Strength, 201, 631, 983
BET Isotherm, 1799

Blast-Furnace Slag, 171
Blast-Furnace Slag Cement, 143
Bleeding, 261, 813
Blended Cement, 553, 603, 623, 1387, 1605
Bond Strength, 627, 781, 1019, 1067, 1905, 1983
Bonding, 805
Bottom Ash, 1387

Ca₃Al₂O₆, 63, 87, 651
CaCO₃, 819, 1815
Ca(OH)₂, 37, 467, 867, 1525, 1673
Ca₂SiO₄, 503, 1305
Ca₃SiO₅, 355, 1099, 1851, 1857
Calcium Aluminate, 121
Calcium Aluminate Cement, 429, 1215, 1881, 1969
Calcium Aluminates, 731
Calcium Aluminoferrite, 651, 679
Calcium Phosphate Cement, 1969
Calcium-Silicate-Hydrate (C-S-H), 37, 361, 789, 1061, 1149, 1167, 1411, 1561, 1759, 1915
Calorimetry, 695, 1611
CaO, 599, 1061, 1569
3CaO·3Al₂O₃·CaSO₄, 1305
CaOTiO₂, 1851
Carbonation, 63, 107, 561, 923, 1261, 1929
Cement, 193, 231, 309, 427, 441, 445, 451, 695, 727, 867, 893, 909, 1289, 1591, 1673, 1713, 1727, 1959
Cement Paste, 223, 273, 281, 507, 773, 777, 847, 933, 961, 1085, 1107, 1111, 1117, 1181, 1441, 1487, 1491, 1575, 1635, 1641, 1655, 1663, 1989
Cement Suspensions, 3
Cement-Based Composite, 1027
Cementitious, 397
Cenospheres, 1635, 1641
Characterization, 377, 441, 503, 623, 719, 747, 899, 1061, 1403, 1487, 1569, 1681, 1705, 1743, 1791, 1815, 1841
Chemical Admixture, 255, 1159
Chemical Analysis, 893
Chemically Bonded Ceramics, 747
Chinese Autoclave Method, 1393
Chloride, 187, 441, 473, 487, 687, 827, 861, 873, 885, 893, 917, 1085, 1111, 1411, 1463, 1469, 1475, 1497, 1937, 1995
Chloride Binding, 1799
Chloride Diffusion Coefficients, 1799
Chloride Penetration, 417
Chromium, 545, 651, 1949, 1959
Clay, 975
Clay Index, 1815
Clinker, 187, 303, 355, 531, 599, 679, 695, 727, 1173, 1373, 1505, 1627, 1847, 1949
CMOD Compliance Calibration Technique, 705
Cohesion, 1027
Cohesive Crack, 1055
Colourimetric Method, 417
Combined Mineral Admixtures, 957
Composite, 201, 231, 237, 445, 737, 769, 923, 989, 1323, 1597
Composite Portland Cement, 1103
Composite Resin, 645
Compression Strength, 429
Compressive Strength, 171, 255, 323, 331, 407, 451, 459, 497, 591, 619, 627, 631, 659, 673, 713, 737, 743, 781, 983, 1373, 1397, 1619, 1713, 1737, 1875, 1977
Computer Simulation, 1201
Concrete, 171, 255, 297, 331, 407, 417, 427, 435, 473, 619, 699, 769, 781, 813, 893, 917, 989, 1201, 1207, 1239, 1249, 1379, 1411, 1455, 1463, 1469, 1655, 1681, 1685, 1689, 1737, 1807, 1863, 1887, 1983
Conditional Solubility Product, 1091
Continuous Distribution, 1721
Contribution Rate to Strength, 951
Corrosion, 315, 827, 873, 899, 1541, 1555, 1561, 1583, 1681
Corrosion Inhibitors, 873
Crack Detection, 1887
Cracks, 1929
Creep, 1149, 1647
Crystal Structure, 63, 355, 503, 679, 1937
C₃S, 1441
C/S Ratio, 1999
C-S-H, 1099, 1893, 1999
C-S-H Gel, 1091
C₃SiO₅, 545
Cultural Heritage, 1749
Curing, 45, 323, 369, 515, 659, 667, 761, 917, 1475, 1713, 1737, 1863
Curing Procedure, 497

Damage, 1519

- DEF, 1347F, 1943
 Degradation, 627, 781, 789, 1347, 1433
 Degree of Hydration, 143, 1721
 Delayed Ettringite Formation, 1173
 Desorptivity, 1743
 Diffusion, 315, 473, 487, 515, 595, 667, 1111, 1239, 1261, 1379, 1411, 1463, 1469, 1475, 1497, 1591, 1605, 1921, 1995
 Dissolution, 1091
 Double Factors, 1519
 Drying, 1149, 1225, 1655, 1819, 1921
 Ductility, 855
 Durability, 95, 201, 249, 527, 537, 667, 713, 719, 819, 827, 899, 917, 1039, 1047, 1173, 1207, 1331, 1397, 1433, 1819, 1943, 2005
 Dye Penetration Test, 705
 Dynamic Loading, 805

 Early Age, 1827
 EDS, 1915
 EDX, 1497
 Efflorescence, 1929
 Elastic Moduli, 839, 847, 1085, 1455, 1647, 1995
 Electrical Properties, 377, 435, 445, 603, 769, 961, 1989
 Electrochemical Chloride Extraction, 1555, 1561
 Electrochemical Properties, 527, 687, 873, 1411, 1555, 1583
 EPMA, 1497
 Epoxy Resins, 95
 Ettringite, 17, 309, 369, 731, 1005, 1535, 1943
 Expanding Direction, 855
 Expansion, 527, 731, 975, 983, 1013, 1277, 1393, 1419, 1635, 1641, 1781
 Extreme Vertices Design, 957

 Fatigue, 423, 705, 1077
 Fatigue Crack Growth Rate, 705
 Fiber Geometry, 1027
 Fiber Reinforcement, 193, 237, 423, 435, 445, 737, 773, 961, 989, 1107, 1117, 1323, 1519, 1597, 1807, 1835, 1989
 Fiber-Reinforced Cements, 209
 Fiber-Reinforced Concrete, 769, 1827
 Fictitious Crack Model, 855
 Fineness, 459, 531
 Fines, 765
 Finite Element Analysis, 1921
 Flexural Strength, 121, 497
 Flowability, 261
 Fluid Catalytic Cracking Catalyst, 1773
 Fluoride, 1847
 Fluorogypsum, 349
 Fly Ash, 179, 297, 309, 349, 377, 467, 585, 619, 631, 673, 765, 1103, 1189, 1207, 1281, 1323, 1427, 1525, 1569, 1705, 1713, 1727, 1737, 1791, 1905, 1915, 1969
 Fractal Aspects, 1181
 Fracture, 397
 Fracture Mechanics, 855
 Fracture Process Zone, 1887
 Fracture Resistance, 645
 Fracture Toughness, 193, 1905
 Free Lime, 1857
 Freezing and Thawing, 627, 737, 781, 1519
 Fresh Concrete, 377, 753, 1427, 1819
 Friction, 1027
 Friedel's Salt, 861, 1937

 Gel, 1149
 Geothermal Cement, 1969
 Geothermal Waste, 623
 Glass, 1791
 Glass Polyalkenoate Cement, 645
 Granulated Blast Furnace Slag, 113, 455, 459, 659, 975, 1313, 1373
 Granulated Blast Furnace Slag-Cement Paste, 2005
 Grindability, 303
 Grinding, 9, 171, 531, 727, 743, 1387
 Ground Blast Furnace Slag, 1281
 Ground Brick, 1781
 Ground Granulated Blast Furnace Slag (ggbfs), 159, 429, 1619
 Grout, 331, 867
 Gypsum, 727, 1419

 Hadley Grains, 1167, 1181
 Heat Curing, 17
 Heat of Hydration, 143, 945
 Heavy Metals, 55, 545, 1433, 1605, 1949, 1959
 High Performance Mortar, 785
 High Strength Concrete, 1519
 High-Performance Concrete, 45, 133, 267, 423, 577, 615, 813, 1013, 1215, 1225, 1427, 1475, 1497, 1647, 1977
 High-Range Water Reducers, 71, 223, 1535
 Homogenization, 1341
 Humidity, 45, 567, 577, 923, 1225, 1505, 1655, 1819, 1921
 Hydration, 3, 27, 63, 107, 143, 159, 349, 503, 577, 591, 615, 885, 945, 983, 1005, 1013, 1099, 1159, 1167, 1299, 1305, 1487, 1505, 1513, 1575, 1663, 1841, 1851
 Hydration Products, 667, 699, 1005, 1365, 1487, 1505, 1525, 1641, 1681, 1713, 1943
 Hydroxyapatite, 1167

 Image Analysis, 1181, 1403, 1983
 Impact Test, 989
 Infrared Spectrum, 805
 Inhibitors, 1583
 Interaction, 1159
 Interfacial Transition Zone, 17, 369, 407, 423, 839, 1019, 1201, 1299, 1455
 Interfacial Zone, 281
 Internal Moisture, 1249
 Interpenetrating, 1541
 Invasion Percolation, 209
 Invasion-Frost-Thaw Events, 209
 Ionic Diffusion, 1341

 Kinetics, 9, 187, 567, 595, 599, 1039, 1299, 1513, 1575
 Knowledge-Acquisition System, 1875
 Kramers-Kronig Transform, 1685

 Laser Granulometry, 3
 Leaching, 179, 1261
 Lead, 885, 1189
 Lightweight Aggregate, 611
 Lightweight Concrete, 1835
 Ligninsulphonates, 1769
 Lime-Stabilisation, 975
 Lithium Compounds, 1271
 Loading Rate, 397
 Long-Term Performance, 179, 699, 1289, 1555, 1647

 Macro Defect Free Cement, 121
 Magnesium, 389
 Magnesium Oxychloride Cement, 1929
 Magnetite, 1705
 Manganese, 171
 Margules Type Solid, 1091
 Material Identification, 1055
 Mathematical Modeling, 1627
 Mechanical Properties, 87, 193, 215, 231, 241, 267, 427, 445, 455, 607, 637, 719, 847, 909, 1067, 1107, 1313, 1419, 1647, 1673, 1753, 1807, 1887, 1977
 Mechanical Strength, 1773
 Medium Temperature, 785
 Mercury Porosimetry, 585, 631, 933
 Metakaolin, 997
 Metallic Particles, 303
 MgO, 1365, 1847
 Microcracking, 287
 Micromechanics, 201, 323, 839, 1455
 Microscopy, 3, 303
 Microstructure, 17, 133, 171, 179, 349, 369, 585, 615, 667, 699, 805, 839, 933, 1013, 1019, 1067, 1181, 1189, 1299, 1433, 1535, 1561, 1591, 1605, 1619
 Microwave Processing, 241
 Microwave Sintering, 1611
 Migration, 687, 1463, 1469
 Migration Tests, 417, 1799
 Mineral Additives, 3
 Miscibility, 1857
 Mix Design, 1875
 Mixing, 1491
 Mixture Proportioning, 323, 1863

- Modeling, 79, 99, 201, 361, 487, 615, 1027, 1039, 1047, 1201, 1313, 1513, 1591, 1597, 1663, 1727, 1807, 1977
- Moist Curing, 497
- Moisture Content of Aggregate, 611
- Moisture Properties, 339
- Monosulfate, 1841, 1943
- Monosulfoaluminate, 861
- Mortar, 17, 55, 107, 241, 407, 427, 743, 819, 893, 945, 1061, 1673, 1743, 1753, 1781, 1905
- Mortars, 1773
- Nernst-Planck, 1341
- Neural Networks, 1875
- Nickel, 545, 651, 1949, 1959
- Nitrite, 315
- NMR, 1131
- Nyquist Criterion, 1689
- Oil Palm Shells, 619
- Oil Well Cement, 27, 523
- Operative Dentistry, 645
- Organic Acids, 1841
- Organic Materials, 9, 737
- Oxychloride Cement, 1365
- Packing Density, 1721
- Panel Test, 1827
- Particle Size Distribution, 3, 507, 553, 615, 743, 839, 1201, 1299, 1455, 1663
- Pectolite, 1759
- Permeability, 497, 523, 687, 933, 1085, 1225, 1239, 1379, 1475, 1921, 1995
- Petrography, 273, 287, 1277, 1881
- pH, 159, 315, 527, 1271, 1583
- Phase Composition Determination, 1627
- Phase Transformation, 805
- Phenol Resin Precursor, 121
- Phosphate Cement, 389
- Physical Properties, 349, 637, 983, 997, 1117, 1397, 1403, 1635, 1819
- Point Count, 273
- Poisson, 1341
- Polymer, 1541
- Polymers, 231, 407, 747, 847, 909, 1077
- Polymorph, 1857
- Polymorphism, 1851
- Polypropylene, 1597
- Pore Size Distribution, 79, 133, 507, 577, 585, 933, 1753
- Pore Size Evolution, 209
- Pore Solution, 99, 159, 315, 473, 595, 873, 1261, 1271, 1583, 1893, 1915, 2005
- Pore Structure, 1181
- Porosity, 1721
- Porous Concretes, 1077
- Portland Cement, 287, 673, 713, 747, 1373, 1627, 1999
- Portlandite/Calcite, 1749
- Portland-Limestone Cement, 1331
- Potassium, 1893
- Pozzolan, 37, 87, 215, 249, 487, 623, 637, 867, 1277, 1387, 1773, 1781
- Pozzolan Activity, 945
- Pozzolan Effect, 951
- Pozzolan Reaction, 1167
- Pozzolan Reactivity, 1791
- Pullout Test, 1027
- Quantitative X-Ray Diffraction, 1999
- Quasibrittle Fracture, 1055
- Radioactive Waste, 479
- Raw Mix, 303
- Reaction, 55, 79, 249, 1019, 1099, 1727
- Reactivity, 1569
- Refractory Cement, 713
- Reinforced Concrete, 561
- Reinforcement, 427, 1541
- Repair, 1067
- Repair of Concrete, 389
- Repair Mortars, 95
- Representative Elementary Volume, 1341
- Resistance Curves, 397
- Resistance to Thermal Shock, 1215
- Retardation, 885, 1513
- Rheology, 27, 71, 223, 237, 523, 591, 753, 761, 867, 1159, 1441, 1491
- Rice Husk Ash, 37
- Salt Crystallization, 1347
- Scanning Acoustic Microscopy, 287
- Scanning Electron Microscopy, 287, 719
- Section Analysis, 273
- Seal Slag, 1103
- Segregation, 261
- Self-Desiccation, 45
- Self-Dessication, 611
- Self-Leveling Concrete, 261
- SEM, 27, 323, 355, 369, 1505, 1561, 1773, 1881
- Service Life Model, 827
- Setting Time, 389
- Shape Analysis, 1403
- Shotcrete, 753
- Shrinkage, 113, 455, 567, 577, 607, 659, 899, 909, 1225, 1597, 1619, 1655, 1835
- Silane, 773, 1107, 1117
- Silica Fume, 45, 79, 133, 193, 423, 451, 497, 537, 753, 773, 785, 813, 819, 917, 945, 1077, 1107, 1117, 1207, 1239, 1281, 1289, 1397, 1427, 1575, 1989
- ²⁹Si-MAS-NMR Spectroscopy, 1575
- Sisal, 1597
- Small-Angle X-Ray Scattering, 631
- Sodium, 1759, 1893
- Sodium Polyphosphate, 1969
- Softening Law, 1055
- Soil, 673
- Solar-Powered Car, 121
- Solubility, 861
- Spacing Factor, 273
- Specific Strength, 951
- Spectroscopy, 1815
- Spherical Cement, 553
- Stability, 479, 1441, 1685, 1689
- Stability (Deformation), 923
- Stabilization, 673
- Steam Curing, 497
- Steel Fiber, 1027, 1827
- Steel Hardening, 1027
- Steel Mesh, 1827
- Strain Effect, 435
- Strength, 79, 261, 389, 1387
- Stress-Strain Curve, 1977
- Structural Transition, 1937
- Sulfate, 107, 187, 215, 297, 441, 731, 789, 1173, 1305, 1419
- Sulfate Attack, 537, 719, 789, 975, 1331, 1397, 1591, 1969
- Sulfate-Resistant Cement, 133, 679
- Sulfation, 1929
- Sulfoaluminate, 789
- Sulphate Attack, 819, 1781
- Sulphonated Phenolic Resin, 255
- Surface Layer, 179, 267, 1261
- Surface Roughness, 397
- Syneresis, 281
- TEM, 1705
- Temperature, 27, 143, 241, 537, 567, 603, 1249
- Temperature Development, 143
- Tensile Properties, 451, 561, 627, 773
- Thaumasite, 1331
- Thermal Analysis, 623, 847, 961, 997, 1077, 1387, 1487, 1525, 1999
- Thermal Insulators, 121
- Thermal Treatment, 297, 599, 637, 1619, 1635
- Thermistor, 961
- Thermodynamic Calculations, 1039, 1347
- Thermoelectric, 1989
- TiO₂, 1851
- Tobermorite, 1759
- Toughening Mechanisms, 397
- Toughness, 397
- Toxic Metal, 515
- Transmission Electron Microscopy, 679, 1189
- Transparency Microscopy, 727
- Transport Properties, 479, 523, 827, 1039, 1239, 1379, 1463, 1469, 1663
- Tricalcium Silicate, 1611
- Triethanolamine, 777
- Typhoon, 805
- Ultrasound Test, 1749
- Vickers Hardness, 747
- Viscosity Agent, 261
- Voltammetry, 777

- | | | |
|--|---|----------------------------|
| Waste Management, 55, 87, 99, 215, 309,
361, 595, 761, 885, 1005, 1305, 1323,
1433, 1605, 1673 | Weighing, 435 | X-Ray Fluorescence, 1627 |
| Water Absorption, 765 | Wood Composites, 339 | X-Ray Microanalysis, 17 |
| Water Demand, 1721 | Work Index, 727 | Xonotlite, 1759 |
| Water Permeability, 785 | Workability, 113, 231, 255, 451, 455, 459,
553, 753, 761, 813, 1427, 1491, 1875 | Yield Stress, 765 |
| Water Vapor Desorption Isotherms, 133 | X-Ray Diffraction, 63, 355, 997, 1005,
1331, 1419, 1525, 1535, 1611, 1627,
1705, 1881, 1937 | Zeolite Powder, 957 |
| Weathering, 1249 | | Zinc, 545, 651, 1949, 1959 |
| Wedge-Splitting Test, 705 | | |