



Index to Volume 30

2000

Volume 30, Number 1

January

REVIEWS

- D.W. Hadley, W.L. Dolch, S. Diamond:** On the occurrence of hollow-shell hydration grains in hydrated cement paste 1

PAPERS

- H. El-Didamony, K.A. Khalil, M.S. El-Attar:** Physiochemical characteristics of fired clay-limestone mixes 7
- I.K. Cisse, M. Laquerbe:** Mechanical characterisation of filler sandcretes with rice husk ash additions. Study applied to Senegal 13
- S.P. Pandey, R.L. Sharma:** The influence of mineral additives on the strength and porosity of OPC mortar 19
- A. Ammouche, D. Breyse, H. Hornain, O. Didry, J. Marchand:** A new image analysis-technique for the quantitative assessment of microcracks in cement-based materials 25
- B. Gérard, J. Marchand:** Influence of cracking on the diffusion properties of cement-based materials. Part I: Influence of continuous cracks on the steady-state regime 37
- D. Li, X. Wu, J. Shen, Y. Wang:** The influence of compound admixtures on the properties of high-content slag cement 45
- C. Shi, R.L. Day:** Pozzolanic reaction in the presence of chemical activators. Part I: Reaction kinetics 51
- Y. Xu, D.D.L. Chung:** Effect of sand addition on the specific heat and thermal conductivity of cement 59
- C.X. Qian, P. Stroeve:** Development of hybrid polypropylene-steel fibre-reinforced concrete 63
- C. Cao, W. Sun, H. Qin:** The analysis on strength and fly ash effect of roller-compacted concrete with high volume fly ash 71
- X. Cheng, J. Chang, L. Lu, F. Liu, B. Teng:** Study of Ba-bearing calcium sulfoaluminate minerals and cement 77
- M. Mainguy, C. Tognazzi, J.-M. Torrenti, F. Adenot:** Modelling of leaching in pure cement paste and mortar 83
- Y. Shao, T. Lefort, S. Moras, D. Rodriguez:** Studies on concrete containing ground waste glass 91
- H.M. Jennings:** A model for the microstructure of calcium silicate hydrate in cement paste 101

T. Bing, M.D. Cohen: Does gypsum formation during sulfate attack on concrete lead to expansion?	117
P.S. Mangat, F.J. O’Flaherty: Influence of elastic modulus on stress redistribution and cracking in repair patches	125
M.A. Trezza, A.N. Scian: Burning wastes as an industrial resource. Their effect on Portland cement clinker	137
J. Zelić, R. Krstulović, E. Tkalčec, P. Krolo: The properties of Portland cement-limestone-silica fume mortars	145
P.M. Zisopoulos, M.D. Kotsovos, M.N. Pavlovic: Deformational behaviour of concrete specimens in uniaxial compression under different boundary conditions	153
DISCUSSIONS	
J. Skalny, I. Odler, F. Young: Discussion of the paper “Sulfate attack,” or is it? by W.G. Hime and B. Mather	161
W.G. Hime, B. Mather: Reply to the discussion of the paper “Sulfate attack,” or is it?	163
NEWS ITEMS	

2000

Volume 30, Number 2

February

IN MEMORIAM

H.F.W. Taylor: Alice Elizabeth Moore, 1921–1999	169
--	------------

PAPERS

S. ORAK: Investigation of vibration damping on polymer concrete with polyester resin	171
S. Gomes, M. François: Characterization of mullite in silicoaluminous fly ash by XRD, TEM, and ^{29}Si MAS NMR	175
S. Kurtz, P. Balagaru: Postcrack creep of polymeric fiber-reinforced concrete in flexure	183
E.M. Schulson, I.P. Swainson, T.M. Holden, C.J. Korhonen: Hexagonal ice in hardened cement	191
K. Yamada, T. Takahashi, S. Hanehara, M. Matsuhisa: Effects of the chemical structure on the properties of polycarboxylate-type superplasticizer	197
M. Frías, M.I. Sánchez de Rojas, J. Cabrera: The effect that the pozzolanic reaction of metakaolin has on the heat evolution in metakaolin-cement mortars	209
O. Truck, J.P. Ollivier, M. Carcassès: A new way for determining the chloride diffusion coefficient in concrete from steady state migration test	217
Z. Lu, X. Zhou: The waterproofing characteristics of polymer sodium carboxymethyl-cellulose	227
B.A. Clark, P.W. Brown: The formation of calcium sulfoaluminate hydrate compounds. Part II	233
Y. Xu, D.D.L. Chung: Reducing the drying shrinkage of cement paste by admixture surface treatments	241

Y.N. Chan, X. Luo, W. Sun: Compressive strength and pore structure of high-performance concrete after exposure to high temperature up to 800°C	247
M. Kuroda, T. Watanabe, N. Terashi: Increase of bond strength at interfacial transition zone by the use of ash fly	253
M. El-Hawary, H. Al-Khaiat, S. Fereig: Performance of epoxy-repaired concrete in a marine environment	259
M.Y.A. Mollah, W. Yu, R. Schennach, D.L. Cocker: A Fourier transform infrared spectroscopic investigation of the early hydration of Portland cement and the influence of sodium lignosulfonate	267
P. Yan, W. Yang: The cementitious binder derived with fluorogypsum and low quality of fly ash	275
H. Akgün, J.J.K. Daemen: Influence of degree of saturation on the borehole sealing performance of an expansive cement grout	281
V.G. Papadakis: Effect of supplementary cementing materials on concrete resistance against carbonation and chloride ingress	291
H. Kada-Benameur, E. Wirquin, B. Duthoit: Determination of apparent activation energy of concrete by isothermal calorimetry	301
G. Renaudin, J.-P. Rapin, B. Humbert, M. François: Thermal behavior of the nitrated AFm phase $\text{Ca}_4\text{Al}_2(\text{OH})_{12}(\text{NO}_3)_2 \cdot 4\text{H}_2\text{O}$ and structure determination of the intermediate hydrate $\text{Ca}_4\text{Al}_2(\text{OH})_{12}(\text{NO}_3)_2 \cdot 2\text{H}_2\text{O}$	307
E. Soudée, J. Péra: Mechanism of setting reaction in magnesia-phosphate cements	315
COMMUNICATIONS	
X. Luo, D.D.L. Chung: Concrete-concrete pressure contacts under dynamic loading, studied by contact electrical resistance measurement	323
S. Wen, D.D.L. Chung: Enhancing the vibration reduction ability of concrete by using steel reinforcement and steel surface treatments	327
DISCUSSIONS	
B. Mather: Discussion of the paper “Durability of the hydrated limestone-silica fume Portland cement mortars under sulphate attack” by J. Zelić R. Zelić Krstulović, E. Tkalčec, and P. Krolo	331
J. Zelić, R. Zelić Krstulović, E. Tkalčec, P. Krolo: Reply to the discussion of the paper “Durability of the hydrated limestone-silica fume Portland cement mortars under sulphate attack”	333
NEWS ITEMS	

PAPERS

T. Ramlochan, M. Thomas, K.A. Gruber: The effect of metakaolin on alkali-silica reaction in concrete	339
S. Kumar: Influence of water quality on the strength of plain and blended cement concretes in marine environments	345
C.F. Mora, A.K.H. Kwan: Sphericity, shape factor, and convexity measurement of coarse aggregate for concrete using digital image processing	351

J.J. Beaudoin, B. Tamtsia, J. Marchand, H.R. Myers: Solvent exchange in partially saturated and saturated microporous systems: Length change anomalies	359
M.M. Shoaib, M.M. Balaha, A.G. Abdel-Rahman: Influence of cement kiln dust substitution on the mechanical properties of concrete	371
X. Luo, W. Sun, S.Y.N. Chan: Effect of heating and cooling regimes on residual strength and microstructure of normal strength and high-performance concrete	379
S. Wang, C. Vipulanandan: Solidification/stabilization of Cr(VI) with cement: Leachability and XRD analyses	385
L. Yan, C.H. Jenkins, R.L. Pendleton: Polyolefin fiber-reinforced concrete composites: Part I. Damping and frequency characteristics	391
L. Yan, C.H. Jenkins, R.L. Pendleton: Polyolefin fiber-reinforced concrete composites: Part II. Damping and interface debonding	403
P.W. Brown, A. Doerr: Chemical changes in concrete due to the ingress of aggressive species	411
Z.P. Bažant, A. Steffens: Mathematical model for kinetics of alkali-silica reaction in concrete	419
C.-K. Park: Hydration and solidification of hazardous wastes containing heavy metals using modified cementitious materials	429
D. Anderson, A. Roy, R.K. Seals, F.K. Cartledge, H. Akhter, S.C. Jones: A preliminary assessment of the use of an amorphous silica residual as a supplementary cementing material	437
C.S. Poon, L. Lam, Y.L. Wong: A study on high strength concrete prepared with large volumes of low calcium fly ash	447
N. Narayanan, K. Ramamurthy: Microstructural investigations on aerated concrete	457
C.-M. Aldea, F. Young, K. Wang, S.P. Shah: Effects of curing conditions on properties of concrete using slag replacement	465
M. Öner: A study of intergrinding and separate grinding of blast furnace slag cement	473
V. Pavlík: Effect of carbonates on the corrosion rate of cement mortars in nitric acid	481
COMMUNICATION	
C. Hall, S.L. Colston, A.C. Jupe, S.D.M. Jacques, R. Livingston, A.O.A. Ramadan, A.W. Amde, P. Barnes: Non-destructive tomographic energy-dispersive diffraction imaging of the interior of bulk concrete	491
TECHNICAL NOTE	
N. Ay, M. Ünal: The use of waste ceramic tile in cement production	497
DISCUSSIONS	
S. Chatterji: A discussion of the paper "The alkali-silica reaction. The surface charge density of silica and its effect on expansive pressure" by F.A. Rodrigues, P.J.M. Monteiro, and G. Sposito	501
F.A. Rodrigues, P.J.M. Monteiro, G. Sposito: Reply to the discussion of the paper "The alkali-silica reaction: The surface charge density of silica and its effect on expansive pressure"	503

BOOK REVIEW

J. Skalny: Ettringite-the sometimes host of destruction; B. Erlin (Ed.) **505**

NEWS ITEMS**507****KEY WORDS****510**

2000

Volume 30, Number 4

April

PAPERS

T. Sebök, O. Stránel: Relationships between the properties of ligninsulphonates and parameters of modified samples with cement binders: Part IV. Influence of sulphonated compounds and sulphonation characteristics on the properties of mortar samples **511**

N.P. Luxán, R. Sotolongo, F. Dorrego, E. Herrero: Characteristics of the slags produced in the fusion of scrap steel by electric arc furnace **517**

R. Vocka, C. Gallé, M. Dubois, P. Lovera: Mercury intrusion porosimetry and hierarchical structure of cement pastes: Theory and experiment **521**

D.W. Hobbs, M.G. Taylor: Nature of the thaumasite sulfate attack mechanism in field concrete **529**

E.W. Hansen, H.C. Gran, Y. Machabée: FLR technique exchange of methanol/fluorescent dye with water in water-saturated cement paste examined by NMR **535**

J. Payá, J. Monzó, M.V. Borrachero, E. Peris-Mora, F. Amahjour: Mechanical treatment of fly ashes. Part IV. Strength development of ground fly ash-cement mortars cured at different temperatures **543**

A. Guerrero, S. Goñi, A. Macías, M.P. Luxán: Effects of the starting fly ash on the microstructure and mechanical properties of fly ash-belite cement mortars **553**

M. Frías, J. Cabrera: Pore size distribution and degree of hydration of metakaolin-cement pastes **561**

M. Singh, M. Garg: Making of anhydrite cement from waste gypsum **571**

G. Prokopski, J. Halbiniak: Interfacial transition zone in cementitious materials **579**

J.M. Torrents, T.O. Mason, E.J. Garboczi: Impedance spectra of fiber-reinforced cement-based composites: A modeling approach **585**

M.C. Nataraja, N. Dhang, A.P. Gupta: Toughness characterization of steel fiber-reinforced concrete by JSCE approach **593**

N. Su, Y.-H. Wu, C.-Y. Mar: Effect of magnetic water on the engineering properties of concrete containing granulated blast-furnace slag **599**

C. Shi, R.L. Day: Pozzolanic reaction in the presence of chemical activators: Part II. Reaction products and mechanism **607**

M. Castellote, C. Andrade, C. Alonso: Electrochemical removal of chlorides: Modelling of the extraction, resulting profiles and determination of the efficient time of treatment **615**

J. Monteny, E. Vincke, A. Beeldens, N. De Belie, L. Taerwe, D. Van Gemert, W. Verstraete: Chemical, microbiological, and in situ test methods for biogenic sulfuric acid corrosion of concrete	623
C. Monticelli, A. Frignani, G. Trabanelli: A study on corrosion inhibitors for concrete application	635
COMMUNICATIONS	
X. Lu, F. Yuan: Breakdown voltage and transition zone of concrete	643
X. Fu, W. Hou, C. Yang, D. Li, X. Wu: Studies on Portland cement with large amount of slag	645
D.-M. Bontea, D.D.L. Chung, G.C. Lee: Damage in carbon fiber-reinforced concrete, monitored by electrical resistance measurement	651
S. Wen, D.D.L. Chung: Seebeck effect in steel fiber reinforced cement	661
DISCUSSIONS	
P.E. Grattan-Bellew: A discussion of the paper “elayed ettringite formation in heat-cured Portland cement mortars” by R. Yang, C.D. Lawrence, C.J. Lynsdale, J.H. Sharp	665
R. Yang, C.D. Lawrence, C.J. Lynsdale, J.H. Sharp: Reply to the discussion by P.E. Grattan-Bellew of the paper “Delayed ettringite formation in heat-cured Portland cement mortars”	667
S. Chatterji: A discussion of the paper “Crystallisation in pores” by G.W. Scherer	669
G.W. Scherer: Reply to the discussion by S. Chatterji of the paper “Cystallization in pores”	673
NEWS ITEMS	677

2000

Volume 30, Number 5

May

PAPERS

G. Xu, J.J. Beaudoin, C. Jolicoeur, M. Pagé: The effect of a polynaphthalene sulfonate superplasticizer on the contribution of the interfacial transition zone to the electrical resistivity of mortars containing silica and limestone fine aggregate	683
R. Krstulovic, P. Dabic: A conceptual model of the cement hydration process	693
L. Jiang, B. Lin, Y. Cai: A model for predicting carbonation of high-volume fly ash concrete	699
V. Bonavetti, H. Donza, V. Rahhal, E. Irassar: Influence of initial curing on the properties of concrete containing limestone blended cement	703
V.S. Harutyunyan, E.S. Abovyan, P.J.M. Monteiro, V.P. Mkrtchyan, M.K. Balyan: Microstrain distribution in calcium hydroxide present in the interfacial transition zone	709
Z. Agioutantis, E. Chatzopoulou, M. Stavroulaki: A numerical investigation of the effect of the interfacial zone in concrete mixtures under uniaxial compression: The case of the dilute limit	715

N. Gowripalan, V. Sirivivatnanon, C.C. Lim: Chloride diffusivity of concrete cracked in flexure	725
G.V. Guinea, G. Hussein, M. Elices, J. Planas: Micromechanical modeling of brick-masonry fracture	731
H.Y. Qasrawi: Concrete strength by combined nondestructive methods: Simply and reliably predicted	739
L. Lam, Y.L. Wong, C.S. Poon: Degree of hydration and gel/space ratio of high-volume fly ash/cement systems	747
M. O'Farrell, S. Wild, B.B. Sabir: Resistance to chemical attack of ground brick-PC mortar: Part II. Synthetic seawater	757
S. Erdogdu: Compatibility of superplasticizers with cements different in composition	767
R. Yang, N.R. Buenfeld: Microstructural identification of thaumasite in concrete by backscattered electron imaging at low vacuum	775
A. Peled, A. Bentur: Geometrical characteristics and efficiency of textile fabrics for reinforcing cement composites	781
F. Collins, J.G. Sanjayan: Cracking tendency of alkali-activated slag concrete subjected to restrained shrinkage	791
Z. Mei, D.D.L. Chung: Effects of temperature and stress on the interface between concrete and its carbon fiber epoxy-matrix composite retrofit, studied by electrical resistance measurement	799
C. Shi, J.A. Stegemann: Acid corrosion resistance of different cementing materials	803
M.F. Petrou, K.A. Harries, F. Gadala-Maria, V.G. Kolli: A unique experimental method for monitoring aggregate settlement in concrete	809
E.M. Gartner, K.E. Kurtis, P.J.M. Monteiro: Proposed mechanism of C-S-H growth tested by soft X-ray microscopy	817
COMMUNICATIONS	
N.M. Agyei, C.A. Strydom, J.H. Potgieter: An investigation of phosphate ion adsorption from aqueous solution by fly ash and slag	823
X. Zhang, J. Han: The effect of ultra-fine admixture on the rheological property of cement paste	827
DISCUSSIONS	
E.F. Irassar: A discussion of the paper "Durability of the hydrated limestone-silica fume Portland cement mortars under sulphate attack" by J. Zelić, R. Krstulović, E. Tkalčec, and P. Krolo	831
J. Zelić, R. Krstulović, E. Tkalčec, P. Krolo: Reply to the discussion by E.F. Irassar of the paper "Durability of the hydrated limestone-silica fume Portland cement mortars under sulphate attack"	833
M.N. Haque: A discussion of the paper "Influence of the superplasticizer, plasticizer and silica fume on the drying shrinkage of high-strength concrete subjected to hot-dry field conditions" by S.H. Alysayed	835

BOOK REVIEW

J. Skalny: Eminent Civil Engineers — Their 20th Century Life and Times; D. Doran (Ed.) **837**

NEWS ITEMS **839**

2000

Volume 30, Number 6

June

PAPERS

R. Piltner, P.J.M. Monteiro: Stress analysis of expansive reactions in concrete **843**

A.R. Brough, A. Atkinson: Automated identification of the aggregate–paste interfacial transition zone in mortars of silica sand with Portland or alkali-activated slag cement paste **849**

P.D. Tennis, H.M. Jennings: A model for two types of calcium silicate hydrate in the microstructure of Portland cement pastes **855**

W.W.J. Chan, C.M.L. Wu: Durability of concrete with high cement replacement **865**

D. Li, Y. Chen, J. Shen, J. Su, X. Wu: The influence of alkalinity on activation and microstructure of fly ash **881**

B.-G. Kim, S. Jiang, C. Jolicoeur, P.-C. Aïtcin: The adsorption behavior of PNS superplasticizer and its relation to fluidity of cement paste **887**

V. Pavlík: Water extraction of chloride, hydroxide and other ions from hardened cement pastes **895**

X. Luo, W. Sun, S.Y.N. Chan: Characteristics of high-performance steel fiber-reinforced concrete subject to high velocity impact **907**

A. Loukili, D. Chopin, A. Khelidj, J.-Y.L. Touzo: A new approach to determine autogenous shrinkage of mortar at an early age considering temperature history **915**

G. Levita, A. Marchetti, G. Gallone, A. Principigallo, G.L. Guerrini: Electrical properties of fluidified Portland cement mixes in the early stage of hydration **923**

J. Tritt-Goc, N. Piślewski, S. Kościelski, F. Milia: The influence of superplasticizer on the hydration and freezing processes in white cement studied by ^1H spin-lattice relaxation time and single point imaging **931**

M.L. Allan: Materials characterization of superplasticized cement–sand grout **937**

S. Igarashi, H.R. Kubo, M. Kawamura: Long-term volume changes and microcracks formation in high strength mortars **943**

D.P. Bentz, O.M. Jensen, A.M. Coats, F.P. Glasser: Influence of silica fume on diffusivity in cement-based materials: I. Experimental and computer modeling studies on cement pastes **953**

Y. Li, Y. Sun: Preliminary study on combined-alkali–slag paste materials **963**

COMMUNICATIONS

A. Öztürk, Y. Suyadal, H. Oguz: The formation of belite phase by using phosphogypsum and oil shale **967**

X. Lu, M. Chen, F. Yuan: Evaluation of concrete permeability by critical voltage	973
M.M. Ali, S.K. Agarwal, A.K. Solankey, S.K. Handoo: High-performance, marble-like plaster coatings	977
K.-R. Wu, A. Yan, J.-Y. Liu, D. Zhang, W. Yao: Reconstruction and analysis of 3-D profile of fracture surface of concrete	981
F. Leng, N. Feng, X. Lu: An experimental study on the properties of resistance to diffusion of chloride ions of fly ash and blast furnace slag concrete	989
T. Sebök, M. Vondruska: Interaction of anhydrite and melamine-formaldehyde polycondensates in aqueous suspensions	993
DISCUSSIONS	
S. Chatterji: A discussion of the papers “Concentration dependence of diffusion and migration of chloride ions. Part 1 and 2” by Luping Tang	1005
L. Tang: Reply to the discussion of the papers “Concentration dependence of diffusion and migration of chloride ions. Part 1 and Part 2” by S. Chatterji	1007
NEWS ITEMS	1009

2000

Volume 30, Number 7

July

PAPERS

C. Gong, N. Yang: Effect of phosphate on the hydration of alkali-activated red mud–slag cementitious material	1013
P. Dabić, R. Krstulović, D. Rušić: A new approach in mathematical modelling of cement hydration development	1017
F. Guirado, S. Galí, S. Chinchón: Quantitative Rietveld analysis of aluminous cement clinker phases	1023
K.G. Babu, V.S.R. Kumar: Efficiency of GGBS in concrete	1031
N. Bouzoubaâ, M.H. Zhang, V.M. Malhotra: Laboratory-produced high-volume fly ash blended cements: Compressive strength and resistance to the chloride-ion penetration of concrete	1037
C. Alonso, C. Andrade, M. Castellote, P. Castro: Chloride threshold values to depassivate reinforcing bars embedded in a standardized OPC mortar	1047
Y. El Hafiane, A. Smith, J.P. Bonnet, P. Abèlard, P. Blanchart: Electrical characterization of aluminous cement at the early age in the 10 Hz–1 GHz frequency range	1057
M.H. Shehata, M.D.A. Thomas: The effect of fly ash composition on the expansion of concrete due to alkali–silica reaction	1063
G. Kakali, S. Tsivilis, E. Aggeli, M. Bati: Hydration products of C ₃ A, C ₃ S and Portland cement in the presence of CaCO ₃	1073
H.A. van der Sloot: Comparison of the characteristic leaching behavior of cements using standard (EN 196-1) cement mortar and an assessment of their long-term environmental behavior in construction products during service life and recycling	1079

M. Cyr, A. Carles-Gibergues, A. Tagnit-Hamou: Titanium fume and ilmenite fines characterization for their use in cement-based materials	1097
I.J. Graham, R.L. Goguel, D.A. St John: Use of strontium isotopes to determine the origin of cement in concretes: Case examples from New Zealand	1105
T. Yuko, T. Ikabata, T. Akiyama, T. Yamamoto, N. Kurumada: New clinker formation process by the fluidized bed kiln system	1113
B. Mu, Z. Li, J. Peng: Short fiber-reinforced cementitious extruded plates with high percentage of slag and different fibers	1277
COMMUNICATIONS	
M.F.M. Zain, S.S. Radin: Physical properties of high-performance concrete with admixtures exposed to a medium temperature range 20°C to 50°C	1283
S. Wen, D.D.L. Chung: Uniaxial tension in carbon fiber reinforced cement, sensed by electrical resistivity measurement in longitudinal and transverse directions	1289
S. Wen, D.D.L. Chung: Enhancing the Seeback effect in carbon fiber-reinforced cement by using intercalated carbon fibers	1295
W. Zhu, P.J.M. Bartos: Application of depth-sensing microindentation testing to study of interfacial transition zone in reinforced concrete	1299
Y. Xu, D.L.L. Chung: Improving silica fume cement by using silane	1305
Q. Yang, P. Zhu, X. Wu, S. Huang: Properties of concrete with a new type of saponin air-entraining agent	1313
DISCUSSIONS	
S. Chatterji: A discussion of the paper "Delayed ettringite formation in heat-cured Portland cement mortars" by R. Yang, C.D. Lawrence, C.J. Lynsdale and J.H. Sharp	1319
R. Yang, C.D. Lawrence, C.J. Lynsdale, J.H. Sharp: Reply to the discussion by S. Chatterji of the paper "Delayed ettringite formation in heat-cured Portland cement mortars"	1321
K.O. Kjensen: A discussion of the paper "Kinetics of the hydration reactions in the cement paste with mechanochemically modified cement ²⁹ Si magic-angle-spinning NMR study" by K. Johansson, C. Larsson, O.N. Antzutkin, W. Forsling, H.R. Kota and V. Ronin	1323
K. Johansson, C. Larsson, O.N. Antzutkin, W. Forsling, H.R. Kota, V. Ronin: Reply to the discussion by Knut O. Kjellsen of the paper "Kinetics of the hydration reactions in the cement paste with mechanochemically modified cement ²⁹ Si magic-angle-sppining NMR study"	1325
C. Andrade: A discussion of the paper "Concentration dependence of diffusion and migration of chloride ions. Part I and Part II" by Luping Tang	1329
NEWS ITEMS	1179
IN MEMORIUM	
O. Shixi: Professor Wu Zhongwei: July 20, 1918–February 4, 2000	1183

2000

Volume 30, Number 8

August

PAPERS

- M. Singh:** Influence of blended gypsum on the properties of Portland cement and Portland slag cement 1185
- H. Biricik, F. Aköz, F. Türker, I. Berktaş:** Resistance to magnesium sulfate and sodium sulfate attack of mortars containing wheat straw ash 1189
- K. Hong, R.D. Hooton:** Effects of fresh water exposure on chloride contaminated concrete 1199
- K. Kiattikomol, C. Jaturapitakkul, J. Tangpagasit:** Effect of insoluble residue on properties of Portland cement 1209
- B. Martín-Pérez, H. Zibara, R.D. Hooton, M.D.A. Thomas:** A study of the effect of chloride binding on service life predictions 1215
- M.I. Khan, C.J. Lynsdale, P. Waldron:** Porosity and strength of PFA/SF/OPC ternary blended paste 1225
- A. Guerrero, S. Goñi, A. Macías:** Durability of new fly ash–belite cement mortars in sulfated and chloride medium 1231
- X. Fu, W. Hou, C. Yang, D. Li, X. Wu:** Studies on high-strength slag and fly ash compound cement 1239
- H.-G. Ni, J.-Z. Wang:** Prediction of compressive strength of concrete by neural networks 1245
- M. Sun, Z. Li, Q. Liu, Z. Tang, D. Shen:** A study on thermal self-diagnostic and self-adaptive smart concrete structures 1251
- W.P.S. Dias:** Reduction of concrete sorptivity with age through carbonation 1255
- S. Grzeszczyk, K. Front:** Effect of superplasticizers on the rheological properties of fly ash suspensions containing activators of the pozzolanic reaction 1263
- R. Černý, J. Maděra, J. Poděbradská, J. Toman, J. Drchalová, T. Klečka, K. Jurek, P. Rovnaníková:** The effect of compressive stress on thermal and hygric properties of Portland cement mortar in wide temperature and moisture ranges 1267
- B. Mu, Z. Li, J. Peng:** Short fiber-reinforced cementitious extruded plates with high percentage of slag and different fibers 1277

COMMUNICATIONS

- M.F.M. Zain, S.S. Radin:** Physical properties of high-performance concrete with admixtures exposed to a medium temperature range 20°C to 50°C 1283
- S. Wen, D.D.L. Chung:** Uniaxial tension in carbon fiber reinforced cement, sensed by electrical resistivity measurement in longitudinal and transverse directions 1289
- S. Wen, D.D.L. Chung:** Enhancing the Seebeck effect in carbon fiber-reinforced cement by using intercalated carbon fibers 1295
- W. Zhu, P.J.M. Bartos:** Application of depth-sensing microindentation testing to study of interfacial transition zone in reinforced concrete 1299
- Y. Xu, D.L.L. Chung:** Improving silica fume cement by using silane 1305

Q. Yang, P. Zhu, X. Wu, S. Huang: Properties of concrete with a new type of saponin air-entraining agent	1313
DISCUSSIONS	
S. Chatterji: A discussion of the paper “Delayed ettringite formation in heat-cured Portland cement mortars” by R. Yang, C.D. Lawrence, C.J. Lynsdale and J.H. Sharp	1319
R. Yang, C.D. Lawrence, C.J. Lynsdale, J.H. Sharp: Reply to the discussion by S. Chatterji of the paper “Delayed ettringite formation in heat-cured Portland cement mortars”	1321
K.O. Kjellsen: A discussion of the paper “Kinetics of the hydration reactions in the cement paste with mechanochemically modified cement ^{29}Si magic-angle-spinning NMR study” by K. Johansson, C. Larsson, O.N. Antzutkin, W. Forsling, H.R. Kota and V. Ronin	1323
K. Johansson, C. Larsson, O.N. Antzutkin, W. Forsling, H.R. Kota, V. Ronin: Reply to the discussion by Knut O. Kjellsen of the paper “Kinetics of the hydration reactions in the cement paste with mechanochemically modified cement: ^{29}Si magic-angle-spinning NMR study”	1325
C. Andrade: A discussion of the paper “Concentration dependence of diffusion and migration of chloride ions. Part I and Part II” by Luping Tang	1329
L. Tang: Reply to the discussion by Carmen Andrade of the paper “Concentration dependence of diffusion and migration of chloride ions. Part 1 and Part 2”	1331
J. Bensted, J. Munn: A discussion of the paper “Durability of the hydrated limestone–silica fume Portland cement mortars under sulphate attack” by J. Zelić, R. Krstulović, E. Tkalčec and P. Krolo	1333
J. Zelić, R. Krstulović, E. Tkalčec, P. Krolo: Reply to the discussion by J. Bensted and J. Munn of the paper “Durability of the hydrated limestone–silica fume Portland cement mortars under sulphate attack”	1335
I. Odler: Discussion of the paper “A model for the microstructure of calcium silicate hydrate in cement pastes” by H.M. Jennings	1337
H.M. Jennings: Reply to the discussion of the paper by Ivan Odler “A model for the microstructure of calcium silicate hydrate in cement paste”	1339
BOOK REVIEW	
I. Odler: Sulfate attack mechanism; Jacques Marchand and Jan P. Skalny (Eds.)	1343
NEWS ITEMS	1345

2000

Volume 30, Number 9

September

REVIEW

P.-C. Aïtcin: Cements of yesterday and today: Concrete of tomorrow	1349
---	-------------

PAPERS

N.K. Katyal, S.C. Ahluwalia, R. Parkash: Effect of Cr_2O_3 on the formation of C_3S in $3\text{CaO}:1\text{SiO}_2:x\text{Cr}_2\text{O}_3$ system	1361
---	-------------

T. Bakharev, J.G. Sanjayan, Y.-B. Cheng: Effect of admixtures on properties of alkali-activated slag concrete	1367
A.R. Brough, M. Holloway, J. Sykes, A. Atkinson: Sodium silicate-based alkali-activated slag mortars: Part II. The retarding effect of additions of sodium chloride or malic acid	1375
D. Li, J. Shen, Y. Chen, L. Cheng, X. Wu: Study of properties on fly ash—slag complex cement	1381
M.C. Santagata, M. Collepardi: The effect of CMA deicers on concrete properties	1389
W.J. McCarter, G. Starrs, T.M. Chrisp: Electrical conductivity, diffusion, and permeability of Portland cement-based mortars	1395
F. Collins, J.G. Sanjayan: Effect of pore size distribution on drying shrinkage of alkali-activated slag concrete	1401
O.R. Batic, C.A. Milanesi, P.J. Maiza, S.A. Marfil: Secondary ettringite formation in concrete subjected to different curing conditions	1407
J.I. Alvarez, I. Navarro, A. Martín, P.J. García Casado: A study of the ancient mortars in the north tower of Pamplona's San Cernin church	1413
N. Segre, I. Joekes: Use of tire rubber particles as addition to cement paste	1421
G. Prokopski, B. Langier: Effect of water/cement ratio and silica fume addition on the fracture toughness and morphology of fractured surfaces of gravel concretes	1427
N. Tsuyuki, R. Watanabe, K. Koizumi, Y. Umemura, O. Machinaga: Effects of barium salt on the fixation of chloride ions in hardened mortars	1435
K.-C. Werner, Y. Chen, I. Odler: Investigations on stress corrosion of hardened cement pastes	1443
K. Van Den Abeele, J. De Visscher: Damage assessment in reinforced concrete using spectral and temporal nonlinear vibration techniques	1453
B.T. Tamtsia, J.J. Beaudoin: Basic creep of hardened cement paste: A re-examination of the role of water	1465
M. Cyr, C. Legrand, M. Mouret: Study of the shear thickening effect of superplasticizers on the rheological behaviour of cement pastes containing or not mineral additives	1477
COMMUNICATIONS	
N.B. Singh, V.D. Singh, S Rai: Hydration of bagasse ash-blended Portland cement	1485
B. Liu, Y. Xie, S. Zhou, Q. Yuan: Influence of ultrafine fly ash composite on the fluidity and compressive strength of concrete	1489
K. Wu, B. Chen, W. Yao: Study on the AE characteristics of fracture process of mortar, concrete and steel-fiber-reinforced concrete beams	1495
M.F.M. Zain, Md. Safiuddin, H. Mahmud: Development of high performance concrete using silica fume at relatively high water—binder ratios	1501
DISCUSSIONS	
J. Bensted, J. Munn: A discussion of the paper "Study of pozzolanic properties of wheat straw ash" by H. Biricik, F. Aköz, I. Berktaş, and A.N. Tuglar	1507
H. Biricik: Reply to the discussion by J. Bensted and J. Munn of the paper "Study of pozzolanic properties of wheat straw ash"	1509

BOOK REVIEW

J.P. Skalny: Special Inorganic Cements; A Bentur and S. Mindess (Eds.) 1511

NEWS ITEMS 1513

2000

Volume 30, Number 10

October

REVIEW

S. Diamond: Mercury porosimetry: An inappropriate method for the measurement of pore size distributions in cement-based materials 1517

PAPERS

C. Rodriguez-Navarro, E. Doehne, E. Sebastian: How does sodium sulfate crystallize? Implications for the decay and testing of building materials 1527

P.W. Brown, S. Badger: The distributions of bound sulfates and chlorides in concrete subjected to mixed NaCl, MgSO₄, Na₂SO₄ attack 1535

J.L. Gallias, R. Kara-Ali, J.P. Bigas: The effect of fine mineral admixtures on water requirement of cement pastes 1543

V. Vlachou, J.-M. Piau: A new tool for the rheometric study of oil well cement slurries and other settling suspensions 1551

M.S. Goual, F. de Barquin, M.L. Benmalek, A. Bali, M. Quéneudec: Estimation of the capillary transport coefficient of Clayey Aerated Concrete using a gravimetric technique 1559

P. Castro, E.I. Moreno, J. Genescá: Influence of marine micro-climates on carbonation of reinforced concrete buildings 1565

Y. Ding, W. Kusterle: Compressive stress–strain relationship of steel fibre-reinforced concrete at early age 1573

O. Truc, J.-P. Ollivier, L.-O. Nilsson: Numerical simulation of multi-species transport through saturated concrete during a migration test —*MsDiff* code 1581

M. Sun, Q. Liu, Z. Li, Y. Hu: A study of piezoelectric properties of carbon fiber reinforced concrete and plain cement paste during dynamic loading 1593

N. Schmitt, J.-F. Hernandez, V. Lamour, Y. Berthaud, P. Meunier, J. Poirier: Coupling between kinetics of dehydration, physical and mechanical behaviour for high alumina castable 1597

P. Gleize, D.A. Silva, S. Nappi: Ancient rendering mortars from a Brazilian palace: Its characteristics and microstructure 1609

N. Menek, Z. Heren: Analysis of triethanolamine in trass cement by voltammetric methods 1615

C.L. Dickson, F.P. Glasser: Cerium(III, IV) in cement: Implications for actinide (III, IV) immobilisation 1619

F. Puertas, S. Martínez-Ramírez, S. Alonso, T. Vázquez: Alkali-activated fly ash/slag cement: Strength behaviour and hydration products 1625

M.I. Valič: Hydration of cementitious materials by pulse echo USWR: Method, apparatus and application examples	1633
E.A. Ortega, C. Cheeseman, J. Knight, M. Loizidou: Properties of alkali-activated clinoptilolite	1641
V.G. Papadakis: Effect of fly ash on Portland cement systems: Part II. High-calcium fly ash	1647
J. Zelić, D. Rušić, D. Veža, R. Krstulović: The role of silica fume in the kinetics and mechanisms during the early stage of cement hydration	1655
M. Nehdi: Why some carbonate fillers cause rapid increases of viscosity in dispersed cement-based materials	1663
S. Valls, E. Vázquez: Stabilisation and solidification of sewage sludges with Portland cement	1671
S. Tsvilis, G. Batis, E. Chaniotakis, Gr. Grigoriadis, D. Theodossis: Properties and behavior of limestone cement concrete and mortar	1679
NEWS ITEMS	1685

2000

Volume 30, Number 11

November

PAPERS

E. García Alcocel, P. Garcés, S. Chinchón: General study of alkaline hydrolysis in calcium aluminate cement mortars under a broad range of experimental conditions	1689
S. Igarashi, A. Bentur, K. Kovler: Autogenous shrinkage and induced restraining stresses in high-strength concretes	1701
T. Vuk, T. Ljubič-Mlakar, R. Gabrovšek, V. Kaučič: Tertiary gelation of oilwell cement	1709
F. Blanco, P. García, P. Mateos, J. Ayala: Characteristics and properties of lightweight concrete manufactured with cenospheres	1715
G. Song: Equivalent circuit model for AC electrochemical impedance spectroscopy of concrete	1723
D. Kalogridis, G. Ch. Kostogloudis, Ch. Ftikos, Ch. Malami: A quantitative study of the influence of non-expansive sulfoaluminate cement on the corrosion of steel reinforcement	1731
F. Matsushita, Y. Aono, S. Shibata: Carbonation degree of autoclaved aerated concrete	1741
P. Purnell, N.R. Short, C.L. Page, A.J. Majumdar: Microstructural observations in new matrix glass fibre reinforced cement	1747
M.H. Ozkul: Utilization of citro- and desulphogypsum as set retarders in Portland cement	1755
H. Hodne, A. Saasen, A.B. O'Hagan, S.O. Wick: Effects of time and shear energy on the rheological behaviour of oilwell cement slurries	1759
H. Hodne, A. Saasen: The effect of the cement zeta potential and slurry conductivity on the consistency of oilwell cement slurries	1767
N. Su, H.-Y. Fang, Z.-H. Chen, F.-S. Liu: Reuse of waste catalysts from petrochemical industries for cement substitution	1773

L.H. Jiang, V.M. Malhotra: Reduction in water demand of non-air-entrained concrete incorporating large volumes of fly ash	1785
B. Sioulas, J.G. Sanjayan: Hydration temperatures in large high-strength concrete columns incorporating slag	1791
R.J. van Eijk, H.J.H. Brouwers: Prediction of hydroxyl concentrations in cement pore water using a numerical cement hydration model	1801
Q. Yang, B. Zhu, S. Zhang, X. Wu: Properties and applications of magnesia–phosphate cement mortar for rapid repair of concrete	1807
H. Saito, A. Deguchi: Leaching tests on different mortars using accelerated electrochemical method	1815
M. Heikal, H. El-Didamony, M.S. Morsy: Limestone-filled pozzolanic cement	1827
M. Heikal: Effect of temperature on the physico-mechanical and mineralogical properties of Homra pozzolanic cement pastes	1835
M. Pei, D. Wang, X. Hu, D. Xu: Synthesis of sodium sulfanilate-phenol-formaldehyde condensate and its application as a superplasticizer in concrete	1841
BOOK REVIEW	
F.D. Tamás: Modernisation and technology upgradation in cement plants; S.N. Ghosh and K. Kumar (Eds.)	1847
NEWS ITEMS	1849

2000

Volume 30, Number 12

December

EDITORIAL

S. Bhattacharja, E. Garboczi: Symposium on the “Transport Properties and Microstructure of Cement-Based Materials,” The Materials Research Society, November 29–30, 1999	1851
---	-------------

PAPERS

R.A. Livingston: Fractal nucleation and growth model for the hydration of tricalcium silicate	1853
O. Bonneau, C. Vernet, M. Moranville, P.-C. Aïtcin: Characterization of the granular packing and percolation threshold of reactive powder concrete	1861
M. Paul, F.P. Glasser: Impact of prolonged warm (85°C) moist cure on Portland cement paste	1869
D.M. Roy, W. Jiang, M.R. Silsbee: Chloride diffusion in ordinary, blended, and alkali-activated cement pastes and its relation to other properties	1879
M. Castellote, C. Andrade, C. Alonso: Phenomenological mass-balance-based model of migration tests in stationary conditions: Application to non-steady-state tests	1885
E. Samson, J. Marchand, J.J. Beaudoin: Modeling the influence of chemical reactions on the mechanisms of ionic transport in porous materials: An overview	1895
P. Mohr, W. Hansen, E. Jensen, I. Pane: Transport properties of concrete pavements with excellent long-term in-service performance	1903

K. van Breugel, E.A.B. Koenders: Numerical simulation of hydration-driven moisture transport in bulk and interface paste in hardening concrete	1911
P. Kalifa, F.-D. Menneteau, D. Quenard: Spalling and pore pressure in HPC at high temperatures	1915
B. Zuber, J. Marchand: Modeling the deterioration of hydrated cement systems exposed to frost action: Part 1. Description of the mathematical model	1929
K.K. Aligizaki, M.R. de Rooij, D.D. Macdonald: Analysis of iron oxides accumulating at the interface between aggregates and cement paste	1941
V. Matte, M. Moranville, F. Adenot, C. Richet, J.M. Torrenti: Simulated microstructure and transport properties of ultra-high performance cement-based materials	1947
R. Barbarulo, J. Marchand, K.A. Snyder, S. Prené: Dimensional analysis of ionic transport problems in hydrated cement systems: Part 1. Theoretical considerations	1955
S. Catinaud, J.J. Beaudoin, J. Marchand: Influence of limestone addition on calcium leaching mechanisms in cement-based materials	1961
C.M. Dry: Three designs for the internal release of sealants, adhesives, and waterproofing chemicals into concrete to reduce permeability	1969
COMMUNICATIONS	
S. Wen, D.D.L. Chung: Damage monitoring of cement paste by electrical resistance measurement	1979
Y.-I. Yue, G.-z. Li, X.-s. Xu, Z.-j. Zhao: Properties and microstructures of plant-fiber-reinforced cement-based composites	1983
S. Diamond: The relevance of laboratory studies on delayed ettringite formation to DEF in field concretes	1987
Q. Yang, S. Zhang, S. Huang, Y. He: Effect of ground quartz sand on properties of high-strength concrete in the steam-autoclaved curing	1993
NEWS ITEMS	1999
CONTENTS INDEX	2003
AUTHOR INDEX	2021
KEYWORD INDEX	2025