



Index to Volume 31

2001

Volume 31, Number 1

January

PAPERS

- A. Demirbaş, T. Öztürk, F.Ö. Karataş:** Long-term wear on outside walls of buildings by sulfur dioxide corrosion 3
- G.A. Rao:** Influence of silica fume on long-term strength of mortars containing different aggregate fractions 7
- S.J. Barnett, C.D. Adam, A.R.W. Jackson:** An XRPD profile fitting investigation of the solid solution between ettringite, $\text{Ca}_6\text{Al}_2(\text{SO}_4)_3(\text{OH})_{12}\cdot 26\text{H}_2\text{O}$, and carbonated ettringite, $\text{Ca}_6\text{Al}_2(\text{CO}_3)_3(\text{OH})_{12}\cdot 26\text{H}_2\text{O}$ 13
- D. Li, J. Shen, L. Chen, X. Wu:** The influence of fast-setting/early-strength agent on high phosphorous slag content cement 19
- S. Alonso, A. Palomo:** Calorimetric study of alkaline activation of calcium hydroxide–metakaolin solid mixtures 25
- S. Hanehara, F. Tomosawa, M. Kobayakawa, K. Hwang:** Effects of water/powder ratio, mixing ratio of fly ash, and curing temperature on pozzolanic reaction of fly ash in cement paste 31
- J. Payá, M.V. Borrachero, J. Monzó, E. Peris-Mora, F. Amahjour:** Enhanced conductivity measurement techniques for evaluation of fly ash pozzolanic activity 41
- J.O. Odigure:** Optimization of cement mortar strength from raw mix containing metallic particles 51
- J. Payá, J. Monzó, M.V. Borrachero:** Physical, chemical and mechanical properties of fluid catalytic cracking catalyst residue (FC3R) blended cements 57
- V. Morin, F.C. Tenoudji, A. Feylessoufi, P. Richard:** Superplasticizer effects on setting and structuration mechanisms of ultrahigh-performance concrete 63
- C. Rocco, G.V. Guinea, J. Planas, M. Elices:** Review of the splitting-test standards from a fracture mechanics point of view 73
- G. Xiong, X. Chen, G. Li, L. Chen:** Sulphuric acid resistance of soluble soda glass–polyvinyl acetate latex–modified cement mortar 83
- P.-K. Chang, Y.-N. Peng:** Influence of mixing techniques on properties of high performance concrete 87
- K.-S. Wang, K.-L. Lin, Z.-Q. Huang:** Hydraulic activity of municipal solid waste incinerator fly-ash-slag-blended eco-cement 97
- E.P. Kearsley, P.J. Wainwright:** The effect of high fly ash content on the compressive strength of foamed concrete 105

- K. Wu, A. Yan, W. Yao, D. Zhang:** Effect of metallic aggregate on strength and fracture properties of HPC 113

COMMUNICATIONS

- S.L. Sarkar, J. Wheeler:** Important properties of an ultrafine cement — Part I 119
- S.L. Sarkar, J. Wheeler:** Microstructural development in an ultrafine cement — Part II 125
- S. Wen, D.D.L. Chung:** Electrical behavior of cement-based junctions including the pn-junction 129
- T. Vuk, V. Tinta, R. Gabrovšek, V. Kaučič:** The effects of limestone addition, clinker type and fineness on properties of Portland cement 135
- S. Wen, D.D.L. Chung:** Electric polarization in carbon fiber-reinforced cement 141
- J.J. Beaudoin, S. Catinaud, J. Marchand:** Volume stability of calcium hydroxide in aggressive solutions 149

DISCUSSIONS

- H. Vaupel, I. Odler:** A discussion of the paper “Microstructural investigations on aerated concrete” by B.N. Narayanan and K. Ramamurthy 153
- N. Narayanan, K. Ramamurthy:** Reply to the discussion by H. Vaupel and I. Odler of the paper “Microstructural investigations on aerated concrete” 155
- W.G. Hime, S.L. Marusin:** A discussion of the paper “Chemical changes in concrete due to the ingress of chemical species” by P.W. Brown and April Doerr 157
- P.W. Brown, A. Doerr:** Reply to the discussion by William G. Hime and Stella L. Marusin of the paper “Chemical changes in concrete due to the ingress of chemical species” 159
- J. Bensted, J. Munn:** A discussion of the paper “The use of waste ceramic tile in cement production” by N. Ay and M. Ünal 161
- N. Ay, M. Ünal:** Reply to the discussion by J. Bensted and J. Munn of the paper “The use of waste ceramic tile in cement production” 163

BOOK REVIEW

- T. Krauthammer:** Reinforced Concrete Slabs, 2nd edition; by Robert Park and William L. Gamble 165

NEWS ITEMS 167

2001

Volume 31, Number 2

February

PAPERS

- G.A. Rao:** Long-term drying shrinkage of mortar — influence of silica fume and size of fine aggregate 171
- J. Cabrera, M.F. Rojas:** Mechanism of hydration of the metakaolin–lime–water system 177
- L. Nachbaur, J.C. Mutin, A. Nonat, L. Choplin:** Dynamic mode rheology of cement and tricalcium silicate pastes from mixing to setting 183
- B. Persson:** A comparison between mechanical properties of self-compacting concrete and the corresponding properties of normal concrete 193

B. Persson: A NORDTEST method for verification of self-desiccation in concrete	199
A.W. Saak, H.M. Jennings, S.P. Shah: The influence of wall slip on yield stress and viscoelastic measurements of cement paste	205
J. Chang, X. Cheng, F. Liu, L. Lu, B. Teng: Influence of fluorite on the Ba-bearing sulphoaluminate cement	213
J.K. Kim, S.H. Han, K.M. Lee: Estimation of compressive strength by a new apparent activation energy function	217
J. Payá, J. Monzó, M.V. Borrachero, A. Mellado, L.M. Ordoñez: Determination of amorphous silica in rice husk ash by a rapid analytical method	227
M. Castellote, C. Alonso, C. Andrade, P. Castro, M. Echeverría: Alkaline leaching method for the determination of the chloride content in the aqueous phase of hardened cementitious materials	233
N.B. Singh, S. Rai: Effect of polyvinyl alcohol on the hydration of cement with rice husk ash	239
C.F. Ferraris, K.H. Obla, R. Hill: The influence of mineral admixtures on the rheology of cement paste and concrete	245
C. Evju, S. Hansen: Expansive properties of ettringite in a mixture of calcium aluminate cement, Portland cement and β -calcium sulfate hemihydrate	257
T. Apih, G. Lahajnar, A. Sepe, R. Blinc, F. Milia, R. Cvelbar, I. Emri, B.V. Gusev, L.A. Titova: Proton spin–lattice relaxation study of the hydration of self-stressed expansive cement	263
W. Prince, G. Castanier, J.L. Giaufré: Similarity between alkali–aggregate reaction and the natural alteration of rocks	271
L. Cui, J.H. Cahyadi: Permeability and pore structure of OPC paste	277
COMMUNICATIONS	
J.C. Kim, S.Y. Hong: Liquid concentration changes during slag cement hydration by alkali activation	283
H. Hong, Z. Fu, X. Min: Effect of cooling performance on the mineralogical character of Portland cement clinker	287
S. Wen, D.D.L. Chung: Effect of stress on the electric polarization in cement	291
S. Wen, D.D.L. Chung: Uniaxial compression in carbon fiber-reinforced cement, sensed by electrical resistivity measurement in longitudinal and transverse directions	297
B.J. Magee, M.G. Alexander: Simple test method to assess the relative effectiveness of plasticising chemical admixtures	303
J. Cao, D.D.L. Chung: Improving the dispersion of steel fibers in cement mortar by the addition of silane	309
B. Sioulas, J.G. Sanjayan: The coloration phenomenon associated with slag blended cements	313
M.J. McCarthy, P.A.J. Tittle, K.H. Kii, R.K. Dhir: Mix proportioning and engineering properties of conditioned PFA concrete	321
W. Sha, G.B. Pereira: Differential scanning calorimetry study of hydrated ground granulated blast-furnace slag	327
T. Bakharev, J.G. Sanjayan, Y.-B. Cheng: Resistance of alkali-activated slag concrete to alkali–aggregate reaction	331

TECHNICAL NOTE

- P. Yan, X. Qin:** The effect of expansive agent and possibility of delayed ettringite formation in shrinkage-compensating massive concrete 335

NEWS ITEMS 339

2001

Volume 31, Number 3

March

PAPERS

- W. Ahn, D.V. Reddy:** Galvanostatics testing for the durability of marine concrete under fatigue loading 343
- R.A. Olson, H.M. Jennings:** Estimation of C-S-H content in a blended cement paste using water adsorption 351
- J. Schulze, O. Killermann:** Long-term performance of redispersible powders in mortars 357
- H.C. Rhim:** Condition monitoring of deteriorating concrete dams using radar 363
- K. Yamada, S. Ogawa, S. Hanehara:** Controlling of the adsorption and dispersing force of polycarboxylate-type superplasticizer by sulfate ion concentration in aqueous phase 375
- Y. Li, S. Hu:** The microstructure of the interfacial transition zone between steel and cement paste 385
- B. Persson:** Correlating laboratory and field tests of creep in high-performance concrete 389
- K. Callebaut, J. Elsen, K. Van Balen, W. Viaene:** Nineteenth century hydraulic restoration mortars in the Saint Michael's Church (Leuven, Belgium): Natural hydraulic lime or cement? 397
- T. Chotard, N. Gimet-Breart, A. Smith, D. Fargeot, J.P. Bonnet, C. Gault:** Application of ultrasonic testing to describe the hydration of calcium aluminate cement at the early age 405
- N. Bouzoubaâ, M. Lachemi:** Self-compacting concrete incorporating high volumes of class F fly ash: Preliminary results 413
- A.R. Brough, A. Atkinson:** Micro-Raman spectroscopy of thaumasite 421
- K. Kolovos, P. Loutsi, S. Tsivilis, G. Kakali:** The effect of foreign ions on the reactivity of the $\text{CaO-SiO}_2\text{-Al}_2\text{O}_3\text{-Fe}_2\text{O}_3$ system: Part I. Anions 425
- K.O. Ampadu, K. Torii:** Characterization of ecocement pastes and mortars produced from incinerated ashes 431
- R. Yang, N.R. Buenfeld:** Binary segmentation of aggregate in SEM image analysis of concrete 437
- G.A. Rao:** Role of water–binder ratio on the strength development in mortars incorporated with silica fume 443
- M.Y. Benarchid, A. Diouri, A. Boukhari, J. Aride, R. Castanet, J. Rogez:** Thermal study of chromium–phosphorus–doped tricalcium aluminate 449
- D.A. Hall, R. Stevens, B. El-Jazairi:** The effect of retarders on the microstructure and mechanical properties of magnesia–phosphate cement mortar 455

N.Y. Mostafa, S.A.S. El-Hemaly, E.I. Al-Wakeel, S.A. El-Korashy, P.W. Brown: Characterization and evaluation of the pozzolanic activity of Egyptian industrial by-products: Part I. Silica fume and dealuminated kaolin	467
N.Y. Mostafa, S.A.S. El-Hemaly, E.I. Al-Wakeel, S.A. El-Korashy, P.W. Brown: Hydraulic activity of water-cooled slag and air-cooled slag at different temperatures	475
F. Sandrolini, E. Franzoni: Waste wash water recycling in ready-mixed concrete plants	485
I. Kula, A. Olgun, Y. Erdogan, V. Sevinc: Effects of colemanite waste, cool bottom ash, and fly ash on the properties of cement	491
G.A. Rao: Generalization of Abrams' law for cement mortars	495
D.P. Bentz, J.T. Conway: Computer modeling of the replacement of "coarse" cement particles by inert fillers in low w/c ratio concretes: Hydration and strength	503
COMMUNICATION	
S. Wen, D.D.L. Chung: Cement-based thermocouples	507
DISCUSSIONS	
J. Bensted, J. Munn: A discussion of the paper "Thaumasite formation in Portland–limestone cement pastes" by S.A. Hartshorn, J.H. Sharp and R.N. Swamy	511
S.A. Hartshorn, J.H. Sharp, R.N. Swamy: Reply to the discussion by J. Bensted and J. Munn of the paper "Thaumasite formation in Portland–limestone cement pastes"	513
NEWS ITEMS	515

2001

Volume 31, Number 4

April

PAPERS

M. Frías, J. Cabrera: Influence of MK on the reaction kinetics in MK/lime and MK-blended cement systems at 20°C	519
P. Castro, O.T. De Rincon, E.J. Pazini: Interpretation of chloride profiles from concrete exposed to tropical marine environments	529
P.K. Kolay, D.N. Singh: Physical, chemical, mineralogical, and thermal properties of cenospheres from an ash lagoon	539
A.K. Fisher, F. Bullen, D. Beal: The durability of cellulose fibre reinforced concrete pipes in sewage applications	543
K. Velez, S. Maximilien, D. Damidot, G. Fantozzi, F. Sorrentino: Determination by nanoindentation of elastic modulus and hardness of pure constituents of Portland cement clinker	555
M.-P. Pomiès, N. Lequeux, P. Boch: Speciation of cadmium in cement: Part I. Cd ²⁺ uptake by C-S-H	563
M.-P. Pomiès, N. Lequeux, P. Boch: Speciation of cadmium in cement: Part II. C ₃ S hydration with Cd ²⁺ solution	571
J. Csizmadia, G. Balázs, F.D. Tamás: Chloride ion binding capacity of aluminoferrites	577

P. Novak, R. Mala, L. Joska: Influence of pre-rusting on steel corrosion in concrete	589
W. Sun, H. Chen, X. Luo, H. Qian: The effect of hybrid fibers and expansive agent on the shrinkage and permeability of high-performance concrete	595
J. Zhang, P.J.M. Monteiro: Validation of resistivity spectra from reinforced concrete corrosion by Kramers-Kronig transformations	603
N. Su, Y.-N. Peng: The characteristics and engineering properties of dry-mix/steam-injection concrete	609
M. Castellote, C. Alonso, C. Andrade, G.A. Chadborn, C.L. Page: Oxygen and chloride diffusion in cement pastes as a validation of chloride diffusion coefficients obtained by steady-state migration tests	621
K. Quillin, G. Osborne, A. Majumdar, B. Singh: Effects of w/c ratio and curing conditions on strength development in BRECEM concretes	627
A. Moropoulou, A. Bakolas, E. Aggelakopoulou: The effects of limestone characteristics and calcination temperature to the reactivity of the quicklime	633
C. Solberg, S. Hansen: Dissolution of $\text{CaSO}_4 \cdot 1/2\text{H}_2\text{O}$ and precipitation of $\text{CaSO}_4 \cdot 2\text{H}_2\text{O}$: A kinetic study by synchrotron X-ray powder diffraction	641
O.M. Jensen, P.F. Hansen: Water-entrained cement-based materials: I. Principles and theoretical background	647
COMMUNICATIONS	
A. Shayan, H. Morris: A comparison of RTA T363 and ASTM C1260 accelerated mortar bar test methods for detecting reactive aggregates	655
S. Wen, D.D.L. Chung: Carbon fiber-reinforced cement as a strain-sensing coating	665
J. Cao, D.D.L. Chung: Degradation of the bond between concrete and steel under cyclic shear loading, monitored by contact electrical resistance measurement	669
S. Wen, D.D.L. Chung: Effect of admixtures on the dielectric constant of cement paste	673
NEWS ITEMS	679

2001

Volume 31, Number 5

May

REVIEW

H.F.W. Taylor, C. Famy, K.L. Scrivener: Delayed ettringite formation	683
---	------------

PAPERS

J.I. Escalante-García, J.H. Sharp: The microstructure and mechanical properties of blended cements hydrated at various temperatures	695
P. Gao, M. Deng, N. Feng: The influence of superplasticizer and superfine mineral powder on the flexibility, strength and durability of HPC	703
K.K. Sagoe-Crentsil, T. Brown, A.H. Taylor: Performance of concrete made with commercially produced coarse recycled concrete aggregate	707

S.M. Trépanier, B.B. Hope, C.M. Hansson: Corrosion inhibitors in concrete: Part III. Effect on time to chloride-induced corrosion initiation and subsequent corrosion rates of steel in mortar	713
P. Robins, S. Austin, J. Chandler, P. Jones: Flexural strain and crack width measurement of steel-fibre-reinforced concrete by optical grid and electrical gauge methods	719
A. Yahia, K.H. Khayat: Analytical models for estimating yield stress of high-performance pseudoplastic grout	731
A. Saccani, V. Bonora, P. Monari: Laboratory short-term evaluation of ASR: A contribution	739
M. Drabik, S.C. Mojumdar, L. Galikova: Changes of thermal events of macrodefect-free (MDF) cements due to the deterioration in the moist atmosphere	743
A. Yahia, K.H. Khayat: Experiment design to evaluate interaction of high-range water-reducer and antiwashout admixture in high-performance cement grout	749
A. Boddy, R.D. Hooton, K.A. Gruber: Long-term testing of the chloride-penetration resistance of concrete containing high-reactivity metakaolin	759
F.H. Heukamp, F.-J. Ulm, J.T. Germaine: Mechanical properties of calcium-leached cement pastes: Triaxial stress states and the influence of the pore pressures	767
W. Prince, R. Gagné: The effects of types of solutions used in accelerated chloride migration tests for concrete	775
Th.M. Salem, Sh.M. Ragai: Electrical conductivity of granulated slag cement kiln dust–silica fume pastes at different porosities	781
V. Saraswathy, S. Muralidharan, R.M. Kalyanasundaram, K. Thangavel, S. Srinivasan: Evaluation of a composite corrosion-inhibiting admixture and its performance in concrete under macrocell corrosion conditions	789
C. Famy, K.L. Scrivener, A. Atkinson, A.R. Brough: Influence of the storage conditions on the dimensional changes of heat-cured mortars	795
E.P. Kearsley, P.J. Wainwright: Porosity and permeability of foamed concrete	805
C. Shi, R.L. Day: Comparison of different methods for enhancing reactivity pozzolans	813
J.P. Baltrus, R.B. LaCount: Measurement of adsorption of air-entraining admixture on fly ash in concrete and cement	819
COMMUNICATION	
L. Turanli, K. Shomglin, C.P. Ostertag, P.J.M. Monteiro: Reduction in alkali–silica expansion due to steel microfibers	825
T.U. Mohammed, N. Otsuki, H. Hamada: Oxygen permeability in cracked concrete reinforced with plain and deformed bars	829
DISCUSSIONS	
T.U. Mohammed, H. Hamada: A discussion of the paper “Chloride threshold values to depassivate reinforcing bars embedded in a standardized OPC mortar” by C. Alonso, C. Andrade, M. Castellote, and P. Castro	835

- C. Alonso, C. Andrade, M. Castellote, P. Castro:** Reply to the discussion by T.U. Mohammed and H. Hamada of the paper "Chloride threshold values to depassivate reinforcing bars embedded in a standardized OPC mortar" 839

NEWS ITEMS 841

2001

Volume 31, Number 6

June

REVIEW

- M. Santhanam, M.D. Cohen, J. Olek:** Sulfate attack research — whither now? 845

PAPERS

- V.L. Bonavetti, V.F. Rahhal, E.F. Irassar:** Studies on the carboaluminate formation in limestone filler-blended cements 853

- Ş. Erdoğdu, T.W. Bremner, I.L. Kondratova:** Accelerated testing of plain and epoxy-coated reinforcement in simulated seawater and chloride solutions 861

- M.A. Trezza, A.E. Lavat:** Analysis of the system $3\text{CaO}\cdot\text{Al}_2\text{O}_3\text{--CaSO}_4\cdot 2\text{H}_2\text{O--CaCO}_3\text{--H}_2\text{O}$ by FT-IR spectroscopy 869

- C.S. Poon, S.C. Kou, L. Lam, Z.S. Lin:** Activation of fly ash/cement systems using calcium sulfate anhydrite (CaSO_4) 873

- M.C.G. Juenger, H.M. Jennings:** The use of nitrogen adsorption to assess the microstructure of cement paste 883

- I. Juel, E. Jøns:** The influence of earth alkalis on the mineralogy in a mineralized Portland cement clinker 893

- N.Y. Mostafa, S.A.S. El-Hemaly, E.I. Al-Wakeel, S.A. El-Korashy, P.W. Brown:** Characterization and evaluation of the hydraulic activity of water-cooled slag and air-cooled slag 899

- N.Y. Mostafa, S.A.S. El-Hemaly, E.I. Al-Wakeel, S.A. El-Korashy, P.W. Brown:** Activity of silica fume and dealuminated kaolin at different temperatures 905

- C. Paglia, F. Wombacher, H. Böhm:** The influence of alkali-free and alkaline shotcrete accelerators within cement systems: I. Characterization of the setting behavior 913

- K. Wu, B. Chen, W. Yao:** Study of the influence of aggregate size distribution on mechanical properties of concrete by acoustic emission technique 919

- B. Johannesson, P. Utgenannt:** Microstructural changes caused by carbonation of cement mortar 925

- S. Galí, C. Ayora, P. Alfonso, E. Tauler, M. Labrador:** Kinetics of dolomite–portlandite reaction: Application to Portland cement concrete 933

- J. Brandštet, J. Polcer, J. Krátký, R. Holešinský, J. Havlica:** Possibilities of the use of isoperibolic calorimetry for assessing the hydration behavior of cementitious systems 941

- J. Li, S.-Q. Li, J.-S. Hu, B. Liu, Q. Wang:** Study on the aluminophosphate glass-rich cement 949

- K.N. Jallad, M. Santhanam, M.D. Cohen, D. Ben-Amotz:** Chemical mapping of thaumasite formed in sulfate-attacked cement mortar using near-infrared Raman imaging microscopy **953**

COMMUNICATION

- B.-W. Chun:** Paste fluidity of two-component cement dispersant formulation: Another additivity rule **959**

- K. Vallens, E. Bescher, J.D. Mackenzie, E. Rice:** A new technique for the measurement of the impact resistance of wall coatings **965**

- NEWS ITEMS** **969**

2001

Volume 31, Number 7

July

PAPERS

- L. Tong, O.E. Gjrv:** Chloride diffusivity based on migration testing **973**

- R. B. Perkins, C.D. Palmer:** Solubility of chromate hydrocalumite ($3\text{CaO}\cdot\text{Al}_2\text{O}_3\cdot\text{CaCrO}_4\cdot n\text{H}_2\text{O}$) 5–75°C **983**

- J. Schneider, M.A. Cincotto, H. Panepucci:** ^{29}Si and ^{27}Al high-resolution NMR characterization of calcium silicate hydrate phases in activated blast-furnace slag pastes **993**

- A. Palos, N.A. D'Souza, C.T. Snively, R.F. Reidy III:** Modification of cement mortar with recycled ABS **1003**

- T. Zhang, S. Shang, F. Yin, A. Aishah, A. Salmiah, T.L. Ooi:** Adsorptive behavior of surfactants on surface of Portland cement **1009**

- S.A. Marfil, P.J. Maiza:** Deteriorated pavements due to the alkali–silica reaction: A petrographic study of three cases in Argentina **1017**

- V. Vydra, F. Vodák, O. Kapičková, Š. Hořková:** Effect of temperature on porosity of concrete for nuclear-safety structures **1023**

- J. Elsen:** Automated air void analysis on hardened concrete: Results of a European intercomparison testing program **1027**

- W.-H. Huang:** Improving the properties of cement–fly ash grout using fiber and superplasticizer **1033**

- L.T. Dougan, P.S. Addison:** Estimating the cut-off in the fractal scaling of fractured concrete **1043**

- P.R. Blankenhorn, B.D. Blankenhorn, M.R. Silsbee, M. DiCola:** Effects of fiber surface treatments on mechanical properties of wood fiber–cement composites **1049**

- J. Duchesne, M.-A. Bérubé:** Long-term effectiveness of supplementary cementing materials against alkali–silica reaction **1057**

- Y. Xu, Y.L. Wong, C.S. Poon, M. Anson:** Impact of high temperature on PFA concrete **1065**

- D.P. Bentz, M.R. Geiker, K.K. Hansen:** Shrinkage-reducing admixtures and early-age desiccation in cement pastes and mortars **1075**

Z. Apagyi, L.J. Csetenyi: Phase equilibrium study in the $\text{CaO-K}_2\text{O-B}_2\text{O}_3\text{-H}_2\text{O}$ system at 25°C	1087
J. Tritthart, P.F.G. Banfill: Nitrite binding in cement	1093
COMMUNICATION	
T. Sebök, J. Šimoník, K. Kulísek: The compressive strength of samples containing fly ash with high content of calcium sulfate and calcium oxide	1101
DISCUSSIONS	
G.M. Idorn: A discussion of the paper “Mathematical model for kinetics of alkali–silica reaction in concrete” by Zdeněk P. Bažant and Alexander Steffens	1109
Z.P. Bažant, A. Steffens: Reply to the discussion by G.M. Idorn of the paper “Mathematical model for kinetics of alkali–silica reaction in concrete”	1111
W.G. Hime, S.L. Marusin: A discussion of the paper “The distributions of bound sulfates and chlorides in concrete subjected to mixed NaCl , MgSO_4 , Na_2SO_4 attack” by P.W. Brown and Steven Badger	1115
P.W. Brown, S. Badger: Reply to the discussion by William G. Hime and Stella L. Marusin of the paper “The distribution of bound sulfates and chlorides in concrete to mixed NaCl , MgSO_4 , Na_2SO_4 attack”	1117
NEWS ITEMS	1119

2001

Volume 31, Number 8

August

PAPERS

J. Qian, C. Shi, Z. Wang: Activation of blended cements containing fly ash	1121
R. Černý, J. Drchalová, P. Rovnaníková: The effects of thermal load and frost cycles on the water transport in two high-performance concretes	1129
G.A. Rao: Development of strength with age of mortars containing silica fume	1141
S. Asavapisit, W. Nanthamontry, C. Polprasert: Influence of condensed silica fume on the properties of cement-based solidified wastes	1147
Y. Shao, J. Qiu, S.P. Shah: Microstructure of extruded cement-bonded fiberboard	1153
J. Aguilera, M.T.B. Varela, T. Vázquez: Procedure of synthesis of thaumasite	1163
R.J. Flatt, Y.F. Houst: A simplified view on chemical effects perturbing the action of superplasticizers	1169
D.A. Silva, V.M. John, J.L.D. Ribeiro, H.R. Roman: Pore size distribution of hydrated cement pastes modified with polymers	1177
K. Fukuda, A. Takeda, H. Yoshida: Remelting reaction of $\alpha\text{-Ca}_2\text{SiO}_4$ solid solution confirmed in $\text{Ca}_2\text{SiO}_4\text{-Ca}_{12}\text{Al}_{14}\text{O}_{33}$ pseudobinary system	1185
H.-W. Song, J.-H.J. Kim, J.-H. Choi, K.-J. Byun: Microscopic analysis of 50% axially strained cementitious materials	1191
J. Li, Y. Yao: A study on creep and drying shrinkage of high performance concrete	1203

C.P. Atkins, M.A. Carter, J.D. Scantlebury: Sources of error in using silver/silver chloride electrodes to monitor chloride activity in concrete	1207
I.F. Olmo, E. Chacon, A. Irabien: Influence of lead, zinc, iron (III) and chromium (III) oxides on the setting time and strength development of Portland cement	1213
N.J. Saikia, P. Sengupta, P.K. Gogoi, P.C. Borthakur: Physico-chemical and cementitious properties of sludge from oil field effluent treatment plant	1221
M. Mbessa, J. Péra: Durability of high-strength concrete in ammonium sulfate solution	1227
COMMUNICATION	
İ.A. Altun: Effect of temperature on the mechanical properties of self-flowing low cement refractory concrete	1233
DISCUSSIONS	
E. Arioğlu, N. Arioğlu, C. Girgin: A discussion of the paper “Concrete strength by combined nondestructive methods simply and reliably predicted” by H.Y. Qasrawi	1239
H.Y. Qasrawi: Reply to the discussion by E. Arioğlu, N. Arioğlu, C. Girgin of the paper “Concrete strength by combined nondestructive methods simply and reliably predicted”	1241
NEWS ITEMS	1243

2001

Volume 31, Number 9

September

PAPERS

Z. Xie, Y. Xi: Hardening mechanisms of an alkaline-activated class F fly ash	1245
O.P. Shrivastava, R. Shrivastava: Sr ²⁺ uptake and leachability study on cured aluminum-substituted tobermorite–OPC admixtures	1251
H. Li, D.K. Agrawal, J. Cheng, M.R. Silsbee: Microwave sintering of sulphoaluminate cement with utility wastes	1257
L.G. Andión, P. Garcés, F. Cases, C.G. Andreu, J.L. Vazquez: Metallic corrosion of steels embedded in calcium aluminate cement mortars	1263
S. Valls, E. Vázquez: Accelerated carbonation of sewage sludge–cement–sand mortars and its environmental impact	1271
T. Bakharev, J.G. Sanjayan, Y.-B. Cheng: Resistance of alkali-activated slag concrete to carbonation	1277
P. Yan, X. Qin, W. Yang, J. Peng: The semiquantitative determination and morphology of ettringite in pastes containing expansive agent cured in elevated temperature	1285
C.-S. Poon, S. Azhar, M. Anson, Y.-L. Wong: Comparison of the strength and durability performance of normal- and high-strength pozzolanic concretes at elevated temperatures	1291
C.-S. Poon, L. Lam, S.C. Kou, Y.-L. Wong, R. Wong: Rate of pozzolanic reaction of metakaolin in high-performance cement pastes	1301
C.-S. Poon, S. Azhar, M. Anson, Y.-L. Wong: Strength and durability recovery of fire-damaged concrete after post-fire-curing	1307

M.A. Mannan, C. Ganapathy: Long-term strengths of concrete with oil palm shell as coarse aggregate	1319
M.A. Mannan, C. Ganapathy: Mix design for oil palm shell concrete	1323
F. Ziegler, C.A. Johnson: The solubility of calcium zincate ($\text{CaZn}_2(\text{OH})_6 \cdot 2\text{H}_2\text{O}$)	1327
Q. Zhou, F.P. Glasser: Thermal stability and decomposition mechanisms of ettringite at $<120^\circ\text{C}$	1333
K. Quillin: Performance of belite–sulfoaluminate cements	1341
M.H. Ozkul: Efficiency of accelerated curing in concrete	1351
J. Monteny, N. De Belie, E. Vincke, W. Verstraete, L. Taerwe: Chemical and microbiological tests to simulate sulfuric acid corrosion of polymer-modified concrete	1359
J. Chang, X. Cheng, L. Lu, F. Liu, J. Zhu: The influences of two admixtures on white and colored Portland cement	1367
C. Shi: Formation and stability of $3\text{CaO} \cdot \text{CaCl}_2 \cdot 12\text{H}_2\text{O}$	1373
D.W.S. Ho, A.M.M. Sheinn, C.T. Tam: The sandwich concept of construction with SCC	1377
NEWS ITEMS	1383

2001

Volume 31, Number 10

October

PAPERS

Y. Wang, S. Diamond: A fractal study of the fracture surfaces of cement pastes and mortars using a stereoscopic SEM method	1385
N. Bouzoubaâ, M.H. Zhang, V.M. Malhotra: Mechanical properties and durability of concrete made with high-volume fly ash blended cements using a coarse fly ash	1393
J.I. Escalante, L.Y. Gómez, K.K. Johal, G. Mendoza, H. Mancha, J. Méndez: Reactivity of blast-furnace slag in Portland cement blends hydrated under different conditions	1403
M. Castellote, C. Andrade, C. Alonso: Measurement of the steady and non-steady-state chloride diffusion coefficients in a migration test by means of monitoring the conductivity in the anolyte chamber: Comparison with natural diffusion tests	1411
K.-R. Wu, B. Chen, W. Yao, D. Zhang: Effect of coarse aggregate type on mechanical properties of high-performance concrete	1421
M.-T. Liang, P.-J. Su: Detection of the corrosion damage of rebar in concrete using impact-echo method	1427
A.R. Brough, A. Katz, G.-K. Sun, L.J. Struble, R.J. Kirkpatrick, J.F. Young: Adiabatically cured, alkali-activated cement-based wasteforms containing high levels of fly ash: Formation of zeolites and Al-substituted C-S-H	1437
D. García del Amo, B. Calvo Pérez: Diagnosis of the alkali-silica reactivity potential by means of digital image analysis of aggregate thin sections	1449
B. Liu, Y. Xie, S. Zhou, J. Li: Some factors affecting early compressive strength of steam-curing concrete with ultrafine fly ash	1455

M. Al Awwadi Ghaib, J. Górski: Mechanical properties of concrete cast in fabric formworks	1459
C. Gallé: Effect of drying on cement-based materials pore structure as identified by mercury intrusion porosimetry: A comparative study between oven-, vacuum-, and freeze-drying	1467
P. Yu, R.J. Kirkpatrick: ^{35}Cl NMR relaxation study of cement hydrate suspensions	1479
P. Kalifa, G. Chéné, C. Gallé: High-temperature behaviour of HPC with polypropylene fibres: From spalling to microstructure	1487
E.J. Garboczi, D.P. Bentz: The effect of statistical fluctuation, finite size error, and digital resolution on the phase percolation and transport properties of the NIST cement hydration model	1501
COMMUNICATION	
S. Wen, D.D.L. Chung: Defect dynamics of cement paste under repeated compression studied by electrical resistivity measurement	1515
J. Cao, D.D.L. Chung: Minor damage of cement mortar during cyclic compression monitored by electrical resistivity measurement	1519
NEWS ITEMS	1523

2001

Volume 31, Number 11

November

PAPERS

V. Picandet, A. Khelidj, G. Bastian: Effect of axial compressive damage on gas permeability of ordinary and high-performance concrete	1525
M.M. Shoaib, S.A. Ahmed, M.M. Balaha: Effect of fire and cooling mode on the properties of slag mortars	1533
A. Çolak: Characteristics of acrylic latex-modified and partially epoxy-impregnated gypsum	1539
F.A. Rodrigues, P.J.M. Monteiro, G. Sposito: The alkali–silica reaction: The effect of monovalent and bivalent cations on the surface charge of opal	1549
M. Sonebi: Factorial design modelling of mix proportion parameters of underwater composite cement grouts	1553
F. Belaid, G. Arliguie, R. François: Porous structure of the ITZ around galvanized and ordinary steel reinforcements	1561
A.H. Asbridge, G.A. Chadbourn, C.L. Page: Effects of metakaolin and the interfacial transition zone on the diffusion of chloride ions through cement mortars	1567
A. Feylessoufi, F.C. Tenoudji, V. Morin, P. Richard: Early ages shrinkage mechanisms of ultra-high-performance cement-based materials	1573
S. Martinez-Ramirez, A. Palomo: Microstructure studies on Portland cement pastes obtained in highly alkaline environments	1581

A. Bentur, S. Igarashi, K. Kovler: Prevention of autogenous shrinkage in high-strength concrete by internal curing using wet lightweight aggregates	1587
T. Sebök, M. Vondruška, K. Kulísek: Influence of MSFC-type dispersant composition on the performance of soluble anhydrite binders	1593
A. Yan, K.-R. Wu, D. Zhang, W. Yao: Effect of fracture path on the fracture energy of high-strength concrete	1601
X. Qian, Z. Li: The relationships between stress and strain for high-performance concrete with metakaolin	1607
A. Dubosc, G. Escadeillas, P.J. Blanc: Characterization of biological stains on external concrete walls and influence of concrete as underlying material	1613
M. Pfeuffer, W. Kusterle: Rheology and rebound behaviour of dry-mix shotcrete	1619
R. Demirboğa, İ. Örüng, R. Gül: Effects of expanded perlite aggregate and mineral admixtures on the compressive strength of low-density concretes	1627
COMMUNICATIONS	
J. Cao, D.D.L. Chung: Carbon fiber reinforced cement mortar improved by using acrylic dispersion as an admixture	1633
J. Cao, D.D.L. Chung: Defect dynamics and damage of concrete under repeated compression, studied by electrical resistance measurement	1639
TECHNICAL NOTES	
M.U.K. Afridi, Y. Ohama, K. Demura, M.Z. Iqbal: A note on the comparison of crack resistance of $\text{Ca}(\text{OH})_2$ crystals of unmodified and polymer-modified mortars in carbonated atmosphere	1643
J. Cao, D.D.L. Chung: Degradation of the bond between old and new mortar under cyclic shear loading, monitored by contact electrical resistance measurement	1647
DISCUSSIONS	
S. Wild: A discussion of the paper “Mercury porosimetry—an inappropriate method for the measurement of pore size distributions in cement-based materials” by S. Diamond	1653
S. Diamond: Reply to the discussion by S. Wild of the paper “Mercury porosimetry—an inappropriate method for the measurement of pore size distributions in cement-based materials”	1655
S. Chatterji: A discussion of the paper “Mercury porosimetry—an inappropriate method for the measurement of pore size distributions in cement-based materials” by S. Diamond	1657
S. Diamond: Reply to the discussion by S. Chatterji of the paper “Mercury porosimetry—an inappropriate method for the measurement of pore size distributions in cement-based materials”	1659
10-YEAR INDEX (1991-2000)	1661
NEWS ITEMS	1781

2001

Volume 31, Number 12

December

EDITORIAL

- J. Marchand:** Fall 2000 Materials Research Society Symposium on the Materials Science of High-Performance Concrete **1783**

PAPERS

- E.M. Schulson, I.P. Swainson, T.M. Holden:** Internal stress within hardened cement paste induced through thermal mismatch: Calcium hydroxide versus calcium silicate hydrate **1785**
- S. Gr newald, J.C. Walraven:** Parameter-study on the influence of steel fibers and coarse aggregate content on the fresh properties of self-compacting concrete **1793**
- N. Su, K.-C. Hsu, H.-W. Chai:** A simple mix design method for self-compacting concrete **1799**
- D.M. Roy, P. Arjunan, M.R. Silsbee:** Effect of silica fume, metakaolin, and low-calcium fly ash on chemical resistance of concrete **1809**
- K.-C. Hsu, Y.-S. Tseng, F.-F. Ku, N. Su:** Oil cracking waste catalyst as an active pozzolanic material for superplasticized mortars **1815**
- I.P. Swainson, E.M. Schulson:** A neutron diffraction study of ice and water within a hardened cement paste during freeze-thaw **1821**
- M.R. Geiker, P. Laugesen:** On the effect of laboratory conditioning and freeze/thaw exposure on moisture profiles in HPC **1831**
- K.A. Snyder, J. Marchand:** Effect of speciation on the apparent diffusion coefficient in nonreactive porous systems **1837**
- G.S. Wojcik, J.L. Plawsky, D.R. Fitzjarrald:** The utility of bimolecular expression to describe the heat generation and temperatures in curing Class HP concrete **1847**
- O.M. Jensen, P.F. Hansen:** Autogenous deformation and RH-change in perspective **1859**
- P. Lura, K. van Breugel, I. Maruyama:** Effect of curing temperature and type of cement on early-age shrinkage of high-performance concrete **1867**
- I.J. Merchant, D.E. Macphee, H.W. Chandler, R.J. Henderson:** Toughening cement-based materials through the control of interfacial bonding **1873**
- F.P. Glasser, L. Zhang:** High-performance cement matrices based on calcium sulfoaluminate belite compositions **1881**
- C. Porteneuve, H. Zanni, C. Vernet, K.O. Kjellsen, J.-P. Korb, D. Petit:** Nuclear magnetic resonance characterization of high- and ultrahigh-performance concrete: Application to the study of water leaching **1887**
- L.  stergaard, D.A. Lange, S.A. Altoubat, H. Stang:** Tensile basic creep of early-age concrete under constant load **1895**

NEWS ITEMS **1901**

CONTENTS INDEX **1903**

AUTHOR INDEX **1919**

KEYWORD INDEX **1923**