



Keyword Index

- Abrams' Law, 495
Absorption, 1831
AC Impedance, 431
Accelerated Calcium Leaching, 767
Accelerated Carbonation, 1271
Accelerated Testing, 655
Accelerated Tests, 739, 825
Acceleration, 343, 873, 1351, 1427
Accelerators, 913
Acid Attack, 331
Acoustic Emission, 919
Acrylic Latex, 1539
Activation, 1121
Adhesion Strength, 357
Admixture, 303, 647, 673, 713, 789, 941, 959, 1169, 1251, 1367, 1593, 1619
Admixtures, 357
Adsorption, 375, 563, 571, 819, 1009, 1169, 1593
AFm, 1479
Age, 443
Aggregate, 7, 437, 707, 919, 1323, 1421, 1549
Aging, 363, 1895
Air Void Analysis, 1027
Air-Cooled Slag, 475, 899
Air-Entraining Admixture, 819
Al(Fe)–O–C(P) cross-links, 743
Algae, 1613
Alkali Leaching, 795
Alkali–Aggregate Reaction, 271, 655, 933, 1017, 1057, 1549
Alkali–Silica Reaction, 739, 825
Alkali-Activated Cement, 283, 331, 1245, 1277, 1437, 1449
Alkaline Activation, 25
Alkaline Polymer, 25
Alkalis, 199, 283, 683
Alteration, 271
Amorphous Material, 227, 1549
Analysis, 233
Anchorage, 749
Anhydrite, 873
Anions, 425
Antiwashout Admixture, 749, 1553
Backscattered Electron Imaging, 437, 695
BaO, 893
Bending Properties, 1049
Bending Strength, 455
BET Equation, 925
Biogenic Sulfuric Acid, 1359
Blast Furnace Slag, 707
Blast Furnace Slag Aggregate, 1533
Blended Cement, 31, 57, 313, 503, 519, 743, 853, 1121, 1221, 1393, 1403, 1847
Bond Strength, 183, 669, 1003, 1647
Borate, 1087
Bottom Ash, 491
Bromide, 1207
By-Products, 467
 $2.75\text{CaO} \cdot 1.25\text{BaO} \cdot 3\text{Al}_2\text{O}_3 \cdot \text{CaSO}_4$, 213
 $3\text{CaO} \cdot 3\text{Al}_2\text{O}_3 \cdot \text{CaSO}_4$, 263
 $3\text{CaO} \cdot \text{CaCl}_2 \cdot 12\text{H}_2\text{O}$, 1373
C–S–H, 125, 563, 571
 $\text{Ca}(\text{CO}_3)_2$, 633
 $\text{Ca}(\text{OH})_2$, 41, 125, 633, 1643
 Ca_2SiO_4 , 893, 1185
 $\text{Ca}_3\text{Al}_2\text{O}_6$, 449
 Ca_3SiO_5 , 183
Cadmium, 563, 571
Calcium, 375
Calcium Aluminate Cement, 405, 627, 1263
Calcium Aluminoferrite, 577
Calcium Hydroxide, 149, 1785
Calcium Sulfoaluminate, 1881
Calcium-Silicate-Hydrate (C–S–H), 351, 467, 475, 883, 993, 1043, 1251, 1327, 1437
Calorimetry, 257, 449, 941, 1593, 1847
 $\text{CaO} - \text{SiO}_2 - \text{Al}_2\text{O}_3 - \text{Fe}_2\text{O}_3$, 425
CaO, 633, 1087
Carbonation, 869, 925, 1277, 1341, 1643
Cellulose Fibres, 543
Cement, 171, 199, 357, 389, 819, 941, 1009, 1141, 1163, 1873
Cement Fiberboard, 1153
Cement Grout, 749, 1033
Cement Kiln Dust; CKD, 781
Cement Manufacture, 51
Cement Mortar, 925
Cement Paste, 31, 129, 141, 183, 205, 245, 277, 291, 297, 385, 507, 883, 959, 1075, 1093, 1177, 1385, 1467, 1515, 1561
Cenospheres, 539
Characterisation, 57, 327, 351, 1185, 1613
Chemical Activators, 813
Chemical Composition, 539
Chemical Damage, 767
Chemical Dissolution, 1403
Chemical Resistivity, 1533
Chloride, 149, 529, 577, 589, 713, 759, 775, 861, 1093, 1207, 1411, 1567
Chloride Binding, 1479
Chloride Contaminated Concrete, 789
Chloride Diffusion, 621
Chloride Migration, 621
Chlorides, 973
Chromate, 983
Chromium, 449
Clinker, 287, 555
Colemanite Ore Waste, 491
Coloration, 313
Colored Portland Cement, 1367
Compaction, 1377
Compatibility, 1377
Composite, 1049
Compressive Strength, 51, 105, 193, 213, 217, 321, 413, 491, 495, 503, 609, 627, 695, 707, 805, 873, 1049, 1065, 1101, 1141, 1203, 1213, 1227, 1291, 1301, 1307, 1319, 1323, 1341, 1393, 1421, 1593, 1601, 1627, 1799, 1815
Concentration Profile, 529
Concrete, 63, 73, 199, 313, 321, 389, 413, 437, 529, 589, 609, 759, 775, 819, 919, 941, 1027, 1093, 1207,

- 1233, 1393, 1411, 1421, 1427,
1459, 1467, 1573, 1607, 1613,
1639, 1831, 1895
Concrete Plants, 485
Condensed Silica Fume, 1147
Conditioning, 1831
Conduction Calorimetry, 467
Conductivity, 41, 1411
Confined Cementitious Materials,
1191
Confined Condition, 385
Corrosion, 3, 83, 343, 529, 589, 603,
713, 829, 1207, 1263, 1359, 1427
Corrosion Inhibitors, 713, 1093
Corrosion Rate, 861
Crack Detection, 719, 1643
Creep, 193, 389, 1203, 1895
Crystal Size, 1821
Crystal Structure, 893, 1643, 1821
CSH Gel, 25
Curing, 313, 647, 1319, 1459
Curing Temperature, 695
Cycles, 1129

Dealuminated Kaolin, 467, 905
Decomposition (of Ettringite), 1333
Degradation, 363, 543, 669, 1227,
1487, 1647, 1887
Degree of Pozzolan Reaction, 1301
Delayed Ettringite Formation, 335,
683
Dielectric, 673
Differential Thermal Analysis, 239
Diffusion, 759, 973, 1065, 1411,
1567, 1837,
Dispersing Force, 375
Dispersion, 303, 309, 959, 1169
Distribution, 925
Dolomite–Portlandite, 933
Dry Mixture, 609
Drying, 1075, 1467
Drying Shrinkage, 707
Durability, 331, 343, 421, 543, 703,
707, 713, 739, 933, 965, 973,
1057, 1277, 1307, 1359, 1393,
1525, 1809, 1881

Early Compressive Strength, 1455
Ecocement, 431
EDX, 795
Efficiency, 1351
Elastic Moduli, 7, 193, 455, 555, 1607
Electrical Properties, 129, 141, 291,
297, 309, 363, 507, 665, 669, 673,
781, 1501, 1515, 1519, 1633,
1639, 1647
Electrical Resistance, 1639
Electrical Resistivity, 1519
Electrochemical Method, 1427
Electrochemical Properties, 775,
1837
Environmental Impact, 1271
Epoxy, 1539
Epoxy-coated Reinforcement, 861
ESEM, 767
Ettringite, 13, 257, 421, 795, 845,
869, 913, 953, 1115, 1285, 1333,
1341, 1881
EXAFS, 563, 571
Expansion, 149, 257, 385, 491, 655,
845, 1533
Expansive Agent, 335
Experiment Design, 749
Extrusion, 1153

Fast-Setting/Early-Strength Agent, 19
Fatigue, 343, 669, 1519, 1639, 1647
fCaO, 425
Fiber Reinforcement, 129, 141, 291,
297, 309, 507, 543, 665, 673, 719,
1049, 1153, 1633, 1793
Fiber Surface Treatments, 1049
Filler, 853
Filling Height, 1799
Fineness, 135
Fineness Modulus, 7
Fire, 1533
Flow Time, 1553
Fluorite, 213
Fly Ash, 31, 41, 105, 321, 413, 491,
655, 805, 819, 873, 1057, 1065,
1101, 1121, 1245, 1393, 1437,
1627
Foamed Concrete, 105, 805
Formation, 1373
Formulation, 959
Fractal, 1385
Fractal Dimension, 1601
Fracture, 73
Fracture Energy, 1601
Fracture Surfaces, 1385
Fracture Toughness, 113, 719, 1873
Freezing/Thawing, 1821, 1831
Fresh Concrete, 245, 1847
Frictional Behavior, 767
FTIR, 467

Gehlenite, 475, 899
General Effective Media Theory, 277
Glass-Rich Cement, 949
Grain Size, 1449
Granite, 271
Granulated Blast-Furnace Slag, 313,
327, 431, 781, 993, 1057, 1203,
1403, 1867
Grinding, 813
Ground Granulated Blast Furnace
Slag, 331, 627, 1277
Gypsum, 1539

Heat of Hydration, 119
Heat Treatment, 795
Heavy Metal Leachability, 97
Heavy Metals, 1327
High Flowability, 87
High Performance, 1301, 1881
High Performance Concrete, 87, 263
High Temperature, 177, 1023, 1065,
1291, 1307
High-Performance Concrete, 113,
389, 595, 647, 703, 1129, 1203,
1487, 1525, 1847, 1859, 1887
High-Range Water-Reducer, 749
High-Reactivity Metakaolin, 759
High-Strength Concrete, 1587
HRWRA, 119
Humidity, 199, 743, 1075, 1613, 1859
Hybrid Fiber, 595
Hydrated Phases, 519
Hydration, 125, 135, 257, 263, 283,
327, 405, 503, 627, 641, 869, 941,
1191, 1257, 1501, 1847
Hydration Activity, 949
Hydration Mechanism, 1367
Hydration Products, 327, 351, 695,
853, 1307, 1501
Hydration Temperature, 1403
Hydraulic Activity, 97, 899
Hydraulic Lime, 397
Hydrocalumite, 983
Hydrogarnet, 899
Hydrothermal, 475, 905
Hygric Properties, 1129

Image Analysis, 363, 437, 719, 953,
1027, 1449
Impact Resistance, 965
Industrial By-Products, 1257
Interface, 1377
Interfacial Transition Zone, 385,
1561, 1567
Ionic Strength, 375
Isothermal Conduction Calorimetry,
25

Jennite, 1479
Junction, 129

- Kinetics, 641, 933
 KOH, 1087
 Kramers–Kronig Transforms, 603
- Leachability, 1147
 Leaching, 233, 683
 Leaching Process, 1271
 Lightweight Aggregate, 1587
 Lightweight Concrete, 1319, 1323, 1627
 Lime, 177, 519
 Limestone, 135
 Long-Term Performance, 389, 627
- Macrocell Corrosion, 789
 Maturity, 217
 Mechanical and Durability, 1539
 Mechanical Properties, 100, 113, 135, 321, 357, 405, 555, 919, 965, 1233, 1421, 1459, 1873
 Mechanical Strengths, 1581
 Melting, 97
 Mercury Porosimetry, 431, 1177, 1561
 Meta-Ettringite, 1333
 Metakaolin, 25, 177, 271, 519, 1301, 1567, 1607, 1809
 Metal Oxides, 1213
 Metallic Aggregate, 113
 Metallic Particles, 51
 Metamorphic Quartz, 1449
 MgO, 455
 Microcracking, 171, 1515, 1525
 Micromechanics, 555
 Microscopic Behavior, 1191
 Microsteel Fiber, 825
 Microstructure, 31, 83, 125, 277, 287, 351, 385, 397, 431, 455, 633, 683, 695, 739, 883, 913, 1023, 1043, 1065, 1153, 1191, 1291, 1307, 1467, 1515, 1561, 1613, 1873, 1887
 Microwave, 177
 Microwave Sintering, 1257
 Migration, 775, 1411
 Mineralizers, 425
 Mineralogical Composition, 539
 Minislump, 1553
 Mix Design, 1799
 Mix Proportion, 83, 1323, 1793
 Modeling, 51, 73, 217, 503, 719, 845, 1009, 1087, 1501, 1837, 1895
 Moist Storage, 321
 Moisture Profiles, 1831
 Monosulfate, 983
 Morphology, 1285
- Mortar, 7, 171, 309, 443, 485, 495, 1003, 1141, 1519, 1567, 1633, 1647, 1815
 MSWI Fly Ash, 97
 Multiple-Charged Cation, 375
- Na_2CO_3 , 1581
 Na_2SO_4 , 1121
 NaOH, 1581
 Neutron Diffraction, 1785, 1821
 Nitrite, 1093
 NMR, 25, 263
 NMR Relaxation Rate, 1479
 NMR Spectroscopy, 993
 Nondestructive Testing, 363
 Nuclear Magnetic Resonance, 1887
 Nuclear Waste Storage, 767
- Opal, 825
 OPSoil Palm Shell, 1319
 Optimization, 51
 Organic Materials, 1049
 Oxygen Diffusion, 621
 Oxygen Permeability, 829
- Partial Replacement, 1587
 Particle Size Distribution, 193, 303, 503
 Particle Size, 539
 Percolation, 1573
 Performance, 707
 Permeability, 277, 595, 759, 805, 1291, 1459, 1487, 1525
 Petrography, 397, 1017, 1185
 PFA, 1553
 pH, 1549
 Phase Composition, 949
 Phosphorus, 19, 449
 Physical, 1539
 Physical Properties, 507, 965, 1221
 Plain and Deformed Bars, 829
 Plazolite, 475
 Polarization, 141, 291
 Polycarboxylate, 375
 Polymer, 83, 239, 357, 743, 1177
 Polymer-Modified Mortars, 1643
 Polypropylene Fiber, 1033, 1487
 Polyvinyl Alcohol, 239
 Pore Pressure, 767
 Pore Size, 925
 Pore Size Distribution, 873, 883, 1023, 1177, 1227, 1301, 1561, 1821, 1887
 Pore Solution, 233, 1093, 1837
 Pore Structure, 19
 Porosity, 805, 1581
- Portland, 1263
 Portland Cement, 135, 239, 1147, 1213, 1251, 1351, 1867
 Portland Cement Hydration, 1581
 Portlandite, 1479
 Pozzolan, 41, 57, 199, 227, 813, 1291, 1351, 1809, 1815
 Pozzolanic Activity, 467, 905
 Pozzolans, 845
 Pre-rusted Steel, 589
 Pseudoplastic Grout, 731
- Quicklime Reactivity, 633
- Radioactive Waste, 1437, 1467
 Radioactive Waste Form, 1251
 Raman, 421
 Raman Imaging, 953
 Reaction, 227, 1185
 Reaction Kinetics, 177
 Reactive Powder Concrete, 1573
 Ready-Mixed Concrete, 485
 Rebound, 1619
 Recycle, 485
 Recycled Concrete, 707
 Recycled Polymers, 1003
 Refractory Cement, 1233
 Reinforced Concrete, 603, 861
 Reinforcement, 589, 669
 Reinforcement Corrosion, 789
 Reinforcing Steel, 1263
 Relationships of Stress and Strain, 1607
 Remelting, 1185
 Repair, 749
 Restrained Autogenous Shrinkage, 1587
 Restraining Stress, 1587
 Retardation, 455
 Retarder, 119
 Rheology, 183, 205, 245, 1169, 1377, 1593, 1619
 Rheology-Modifying Admixture, 731
 Rice Husk Ash, 239
- Salt Hydration, 1115
 Scanning Electron Microscopy, 83, 287, 437, 543, 953, 1043, 1115, 1227, 1385
 Self-Compacting, 413
 Self-Compacting Concrete, 1793
 Self-Desiccation, 647, 1859
 SEM/EDXA, 125
 Semiquantitative Determination, 1285
 Sensing, 665
 Setting, 63, 913

- Setting Time, 119, 1213
Sewage Sludge, 1271
Shear Thinning, 731
Shotcrete, 1619
Shrinkage, 63, 171, 193, 389, 595, 647, 1075, 1203, 1573, 1859, 1867
Shrinkage-Compensating Massive Concrete, 335
²⁹Si RNM-MA, 1271
Silica Fume, 7, 129, 141, 171, 199, 291, 297, 303, 309, 443, 467, 665, 673, 781, 905, 1057, 1141, 1203, 1627, 1633, 1809
Simulation, 933
Slag, 19
Slag Reaction, 1403
Slag-Blended Cement, 97
Slip, 205
Slump Flow, 413, 1799
Solid Solutions, 13
Solidification, 1101
Soluble Chloride, 233
Sorption, 925
SP, 1553
Spectroscopy, 421, 1251
Spectroscopy FT-IR, 869
Spent Fluid Cracking Catalyst, 57
Splitting Tensile Strength, 495
SrO, 893
Stability, 1373, 1809
Stability (of Ettringite), 1333
Stabilization/Solidification, 1147
Steady-State Tests, 621
Steam, 609
Steam Curing, 1455
Steel Corrosion, 1881
Stereoscopic, 1385
Storage Conditions, 795
Strain Effect, 297, 665, 1515, 1519, 1525, 1639
Strength, 443, 813, 1147, 1377
Strength Development, 1141
Sulfate, 149, 641, 1115, 1341
Sulfate Attack, 3, 845, 953, 1115, 1163, 1227, 1359
Sulfate Ion Concentration, 375
Sulfoaluminate, 853, 869, 1341
Sulphoaluminate Belite Cement, 1257
Superfine Fly Ash, 119
Superfine Phosphoric Slag, 703
Superplasticizer, 63, 87, 375, 703, 1033
Supplementary Cementitious Materials, 731
Surface Area, 7, 113, 883, 1449
Surface Tension, 1075
Temperature, 217, 1129, 1207, 1487, 1867
Temperature Match Conditioning, 1285
Tensile Properties, 73, 1633, 1895
Thaumasite, 421
Thaumasite Synthesis, 1163
Thermal Analysis, 31, 327, 449, 577, 743, 1023, 1129
Thermal Expansion, 1785
Thermal Properties, 539
Thermal Treatment, 683, 813, 993, 1221, 1233, 1351
Thermodynamic Calculations, 983, 1087, 1327
Thermoelectric, 507
Time-to-Cracking, 861
Titration, 227
Tobermorite, 905
Transport Properties, 973, 1501, 1837
Triaxial Testing, 767
Tropical Marine Environment, 529
Tube-Squash Test, 1191
Ultrafine Fly Ash, 1455
Ultrasonic Measurement, 405
Ultrasonic Spectroscopy, 1573
Ultrasonics, 63
Underwater Casting, 749
Underwater Grout, 1553
Vibration, 1427
Volatility, 425
Wash Water, 485
Washout Resistance, 1553
Waste Catalyst, 1815
Waste Management, 563, 571, 1213, 1221
Water/Binder Ratio, 87, 443, 1141, 1553
Water-Cooled Slag, 475, 899
Water/Cement Ratio, 495
White Portland Cement, 1367
Workability, 193, 245, 303, 703, 959, 1169, 1203, 1793, 1815
X-ray Diffraction, 13, 257, 287, 397, 449, 577, 641, 853, 893, 1257, 1373, 1561
Yield Stress, 731
Zeolite, 271, 1437
Zinc, 1327, 1561