



Keyword Index

- AC impedance, 893
Accelerated method, 851
Accelerated test, 1771
Accelerated tests, 691
Acceleration, 557, 577, 903, 1539, 1679
Accelerators, 665
Acid neutralisation capacity, 769
ACIS, 983
Activator, 459
Admixture, 187, 629, 783, 821, 973, 1025, 1247, 1507, 1725
Admixtures, 373
Adsorption, 1507, 1605, 1613
Ageing, 1831
Aggregate, 179, 247, 253, 701, 1199, 1679, 1755
Aggregates, 1215, 1621, 1783
Aggregate content, 1559
Aging, 1087, 1095, 1679
Alite, 931
Alite–sulphoaluminate cement, 1125
Alkali activated cement, 1019
Alkali sorption, 1101
Alkali-activated cement, 211, 357, 577, 865, 1181
Alkali–aggregate reaction, 341, 691, 1199, 1215, 1259, 1771,
Alkali–carbonate reaction, 763
Alkali–carbonate reaction, 851
Alkali–silica reaction, 223, 1019
Alkalies, 1215
Alternating current impedance spectrum, 979
Aluminosilicate, 1823
Amorphous material, 1533, 1705
Anhydrite, 313, 401
Apparent activation energy, 1207
Apparent viscosity, 1839
Application, 173
AR-glass, 783
ASTM American Society for Testing and Materials, 1567
Autoclave, 859
Autoclave binding properties, 1377
Autogenous shrinkage, 1443
Backscatter electron coefficients, 269
Backscattered electron imaging, 269
Belite, 931
Bending strength, 415
Bentonite, 1551
Béton, 691
Binder paste in HPC, 1483
Blended cement, 387, 943, 1341, 1421, 1717, 1743
Bond property, 1313
Bond strength, 253, 657, 783
Borogypsum, 471
Brittleness, 363, 601
By-pass cement dust, 1805
 $3\text{CaO}\cdot 3\text{Al}_2\text{O}_3\cdot \text{CaSO}_4$, 1125
C-A-S-H gel, 1101
C-S-H, 593, 1663
 $\text{Ca}(\text{OH})_2$, 593, 963
 Ca_2SiO_4 , 401
 $\text{Ca}_3\text{Al}_2\text{O}_6$, 401, 647
 Ca_3SiO_5 , 409, 1125, 1347
Calcium aluminates, 1269
Calcium chloride, 387
Calcium silicate hydrate, 731
Calcium silicate hydrate (C-S-H), 289, 393, 963, 1071, 1077, 1131
Calorimetry, 675, 789, 865, 1181, 1277
CaO, 1653
 $\text{CaO}-\text{SiO}_2-\text{Al}_2\text{O}_3-\text{Fe}_2\text{O}_3$, 463
Capping type, 1545
Carbon fiber, 747
Carbonation, 935, 1229, 1639
Cathodic protection, 657
Cations, Free CaO, 463
CEB Comité Euro-International du Béton, 1567
Cement, 357, 471, 825, 1239, 1277, 1421, 1507
Cement composition, 1737
Cement dermatitis, 435
Cement mortar, 817, 983, 1823
Cement paste, 289, 335, 795, 821, 881, 1025, 1169, 1429, 1443, 1507, 1605, 1613, 1673, 1823
Cementitious grout, 1395
Cementitious material, 1145
Cementitious property, 459
Ceramic lightweight aggregates, 1783
Characterisation, 1319, 1325, 1705
Characterization, 1, 303, 593, 881, 1071, 1077, 1161, 1259, 1347, 1371
Charge passed, 217, 623
Chemical binding of water, 1153
Chemical composition, 1039
Chemically bonded ceramics, 675
Chloride, 199, 259, 323, 451, 513, 639, 757, 1061, 1113, 1189, 1743
Chloride diffusivity, 1515
Chloride ingress, 893
Chloride penetration, 1067
Chloride-ion concentration, 217
Chlorides, 491
Chromium, 435
Clinker, 187, 1169, 1319, 1325
Clinker mineral, 1605
Clustering, 1325
CMOD crack mouth opening displacement, 1567
CMSD crack mouth sliding displacement, 1567
Coating, 205
Cobalt, 435
Coefficient of thermal expansion, 1645
Cold setting, 675
Colemanite ore waste, 1551
Composite, 1725, 415, 825
Compressive strength, 199, 227, 233, 241, 247, 317, 373, 387, 601, 607, 777, 803, 809, 903, 1009, 1087, 1095, 1133, 1169, 1181, 1207, 1251, 1301, 1391, 1525, 1533, 1545, 1551, 1725, 1813
Compressive strength Properties, 521
Concrete, 179, 205, 247, 363, 431, 451, 471, 529, 607, 639, 683, 691, 757, 923, 1009, 1053, 1113, 1229,

- 1239, 1331, 1391, 1407, 1497, 1679, 1771, 1831,
Concrete admixture, 1839
Concrete structures, 1215
Controlled permeability formwork (CPF), 451
Coordination chemistry, 1145
Cordierite, 675
Corrosion, 199, 259, 757, 1189,
Corrosion rate, 491
Corrosive behaviour, 893
Crack detection, 279, 1567
Creep, 1053
Crushed sand, 1755
Crystal structure, 513, 647, 1169
Curing methods, 949
Curing, 447, 923, 973, 1743, 1813
- DEF index, 1737
Deformability, 415
Degradation, 657, 731, 843, 1539
Degree of constraint, 1645
Delayed ettringite formation (DEF), 1729, 1737
Delaying addition, 1839
Dense package, 615
Developed device, 1645
Dielectric constant, 1429
Differential impedance analysis (DIA), 881
Diffusion, 179, 199, 323, 409, 565, 795, 955, 1113, 1189, 1497, 1743
Digital image analysis, 1371
Dispersion, 1507, 747
Drying, 1053, 279
Durability, 179, 205, 211, 259, 323, 451, 683, 935, 1061, 1067, 1313, 1395, 1421, 1525
Durability of concrete, 851
Dynamic elastic modulus, 317
- Early age, 1443
EDX, 719, 843
Elastic moduli, 481, 809, 1087, 1095, 1291, 1545
Elastic modulus, 1729
Electrical conductivity, 1805
Electrical properties, 335, 379, 817, 821, 881, 1429, 1657
Electrical resistance, 747
Electrical resistivity, 1657
Electrochemical impedance, 491
Electrochemical measurements, 893
Electrochemical properties, 259
Emulsifier, 837
Essais accélérés, 691
- Ettringite, 187, 401, 719, 1851
Ettringites, 707
Exchange, 795
Expanded glass, 223
Expansion, 227, 341, 585, 691, 915, 1551, 1729, 1737, 1771, 1851
Expansion mechanism, 763
Exposure time, 363
- Fatigue, 415
FEMfinite element method, 1567
Fiber mesh, 783
Fiber reinforced concrete, 1371
Fiber reinforcement, 335, 821, 1061, 1429
Fibre reinforcement, 1639
Field, 665
Filler, 505
Fillers, 1783
Finite element analysis, 757, 935, 1313, 1567
Flexural strength, 317
Flow characteristics of cementitious grout, 1395
Flow kinetics, 1331
Fluidity, 1805
Fluoride, 1033
Fly ash, 233, 241, 303, 341, 577, 683, 893, 963, 1045, 1131, 1153, 1341, 1525, 1533, 1597, 1813
Foamed concrete, 233, 241
Formation rates, 707
Fracture, 529
Fracture energy, 529
Fracture toughness, 247, 351
Freeze and thawing, 1025
Freezing and thawing, 1061, 1407, 1657
Friedel's salt, 513
Fuzzy classifier, 1325
- GBFgeneral bilinear fit, 1567
GBFS, 1341
Geopolymer, 1705
Granite fines, 505
Granulated blast furnace slag, 357, 865, 1019
Grey levels, 269
Grinding, 1597
Ground granulated blast furnace slag, 211
Grout, 803
Grouting, 1395
Gypsum, 313, 1161, 1725
Gypsum attack, 707
- Heat evolution, 751
Heat of hydration, 1045
Heat treatment, 269
Heavy metals, 903
Hemihydrate, 313
High strength, 639, 1341
High temperature, 363
High-performance concrete, 173, 351, 477, 973, 1161, 1229, 1251, 1497, 1545, 1755
High-performance high-strength concrete, 607
High-range water reducers, 1605, 1613, 187
High-strength concrete, 173, 373
High-strength concrete (HSC), 949
High-volume fly ash, 751
Hot climates, 949
HPC, 173
Humidity, 1113
Hydration, 297, 387, 393, 409, 557, 565, 789, 1153, 1181, 1269, 1277, 1663, 1823
Hydration heat, 1483
Hydration products, 187, 303, 357, 769, 1133, 1663
Hydrothermal products, 1377
- Igneous aggregates, 317
Image and shape analysis, 1621
Impedance spectroscopy (IS), 881
Induced reactivity, 615
Infrared spectroscopy, 313, 719
Inhibitors, 259
Interface, 253
Interfacial transition zone, 481, 979, 1259, 1291, 1365
Isothermal calorimeter, 1207
ITZ, 1559
- Kinetics, 409, 557, 789, 1199, 1277, 1797
Kirschsteinite-based steel slag, 1377
Klinkenberg, 1357
- Laboratory, 665
Ladle slag, 459
Latex, 425
Latex blend, 1515
Latex blend-modified mortar, 1515
Leaching, 565, 1539
Leaching tests, 1215
LEFMlinear elastic fracture mechanics, 1567

- Lightweight aggregate, 223, 639
 Lightweight aggregates, 329
 Lignosulfonate, 387
 Lime, 297
 Lime putty, 683
 Limestone, 1597
 Limestone cements, 943
 Lithium hydroxide, 763
 Long-term performance, 205, 1229

 M₁, 1039
 M₃, 1039
 Magnesia–phosphate cement, 675
 Mass loss, 363
 Mathematical modeling, 935
 Maturity, 1207
 Maturity concept, 1443
 Measuring procedure, 1791
 Mechanical behaviour, 1597
 Mechanical properties, 329, 351, 447, 607, 629, 817, 859, 1429, 1515, 1567, 1587, 1699, 1729, 1755
 Mechanism, 915
 Metakaolin, 297, 707, 1365, 1717, 1813
 Methanol vapor, 923
 Method, 747
 MgO, 1125, 931
 Microcracking, 279, 379
 MicroCT, 1673
 Microhardness, 1365
 Micromechanics, 1291, 481
 Microscopic texture, 1039
 Microscopy, 1
 Microstructure, 1, 227, 289, 379, 447, 565, 789, 817, 893, 915, 963, 1009, 1025, 1131, 1145, 1365
 Microtomography, 1673
 Microwave processing, 521, 557, 1653
 Migration, 1559, 217
 Mineral admixtures, 1483, 1771
 Mineralizers, 463
 Mineralogical composition, 459
 Mix design, 477
 Mixed mode fracture, 1567
 Mixture-proportioning, 1699
 Modeling, 481, 585, 757, 1113, 1239, 1277, 1291, 1331, 1391, 1407, 1525, 1533, 1621, 1797
 Modulus of elasticity, 1645
 Monte Carlo, 1189
 Mortar, 199, 253, 379, 481, 809, 859, 955, 1067, 1291, 1357, 1365, 1539, 1657, 1831
 Mortars, 1597
 MTSmaximum tangential stress, 1567

 Natural pozzolan, 803
 Neutron scattering, 409
 Nickel, 435
 NMR, 865
 Nodulization, 1039
 Nondestructive evaluation, 1673
 Nondestructive testing, 1763
 Numerical simulation, 1053

 Oil field effluent treatment plant sludge, 1717
 Optimum sulfate content, 1729
 Optimum sulfate content, 1737
 Overlaid pavements, 415

 Packing effect, 615
 Particle size distribution (PSD), 615
 Paste backfill, 1133
 Penetration apparatus, 1489
 Permeability, 179, 923, 983, 1161, 1331, 1357, 1497
 Petrography, 1755, 629
 Petroleum effluent treatment plant sludge, 297
 PFAC, 173
 pH, 205, 731
 Phosphogypsum, 1033
 Physical properties, 447, 577, 701, 1153, 1247, 1783
 Piezoelectric, 335
 Piezoelectricity, 825
 Polarization resistance, 491
 Polarization time, 657
 Polymer, 1725
 Polymer coating, 983
 Polymer impregnation, 1
 Polymer-modified cement mortar, 425
 Polymer-modified concretes, 329
 Polymer-modified mortar, 837, 979
 Polymers, 187, 1269
 Polypropylene, 783
 Pore distribution, 1145
 Pore size distribution, 373, 393, 1153
 Pore solution, 341, 795, 1101, 1663
 Porosity, 233, 241, 373, 1301, 1831
 Portland cement, 521, 1033, 1045, 1783, 1797
 Portland cements, 707
 Postdam sandstone, 1259
 Potassium, 1101
 Pozzolan, 629, 1525, 1533, 1851
 Pozzolana, 1717
 Pre-enveloping method, 425
 Prediction, 529
 Prolonged mixing, 441
 Properties, 477, 1341

 Pullout test, 1313
 Pulse amplitude, 1763
 Pulse velocity, 1763

 Réaction alcali–granulats, 691
 Radioactive waste, 731, 1797
 Randomness, 529
 Rapid testing method, 1489
 Rate law, 585
 Reaction degree, 1199
 Reactive aggregates, 851
 Ready-mixed concrete, 441
 Recycled concrete, 1301
 Recycled concrete aggregate, 1301
 Recycling, 777
 Red mud, 357
 Regression analysis, 1391
 Reinforced concrete, 491
 Reinforcement, 1189
 Reinforcement corrosion, 1313
 Relative density (d/d_0), 601
 Residual properties, 809
 Retardation, 393, 903
 Retempering, 441
 Rheological properties, 1791
 Rheology, 505, 593, 1699, 1839
 Rietveld method, 1347
 RILEM Réunion Internationale des Laboratoires d'Essais et de Recherches sur les Matériaux et les Constructions, 1567
 RPCA, 351
 Rubber-filled concrete, 1587

 Sample preparation, 279
 Sand–aggregate ratio, 431
 Sandcrete, 701
 SBR latex, 329
 Scatter, 529
 Segregation resistance, 1489
 Self-compacting concrete, 477, 1489, 1791
 S.E.M., 963
 SEM, 187, 629, 843, 859, 865, 915, 1025, 1131, 1587, 1705
 Set retarder, 471
 Setting time, 227, 777, 1551, 1805
 Shear rate, 1839
 Shear stress, 1839
 Shrinkage, 279, 289, 973, 1053, 1229, 1639, 1699
 Silica fume, 247, 341, 593, 639, 803, 1045, 1131, 1229, 1391, 1797
 Size effect, 529
 Sizes, 707

- Slag, 1805
Slump loss, 441, 1613
SNMS, 1071, 1077
SO₃, 931
Sodium, 1101
Software, 1699
Solar reflectance, 1679
Sorption, 1813
Spectroscopy, 795
Spherical harmonics, 1621
Splitting tensile strength, 1087, 1095, 1251
SPRITE-MRI, 1067
Sr, 647
Stability, 1639
Standards, 529
Statistics, 529
Steady state, 217, 1331
Steel slag, 1247
Strain effect, 335, 379, 1429
Strain rate, 817
Strains, 1407
Strength, 441, 683
Stresses, 1407
Structural transition, 513
Sulfate attack, 211, 585, 843, 915, 943, 1239, 1421, 1673, 1851
Sulfate, 1133
Sulfate resistance, 665
Sulfate-resistant cements, 1851
Sulfoaluminate, 1653
Sulfuric acid attack, 205
Sulphate, 401
Superfine powder, 615
Superplasticizer, 751, 803, 1207, 1483
Supplementary cementitious materials, 1395
Surface area, 289, 393
Surface roughness, 253
Synchrotron radiation, 513
TEM, 1705
Temperature, 585, 789, 809, 923, 1009, 1087, 1095, 1443, 1497, 1743
Tensile strength, 317
Testing, 529
Thaumasite, 719
Thermal analysis, 1009, 1657, 943
Thermal gravity analysis, 1145
Thermal stress, 1645
Thermal treatment, 557
Thermodynamic calculations, 731, 1663
Thermoelectric, 821
Tincal ore waste, 227
Toxic elements, 435
Toxic metal, 903
Trace elements, 1319, 1325
Transient condensation, 955
Transport properties, 565, 935, 1067, 1357, 1559
Two-tone C-S-H, 269
Ultrafine mineral powder, 623
Ultrafine powder, 601
Ultrapulverized fly ash, 477
Ultrasonic, 1831
Uncertainty, 529
Underground water, 777
Very-high-performance concrete (VHPC), 601
Viscosity, 931
Volatility, 463
Wash water, 777
Waste catalyst, 1823
Waste glass, 223
Waste management, 303, 471, 769, 903, 1033, 1133, 1587, 1717
Wastes, 505
Water absorption, 837
Water dosage, 431
Water entrainment, 973
Water permeability, 639
Water quality, 777
Water vapor, 955
Water–binder ratio, 623
Water–binder ratio (W/B), 1483
Water/binder ratio, 1251
Wave equation, 1763
Wheat straw ash, 859
Workability, 701, 1161, 1605, 1613
X-ray, 1673
X-ray diffraction, 313, 459, 513, 647, 719, 769, 843, 1131, 1347, 1653
X-ray tomography, 1621
Young's modulus, 1301