



Keyword Index

- Abrasion resistance, 1877
Absorption, 921
Accelerators, 387
Acid attack, 1375, 1607
Activated fly ash, 289
Activation, 957
Activator, 425, 1005
Activator mechanism, 317
Admixture, 579, 995, 1119, 1229, 1287, 1319, 1385, 1737, 1889
Adsorption, 1, 1047, 1109, 1465, 1583, 2049
Adsorption isotherms, 1583
Age (of concrete), 1235
Agglomeration, 1543
Aggregate, 1, 363, 747, 1825, 2083
Aging, 373, 965, 1423, 1561
Air content, 1765
Air-entraining admixture, 1, 2091
Alinite, 299
Alkali-activated (AA) cement, 1811
Alkali-activated cement, 1, 1417, 1437, 1567, 1607, 2031
Alkali-activated fly ash, 281
Alkali-activated slag, 769
Alkali-activated slag matrix, 1251, 1257
Alkali-activated slag paste, 1005
Alkali–aggregate reaction, 1, 77, 115, 571, 913, 1147, 1443, 1449, 1539, 1825
Alkali aggregate reactions, 549
Alkali modulus, 1005
Alkali release, 549
Alkali–silica reaction, 629, 1263, 1777
Alkalis, 1, 77, 147, 191, 793, 927, 1147
Alunite, 1583
Aminoalcohol, 829
Amorphization, 405
Amorphous material, 1189
Ancient mortars, 651
Anisotropy, 679
Apparent activation energy, 965
Apparent viscosity, 9
Application composite, 555
Artificial neural networks, 973
Ashes, 1643
Autoclave curing, 1851
Autoclaved aerated concrete, 1423
Autogenous shrinkage, 1687
Backscattered electron imaging, 611, 913, 949, 1837
Bamboo, 15
Barite, 815
Bending strength, 841, 1175, 1655, 1723
Binder proportion, 651
Binding of ethanolamine, 1063
Blaine fineness, 945
Blast furnace slag cement, 463
Bleeding, 713, 1407
Blended cement, 489, 579, 643, 851, 981, 1189, 1203, 1465, 1487, 1601, 1777, 1883
Bond, Fiber reinforcement, 841
Bond strength, 733, 799, 1407, 1497, 1651, 1669
Borogypsum, 1729
Boron, 281
Boron wastes, 1659
Brownmillerite, 697
Building rubbles, 125
C–S–H, 769
C–S–H, 1, 1789, 1795, 2037
C–S–H gel, 271
C₃S, 1063
CaCO₃, 1, 31, 147, 2063
Ca(OH)₂, 689, 1789, 1867
Ca₂SiO₄, 509, 823, 1525, 1561, 1623
Ca₃Al₂O₆, 987, 1077, 1771
Ca₃SiO₅, 987, 1561, 1623
Calcination, 1583
Calcium, 621
Calcium aluminate cement, 21, 1487, 1801
Calcium hydroxide, 1553
Calcium silicate hydrate, 1, 899, 2049
Calcium-silicate-hydrate (C–S–H), 1389
Calcium sulfite hemihydrate, 333
Calorimetry, 1, 93, 1939
CaO, 1481, 1549
CaO–SiO₂–H₂O phases 20–200 °C, 271
CaO–SiO₂–H₂O system, 271
Carbon dioxide, 1, 1917
Carbonation, 1, 21, 147, 663, 1423, 1867, 2063
Cationic substitution, 1771
Cement, 1, 9, 197, 233, 571, 781, 823, 1137, 1183, 1481, 1525, 1549, 1575, 1589, 1631, 1655, 1659, 1695, 2023
Cement content, 155
Cement kiln dust, 1269
Cement manufacture, 823, 1223, 1399, 1525, 1831
Cement paste, 1, 93, 223, 245, 397, 525, 713, 829, 865, 1047, 1063, 1119, 1127, 1229, 1287, 1371, 1675, 1737, 1765, 1925
Cementitious material, 499
Cenospheres, 1681
Characterisation, 1, 197, 241, 525, 651, 823, 1039, 1423, 1515, 1741, 1795
Characterization, 1967
Chemical activator, 1857
Chemistry, 823, 1525
Chloride, 1, 77, 133, 177, 629, 663, 1021, 1093, 1203, 1211, 1473, 1487, 2057
Chloride binding, 1
Chloride ingress, 353
Chloride ion, 1, 857, 1917
Chloride penetration, 1113
Chloride permeability, 755

- Chromium, 289, 1039, 1589
 Classification, 891
 Clay, 1071
 Clinker, 63, 439, 1561, 1613
 Cobalt, 1, 2069
 Colemanite ore waste, 1175
 Colourimetric method, 1113
 Composite, 15, 43, 835, 1655, 1663, 1807
 Composite-fiber reinforcement, 1783
 Composition, 1851
 Composition blended cement, 1433
 Composition fly ash, 555
 Compressive strength, 1, 245, 353, 425, 447, 539, 733, 741, 865, 873, 881, 965, 973, 1029, 1071, 1137, 1175, 1189, 1203, 1223, 1235, 1245, 1269, 1287, 1363, 1481, 1491, 1543, 1637, 1695, 1749, 1777, 1801, 1831, 1867, 1877, 1983, 2009, 2077
 Concrete, 1, 73, 77, 103, 139, 197, 373, 381, 417, 447, 525, 539, 629, 741, 781, 829, 857, 927, 1093, 1109, 1113, 1137, 1211, 1293, 1357, 1385, 1465, 1487, 1491, 155, 1631, 1669, 1687, 1723, 1755, 1807, 1933, 1949, 1963, 2017, 2057, 2091
 Concrete-filled steel tubular column, 733
 Concrete repair, 347
 Confinement, 873
 Consistency change, 1497
 Corrosion, 1, 139, 489, 563, 663, 755, 1057, 1093, 1407, 1917, 1963, 2057
 Corrosion inhibitors, 829
 Cost, 1029
 Cotton stalk fiber, 43
 Cr(VI) extraction, 1589
 Crack detection, 207
 Cracking, 347
 Creep, 1, 1127, 1925
 Crystal size, 1363
 Crystal structure, 899, 1077
 CSH gel, 387
 Curing, 1, 353, 741, 1319, 1331, 1867, 1967, 1983
 Curing condition, 1637
 Cylinder, 1235
 Dawsonite, 1
 DEF, 1, 2037
 Degradation, 1 1155, 1457, 2069
 Degree of hydration, 1, 1939
 Dehydroxylation, 405
 Deicer, 1057
 Delayed ettringite formation (DEF), 1
 Density, 1245
 Depth of wear, 1877
 Diffusion, 1, 133, 139, 481, 921, 1021, 2009
 Dilution, 1, 1939
 Dispersion, 255, 781
 Dolomite–portlandite, 1443, 1449
 Drying, 1, 47, 85, 197, 341, 373, 381, 387, 397, 563, 595, 663, 679, 921, 987, 927, 1681, 1897, 1967
 Drying shrinkage, 1687
 Durability, 1, 1155, 1311, 1375, 1417, 1433, 1473, 1607, 1933, 2031
 Early product, 1389
 EDX, 571, 611, 769, 1389, 1567
 Elastic moduli, 1, 103, 539, 1293, 1371, 1925, 1983
 Electrical conductivity, 1755
 Electrical properties, 197, 793, 835, 1013, 1675, 1737, 1807
 Electrochemical properties, 835, 1093, 1211
 Electrostatic precipitator, 763
 EPMA, 1771
 Esparto grass black liquor, 995
 Ethanolamines, 9
 Ethylenediaminetetraacetic acid (EDTA), 621
 Ettringite, 325, 387, 635, 807, 1389, 1457, 1741
 Expanded perlite aggregate, 723
 Expanded polystyrene, 755
 Expansion, 1, 305, 325, 807, 873, 881, 913, 115, 1147, 1549, 1897
 Experimental design, 1287
 Extraction, 927
 Extrusion technique, 1575
 Feldspars, 549
 Fiber, 1549
 Fiber distribution, 1575
 Fiber reinforced, 207
 Fiber reinforcement, 1, 27, 1723, 2031
 Fiber-reinforced composite, 1575
 Filler, 31, 865, 1071
 Fine aggregate, 1877
 Fineness, 1, 73, 463, 1363, 1663, 1749, 1939
 Finite element analysis, 1631
 Fire exposure, 1651
 Flexural strength, 15, 1071
 Fluidity, 763
 Fluoride, 1363, 1613
 Fly ash, 1, 353, 425, 539, 595, 723, 733, 763, 799, 807, 965, 1029, 1057, 1119, 1137, 1399, 1433, 1549, 1553, 1695, 1877, 2009, 2023, 2077, 2083, 2091
 Foam index, 1, 2091
 Fracture energy, 499
 Fracture toughness, 207, 841
 Free shrinkage, 347
 Freeze–thaw cycle, 1057
 Freezing and thawing, 373, 1531
 Fresh concrete, 703
 Friedel's salt, 1, 21, 121
 Friedel's salt formation, 177
 Frost heave, 1531
 Galvanic sensor system, 1, 2057
 Gas permeability, 679
 Gel water, 1063
 Genetic algorithms, 973
 Geothermal silica waste, 1567
 GGBFS, 1269
 Granulated blast furnace slag, 1, 1119, 1437, 1481, 1491, 2077, 2083
 Grinding, 1777, 439, 729
 Ground clay brick, 1539
 Ground granulated blastfurnace slag (GGBS), 1, 1607
 Grout, 729
 Gypsum, 43, 945, 1457
 Heat curing, 595, 807
 Heating, 405
 Heavy metals, 1, 1077, 1643, 1695, 2083
 Heavyweight concrete, 815
 Heterogeneous nucleation, 1, 1939
 High performance concrete, 183, 865, 981
 High strength lightweight concrete, 1595
 High temperature, 1, 643, 1507, 1651, 2009
 High-range water reducer, 1, 1203, 1999
 Historic brick–lime plaster, 1457
 Historical mortars, 891
 Humidity, 223, 363, 663, 1457, 1681
 Hybrid composite, 27
 Hydrated phases, 643
 Hydration, 1, 93, 191, 299, 317, 333, 489, 509, 703, 713, 851, 865, 1039, 1183, 1269, 1293, 1331, 1389, 1613, 1883, 1999, 2037

- Hydration degree, 957, 1857
 Hydration products, 121, 215, 233, 333, 425, 509, 571, 981, 1085, 1189, 1399, 1417, 1437, 1655
 Hydration products and physical properties, 1251, 1257
 Hydraulic lime, 651
 Hydrogarnet, 1789
 Hydrothermal, 1399
 Hydrothermal treatment, 271
 Hygric properties, 1347
- Image analysis modeling, 215
 Image analysis, 1, 747, 1837, 1949
 Image processing, 1, 1949
 Immobilization, 1251, 1257
 Impedance spectroscopy (IS), 299
 Incorporation, 957
 Interface, 43
 Interfacial transition zone, 949, 1021, 103, 1127, 1155, 1837
 Interfacial zone, 1755
 Ions, 481
 Iron oxide, 1889
- Katoite, 21
 Kinetics, 1, 21, 517, 1443, 1449, 1963
 KOH, 1443, 1825
- Ladle slag, 1851
 Latex paint, 857
 Leachability, 1643
 Leaching, 21, 281, 289, 1147
 Lead, 63, 289
 Ligament effect, 499
 Lightweight aggregate concrete, 723, 1245
 Lime, 643, 1695
 Limestone, 439, 1465
 Linear polarization, 1093
 Lithium compounds, 115, 1801
 Long-term performance, 47, 115, 373
- Magnesium oxychloride cement, 1311, 1663
 MAS NMR spectroscopy, 177
 Materials, 1589
 Mechanical properties, 1, 27, 93, 125, 255, 305, 381, 563, 703, 729, 747, 815, 873, 881, 1013, 1047, 1155, 1183, 1357, 1417, 1567, 1729, 1867, 2031
 Mechanism, 341, 1311
 Mercury porosimetry, 155, 417, 891, 1347
- Metakaolin, 353, 405, 579, 603, 643, 807, 1085, 1473
 MgO, 1481
 Microcracking, 207, 679, 1127, 1631, 1723
 Microfiller effect, 1637
 Micromechanics, 103, 1293
 Microprobe analysis, 1623
 Microscopy, 1, 1949
 Microstructure, 1, 31, 215, 233, 241, 333, 341, 509, 611, 769, 799, 949, 1063, 1211, 1319, 1331, 1423, 1437, 1531, 1543, 1567, 1613, 1681, 1771, 1811, 1825, 1837, 2009
 Microstructure characterization, 555
 Microwave processing, 1491
 Microwave technique, 93
 Mineral admixtures, 1, 1595, 1637, 1939
 Mineral filler, 1071
 Mixture proportioning, 255, 363
 Modeling, 1, 103, 191, 223, 233, 265, 341, 447, 793, 873, 881, 949, 973, 1013, 1741, 1755, 1801, 1897, 1983
 Moisture transport, 481
 Monosulfate, 177, 1741
 Mortar, 1, 15, 103, 133, 245, 255, 265, 397, 489, 629, 689, 949, 995, 1021, 1127, 1287, 1473, 1507, 1659, 1715, 1765, 1939
 Mössbauer, 697
 MSWI fly ash, 957
- n* value, 763
 Natural mineral, 1515
 Natural pozzolan, 1175, 1777
 Natural pozzolan blended Portland cement pastes, 585
 Neural network analysis, 1137
 Neutron radiography, 1385
 Nitrate, 85, 139
 NMR, 769, 1515
 Nominated confinement, 881
 Nondestructive evaluation, 525
 Nondestructive testing, 1, 2017
 Normal weight concrete, 1595
 Nuclear magnetic resonance (NMR), 299
- OPC, 1811
- Partially saturated, 133
 Particle size distribution, 241
 Percolation, 1755
- Percolation threshold, 1293
 Perlite powder, 73
 Permeability, 1, 47, 381, 921, 981, 1071, 1465, 1531, 1681, 1925
 PFA, 1857
 pH, 433, 621
 Phosphate, 1311, 1363
 Phosphate ions, 1583
 Phosphogypsum, 1223
 Physical properties, 1, 255, 317, 697, 851, 1189, 1357, 1729, 1889, 1967
 Physical, mechanical and durability properties, 585
 Physico-chemical studies, 651
 Pigment, 1889
 Plasters, 1375
 Plastic viscosity, 1229
 Polymer films, 1715
 Polymer-modified cementitious system, 1319
 Polymer-modified mortar, 1497
 Polymers, 1497, 1655, 1715
 Pore size distribution, 155, 241, 417, 425, 689, 851, 1047, 1211
 Pore solution, 1, 77, 147, 191, 481, 549, 793, 829, 913, 927, 1147, 2037, 2057
 Pore structure, 417
 Pore system, 155
 Pore water chemistry, 629
 Poromechanics, 1155
 Porosity, 417, 1801
 Portland cement, 1, 121, 177, 191, 215, 299, 689, 835, 1013, 1487, 1491, 1643, 1729, 2049, 2077
 Pozzolan, 245, 603, 987, 1085, 1433, 1539
 Pozzolan, 139
 Pozzolan activity, 405, 1749
 Pozzolan effect, 73
 Pozzolan reaction, 183, 517, 957
 Pozzolans, 517
 Principal component analysis, 891
 Processing, 555
 Properties, 555, 1433
 Pulse velocity, 1, 2017
 Pumice aggregate, 1245
 Pyroelectric, 1675
- Quantitative, 1553
- Radioactive waste, 1, 2069
 Reaction, 433, 1795, 1883
 Rebar, 1, 1963
 Recycled aggregates, 125, 703
 Recycling, 857

- Red mud, 1437
 Reinforcement, 1407, 563, 835
 Reject fly ash, 1857
 Renders, 1375
 Restrained shrinkage, 347
 Retardation, 1223
 Retarder, 1005
 r-FA, 1857
 Rheology, 1, 265, 635, 713, 781, 1183, 1229, 1999
 Rice husk ash, 1203
 Rosin–Rammler function, 763

 SANS, 1811
 Scoria aggregate, 1595
 Self-compacting concrete, 921, 1279, 1407
 Self-compacting, 1, 1933
 Self-desiccation, 223
 Self-repair, 1723
 SEM, 43, 85, 115, 433, 611, 733, 799, 1109, 1155, 1497, 1531, 1663, 1715, 1825, 1837, 1889
 Setting, 305, 945
 Setting time, 1005, 1175, 1601, 1765
 Sewage sludge ash, 1749
 Shear strength, 1783
 Shear stress, 9
 Shrinkage, 1, 207, 223, 1013, 1331, 1897, 1967, 1983, 2031
 Sidewalks, 857
 Silica content, 1263
 Silica fume, 447, 595, 723, 755, 807, 1263, 1507, 1543, 1687, 1765
 Siliceous waste, 851
 Silver nitrate spray, 1113
 Simulation, 1443
 Size effect, 499
 Slag, 595, 807, 1375
 Smeared cracking, 1669
 Snow melting, 1807
 Softening, 1669
 Solidification, 1, 2069
 Soluble chloride, 21
 Sorptivity, 595
 Sorptivity coefficient, 1637
 Soundness, 1765
 Specific strength, 73
 Specific surface, 1, 1939
 Specimen preparation, 1, 611, 1949
 Spectroscopy, 1, 241, 899, 2063

 Spent fluid cracking catalyst, 603, 1085
 Stabilisation/solidification system, 281
 Stability, 1, 433, 1999
 Statistical analysis, 1029
 Statistics, 747
 Steam-cured concrete, 1057
 Steam treatment of C–S–H, 271
 Steel slag, 1851
 Stiffness, 1507
 Strength, 463, 755, 1601, 1851
 Strength development, 1857
 Stress relaxation, 1, 1925
 Stress–strain curve, 1235
 Sulfate, 1, 85, 325, 621, 635, 1613, 1933
 Sulfate attack, 31, 341, 987, 1375, 1473
 Sulfate ion, 1, 1917
 Sulphoaluminate, 317
 Superplasticizer, 635
 Surface, 1, 1963
 Surface area, 1, 2049, 2091
 Surface scaling, 857
 Synchrotron radiation, 183
 Synchrotron XRD, 1553
 Synergetic effect, 1, 1917

 TEM, 1623
 Temperature, 1, 363, 387, 981, 1047, 1357, 1883
 Tensile creep, 347
 Tensile properties, 539, 1279, 1507, 1783
 Tensile property, 1, 2077
 Tension, 1575
 Thaumassite, 1, 325, 1933
 Thermal analysis, 325, 363, 405, 603, 891, 1085, 1347, 1729, 1883
 Thermal conductivity, 723
 Thermodynamic calculations, 147
 Thickness effect, 499
 Tin(II) chloride, 121
 Titration, 621
 Tobermorite, 1515
 Tobermorite 1.13 nm, 1789
 Torsional toughness, 1783
 Toxic metal, 1589
 Transport properties, 1021, 1347, 1385

 Trass, 439
 Triaxial testing, 1127
 Tricalcium aluminate, 333

 Ultrasonic measurement, 1183
 Urban refuse, 1663

 Vanadium, 63
 Vibration, 265, 1371
 Viscosity modifier, 1, 1999
 Volcanic ash, 1601
 Volcanic pumice, 1601

 Waste, 857
 Waste catalyst, 245
 Waste disposal, 1643
 Waste management, 1, 63, 305, 603, 703, 1039, 1223, 1659, 1741, 1831, 2069
 Water absorption, 755
 Water reducer, 995
 Water resistance, 1311
 Water to binder ratio, 183
 Water to cement ratio, 525
 Water–cementitious material ratio, 447
 Water-retention capacity, 689
 Wet-ground fine cement (WFC), 729
 Workabilities, 729
 Workability, 1, 265, 305, 579, 781, 995, 1119, 1749, 2023

 XPS, 899
 X-ray absorption, 397
 X-ray diffraction, 31, 85, 121, 433, 489, 571, 579, 1039, 1077, 1269, 1319, 1515, 1553, 1623, 1729, 1789, 1795, 1831, 1883
 X-ray diffraction analysis, 945
 X-ray microscopy, 509
 X-ray photoelectron spectroscopy, 1561
 XRD, 1811

 Yield stress, 1229

 Zinc, 1, 63, 1257, 2083