

Available online at www.sciencedirect.com





Cement and Concrete Research 34 (2004) 2345-2359

Index to Volume 34

| 2004 | Volume 34, Number 1 | January |
|--|---|---------|
| PAPERS | | |
| A. Moropoulou, A. Cakmak, K | .C. Labropoulos, R. Van Grieken, K. Torfs: | 1 |
| | olution of a calcium-silicate-hydrate (C-S-H) ng fine siliceous sources: Comparison | |
| Z. Owsiak: Alkali-aggregate re cement and granite aggregate | action in concrete containing high-alkali | 7 |
| | The influence of initial water curing on the strength nd and pozzolanic cement concretes | 13 |
| Jamal M. Khatib, Roger M. Cla | ay: Absorption characteristics of metakaolin concrete | 19 |
| | H. Fok, S.C. Kou: Influence of moisture states of natural eslump and compressive strength of concrete | 31 |
| Rafat Siddique: Properties of of fly ash and san fibers | concrete incorporating high volumes of class F | 37 |
| | A. Thomas: A novel method for describing chloride ion adient in concrete: Part 1. Theoretical description | 43 |
| | A. Thomas: A novel method for describing chloride ion adient in concrete: Part 2. Experimental study | 51 |
| | Blankenhorn, Michael R. Silsbee: Wood fiber surface ted mechanical properties of wood fiber–cement composites | 59 |
| | anz-Josef Ulm: The effect of two types of C-S-H on the erials: Results from nanoindentation and micromechanical | 67 |
| Ahmad Shayan, Aimin Xu: Val | lue-added utilisation of waste glass in concrete | 81 |
| W. Salgueiro, A. Somoza, O. Coment paste | Cabrera, G. Consolati: Porosity study on free mineral addition | 91 |
| Cengiz Duran Atiş, Alaettin Ki mortar containing a nonstandar | iliç, Umur Korkut Sevim: Strength and shrinkage properties of d high-calcium fly ash | 99 |
| | M. Smadi: Role of fibers in controlling unrestrained ag in Portland cement concrete undergoing | 103 |
| F. Hernández-Olivares, G. Bar strength concrete | luenga: Fire performance of recycled rubber-filled high- | 109 |
| Pierre Moszkowicz, David S. I | Garrabrants, Florence Sanchez, Radu Barna, Kosson: The effects of carbonation and drying during ease of inorganic constituents from a cement–based matrix | 119 |
| Huiwen Wan, Zhonghe Shui, Z GGBS particles and their influe | Zongshou Lin: Analysis of geometric characteristics of nces on cement properties | 133 |

| F. Puertas, A. Fernández-Jiménez, I alkali-activated slag cement pastes. R silicate hydrate | M.T. Blanco-Varela: Pore solution in Relation to the composition and structure of calcium | 139 |
|---|---|-------------|
| T. Van Gerven, D. Van Baelen, V. Dut carbonation methods on leaching of n | tré, C. Vandecasteele: Influence of carbonation and netals from mortars | 149 |
| | n, Esteban F. Aglietti: Magnesia–ammonium ry castables: Phase evolution on heating and | 157 |
| T. Vidal, A. Castel, R. François: Ana reinforced concrete | lyzing crack width to predict corrosion in | 165 |
| NEWS ITEMS | | 175 |
| 2004 | Volume 34, Number 2 | February |
| PAPERS | | |
| Sung-Bum Park, Mang Tia: An expe properties of porous concrete | rimental study on the water-purification | 177 |
| | nbros, PC. Nkinamubanzi, N. Bouzoubaâ: ng admixtures in enhancing the rheological | 185 |
| W.K.W. Lee, J.S.J. van Deventer: Thaggregates and geopolymers | e interface between natural siliceous | 195 |
| Irtishad Ahmad, Salman Azhar: Temand its effect on slump loss | nperature variation in high slump drilled shaft concrete | 207 |
| Mohammad Ibrahim Safawi, Ichiro I in the vibration of high fluidity concret | lwaki, Takashi Miura: The segregation tendency e | 219 |
| J.C. Orellan, G. Escadeillas, G. Arlig Efficiency and side effects | guie: Electrochemical chloride extraction: | 227 |
| Jacek Gołaszewski, Janusz Szwabo behaviour of fresh cement mortars | owski: Influence of superplasticizers on rheological | 235 |
| V. Corinaldesi, G. Moriconi: Durable | fiber reinforced self-compacting concrete | 249 |
| | dj, Ahmed Loukili, Véronique Baroghel-Bouny: nical shrinkage of hydrating cement pastes using | 255 |
| İlker Bekir Topçu, Mehmet Canbaz: | : Properties of concrete containing waste glass | 267 |
| İlker Bekir Topçu, Veysel Baran Elg on bleeding and evaporation | ün: Influence of concrete properties | 275 |
| Khandaker M. Anwar Hossain: Proplightweight concrete | perties of volcanic pumice based cement and | 283 |
| M.D.M. Innocentini, A.C. Rizzi Jr., L. The pressure–decay technique for air | A. Nascimento, V.C. Pandolfelli: permeability evaluation of dense refractory ceramics | 293 |
| | tander Mishulovich: Effects of curing ydration and strength development of clinker-free | 299 |
| H. Toutanji, N. Delatte, S. Aggoun, R Effect of supplementary cementitious and durability of short-term cured con | materials on the compressive strength | 31 1 |
| Rakesh Kumar, B. Bhattacharjee: A through mercury intrusion porosimetry | ssessment of permeation quality of concrete | 321 |

| Index to Volume 34/Cement and Cor | icrete Research 34 (2004) 2345–2359 | 2347 |
|--|-------------------------------------|-------|
| Sihai Wen, D.D.L. Chung: Electromagnetic interference s in steel fiber cement | hielding reaching 70 dB | 329 |
| Jun Zhang, Victor C. Li: Simulation of crack propagation by fracture mechanics | in fiber-reinforced concrete | 333 |
| Isabel Baur, Peter Keller, Denis Mavrocordatos, Bernh Dissolution-precipitation behaviour of ettringite, monosulfa | | 341 |
| Suwimol Asavapisit, Duangruedee Chotklang: Solidific sludge using alkali-activated pulverized fuel ash as cemer | | 349 |
| DISCUSSIONS | | |
| John Bensted, Juliet Munn: A discussion of the paper "For sulphate-resistant Portland cement" by P.J. Tikalsky, D. | | 355 |
| P.J. Tikalsky, D. Roy, B. Scheetz, T. Krize: A reply to the and J. Munn of the paper "Redefining cement characterist Portland cement" | | 359 |
| NEWS ITEMS | | 361 |
| 2004 Volume 34, | Number 3 | March |
| PAPERS | | |
| Aaron W. Saak, Hamlin M. Jennings, Surendra P. Shah for the determination of yield stress by slump and slump f | | 363 |
| Andrew J. Boyd, Sidney Mindess: The use of tension to of W/C ratio and cement type on the resistance of concrete | | 373 |
| Haebum Yun, Mark E. Patton, James H. Garrett Jr., Gar Kevin M. Frederick, Jung-Jiin Hsu, Irving J. Lowe, Irvin Detection of free chloride in concrete by NMR | | 379 |
| Chen Bing, Juanyu Liu: Experimental study on AE chara concrete beams | acteristics of three-point-bending | 391 |
| Robert J. Flatt: Dispersion forces in cement suspensions | | 399 |
| Chul-Hyun Lim, Young-Soo Yoon: Genetic algorithm in r of high-performance concrete | nix proportioning | 409 |
| S. Lay, S. Liebl, H. Hilbig, P. Schießl: New method to me migration coefficient of chloride-contaminated concrete | asure the rapid chloride | 421 |
| A. Avci, H. Arikan, A. Akdemir: Fracture behavior of glas polymer composite | s fiber reinforced | 429 |
| Hui Li, Hui-gang Xiao, Jin-ping Ou: A study on mechan properties of cement mortar with nanophase materials | ical and pressure-sensitive | 435 |
| Lars Kraft, Håkan Engqvist, Leif Hermansson: Early-ag and thermal dilation in a new type of dental restorative ma aluminate cement | | 439 |
| Nikolaus Nestle: A simple semiempiric model for NMR rehydrating cement pastes | elaxometry data of | 447 |
| Sarita Rai, Shivani Chaturvedi, N.B. Singh: Examination hydrated in the presence of malic acid | n of Portland cement paste | 455 |
| Byung Hwan Oh, Seung Yup Jang: Prediction of diffusive on simple analytic equations | ity of concrete based | 463 |
| Jingyao Cao , D.D.L. Chung: Electric polarization and decement-based materials, studied by apparent electrical re | | 481 |
| Rafat Siddique: Performance characteristics of high-volume | me Class F fly ash concrete | 487 |

| M.C.R. Farage, J.L.D. Alves, E.M.R. Fairbairn: Macroscopic model of concrete subjected to alkali-aggregate reaction | 495 |
|---|-------------|
| Jin-Keun Kim, Yun Lee, Seong-Tae Yi: Fracture characteristics of concrete at early ages | 507 |
| Qingge Feng, H. Yamamichi, M. Shoya, S. Sugita: Study on the pozzolanic properties of rice husk ash by hydrochloric acid pretreatment | 52 1 |
| G. Barluenga, F. Hernández-Olivares: SBR latex modified mortar rheology and mechanical behaviour | 527 |
| Caijun Shi: Effect of mixing proportions of concrete on its electrical conductivity and the rapid chloride permeability test (ASTM C1202 or ASSHTO T277) results | 537 |
| NEWS ITEMS | 547 |
| 2004 Volume 34, Number 4 | Apri |
| PAPERS | |
| Chai Jaturapitakkul, Kraiwood Kiattikomol, Vanchai Sata, Theerarach Leekeeratikul: Use of ground coarse fly ash as a replacement of condensed silica fume in producing high-strength concrete | 549 |
| J. Péra, J. Ambroise, M. Chabannet: Valorization of automotive shredder residue in building materials | 557 |
| Kraig Warnemuende, Hwai-Chung Wu: Actively modulated acoustic nondestructive evaluation of concrete | 563 |
| Anna V. Saetta, Renato V. Vitaliani: Experimental investigation and numerical modeling of carbonation process in reinforced concrete structures Part I: Theoretical formulation | 571 |
| J. Verstraete, L. Khouchaf, D. Bulteel, E. Garcia-Diaz, A.M. Flank, M.H. Tuilier: Amorphisation mechanism of a flint aggregate during the alkali–silica reaction: X-ray diffraction and X-ray absorption XANES contributions | 581 |
| K.L. Lin, K.S. Wang, B.Y. Tzeng, N.F. Wang, C.Y. Lin: Effects of Al_2O_3 on the hydration activity of municipal solid waste incinerator fly ash slag | 587 |
| Tarek Uddin Mohammed, Hidenori Hamada, Toru Yamaji: Performance of seawater- mixed concrete in the tidal environment | 593 |
| Ş. Erdoğdu, I.L. Kondratova, T.W. Bremner: Determination of chloride diffusion coefficient of concrete using open-circuit potential measurements | 603 |
| C. Bojadjieva, I. Glavchev: Polymeric plasticizers for gypsum-free cement | 61 1 |
| Wei-Ming Hou, Ping-Kun Chang, Chao-Lung Hwang: A study on anticorrosion effect in high-performance concrete by the pozzolanic reaction of slag | 615 |
| Ping-Kun Chang: An approach to optimizing mix design for properties of high-performance concrete | 623 |
| H.K. Lee, K.M. Lee, Y.H. Kim, H. Yim, D.B. Bae: Ultrasonic in-situ monitoring of setting process of high-performance concrete | 63 1 |
| Lyndon D. Mitchell, James J. Beaudoin, Patrick Grattan-Bellew: The effects of lithium hydroxide solution on alkali silica reaction gels created with opal | 64 1 |
| Bertil Persson: Justification of Fédération International de Béton, fib, 2000 model for elastic modulus of normal and high-performance concrete, HPC | 65 1 |
| Luciano Gobbo, Lília Sant' Agostino, Leonardo Garcez: C ₃ A polymorphs related to industrial clinker alkalies content | 657 |
| G.J. Xiong, L.Q. Chen, X.H. Chen, J.Z. Yang, G.Y. Li: Behavior of water glass – polymer hybrid-modified mortars under flowing sulfuric acid solution environment | 665 |
| J. Péra, J. Ambroise: New applications of calcium sulfoaluminate cement | 67 1 |

| Ind | ex to Volume 34/Cement and Concrete Research 34 (2004) 2345–2359 | 2349 |
|--|---|------------|
| i. Akın Altun, Yesim Sert: Utilizatin Portland cement | tion of weathered phosphogypsum as set retarder | 677 |
| | fommaso Pastore, Pietro Pedeferri: Effectiveness of a node for cathodic protection of steel in concrete | 681 |
| K.M.A. Hossain, M. Lachemi: Coash blended cement mortar | orrosion resistance and chloride diffusivity of volcanic | 695 |
| Q. Zhou, E.E. Lachowski, F.P. G | lasser: Metaettringite, a decomposition product of ettringite | 703 |
| M. Ismail, A. Toumi, R. François of chloride in inert materials | , R. Gagné: Effect of crack opening on the local diffusion | 711 |
| COMMUNICATIONS | | |
| S. Tsunematsu, K. Inoue, K. Kim calcium silicate hydrate by therma | nura, H. Yamada: Improvement of acid resistance of al treatment | 717 |
| Michał A. Glinicki, Marek Zielins efficiency of secondary cementition | ski: Depth-sensing indentation method for evaluation of ous materials | 721 |
| DISCUSSIONS | | |
| | of the paper "The effects of expanded perlite aggregate, rmal conductivity of lightweight concrete" stem Gül. | 725 |
| | Gül: Reply to the discussion by A. Demirbas of the paper aggregate, silica fume and fly ash on the thermal te" | 727 |
| NEWS ITEMS | | 729 |
| 2004 | Volume 34, Number 5 | May |
| PAPERS | | |
| F. Canpolat, K. Yılmaz, M.M. Kös ash and fly ash as replacement m | se, M. Sümer, M.A. Yurdusev: Use of zeolite, coal bottom naterials in cement production | 731 |
| J.P. Monlouis-Bonnaire, J. Verdi gas flow of cement-based materia | ier, B. Perrin: Prediction of the relative permeability to als | 737 |
| R.P. Khatri, V. Sirivivatnanon: Clarine environments | haracteristic service life for concrete exposed to | 745 |
| Shiqun Li, Jishan Hu, Lui Biao, ash–lime compacts | Xinguo Li: Study on the weathering resistance of fly | 753 |
| | wska, Iwona Wilińska: Influence of spent catalyst used bed on sulphate corrosion of cement mortars: | 759 |
| | | |
| of quicklime: Part I. Compressive | on of fly ash cementitious systems in the presence strength and pozzolanic reaction rate | 769 |
| Hiroki Maenami, Norifumi Isu, E | | 769 781 |
| Hiroki Maenami, Norifumi Isu, E and phase analysis of fly ash from Yu-Fang Fu, Yuk-Lung Wong, Ch | strength and pozzolanic reaction rate Emile H. Ishida, Takeshi Mitsuda: Electron microscopy pressurized fluidized bed combustion ni-Sun Poon, Chun-An Tang, Peng Lin: Experimental opment and stress-strain relations of cement-based | |

in demolished concrete

| Eric Bescher, Matthew Sambol, Edward K. I water-to-cement ratio in freshly mixed rapid-se using 2.45 GHz microwave radiation | | 807 |
|---|---|------|
| V. Räsänen, V. Penttala: The pH measuremer concrete powder suspension | nt of concrete and smoothing mortar using a | 813 |
| C. Djelal, Y. Vanhove, A. Magnin: Tribological | behaviour of self compacting concrete | 821 |
| R.P. Khatri, V. Sirivivatnanon, P. Heeley: Crit life determination | ical polarization resistance in service | 829 |
| Yutaka Nakajima, Kazuo Yamada: The effect on the dispersing ability of poly β -naphthalene | | 839 |
| Habib Uysal, Ramazan Demirboğa, Remzi Ş cement dosages, slumps, and pumice aggrega density of concrete | | 845 |
| Thomas D. Dyer, Ravindra K. Dhir: Hydration containing vitrified incinerator fly ash | n reactions of cement combinations | 849 |
| Morten Daugaard Andersen, Hans J. Jakob white Portland cement hydration and the C-S-aluminate by ²⁷ Al and ²⁹ Si MAS NMR spectro | H structure in the presence of sodium | 857 |
| A.M. Cody, H. Lee, R.D. Cody, P.G. Spry: The nucleation, growth, and stability of ettringite [Code of the code o | | 869 |
| Jong-Shin Huang, Chan-Kuen Cheng: Fract alumina cements | ure toughness variability of foamed | 883 |
| Paul J. Tikalsky, James Pospisil, William Ma freeze-thaw resistance of preformed foam ce | | 889 |
| DISCUSSIONS | | |
| Caijun Shi: A discussion of the paper "Labora aggregates to concrete and application to conreactivity" by MA. Berube, J. Duchesne, J.F. [| crete structures affected by alkali-silica | 895 |
| M.A. Bérubé, J. Duchesne, J.F. Dorion, M. R of the paper "Laboratory assessment of alkali and application to concrete structures affected | contribution by aggregates to concrete | 897 |
| Tang Mingshu: A discussion of paper "Labora aggregates to concrete and application to con reactivity" by MA. Berube, J. Duchesne, J.F. I | crete structures affected by alkali-silica | 901 |
| M.A. Bérubé, J. Duchesne, J.F. Dorion, M. R. Mingshu Tang of the paper "Laboratory assess to concrete and application to concrete structure." | sment of alkali contribution by aggregates | 903 |
| NEWS ITEMS | | 905 |
| 2004 | Volume 34, Number 6 | June |
| PAPERS | | |
| J.M. Aldred, B.V. Rangan, N.R. Buenfeld: Ef wick action through concrete | fect of initial moisture content on | 907 |
| Li Song, S.M. Huang, S.C. Yang: Experiment three-dimensional mixed-mode fracture for continuous con | | 913 |

| Inc | lex to Volume 34/Cement and Concrete Research 34 (2004) 2345–2359 | 2351 |
|--|---|------|
| | Lambros, PC. Nkinamubanzi, N. Bouzoubaâ: porating new viscosity modifying admixtures | 917 |
| Dong Zhang, Zongjin Li, Jianm energy storage concrete | in Zhou, Keru Wu: Development of thermal | 927 |
| Wei Sun, Yun-sheng Zhang, We process of K-PS geopolymer cen | i Lin, Zhi-yong Liu: In situ monitoring of the hydration nent with ESEM | 935 |
| | .N. Angelopoulos, E. Chaniotakis, iou, D.C. Papamantellos: High-alumina cement imestone and diasporic bauxite | 941 |
| Michael Grutzeck, Stephen Kwa cementitious systems | an, Maria DiCola: Zeolite formation in alkali-activated | 949 |
| J.E. Aubert, B. Husson, A. Vaquash in concrete | ier: Use of municipal solid waste incineration fly | 957 |
| S. Nagataki, A. Gokce, T. Saeki, induced damage sensitivity of red | M. Hisada: Assessment of recycling process cycled concrete aggregates | 965 |
| Paul J. Sandberg, F. Doncaster cement paste and mortar with trii | : On the mechanism of strength enhancement of sopropanolamine | 973 |
| Kuo-Yu Liao, Ping-Kun Chang, A study on characteristics of inte | Yaw-Nan Peng, Chih-Chang Yang: rfacial transition zone in concrete | 977 |
| | it-Mokhtar, Paul Dumargue: Corrosion by Determination of chloride concentration threshold | 991 |
| Min Li, ChunXiang Qian, Wei Stafter fire | un: Mechanical properties of high-strength concrete | 1001 |
| | oton: Study of the Joule effect on rapid chloride on of related electrical properties of concretes | 1007 |
| Pipat Termkhajornkit, Toyoharu containing naphthalene sulfonate | Nawa: The fluidity of fly ash-cement paste superplasticizer | 1017 |
| J.P.B. Leite, V. Slowik, H. Mihas of concrete using mesolevel mod | hi: Computer simulation of fracture processes lels of lattice structures | 1025 |
| | s, E. Chaniotakis, S. Tsivilis: Exploitation of poor nent of metakaolin concrete and evaluation by means | 1035 |
| Gengying Li: Properties of high- | volume fly ash concrete incorporating nano-SiO ₂ | 1043 |
| Mohamed Heikal: Effect of calcid and mechanical properties of poz | um formate as an accelerator on the physicochemical zzolanic cement pastes | 1051 |
| James V. Bothe Jr., Paul W. Bro at 23 $\pm 1^{\circ}\text{C}$ | wn: PhreeqC modeling of Friedel's salt equilibria | 1057 |
| COMMUNICATION | | |
| Bing Chen, Juanyu Liu: Residu concrete after exposure to high te | al strength of hybrid-fiber-reinforced high-strength emperatures | 1065 |
| NEWS ITEMS | | 1071 |
| 2004 | Volume 34, Number 7 | July |
| PAPERS | | |

Pa Pa Win, Makiko Watanabe, Atsuhiko Machida: Penetration profile of chloride

ion in cracked reinforced concrete

1073

| Guozhong Li, Yanzhen Yu, Jianquan Li, Changchun Li, Yingzi Wang: Research on adaptability between crop-stalk fibers and cement | 1081 |
|--|------|
| P. Chindaprasirt, S. Homwuttiwong, V. Sirivivatnanon: Influence of fly ash fineness on strength, drying shrinkage and sulfate resistance of blended cement mortar | 1087 |
| Cheryl E. Halim, Rose Amal, Donia Beydoun, Jason A. Scott, Gary Low: Implications of the structure of cementitious wastes containing Pb(II), Cd(II), As(V), and Cr(VI) on the leaching of metals | 1093 |
| Tom Van Gerven, Johnny Moors, Veroniek Dutré, Carlo Vandecasteele: Effect of CO ₂ on leaching from a cement-stabilized MSWI fly ash | 1103 |
| Magnus Eriksson, Martina Friedrich, Christoph Vorschulze: Variations in the rheology and penetrability of cement-based grouts—an experimental study | 1111 |
| Mehmet Gesoğlu, Turan Özturan, Erhan Güneyisi: Shrinkage cracking of lightweight concrete made with cold-bonded fly ash aggregates | 1121 |
| Ismail Yurtdas, Nicolas Burlion, Frédéric Skoczylas: Triaxial mechanical behaviour of mortar: Effects of drying | 1131 |
| Sung-Bum Park, Bong-Chun Lee: Studies on expansion properties in mortar containing waste glass and fibers | 1145 |
| Basma Samet, Moncef Chaabouni: Characterization of the Tunisian blast-furnace slag and its application in the formulation of a cement | 1153 |
| Lutz Franke, Kritsada Sisomphon: A new chemical method for analyzing free calcium hydroxide content in cementing material | 1161 |
| Yin-Wen Chan, Shu-Hsien Chu: Effect of silica fume on steel fiber bond characteristics in reactive powder concrete | 1167 |
| Josée Duchesne, Guylaine Laforest: Evaluation of the degree of Cr ions immobilization by different binders | 1173 |
| K. Ramyar, O. Çopuroğlu, Ö. Andiç, A.L.A. Fraaij: Comparison of alkali–silica reaction products of fly-ash- or lithium-salt-bearing mortar under long-term accelerated curing | 1179 |
| P. Purnell, T.H. Gan, D.A. Hutchins, J. Berriman: Noncontact ultrasonic diagnostics in concrete: A preliminary investigation | 1185 |
| M.Z. Fan, P.W. Bonfield, J.M. Dinwoodie, J. Boxall, M.C. Breese: Dimensional instability of cement-bonded particleboard: The effect of surface coating | 1189 |
| Mohammed Sonebi: Medium strength self-compacting concrete containing fly ash: Modelling using factorial experimental plans | 1199 |
| F. Pruckner, O.E. Gjørv: Effect of CaCl ₂ and NaCl additions on concrete corrosivity | 1209 |
| Sang-Hun Han, Jin-Keun Kim: Effect of temperature and age on the relationship between dynamic and static elastic modulus of concrete | 1219 |
| Tarun R. Naik, Thomas S. Friberg, Yoon-moon Chun: Use of pulp and paper mill residual solids in production of cellucrete | 1229 |
| R.C.K. Wong, J.E. Gillott, S. Law, M.J. Thomas, C.S. Poon: Calcined oil sands fine tailings as a supplementary cementing material for concrete | 1235 |
| S. Pattanaik, G.P. Huffman, S. Sahu, R.J. Lee: X-ray absorption fine structure spectroscopy and X-ray diffraction study of cementitious materials derived from coal combustion by-products | 1243 |
| Fumiaki Matsushita, Yoshimichi Aono, Sumio Shibata: Calcium silicate structure and carbonation shrinkage of a tobermorite-based material | 1251 |
| COMMUNICATION | |
| Bing Chen, Juanyu Liu: Properties of lightweight expanded polystyrene concrete reinforced with steel fiber | 1259 |

DISCUSSIONS

| DIOCOCIONO | | |
|---|--|--------|
| Edgardo F. Irassar: A discussion of the pap from a Portland cement containing different a by Adnan Çolak | | 1265 |
| Adnan Çolak: A reply to the discussion by E "Characteristics of pastes from a Portland co amounts of natural pozzolan" | | 1267 |
| Ayhan Demirbas: A discussion of the paper ash produced using a new technology as a r by M. Nehdi, J. Duquette, and A. El Damatty | | 1269 |
| Moncef Nehdi: A reply to the discussion by "Performance of rice husk ash produced using mineral admixture in concrete" | | 1271 |
| NEWS ITEMS | | 1273 |
| 2004 | Volume 34, Number 8 | August |
| REVIEW | | |
| Adam Neville: The confused world of sulfate | e attack on concrete | 1275 |
| PAPERS | | |
| S.M. Torres, C.A. Kirk, C.J. Lynsdale, R.N. solid solutions in degraded mortars | Swamy, J.H. Sharp: Thaumasite-ettringite | 1297 |
| İlker Bekir Topçu, Selim Şengel: Properties with waste concrete aggregate | s of concretes produced | 1307 |
| Alejandro Josa, Antonio Aguado, Atte Hei Comparative analysis of available life cycle in | | 1313 |
| Xiaozhi Hu, Kai Duan: Influence of fracture energy of concrete | process zone height on fracture | 1321 |
| Xiaohui Wang, Xila Liu: Modeling bond stre without stirrups | ngth of corroded reinforcement | 1331 |
| T. Ramlochan, M.D.A. Thomas, R.D. Hooto on the expansion of mortars cured at elevate Part II: Microstructural and microchemical inv | ed temperature: | 1341 |
| O. Cengiz, L. Turanli: Comparative evaluation and high-performance polypropylene fibre re | | 1357 |
| V. Deniz: The effect of mill speed on kinetic and limestone | breakage parameters of clinker | 1365 |
| Yong-Huang Lin, Yaw-Yauan Tyan, Ta-Peng An assessment of optimal mixture for concre | | 1373 |
| Yun-Xing Shi, Isamu Matsui, Yu-Jun Guo: with distinct vitreous contents on the fluidity | A study on the effect of fine mineral powders and rheological properties of concrete | 1381 |
| M.C.G. Juenger, C.P. Ostertag: Alkali–silica fume-derived particles | reactivity of large silica | 1389 |
| C.L. Collins, J.H. Ideker, G.S. Willis, K.E. K of LiOH, LiCl, and LiNO ₃ on alkali–silica read | | 1403 |
| Meishan Pei, Yongqing Yang, Xiuzhi Zhang Synthesis and the effects of water-soluble su resin on the properties of concrete | | 1417 |
| | | |

| Josef P. Kaufmann: Experimental small concrete pores | identification of ice formation in | 1421 |
|--|---|--------------|
| Sedat Akkurt, Gokmen Tayfur, Se of cement compressive strength | ver Can: Fuzzy logic model for the prediction | 1429 |
| L. Holloway, K. Nairn, M. Forsyth: of a migratory corrosion inhibitor in | Concentration monitoring and performance steel-reinforced concrete | 1435 |
| C. Rosselló, M. Elices: Fracture of | model concrete: 1. Types of fracture and crack path | 1441 |
| T. Matusinović, S. Kurajica, J. Šip and ultrasonic parameters of calciu | ušić: The correlation between compressive strength m aluminate cement materials | 1451 |
| J.J. Young, P. Szomolanyi, T.W. Brof crack formation in hydrated ceme | remner, B.J. Balcom: Magnetic resonance imaging ent paste materials | 1459 |
| COMMUNICATIONS | | |
| Linhua Jiang, Zhenqing Liu, Yiqu volumes of low-quality fly ash | n Ye: Durability of concrete incorporating large | 1467 |
| G. Bianchini, E. Marrocchino, C. Nof historic mortars in Ferrara (north | /accaro: Chemical and mineralogical characterisation east Italy) | 1471 |
| NEWS ITEMS | | 1477 |
| 2004 | Volume 34, Number 9 | September |
| | SPECIAL ISSUE | |
| | H.F.W. Taylor Commemorative Issue | |
| | | |
| EDITORIAL | | |
| D.M. Roy: Commemorative issue: I | Harry Francis West Taylor (1923–2002) | 1479 |
| PAPERS | | |
| E. Bonaccorsi, S. Merlino, H.F.W. Ca ₉ Si ₆ O ₁₈ (OH) ₆ ·8H ₂ O | Taylor: The crystal structure of jennite, | 1481 |
| Ellis Gartner: Industrially interesting | g approaches to "low-CO ₂ " cements | 1489 |
| Jeffrey J. Chen, Jeffrey J. Thoma Solubility and structure of calcium s | s, Hal F.W.Taylor, Hamlin M. Jennings: silicate hydrate | 1499 |
| André Nonat: The structure and st | oichiometry of C-S-H | 1521 |
| SY. Hong, F.P. Glasser: Phase re at saturated steam pressure | lations in the CaO-SiO ₂ -H ₂ O system to 200°C | 1529 |
| | o, Ken-ichi Matsunaga, Hideto Yoshida: oferrite formed during melt crystallization in naternary system | 1535 |
| study of Portland cement hydration | Ilucci, G. Walenta, E. Bermejo: Quantitative | 1541 |
| independent methods | by X-ray diffraction/Rietveld analysis and | |
| · | by X-ray diffraction/Rietveld analysis and e system CaO-Al ₂ O ₃ -CaCl ₂ -H ₂ O at 23±2 °C | 1549 |
| Paul Brown, James Bothe Jr.: The and the mechanisms of chloride bir | by X-ray diffraction/Rietveld analysis and e system CaO-Al ₂ O ₃ -CaCl ₂ -H ₂ O at 23±2 °C nding in concrete re layer and decalcification of C-S-H in the | 1549 1555 |
| Paul Brown, James Bothe Jr.: The and the mechanisms of chloride bir Wiesław Kurdowski: The protective mechanism of chloride corrosion of | by X-ray diffraction/Rietveld analysis and e system CaO-Al ₂ O ₃ -CaCl ₂ -H ₂ O at 23±2 °C nding in concrete re layer and decalcification of C-S-H in the | |

| Micheline Moranville, Siham Kama of cement-based materials in aggres and modeling | ali, Emmanuel Guillon: Physicochemical equilibria ssive environments—experiment | 1569 |
|---|--|---------|
| Y. Maltais, E. Samson, J. Marchand systems in aggressive environments | d: Predicting the durability of Portland cement —laboratory validation | 1579 |
| Donald E. Macphee, Stephanie J. ettringite—thaumasite solid solution | Barnett: Solution properties of solids in the series | 1591 |
| G. Collett, N.J. Crammond, R.N. So in the formation of thaumasite | wamy, J.H. Sharp: The role of carbon dioxide | 1599 |
| George W. Scherer: Stress from cry | ystallization of salt | 1613 |
| Sidney Diamond, Sadananda Sah silica fume agglomerates in concrete | u, Niels Thaulow: Reaction products of densified e | 1625 |
| | armen Andrade, Xavier Turrillas, Javier Campo: anges of cement pastes upon heating, as studied | 1633 |
| | nier, M.D. Thomas, D.B. Stokes: Influence of counteracting ASR on the chemistry of pore | 1645 |
| K. van Breugel: Modelling of cemer | nt-based systems—the alchemy of cement chemistry | 1661 |
| Etsuo Sakai, Yasuyuki Nikaido, Taland microstructure of rapid hardenir | kumi Itoh, Masaki Daimon: Ettringite formation ng cement | 1669 |
| Sadananda Sahu, Niels Thaulow: railroad ties | Delayed ettringite formation in Swedish concrete | 1675 |
| Xiaoqiang Hou, Leslie J. Struble, I the roles of C-S-H and portlandite | R. James Kirkpatrick: Formation of ASR gel and | 1683 |
| H.J.H. Brouwers: The work of Power | ers and Brownyard revisited: Part 1 | 1697 |
| L. Raki, J.J. Beaudoin, L. Mitchell: Nanocomposites for use in concrete | Layered double hydroxide-like materials: | 1717 |
| K. Luke: Phase studies of pozzolan | ic stabilized calcium silicate hydrates at 180 °C | 1725 |
| models for the structure of C-S-H: a | e- and tobermorite/calcium hydroxide-based pplicability to hardened pastes of tricalcium d cement, and blends of Portland cement or silica fume | 1733 |
| NEWS ITEMS | | 1779 |
| 2004 | Volume 34, Number 10 | October |
| PAPERS | | |
| | Liu, Yanmei Zhang: The influence of mineral on of steel bars in green high-performance concrete | 1781 |
| | , P.E. Stutzman, T.O. Mason: Estimation of the ent pastes by a scanning electron microscope | 1787 |
| A.M. Barros, D.C.R. Espinosa, J.A. phase transformations at high temper | .S. Tenório: Effect of Cr ₂ O ₃ and NiO additions on the erature in Portland cement | 1795 |
| Nabi Yüzer, Fevziye Aköz, Leyla D change relation in mortars at high te | okuzer Öztürk: Compressive strength–color emperature | 1803 |
| A. Mladenovič, J.S. Šuput, V. Duch frequently used lightweight aggregate | nan, A.S. Škapin: Alkali-silica reactivity of some tes | 1809 |
| | | |

| Ayhan Kesimal, Erol Yilmaz, Bayram Ercikdi: Evaluation of paste backfill mixtures consisting of sulphide-rich mill tailings and varying cement contents | 1817 |
|--|------------------------------|
| A. Bertron, G. Escadeillas, J. Duchesne: Cement pastes alteration by liquid manure organic acids: Chemical and mineralogical characterization | 1823 |
| W.J. McCarter, G. Starrs, T.M. Chrisp: The complex impedance response of fly-ash cements revisited | 1837 |
| G. Renaudin, JP. Rapin, E. Elkaim, M. François: Polytypes and polymorphs in the related Friedel's salt [Ca ₂ Al(OH) ₆] ⁺ [X·2H ₂ O] ⁻ halide series | 1845 |
| T. Sebök, O. Stráněl: Wear resistance of polymer-impregnated mortars and concrete | 1853 |
| B. Bary, A. Sellier: Coupled moisture—carbon dioxide—calcium transfer model for carbonation of concrete | 1859 |
| My.Y. Benarchid, A. Diouri, A. Boukhari, J. Aride, J. Rogez, R. Castanet: Elaboration and thermal study of iron-phosphorus-substituted dicalcium silicate phase | 1873 |
| Moisés Frías Rojas, M.I. Sánchez de Rojas: Chemical assessment of the electric arc furnace slag as construction material: Expansive compounds | 1881 |
| Jingyao Cao, D.D.L. Chung: Use of fly ash as an admixture for electromagnetic interference shielding | 1889 |
| Jingyao Cao , D.D.L. Chung: Microstructural effect of the shrinkage of cement-based materials during hydration, as indicated by electrical resistivity measurement | 1893 |
| Luca Bertolini, Maddalena Carsana, Davide Cassago, Alessandro Quadrio Curzio, Mario Collepardi: MSWI ashes as mineral additions in concrete | 1899 |
| C.S. Poon, X.C. Qiao, Z.S. Lin: Effects of flue gas desulphurization sludge on the pozzolanic reaction of reject-fly-ash-blended cement pastes | 1907 |
| Sehaj Singh, Arun Shukla, Richard Brown: Pullout behavior of polypropylene | 1919 |
| fibers from cementitious matrix | |
| Roumiana Zaharieva, François Buyle-Bodin, Eric Wirquin: Frost resistance of recycled aggregate concrete | 1927 |
| Roumiana Zaharieva, François Buyle-Bodin, Eric Wirquin: Frost resistance | 1927 |
| Roumiana Zaharieva, François Buyle-Bodin, Eric Wirquin: Frost resistance of recycled aggregate concrete | 1927 1933 |
| Roumiana Zaharieva, François Buyle-Bodin, Eric Wirquin: Frost resistance of recycled aggregate concrete COMMUNICATIONS | |
| Roumiana Zaharieva, François Buyle-Bodin, Eric Wirquin: Frost resistance of recycled aggregate concrete COMMUNICATIONS E.J. Garboczi, J.W. Bullard: Shape analysis of a reference cement S. Goberis, V. Antonovich: Influence of sodium silicate amount on the setting time and EXO temperature of a complex binder consisting of high-aluminate cement, liquid | 1933 |
| Roumiana Zaharieva, François Buyle-Bodin, Eric Wirquin: Frost resistance of recycled aggregate concrete COMMUNICATIONS E.J. Garboczi, J.W. Bullard: Shape analysis of a reference cement S. Goberis, V. Antonovich: Influence of sodium silicate amount on the setting time and EXO temperature of a complex binder consisting of high-aluminate cement, liquid glass and metallurgical slag Puyam S. Singh, Tim Bastow, Mark Trigg: Outstanding problems posed | 1933 1939 |
| Roumiana Zaharieva, François Buyle-Bodin, Eric Wirquin: Frost resistance of recycled aggregate concrete COMMUNICATIONS E.J. Garboczi, J.W. Bullard: Shape analysis of a reference cement S. Goberis, V. Antonovich: Influence of sodium silicate amount on the setting time and EXO temperature of a complex binder consisting of high-aluminate cement, liquid glass and metallurgical slag Puyam S. Singh, Tim Bastow, Mark Trigg: Outstanding problems posed by nonpolymeric particulates in the synthesis of a well-structured geopolymeric material | 1933 1939 |
| Roumiana Zaharieva, François Buyle-Bodin, Eric Wirquin: Frost resistance of recycled aggregate concrete COMMUNICATIONS E.J. Garboczi, J.W. Bullard: Shape analysis of a reference cement S. Goberis, V. Antonovich: Influence of sodium silicate amount on the setting time and EXO temperature of a complex binder consisting of high-aluminate cement, liquid glass and metallurgical slag Puyam S. Singh, Tim Bastow, Mark Trigg: Outstanding problems posed by nonpolymeric particulates in the synthesis of a well-structured geopolymeric material DISCUSSIONS Ayhan Demirbaş: A discussion of the paper "Influence of natural pozzolan, colemanite ore waste, bottom ash, and fly ash on the properties of Portland cement" by Ş. Targan, | 1933 1939 1943 |
| Roumiana Zaharieva, François Buyle-Bodin, Eric Wirquin: Frost resistance of recycled aggregate concrete COMMUNICATIONS E.J. Garboczi, J.W. Bullard: Shape analysis of a reference cement S. Goberis, V. Antonovich: Influence of sodium silicate amount on the setting time and EXO temperature of a complex binder consisting of high-aluminate cement, liquid glass and metallurgical slag Puyam S. Singh, Tim Bastow, Mark Trigg: Outstanding problems posed by nonpolymeric particulates in the synthesis of a well-structured geopolymeric material DISCUSSIONS Ayhan Demirbaş: A discussion of the paper "Influence of natural pozzolan, colemanite ore waste, bottom ash, and fly ash on the properties of Portland cement" by Ş. Targan, A. Olgun, Y. Erdoğan, V. Sevinc: A reply to the discussion by A. Demirbas of the paper "Influence of natural pozzolan, colemanite ore waste, bottom ash, and fly | 1933 1939 1943 |
| Roumiana Zaharieva, François Buyle-Bodin, Eric Wirquin: Frost resistance of recycled aggregate concrete COMMUNICATIONS E.J. Garboczi, J.W. Bullard: Shape analysis of a reference cement S. Goberis, V. Antonovich: Influence of sodium silicate amount on the setting time and EXO temperature of a complex binder consisting of high-aluminate cement, liquid glass and metallurgical slag Puyam S. Singh, Tim Bastow, Mark Trigg: Outstanding problems posed by nonpolymeric particulates in the synthesis of a well-structured geopolymeric material DISCUSSIONS Ayhan Demirbaş: A discussion of the paper "Influence of natural pozzolan, colemanite ore waste, bottom ash, and fly ash on the properties of Portland cement" by Ş. Targan, A. Olgun, Y. Erdoğan, V. Sevinc: A reply to the discussion by A. Demirbas of the paper "Influence of natural pozzolan, colemanite ore waste, bottom ash, and fly ash on the properties of Portland cement" S. Chatterji: A discussion of the paper "Electrostatic repulsion between particles in cement suspensions: Domain of validity of linearized Poisson—Boltzmann equation | 1933 1939 1943 1949 |

| Ivan Odler: Reply to the discussion by H.M. Jennings and J.J. Thomas of the paper "The BET-specific surface area of hydrated Portland cement and related materials" | 1961 |
|---|----------|
| LETTER TO THE EDITOR | |
| John H. Taplin: Hydration kinetics of calcium sulphate hemihydrate—a comment | 1963 |
| NEWS ITEMS | 1965 |
| Volume 34, Number 11 | November |
| PAPERS | |
| H. Friedmann, O. Amiri, A. Aït-Mokhtar, P. Dumargue: A direct method for determining chloride diffusion coefficient by using migration test | 1967 |
| Salomon M. Levy, Paulo Helene: Durability of recycled aggregates concrete: a safe way to sustainable development | 1975 |
| Liu Kaiping, Cheng Hewei, Zhou Jing'en: Investigation of brucite-fiber-reinforced concrete | 1981 |
| S. Chinchón, J. García, M. López-Atalaya, A. Linares, R. Vera: Cement paste colouring in concretes | 1987 |
| M. Nehdi, MA. Rahman: Estimating rheological properties of cement pastes using various rheological models for different test geometry, gap and surface friction | 1993 |
| Cheng Xin, Chang Jun, Lu Lingchao, Liu Futian, Teng Bing: Study on the hydration of Ba-bearing calcium sulphoaluminate in the presence of gypsum | 2009 |
| Ziyi Lu, Xihui Zhou, Jinyi Zhang: Study on the performance of a new type of water-repellent admixture for cement mortar | 2015 |
| S.S. Jamkar, C.B.K. Rao: Index of Aggregate Particle Shape and Texture of coarse aggregate as a parameter for concrete mix proportioning | 2021 |
| R. Siauciunas, K. Baltakys: Formation of gyrolite during hydrothermal synthesis in the mixtures of CaO and amorphous SiO ₂ or quartz | 2029 |
| Hamid R. Soleymani, Mohamed E. Ismail: Comparing corrosion measurement methods to assess the corrosion activity of laboratory OPC and HPC concrete specimens | 2037 |
| K.A. Snyder, D.P. Bentz: Suspended hydration and loss of freezable water in cement pastes exposed to 90% relative humidity | 2045 |
| Aiqin Wang, Chengzhi Zhang, Wei Sun: Fly ash effects: II. The active effect of fly ash | 2057 |
| Aiqin Wang, Chengzhi Zhang, Wei Sun: Fly ash effects: III. The microaggregate effect of fly ash | 2061 |
| Tso-Liang Teng, Yi-An Chu, Fwu-An Chang, Hua-Sheng Chin: Simulation model of impact on reinforced concrete | 2067 |
| Ardeniz Karagöz Öztürk, Hüseyin Oğuz: The formation of alite phase by using phosphogypsum and oil shale | 2079 |
| Adil Baykasoğlu, Türkay Dereli, Serkan Tanış: Prediction of cement strength using soft computing techniques | 2083 |
| Jane Proszek Gorninski, Denise C. Dal Molin, Claudio S. Kazmierczak: Study of the modulus of elasticity of polymer concrete compounds and comparative assessment of polymer concrete and portland cement concrete | 2091 |
| Adriano Papo, Luciano Piani: Effect of various superplasticizers on the rheological properties of Portland cement pastes | 2097 |
| M. Nehdi, M. Pardhan, S. Koshowski: Durability of self-consolidating concrete incorporating high-volume replacement composite cements | 2103 |

| G. Tzouvalas, N.N. Dermatas, S.S. Tsimas: Alternative calcium sulfate-bearing materials as cement retarders: Part I. Anhydrite | 2113 |
|---|----------|
| G. Tzouvalas, G. Rantis, S. Tsimas: Alternative calcium-sulfate-bearing materials as cement retarders: Part II. FGD gypsum | 2119 |
| Piti Sukontasukkul, Pichai Nimityongskul, Sidney Mindess: Effect of loading rate on damage of concrete | 2127 |
| T. Kavas, E. Sabah, M.S. Çelik: Structural properties of sepiolite-reinforced cement composite | 2135 |
| Ny Riana Andriamanantsilavo, Sofiane Amziane: Maturation of fresh cement paste within 1- to 10-m-large formworks | 2141 |
| A. Peschard, A. Govin, P. Grosseau, B. Guilhot, R. Guyonnet: Effect of polysaccharides on the hydration of cement paste at early ages | 2153 |
| Congqi Fang, Karin Lundgren, Liuguo Chen, Chaoying Zhu: Corrosion influence on bond in reinforced concrete | 2159 |
| BOOK REVIEW | |
| Della M. Roy: Water Transport in Brick, Stone and Concrete | 2169 |
| NEWS ITEMS | |
| Volume 34, Number 12 | December |
| EDITORIAL | 2173 |
| PAPERS | |
| B.Y. Pekmezci, S. Akyüz: Optimum usage of a natural pozzolan for the maximum compressive strength of concrete | 2175 |
| Seung Bum Park, Bong Chun Lee, Jeong Hwan Kim: Studies on mechanical properties of concrete containing waste glass aggregate | 2181 |
| J. Lanas, J.L. Perez Bernal, M.A. Bello, J.I. Alvarez Galindo: Mechanical properties of natural hydraulic lime-based mortars | 2191 |
| S. Valls, A. Yaguë, E. Vaźquez, C. Mariscal: Physical and mechanical properties of concrete with added dry sludge from a sewage treatment plant | 2203 |
| F. Bektas, L. Turanli, T. Topal, M.C. Goncuoglu: Alkali reactivity of mortars containing chert and incorporating moderate-calcium fly ash | 2209 |
| C.S. Poon, Z.H. Shui, L. Lam: Compressive behavior of fiber reinforced high-performance concrete subjected to elevated temperatures | 2215 |
| N. De Belie, J. Monteny, A. Beeldens, E. Vincke, D. Van Gemert, W. Verstraete: Experimental research and prediction of the effect of chemical and biogenic sulfuric acid on different types of commercially produced concrete sewer pipes | 2223 |
| David Chopin, François de Larrard, Bogdan Cazacliu: Why do HPC and SCC require a longer mixing time? | 2237 |
| J.H. Potgieter, S.S. Potgieter, R.I. McCrindle: A comparison of the performance of various synthetic gypsums in plant trials during the manufacturing of OPC clinker | 2245 |
| Peter Pivonka, Christian Hellmich, David Smith: Microscopic effects on chloride diffusivity of cement pastes—a scale-transition analysis | 2251 |
| Yukie Shimada, J. Francis Young: Thermal stability of ettringite in alkaline solutions at 80 8°C | 2261 |
| Kwangryul Hwang, Takafumi Noguchi, Fuminiro Tomosawa: Prediction model of compressive strength development of fly-ash concrete | 2269 |

| Index to Volume 34/Cement and Concrete Research 34 (2004) 2345–2359 | 2359 |
|--|------|
| L. Turanli, B. Uzal, F. Bektas: Effect of material characteristics on the properties of blended cements containing high volumes of natural pozzolans | 2277 |
| Guoqiang Li, Michael A. Stubblefield, Gregory Garrick, John Eggers, Christopher Abadie, Baoshan Huang: Development of waste tire modified concrete | 2283 |
| Miguel A. Climent, Guillem de Vera, Estanislao Viqueira, M.M. López-Atalaya: Generalization of the possibility of eliminating the filtration step in the determination of acid-soluble chloride content in cement and concrete by potentiometric titration | 2291 |
| Jeffrey J. Thomas, Jeffrey J. Chen, Andrew J. Allen, Hamlin M. Jennings: Effects of decalcification on the microstructure and surface area of cement and tricalcium silicate pastes | 2297 |
| Erhan Güneyisi, Mehmet Gesoğlu, Toran Özturan: Properties of rubberized concretes containing silica fume | 2309 |
| J. Zelić, D. Rušić, R. Krstulović: A mathematical model for prediction of compressive strength in cement–silica fume blends | 2319 |
| Ramazan Demirboğa, İbrahim Türkmen, Mehmet B. Karakoç: Relationship between ultrasonic velocity and compressive strength for high-volume mineral-admixtured concrete | 2329 |
| COMMUNICATION | |
| C. S. Poon, D. W. S. Ho: A feasibility study on the utilization of r-FA in SCC | 2337 |
| ERRATUM | |
| Sihai Wen, D.D.L. Chung: Erratum to "Seebeck effect in carbon fiber reinforced cement" | 2341 |
| NEWS ITEMS | 2343 |
| Index to Volume 34 | 2345 |
| Author Index | 2361 |

2367

Keyword Index