

Index to Volume 35

2005

Volume 35, Number 1

January

EDITORIAL

1

PAPERS

- G.M. Idorn:** Innovation in concrete research—review and perspective 3
- P. Sukontasukkul, S. Mindess, N. Banthia:** Properties of confined fibre-reinforced concrete under uniaxial compressive impact 11
- M.C.G. Juenger, P.J.M. Monteiro, E.M. Gartner, G.P. Denbeaux:** A soft X-ray microscope investigation into the effects of calcium chloride on tricalcium silicate hydration 19
- P. Rossi, A. Arca, E. Parant, P. Fakhri:** Bending and compressive behaviors of a new cement composite 27
- A. Jenni, L. Holzer, R. Zurbriggen, M. Herwegh:** Influence of polymers on microstructure and adhesive strength of cementitious tile adhesive mortars 35
- L. Black, A. Stumm, K. Garbev, P. Stemmermann, K.R. Hallam, G.C. Allen:** X-ray photoelectron spectroscopy of aluminium-substituted tobermorite 51
- J.J. Valenza II, G.W. Scherer:** Evidence of anomalous thermal expansion of water in cement paste 57
- C.K. Yi, C.P. Ostertag:** Mechanical approach in mitigating alkali-silica reaction 67
- D.R.M. Brew, F.P. Glasser:** The magnesia–silica gel phase in slag cements: alkali (K, Cs) sorption potential of synthetic gels 77
- D.R.M. Brew, F.P. Glasser:** Synthesis and characterisation of magnesium silicate hydrate gels 85
- A. Tagnit-Hamou, M. Saric-Coric, P. Rivard:** Internal deterioration of concrete by the oxidation of pyrrhotitic aggregates 99
- E.P. Nielsen, D. Herfort, M.R. Geiker:** Phase equilibria of hydrated Portland cement 109
- E.P. Nielsen, D. Herfort, M.R. Geiker:** Binding of chloride and alkalis in Portland cement systems 117
- R. Barbarulo, H. Peycelon, S. Prené, J. Marchand:** Delayed ettringite formation symptoms on mortars induced by high temperature due to cement heat of hydration or late thermal cycle 125
- A. Kauppi, K.M. Andersson, L. Bergström:** Probing the effect of superplasticizer adsorption on the surface forces using the colloidal probe AFM technique 133
- E. Samson, J. Marchand, K.A. Snyder, J.J. Beaudoin:** Modeling ion and fluid transport in unsaturated cement systems in isothermal conditions 141

A. Bertron, J. Duchesne, G. Escadeillas: Accelerated tests of hardened cement pastes alteration by organic acids: analysis of the pH effect 155

G. Ye: Percolation of capillary pores in hardening cement pastes 167

COMMUNICATIONS

L. Barcelo, M. Moranville, B. Clavaud: Autogenous shrinkage of concrete: a balance between autogenous swelling and self-desiccation 177

D.P. Bentz: Replacement of "coarse" cement particles by inert fillers in low w/c ratio concretes: II. Experimental validation 185

DISCUSSIONS

W.G. Hime: A discussion of the paper "The use of tension testing to investigate the effect of W/C ratio and cement type on the resistance of concrete to sulfate attack" by Andrew J. Boyd, Sidney Mindess 189

A.J. Boyd, S. Mindess: Reply to the discussion by William G. Hime of "The use of tension testing to investigate the effect of w/c ratio and cement type on the resistance of concrete to sulfate attack" 191

NEWS ITEMS 193

GUIDE FOR AUTHORS 197

2005

Volume 35, Number 2

February

PAPERS

J.L. Laugesen: Density functional calculations of elastic properties of portlandite, $\text{Ca}(\text{OH})_2$ 199

N. Smaoui, M.A. Bérubé, B. Fournier, B. Bissonnette, B. Durand: Effects of alkali addition on the mechanical properties and durability of concrete 203

S. Jacobsen: Calculating liquid transport into high-performance concrete during wet freeze/thaw 213

Y. Qiao: On the fracture toughness of calcium aluminate cement–phenol resin composites 220

K.H. Khayat, A. Tagnit-Hamou, N. Petrov: Performance of concrete wharves constructed between 1901 and 1928 at the Port of Montréal 226

J. Hu, P. Stroeve: Local porosity analysis of pore structure in cement paste 233

A. Avci, A. Akdemir, H. Arikan: Mixed-mode fracture behavior of glass fiber reinforced polymer concrete 243

J. Chang, X. Cheng, L. Lu, F. Liu, J. Zhu: Study on the composition and hydration of alinite and calcium chloroaluminate minerals 248

J.-Y. Petit, E. Wirquin, B. Duthoit: Influence of temperature on yield value of highly flowable micromortars made with sulfonate-based superplasticizers 256

H.Y. Qasrawi, I.M. Asi, H.I.A.-A. Wahhab: Proportioning RCCP mixes under hot weather conditions for a specified tensile strength 267

L. Li, J. Nam, W.H. Hartt: Ex situ leaching measurement of concrete alkalinity 277

M. Ing, S. Austin, R. Lyons: Cover zone properties influencing acoustic emission due to corrosion 284

Y. Ma, B. Zhu, M. Tan: Properties of ceramic fiber reinforced cement composites 296

M. Fall, M. Benzaazoua: Modeling the effect of sulphate on strength development of paste backfill and binder mixture optimization	301
H. Justnes, L. Elfgrén, V. Ronin: Mechanism for performance of energetically modified cement versus corresponding blended cement	315
P. Garcés, J. Fraile, E. Vilaplana-Ortego, D. Cazorla-Amorós, E.G. Alcocel, L.G. Andión: Effect of carbon fibres on the mechanical properties and corrosion levels of reinforced portland cement mortars	324
H. Lee, R.D. Cody, A.M. Cody, P.G. Spry: The formation and role of ettringite in Iowa highway concrete deterioration	332
C.C. Yang, S.W. Cho: Approximate migration coefficient of percolated interfacial transition zone by using the accelerated chloride migration test	344
D.A. Silva, P.J.M. Monteiro: Hydration evolution of C ₃ S–EVA composites analyzed by soft X-ray microscopy	351
T. Akçaoğlu, M. Tokyay, T. Çelik: Assessing the ITZ microcracking via scanning electron microscope and its effect on the failure behavior of concrete	358
A. Tagnit-Hamou, Y. Vanhove, N. Petrov: Microstructural analysis of the bond mechanism between polyolefin fibers and cement pastes	364
J. Do, H. Song, H. So, Y. Soh: Antifungal effects of cement mortars with two types of organic antifungal agents	371
D.J. Anstice, C.L. Page, M.M. Page: The pore solution phase of carbonated cement pastes	377
B. Hwan Oh, D.G. Park, J.C. Kim, Y.C. Choi: Experimental and theoretical investigation on the postcracking inelastic behavior of synthetic fiber reinforced concrete beams	384
P.S. Song, J.C. Wu, S. Hwang, B.C. Sheu: Assessment of statistical variations in impact resistance of high-strength concrete and high-strength steel fiber-reinforced concrete	393
A. Tugrul Albayrak, M. Yasar, M.A. Gurkaynak, I. Gurgey: Investigation of the effects of fatty acids on the compressive strength of the concrete and the grindability of the cement	400
S. Türkel, V. Alabas: The effect of excessive steam curing on Portland composite cement concrete	405
A. Mahboubi, A. Ajorloo: Experimental study of the mechanical behavior of plastic concrete in triaxial compression	412
DISCUSSIONS	
C. Shi: A discussion of paper "Estimating the electrical conductivity of cement paste pore solution from OH [−] , K ⁺ and Na ⁺ concentrations" by K.A. Snyder, X. Feng, B.D. Keen, T.O. Mason	420
K.A. Snyder: Reply to the discussion by C. Shi of the paper "Estimating the electrical conductivity of cement paste pore solution from OH [−] , K ⁺ , and Na ⁺ concentrations"	421
ERRATUM	
P. Mounanga, A. Khelidj, A. Loukili, V. Baroghel-Bouny: Erratum to "Predicting Ca(OH) ₂ content and chemical shrinkage of hydrating cement pastes using analytical approach" [CCR 34 (2) (2004) 225–265]	423
NEWS ITEMS	425
GUIDE FOR AUTHORS	428

PAPERS

S.J. Saint-Jean, E. Jøns, N. Lundgaard, S. Hansen: Chlorellestadite in the preheater system of cement kilns as an indicator of HCl formation	431
M.A. Trezza, A.N. Scian: Waste fuels: their effect on Portland cement clinker	438
B. Rongbing, S. Jian: Synthesis and evaluation of shrinkage-reducing admixture for cementitious materials	445
Y. Yang, R. Sato, K. Kawai: Autogenous shrinkage of high-strength concrete containing silica fume under drying at early ages	449
Z. He, Z. Li: Influence of alkali on restrained shrinkage behavior of cement-based materials	457
E. Holt: Contribution of mixture design to chemical and autogenous shrinkage of concrete at early ages	464
P. Termkhajornkit, T. Nawa, M. Nakai, T. Saito: Effect of fly ash on autogenous shrinkage	473
K. Eguchi, K. Teranishi: Prediction equation of drying shrinkage of concrete based on composite model	483
M. Kawamura, T. Kodera: Effects of externally supplied lithium on the suppression of ASR expansion in mortars	494
X. Mo: Laboratory study of LiOH in inhibiting alkali–silica reaction at 20 °C: a contribution	499
M. Korkanç, A. Tuğrul: Evaluation of selected basalts from the point of alkali–silica reactivity	505
S.-i. Igarashi, A. Watanabe, M. Kawamura: Evaluation of capillary pore size characteristics in high-strength concrete at early ages	513
P.N. Gospodinov: Numerical simulation of 3D sulfate ion diffusion and liquid push out of the material capillaries in cement composites	520
J. Peng, J. Qu, J. Zhang, M. Chen, T. Wan: Adsorption characteristics of water-reducing agents on gypsum surface and its effect on the rheology of gypsum plaster	527
A. Yahia, M. Tanimura, Y. Shimoyama: Rheological properties of highly flowable mortar containing limestone filler-effect of powder content and W/C ratio	532
M.-T. Liang, J.-J. Lan: Reliability analysis for the existing reinforced concrete pile corrosion of bridge substructure	540
L. Fedrizzi, F. Azzolini, P.L. Bonora: The use of migrating corrosion inhibitors to repair motorways' concrete structures contaminated by chlorides	551
D. Trejo, P.J. Monteiro: Corrosion performance of conventional (ASTM A615) and low-alloy (ASTM A706) reinforcing bars embedded in concrete and exposed to chloride environments	562
J.-L. Granju, S. Ullah Balouch: Corrosion of steel fibre reinforced concrete from the cracks	572
K. Sobolev, A. Yeğınobalı: The development of high-strength mortars with improved thermal and acid resistance	578
P. Huang, Y. Bao, Y. Yao: Influence of HCl corrosion on the mechanical properties of concrete	584
K. Sakr, E. EL-Hakim: Effect of high temperature or fire on heavy weight concrete properties	590
J.H. Chung, G.R. Consolazio: Numerical modeling of transport phenomena in reinforced concrete exposed to elevated temperatures	597

- L. Alarcon-Ruiz, G. Platret, E. Massieu, A. Ehrlicher:** The use of thermal analysis in assessing the effect of temperature on a cement paste **609**

Discussions

- P.J. Tumidajski:** A discussion of the paper "Colloidal graphite as an admixture in cement and as a coating on cement for electromagnetic interference shielding" by J. Cao and D.D.L. Chung **614**

- J. Cao, D.D.L. Chung:** Reply to discussion by Peter J. Tumidajski of the paper "Colloidal graphite as an admixture in cement and as a coating on cement for electromagnetic interference shielding" **616**

NEWS ITEMS **618**

GUIDE FOR AUTHORS **621**

2005

Volume 35, Number 4

April

PAPERS

- T. Sievert, A. Wolter, N.B. Singh:** Hydration of anhydrite of gypsum ($\text{CaSO}_4 \cdot \text{II}$) in a ball mill **623**

- L.H. Grierson, J.C. Knight, R. Maharaj:** The role of calcium ions and lignosulphonate plasticiser in the hydration of cement **631**

- U. Rattanasak, K. Kendall:** Pore structure of cement/pozzolan composites by X-ray micro-tomography **637**

- L. Fernández-Carrasco, F. Puertas, M.T. Blanco-Varela, T. Vázquez, J. Rius:** Synthesis and crystal structure solution of potassium dawsonite: An intermediate compound in the alkaline hydrolysis of calcium aluminate cements **641**

- K. Van Balen:** Carbonation reaction of lime, kinetics at ambient temperature **647**

- T. Bakharev:** Resistance of geopolymer materials to acid attack **658**

- A. Cwirzen, V. Penttala:** Aggregate–cement paste transition zone properties affecting the salt–frost damage of high-performance concretes **671**

- M. Heikal, M.S. Morsy, I. Aiad:** Effect of treatment temperature on the early hydration characteristics of superplasticized silica fume blended cement pastes **680**

- H. Abdul Razak, H.S. Wong:** Strength estimation model for high-strength concrete incorporating metakaolin and silica fume **688**

- H.S. Wong, H. Abdul Razak:** Efficiency of calcined kaolin and silica fume as cement replacement material for strength performance **696**

- H.-S. Lee, J.-Y. Lee, M.-Y. Yu:** Influence of inorganic pigments on the fluidity of cement mortars **703**

- T. Kavas, A. Olgun, Y. Erdogan:** Setting and hardening of borogypsum–Portland cement clinker–fly ash blends. Studies on effects of molasses on properties of mortar containing borogypsum **711**

- M. Cyr, P. Lawrence, E. Ringot:** Mineral admixtures in mortars: Quantification of the physical effects of inert materials on short-term hydration **719**

- M. Nehdi, M. Hayek:** Behavior of blended cement mortars exposed to sulfate solutions cycling in relative humidity **731**

- S. Bhanja, B. Sengupta:** Influence of silica fume on the tensile strength of concrete **743**

- A. Momayez, M.R. Ehsani, A.A. Ramezani-pour, H. Rajaie:** Comparison of methods for evaluating bond strength between concrete substrate and repair materials **748**

İ.B. Topçu, M.U. Toprak: Fine aggregate and curing temperature effect on concrete maturity	758
J.M. Khatib: Properties of concrete incorporating fine recycled aggregate	763
R. Le Roy, E. Parant, C. Boulay: Taking into account the inclusions' size in lightweight concrete compressive strength prediction	770
Y.-W. Choi, D.-J. Moon, J.-S. Chung, S.-K. Cho: Effects of waste PET bottles aggregate on the properties of concrete	776
Y.-S. Tseng, C.-L. Huang, K.-C. Hsu: The pozzolanic activity of a calcined waste FCC catalyst and its effect on the compressive strength of cementitious materials	782
C.K.Y. Leung, R. Lai, A.Y.F. Lee: Properties of wet-mixed fiber reinforced shotcrete and fiber reinforced concrete with similar composition	788
E. Holt, P. Raivio: Use of gasification residues in aerated autoclaved concrete	796
K.-S. Wang, C.-J. Tseng, I.-J. Chiou, M.-H. Shih: The thermal conductivity mechanism of sewage sludge ash lightweight materials	803
COMMUNICATION	
J. Cao, D.D.L. Chung: Role of moisture in the Seebeck effect in cement-based materials	810
NEWS ITEMS	813
GUIDE FOR AUTHORS	815

2005

Volume 35, Number 5

May

PAPERS

N. Roussel, C. Stefani, R. Le Roy: From mini-cone test to Abrams cone test: measurement of cement-based materials yield stress using slump tests	817
N. Roussel, R. Le Roy: The Marsh cone: a test or a rheological apparatus?	823
T. Roshavelov: Prediction of fresh concrete flow behavior based on analytical model for mixture proportioning	831
V. Fernandes, L. Silva, V.M. Ferreira, J.A. Labrincha: Evaluation of mixing and application process parameters of single-coat mortars	836
C.K. Park, M.H. Noh, T.H. Park: Rheological properties of cementitious materials containing mineral admixtures	842
K.V. Subramaniam, J. Lee, B.J. Christensen: Monitoring the setting behavior of cementitious materials using one-sided ultrasonic measurements	850
T. Voigt, G. Ye, Z. Sun, S.P. Shah, K. van Breugel: Early age microstructure of Portland cement mortar investigated by ultrasonic shear waves and numerical simulation	858
C.-Z. Li, N.-Q. Feng, Y.-D. Li, R.-J. Chen: Effects of polyethylene oxide chains on the performance of polycarboxylate-type water-reducers	867
A. Jumadurdiyev, M. Hulusi Ozkul, A.R. Saglam, N. Parlak: The utilization of beet molasses as a retarding and water-reducing admixture for concrete	874
M.C. Vieira, D. Klemm, L. Einfeldt, G. Albrecht: Dispersing agents for cement based on modified polysaccharides	883

H.-Y. Cho, J.-M. Suh: Effects of the synthetic conditions of poly{carboxylate-g-(ethylene glycol) methyl ether} on the dispersibility in cement paste	891
R. Wang, P.-M. Wang, X.-G. Li: Physical and mechanical properties of styrene–butadiene rubber emulsion modified cement mortars	900
Ş. Erdoğdu: Effect of retempering with superplasticizer admixtures on slump loss and compressive strength of concrete subjected to prolonged mixing	907
B. Chen, J. Liu: Contribution of hybrid fibers on the properties of the high-strength lightweight concrete having good workability	913
D.W. Mokare, R.E. Weyers, D.S. Lane: Development of a shrinkage performance specifications and prediction model analysis for supplemental cementitious material concrete mixtures	918
V. Petkova, Y. Ivanov: The use of mathematical modelling in the composition of a composite material	926
W. Lijiu, Z. Shuzhong, Z. Guofan: Investigation of the mix ratio design of lightweight aggregate concrete	931
D. Sari, A.G. Pasamehmetoglu: The effects of gradation and admixture on the pumice lightweight aggregate concrete	936
K. Haga, M. Shibata, M. Hironaga, S. Tanaka, S. Nagasaki: Change in pore structure and composition of hardened cement paste during the process of dissolution	943
A.M. Marion, M. De Lanève, A. De Grauw: Study of the leaching behaviour of paving concretes: quantification of heavy metal content in leachates issued from tank test using demineralized water	951
A.V. Saetta, R.V. Vitaliana: Experimental investigation and numerical modeling of carbonation process in reinforced concrete structures: Part II. Practical applications	958
A. Buchwald, M. Schulz: Alkali-activated binders by use of industrial by-products	968
R. Rosković, D. Bjegović: Role of mineral additions in reducing CO ₂ emission	974
K.-L. Lin: The influence of municipal solid waste incinerator fly ash slag blended in cement pastes	979
C. Shi, Y. Wu, C. Riefler, H. Wang: Characteristics and pozzolanic reactivity of glass powders	987
B. Liu, Y. Xie, J. Li: Influence of steam curing on the compressive strength of concrete containing supplementary cementing materials	994
J. Sim, H. Oh, J.-M. Yu, J.-W. Shim: Theoretical assessment of the limit strengthening criterion of strengthened bridge decks based on failure characteristics	999
Md. Safiuddin, N. Hearn: Comparison of ASTM saturation techniques for measuring the permeable porosity of concrete	1008
S. Diamond: The patch microstructure in concrete: effect of mixing time	1014
A. Demirbaş: A discussion of the paper “Study on the pozzolanic properties of rice husk ash by hydrochloric acid pretreatment” by Q. Feng, H. Yamamichi, M. Shoya, S. Sugita	1017
Q. Feng, S. Sugita, M. Shoya, H. Yamamichi: Reply to the discussion by Ayhan Demirbas of the paper “Study on the pozzolanic properties of rice husk ash by hydrochloric acid pretreatment”	1018
H. Ün: A discussion of the paper “Use of zeolite, coal bottom ash and fly ash as replacement materials in cement production” by F. Canpolat, K. Yilmaz, M.M. Köse, M. Sümer, M.A. Yurdusev [Cem. Concr. Res. 34 (5) (2004) 731–735]	1020
F. Canpolat, M.A. Yurdusev, K. Yilmaz, M.M. Kose, M. Sumer: A reply to the discussion by H. Un of the paper “Use of zeolite, coal bottom ash and fly ash as replacement materials in cement production” [Cem. Concr. Res. 34 (5) (2004) 731–735]	1022

NEWS ITEMS	1024
GUIDE FOR AUTHORS	1025
2005	Volume 35, Number 6
	June
PAPERS	
D. Lee, G. Swarbrick, T.D. Waite: Effect of calcite on lead-rich cementitious solid waste forms	1027
W.-J. Huang, S.-C. Chu: Coleaching behavior of lead of incineration ash waste mixtures	1038
S. Asavapisit, S. Naksrichum, N. Harnwajanawong: Strength, leachability and microstructure characteristics of cement-based solidified plating sludge	1042
M. Penpolcharoen: Utilization of secondary lead slag as construction material	1050
Q. Yu, S. Nagataki, J. Lin, T. Saeki, M. Hisada: The leachability of heavy metals in hardened fly ash cement and cement-solidified fly ash	1056
A. Yagüe, S. Valls, E. Vázquez, F. Albareda: Durability of concrete with addition of dry sludge from waste water treatment plants	1064
K.L. Lin, K.Y. Chiang, C.Y. Lin: Hydration characteristics of waste sludge ash that is reused in eco-cement clinkers	1074
R. Boncukcuoğlu, O. İçelli, S. Erzenoğlu, M. Muhtar Kocakerim: Comparison of radioactive transmission and mechanical properties of Portland cement and a modified cement with trommel sieve waste	1082
C. Berryman, J. Zhu, W. Jensen, M. Tadros: High-percentage replacement of cement with fly ash for reinforced concrete pipe	1088
P. Lawrence, M. Cyr, E. Ringot: Mineral admixtures in mortars effect of type, amount and fineness of fine constituents on compressive strength	1092
L. Turanlı, B. Uzal, F. Bektas: Effect of large amounts of natural pozzolan addition on properties of blended cements	1106
C. Duran Atiş: Strength properties of high-volume fly ash roller compacted and workable concrete, and influence of curing condition	1112
H. Yazıcı, S. Aydın, H. Yiğiter, B. Baradan: Effect of steam curing on class C high-volume fly ash concrete mixtures	1122
G. Li, X. Wu: Influence of fly ash and its mean particle size on certain engineering properties of cement composite mortars	1128
E. Sakai, S. Miyahara, S. Ohsawa, S.-H. Lee, M. Daimon: Hydration of fly ash cement	1135
K.M.A. Hossain: Volcanic ash and pumice as cement additives: pozzolanic, alkali-silica reaction and autoclave expansion characteristics	1141
J. Tangpagasit, R. Cheerarot, C. Jaturapitakkul, K. Kiattikomol: Packing effect and pozzolanic reaction of fly ash in mortar	1145
R.I. Malek, Z.H. Khalil, S.S. Imbaby, D.M. Roy: The contribution of class-F fly ash to the strength of cementitious mixtures	1152
I. Pane, W. Hansen: Investigation of blended cement hydration by isothermal calorimetry and thermal analysis	1155
A. Oner, S. Akyuz, R. Yildiz: An experimental study on strength development of concrete containing fly ash and optimum usage of fly ash in concrete	1165

M. Bédérina, M.M. Khenfer, R.M. Dheilly, M. Quéneudec: Reuse of local sand: effect of limestone filler proportion on the rheological and mechanical properties of different sand concretes	1172
V.W.Y. Tam, X.F. Gao, C.M. Tam: Carbonation around near aggregate regions of old hardened concrete cement paste	1180
J. Xiao, J. Li, Ch. Zhang: Mechanical properties of recycled aggregate concrete under uniaxial loading	1187
V.W.Y. Tam, X.F. Gao, C.M. Tam: Microstructural analysis of recycled aggregate concrete produced from two-stage mixing approach	1195
A. Fernández-Jiménez, A. Palomo, M. Criado: Microstructure development of alkali-activated fly ash cement: a descriptive model	1204
J.M. Miranda, A. Fernández-Jiménez, J.A. González, A. Palomo: Corrosion resistance in activated fly ash mortars	1210
D. Saradhi Babu, K. Ganesh Babu, T.H. Wee: Properties of lightweight expanded polystyrene aggregate concretes containing fly ash	1218
T. Bakharev: Geopolymeric materials prepared using Class F fly ash and elevated temperature curing	1224
T. Bakharev: Durability of geopolymer materials in sodium and magnesium sulfate solutions	1233
NEWS ITEMS	1247
GUIDE FOR AUTHORS	1249

2005

Volume 35, Number 7

July

PAPERS

M. Davraz, L. Gunduz: Engineering properties of amorphous silica as a new natural pozzolan for use in concrete	1251
P.J. Tumidajski: Relationship between resistivity, diffusivity and microstructural descriptors for mortars with silica fume	1262
R. Talero: Performance of metakaolin and Portland cements in ettringite formation as determined by ASTM C 452-68: kinetic and morphological differences	1269
V. Rahhal, R. Talero: Early hydration of portland cement with crystalline mineral additions	1285
M.F. Rojas, M.I. Sánchez de Rojas: Influence of metastable hydrated phases on the pore size distribution and degree of hydration of MK-blended cements cured at 60 °C	1292
J.M. Gao, C.X. Qian, H.F. Liu, B. Wang, L. Li: ITZ microstructure of concrete containing GGBS	1299
Y.-j. Kwon: A study on the alkali-aggregate reaction in high-strength concrete with particular respect to the ground granulated blast-furnace slag effect	1305
S.T. Lee, H.Y. Moon, R.D. Hooton, J.P. Kim: Effect of solution concentrations and replacement levels of metakaolin on the resistance of mortars exposed to magnesium sulfate solutions	1314
M.F. Carrasco, G. Menéndez, V. Bonavetti, E.F. Irassar: Strength optimization of "tailor-made cement" with limestone filler and blast furnace slag	1324
E. Ganjian, H.S. Pouya: Effect of magnesium and sulfate ions on durability of silica fume blended mixes exposed to the seawater tidal zone	1332
W. Fu-sheng, S. Rui-lian, C. Ying-jing: Study on modification of the high-strength slag cement material	1344

N.Y. Mostafa: Influence of air-cooled slag on physicochemical properties of autoclaved aerated concrete	1349
M. Palacios, F. Puertas: Effect of superplasticizer and shrinkage-reducing admixtures on alkali-activated slag pastes and mortars	1358
A. Elsharief, M.D. Cohen, J. Olek: Influence of lightweight aggregate on the microstructure and durability of mortar	1368
S. Zhang, M. Zhang: Application of petrography for determining the quality of concrete cured in tropical environment	1377
X.-S. Wang, B.-S. Wu, Q.-Y. Wang: Online SEM investigation of microcrack characteristics of concretes at various temperatures	1385
K.Y. Yeau, E.K. Kim: An experimental study on corrosion resistance of concrete with ground granulate blast-furnace slag	1391
D.R. Gardner, R.J. Lark, B. Barr: Effect of conditioning temperature on the strength and permeability of normal- and high-strength concrete	1400
B. Erlin, B. Mather: A new process by which cyclic freezing can damage concrete—the Erlin/mather effect a concept	1407
J. Liu, C. Vipulanandan: Tensile bonding strength of epoxy coatings to concrete substrate	1412
J. Sim, H. Oh: Structural improvement of strengthened deck panels with externally bonded plates	1420
B. Wu, X.-j. Huang, J.-z. Lu: Biaxial compression in carbon-fiber-reinforced mortar, sensed by electrical resistance measurement	1430
K.-E. Peiponen: Multiply subtractive Kramers-Kronig relations for impedance function of concrete	1435
M. Heikal, M.S. Morsy, M.M. Radwan: Electrical conductivity and phase composition of calcium aluminate cement containing air-cooled and water-cooled slag at 20, 40 and 60 °C	1438
F. Vodák, K. Trtík, V. Sopko, O. Kapičková, P. Demo: Effect of γ -irradiation on strength of concrete for nuclear-safety structures	1447
BOOK REVIEW	
D.M. Roy: Structure and performance of cements	1452
NEWS ITEMS	1453
NOTES FOR AUTHORS	1455

PAPERS

W. Zhu, J.C. Gibbs: Use of different limestone and chalk powders in self-compacting concrete	1457
L. Du, K.J. Folliard: Mechanisms of air entrainment in concrete	1463
K.S. Al-Jabri, A.W. Hago, A.S. Al-Nuaimi, A.H. Al-Saidy: Concrete blocks for thermal insulation in hot climate	1472
X. Lingling, D. Min: Dolomite used as raw material to produce MgO-based expansive agent	1480
Z.-T. Chang, X.-J. Song, R. Munn, M. Marosszeky: Using limestone aggregates and different cements for enhancing resistance of concrete to sulphuric acid attack	1486

I. Kadashevich, H.-J. Schneider, D. Stoyan: Statistical modeling of the geometrical structure of the system of artificial air pores in autoclaved aerated concrete	1495
J.-S. Huang, J.-Y. Lin, M.-J. Jang: Stress relaxation of foamed high-alumina cement paste	1503
A. Çolak: Properties of plain and latex modified Portland cement pastes and concretes with and without superplasticizer	1510
J. Assaad, K.H. Khayat: Kinetics of formwork pressure drop of self-consolidating concrete containing various types and contents of binder	1522
F. Demir: A new way of prediction elastic modulus of normal and high strength concrete—fuzzy logic	1531
Z. Jiang, Z. Sun, P. Wang: Autogenous relative humidity change and autogenous shrinkage of high-performance cement pastes	1539
P.S. Song, S. Hwang, B.C. Sheu: Strength properties of nylon- and polypropylene-fiber-reinforced concretes	1546
T. Sebök, J. Krejčí, A. Musil, J. Šimoník: A contribution to the explanation of the action principles of organic plasticizers	1551
S. Sánchez-Moral, L. Luque, J.-C. Cañaveras, V. Soler, J. Garcia-Guinea, A. Aparicio: Limepozzolana mortars in Roman catacombs: composition, structures and restoration	1555
R.C.K. Wong, K.T. Chau: Estimation of air void and aggregate spatial distributions in concrete under uniaxial compression using computer tomography scanning	1566
P. Maravelaki-Kalaitzaki, A. Bakolas, I. Karatasios, V. Kilikoglou: Hydraulic lime mortars for the restoration of historic masonry in Crete	1577
Y. Choi, R.L. Yuan: Experimental relationship between splitting tensile strength and compressive strength of GFRC and PFRC	1587
M. Abd El.Aziz, S. Abd El.Aleem, M. Heikal, H. El. Didamony: Hydration and durability of sulphate-resisting and slag cement blends in Caron's Lake water	1592
M.M. Radwan, M. Heikal: Hydration characteristics of tricalcium aluminate phase in mixes containing β -hemihydrate and phosphogypsum	1601
L. Du, X. Chen, B. Liao: Dynamic model of temperature rise caused by cementitious materials hydration	1609
N. Marinoni, A. Pavese, M. Foi, L. Trombino: Characterisation of mortar morphology in thin sections by digital image processing	1613
S.P. Newman, S.J. Clifford, P.V. Coveney, V. Gupta, J.D. Blanchard, F. Serafin, D. Ben-Amotz, S. Diamond: Anomalous fluorescence in near-infrared Raman spectroscopy of cementitious materials	1620
J.M.R. Fernlund: Image analysis method for determining 3-D shape of coarse aggregate	1629
E.A. Kishar: Hydration reaction of tricalciumaluminate in different systems	1638
R. Nilica, H. Harmuth: Mechanical and fracture mechanical characterization of building materials used for external thermal insulation composite systems	1641
B.J. Mohr, H. Nanko, K.E. Kurtis: Durability of thermomechanical pulp fiber-cement composites to wet/dry cycling	1646
NEWS ITEMS	1650
NOTES FOR AUTHORS	I

PAPERS

- N. Banthia, A. Biparva, S. Mindess:** Permeability of concrete under stress **1651**
- N. Roussel:** Steady and transient flow behaviour of fresh cement pastes **1656**
- A. Stumm, K. Garbev, G. Beuchle, L. Black, P. Stemmermann, R. Nüesch:** Incorporation of zinc into calcium silicate hydrates, Part I: formation of C-S-H(I) with C/S=2/3 and its isochemical counterpart gyrolite **1665**
- K.-B. Park, T. Noguchi, J. Plawsky:** Modeling of hydration reactions using neural networks to predict the average properties of cement paste **1676**
- X. Liu, Y. Li:** Effect of MgO on the composition and properties of alite-sulphoaluminate cement **1685**
- C.K. Yip, G.C. Lukey, J.S.J. van Deventer:** The coexistence of geopolymeric gel and calcium silicate hydrate at the early stage of alkaline activation **1688**
- M.T. Blanco-Varela, S. Martínez-Ramírez, T. Vázquez, S. Sánchez-Moral:** Role of alkalis of aggregate origin in the deterioration of CAC concrete **1698**
- U. Schneider, S.-W. Chen:** Deterioration of high-performance concrete subjected to attack by the combination of ammonium nitrate solution and flexure stress **1705**
- A. Douche-Portanguen, W. Prince, B. Malric, G. Arliguie:** Study of interactions between sodium monofluorophosphate and hardened cement paste and their consequences on concrete transfer properties **1714**
- B. Pradhan, M. Nagesh, B. Bhattacharjee:** Prediction of the hydraulic diffusivity from pore size distribution of concrete **1724**
- E. Rigo, F. Schmidt-Döhl, M. Krauß, H. Budelmann:** Transreac: a model for the calculation of combined chemical reactions and transport processes and its extension to a probabilistic model **1734**
- D.A. Silva, A.M. Betioli, P.J.P. Gleize, H.R. Roman, L.A. Gómez, J.L.D. Ribeiro:** Degradation of recycled PET fibers in Portland cement-based materials **1741**
- C.-G. Han, Y.-S. Hwang, S.-H. Yang, N. Gowripalan:** Performance of spalling resistance of high performance concrete with polypropylene fiber contents and lateral confinement **1747**
- C. Vipulanandan, J. Liu:** Performance of polyurethane-coated concrete in sewer environment **1754**
- K. Haga, S. Sutou, M. Hironaga, S. Tanaka, S. Nagasaki:** Effects of porosity on leaching of Ca from hardened ordinary Portland cement paste **1764**
- P.G. Bocca, P. Antonaci:** Experimental study for the evaluation of creep in concrete through thermal measurements **1776**
- N. Quanlin, F. Naiqian:** Effect of modified zeolite on the expansion of alkaline silica reaction **1784**
- X. Feng, M.D.A. Thomas, T.W. Bremner, B.J. Balcom, K.J. Folliard:** Studies on lithium salts to mitigate ASR-induced expansion in new concrete: a critical review **1789**
- J.M. Loche, A. Ammar, P. Dumargue:** Influence of the migration of chloride ions on the electrochemical impedance spectroscopy of mortar paste **1797**
- G. Trabanelli, C. Monticelli, V. Grassi, A. Frignani:** Electrochemical study on inhibitors of rebar corrosion in carbonated concrete **1804**
- Z.-T. Park, Y.-S. Choi, J.-G. Kim, L. Chung:** Development of a galvanic sensor system for detecting the corrosion damage of the steel embedded in concrete structure: Part 2. Laboratory electrochemical testing of sensors in concrete **1814**

K. Sakr: Effect of cement type on the corrosion of reinforcing steel bars exposed to acidic media using electrochemical techniques	1820
M.-T. Liang, W.-L. Jin, R.-J. Yang, N.-M. Huang: Predeterminate model of corrosion rate of steel in concrete	1827
M.I. Safawi, I. Iwaki, T. Miura: A study on the applicability of vibration in fresh high fluidity concrete	1834
S.B. Park, D.S. Seo, J. Lee: Studies on the sound absorption characteristics of porous concrete based on the content of recycled aggregate and target void ratio	1846
X. Zhang, J. Han: Analytic methods and theory of quantitative stereology for the determination of concrete proportioning in structural components	1855
L. Gündüz, İ. Uğur: The effects of different fine and coarse pumice aggregate/cement ratios on the structural concrete properties without using any admixtures	1859
DISCUSSIONS	
S. Chatterji: A discussion of the papers "A novel method for describing chloride ion transport due to an electrical gradient in concrete: Part 1 and Part 2" by K. Stanish, R.D. Hooton, M.D.A. Thomas	1865
P.E. Grattan-Bellew: Discussion of paper "Alkali–aggregate reaction in concrete containing high-alkali cement and granite aggregate" by Z. Owsiak	1868
NEWS ITEMS	1870
GUIDE FOR AUTHORS	I

2005

Volume 35, Number 10

October

PAPERS

S. Jarny, N. Roussel, S. Rodts, F. Bertrand, R. Le Roy, P. Coussot: Rheological behavior of cement pastes from MRI velocimetry	1873
T.M. Vickers Jr., S.A. Farrington, J.R. Bury, L.E. Brower: Influence of dispersant structure and mixing speed on concrete slump retention	1882
Z. Toutou, N. Roussel, C. Lanos: The squeezing test: a tool to identify firm cement-based material's rheological behaviour and evaluate their extrusion ability	1891
V. Fernandes, L. Silva, V.M. Ferreira, J.A. Labrincha: Influence of the kneading water content in the behaviour of single-coat mortars	1900
R. Abbasnia, P. Godossi, J. Ahmadi: Prediction of restrained shrinkage based on restraint factors in patching repair mortar	1909
T. Saeki, P.J.M. Monteiro: A model to predict the amount of calcium hydroxide in concrete containing mineral admixtures	1914
H.J.H. Brouwers: The work of Powers and Brownyard revisited: Part 2	1922
M. Lion, F. Skoczylas, Z. Lafhaj, M. Sersar: Experimental study on a mortar. Temperature effects on porosity and permeability. Residual properties or direct measurements under temperature	1937
T. Ji: Preliminary study on the water permeability and microstructure of concrete incorporating nano-SiO ₂	1943
C.-J. Haecker, E.J. Garboczi, J.W. Bullard, R.B. Bohn, Z. Sun, S.P. Shah, T. Voigt: Modeling the linear elastic properties of Portland cement paste	1948
S.-T. Yi, Y.-H. Moon, J.-K. Kim: Long-term strength prediction of concrete with curing temperature	1961

J. Ortiz, A. Aguado, L. Agulló, T. García: Influence of environmental temperatures on the concrete compressive strength: Simulation of hot and cold weather conditions	1970
P. Ghosh, S. Mandal, B.D. Chattopadhyay, S. Pal: Use of microorganism to improve the strength of cement mortar	1980
A. Fernández-Jiménez, A. Palomo: Composition and microstructure of alkali activated fly ash binder: Effect of the activator	1984
P.S.L. Souza, D.C.C. Dal Molin: Viability of using calcined clays, from industrial by-products, as pozzolans of high reactivity	1993
K.-L. Lin, C.-Y. Lin: Hydration characteristics of waste sludge ash utilized as raw cement material	1999
B. Huang, X. Shu, G. Li: Laboratory investigation of portland cement concrete containing recycled asphalt pavements	2008
F. Bektas, L. Turanli, P.J.M. Monteiro: Use of perlite powder to suppress the alkali–silica reaction	2014
F. Frizon, S. Lorente, C. Auzuech: Nuclear decontamination of cementitious materials by electrokinetics: An experimental study	2018
D.A. Silva, P.J.M. Monteiro: Analysis of C_3A hydration using soft X-rays transmission microscopy: Effect of EVA copolymer	2026
J. Boguszynska, M.C.A. Brown, P.J. McDonald, J. Mitchell, M. Mulheron, J. Tritt-Goc, D.A. Verganelakis: Magnetic resonance studies of cement based materials in inhomogeneous magnetic fields	2033
D. Zalocha, J. Kasperkiewicz: Estimation of the structure of air entrained concrete using a flatbed scanner	2041
COMMUNICATIONS	
D.A. Silva, P.J.M. Monteiro: ESEM analysis of polymeric film in EVA-modified cement paste	2047
DISCUSSIONS	
Z. Owsiak: Reply to the discussion by P.E. Grattan-Bellew of the review paper "Alkali–aggregate reaction in concrete containing high alkali cement and granite aggregate"	2051
NEWS ITEMS	2052
GUIDE FOR AUTHORS	I

PAPERS

M.J. Varas, M. Alvarez de Buergo, R. Fort: Natural cement as the precursor of Portland cement: Methodology for its identification	2055
P.E. Tsakiridis, S. Agatzini-Leonardou, P. Oustadakis, M. Katsioti, E. Mauridou: Examination of the jarosite–alunite precipitate addition in the raw meal for the production of portland cement clinker	2066
My.Y. Benarchid, J. Rogez: The effect of Cr_2O_3 and P_2O_5 additions on the phase transformations during the formation of calcium sulfoaluminate $C_4A_3\bar{S}$	2074
P. Boustingorry, P. Grosseau, R. Guyonnet, B. Guilhot: The influence of wood aqueous extractives on the hydration kinetics of plaster	2081
N. De Belie, C.U. Grosse, J. Kurz, H.-W. Reinhardt: Ultrasound monitoring of the influence of different accelerating admixtures and cement types for shotcrete on setting and hardening behaviour	2087

C. Negro, A. Blanco, E. Fuente, L.M. Sánchez, J. Tijero: Influence of flocculant molecular weight and anionic charge on flocculation behaviour and on the manufacture of fibre cement composites by the Hatschek process	2095
C. Negro, L.M. Sánchez, H. Fuente, A. Blanco: Effects of flocculants and sizing agents on bending strength of fiber cement composites	2104
P.-H. Shih, J.-E. Chang, H.-C. Lu, L.-C. Chiang: Reuse of heavy metal-containing sludges in cement production	2110
H.J.H. Brouwers, H.J. Radix: Self-Compacting Concrete: Theoretical and experimental study	2116
M. Frías, E. Villar-Cociña, M.I. Sánchez de Rojas, E. Valencia-Morales: The effect that different pozzolanic activity methods has on the kinetic constants of the pozzolanic reaction in sugar cane straw-clay ash/lime systems: Application of a kinetic–diffusive model	2137
D. Lee, T.D. Waite, G. Swarbrick, S. Lee: Comparison of solidification/stabilization effects of calcite between Australian and South Korean cements	2143
M. Saafi, P. Romine: Preliminary evaluation of MEMS devices for early age concrete property monitoring	2158
K. Ramyar, A. Topal, Ö. Andiç: Effects of aggregate size and angularity on alkali–silica reaction	2165
J.O. Odigure: Chemical evaluation of cement-based sandcrete wall deterioration	2170
E.-I. Yang, S.-T. Yi, Y.-M. Leem: Effect of oyster shell substituted for fine aggregate on concrete characteristics: Part I. Fundamental properties	2175
B. Chen, J. Liu, K. Wu: Electrical responses of carbon fiber reinforced cementitious composites to monotonic and cyclic loading	2183
A. Noumowe: Mechanical properties and microstructure of high strength concrete containing polypropylene fibres exposed to temperatures up to 200 °C	2192
İ.B. Topçu: Alternative estimation of the modulus of elasticity for dam concrete	2199
K. Bhargava, A.K. Ghosh, Y. Mori, S. Ramanujam: Modeling of time to corrosion-induced cover cracking in reinforced concrete structures	2203
OBITUARY	2219
NEWS ITEMS	2221
GUIDE FOR AUTHORS	I

PAPERS

S.L. Colston, P. Barnes, A.C. Jupe, S.D.M. Jacques, C. Hall, P. Livesey, J. Dransfield, N. Meller, G.C. Maitland: An in situ synchrotron energy-dispersive diffraction study of the hydration of oilwell cement systems under high temperature/autoclave conditions up to 130 °C	2223
J. Rottstegge, M. Arnold, L. Herschke, G. Glasser, M. Wilhelm, H.W. Spiess, W.D. Hergeth: Solid state NMR and LVSEM studies on the hardening of latex modified tile mortar systems	2233
C. Maltese, C. Pistolesi, A. Lolli, A. Bravo, T. Cerulli, D. Salvioni: Combined effect of expansive and shrinkage reducing admixtures to obtain stable and durable mortars	2244
L. Zhang, F.P. Glasser: Investigation of the microstructure and carbonation of C ₃ A-based concretes removed from service	2252

S. Peysson, J. Péra, M. Chabannet: Immobilization of heavy metals by calcium sulfoaluminate cement	2261
S. Tada, K. Watanabe: Dynamic determination of sorption isotherm of cement based materials	2271
G. Cultrone, E. Sebastián, M.O. Huertas: Forced and natural carbonation of lime-based mortars with and without additives: Mineralogical and textural changes	2278
A.-M. Poppe, G. De Schutter: Cement hydration in the presence of high filler contents	2290
T.R. Jensen, A.N. Christensen, J.C. Hanson: Hydrothermal transformation of the calcium aluminum oxide hydrates $\text{CaAl}_2\text{O}_4 \cdot 10\text{H}_2\text{O}$ and $\text{Ca}_2\text{Al}_2\text{O}_5 \cdot 8\text{H}_2\text{O}$ to $\text{Ca}_3\text{Al}_2(\text{OH})_{12}$ investigated by in situ synchrotron X-ray powder diffraction	2300
C. Evju, S. Hansen: The kinetics of ettringite formation and dilatation in a blended cement with β -hemihydrate and anhydrite as calcium sulfate	2310
G. Laforest, J. Duchesne: Immobilization of chromium (VI) evaluated by binding isotherms for ground granulated blast furnace slag and ordinary Portland cement	2322
R.E. Beddoe, H.W. Dorner: Modelling acid attack on concrete: Part I. The essential mechanisms	2333
J. Zelić: Properties of concrete pavements prepared with ferrochromium slag as concrete aggregate	2340
M.C. Nataraja, T.S. Nagaraj, S.B. Basavaraja: Reproportioning of steel fibre reinforced concrete mixes and their impact resistance	2350
Y. Quanbing, Z. Beirong: Effect of steel fiber on the deicer-scaling resistance of concrete	2360
F. Beltzung, F.H. Wittmann: Role of disjoining pressure in cement based materials	2364
S. Arnold, P. Fleming, S. Austin, P. Robins: A test method and deterioration model for joints and cracks in concrete slabs	2371
NEWS ITEMS	2384
GUIDE FOR AUTHORS	I
INDEX TO VOLUME 35	III
AUTHOR INDEX	XIX
KEYWORD INDEX	XXIV