

## Keyword Index

- Acceleration, 19, 2087
- Acid attack, 658, 2333
- Acoustic emission, 284
- Admixture, 19, 371, 703, 874, 891, 1088, 1251, 1344, 1457, 1551, 2087
- Admixtures, 631, 796, 1358
- Adsorption, 527, 1463, 1551, 1714
- Aggregate, 358, 590, 1251, 1305, 1368, 1555, 1859, 2340
- Aggregate size, 2165
- Aggregates, 1629
- Aging, 1909
- A: Humidity, 2271
- Air content, 1463
- Air-cooled slag, 1349, 1438
- Air-entraining admixture, 936, 1463
- Air-void structure, 2360
- Air voids, 2041
- Alinite, 248
- Alite-sulphoaluminate cement, 1685
- Alkali, 457
- Alkali activate cement, 1344
- Alkali activated cements, 1358
- Alkali activation, 1204, 1210, 1984
- Alkali sorption, 77
- Alkali-activated cement, 658, 968, 1224, 1233
- Alkali-aggregate reaction, 67, 1305, 2014
- Alkali-aggregate reaction, 494, 499, 505, 987, 1106
- Alkali aggregate reaction, 2165
- Alkalies, 203
- Alkaline hydrolysis, 1698
- Alkalis, 277
- Alkali-silica reaction, 1141
- Alkali-silica reaction, 226
- Alkali-silica reaction (ASR), 1789
- Alteration, 943
- Aluminate, 1922
- Aluminium substitution, 51
- Amorphous material, 1665
- Amorphous materials, 1688
- Amorphous silica, 1251
- Angularity, 2165
- Anhydrite, 623
- Antifungal effect, 371
- Ash, 796
- ASR gel, 494
- ASTM Type I and ASTM Type V cement, 1391
- Atomic force microscope (AFM), 133
- Autoclave expansion, 1141
- Autogenous deformation, 464
- Autogenous shrinkage, 177, 449, 473, 1539
- Autogenous swelling, 177
- Backscattered electron imaging, 494, 513, 1014
- Basalt, 505
- Basicity, 1135
- Belite, 2055
- Bending and compressive strength, 836, 1900
- Bending properties, 2104
- Bending strength, 27, 2095
- Benzoate derivative, 1804
- Biaxial compression, 1430
- Binder, 1522
- Blended cement, 680, 1106, 1324
- Blended cements, 185, 315, 1155
- Bond strength, 748, 1128, 1641, 1754
- Bonding, 1412
- Borogypsum, 711
- Boron wastes, 1082
- Bridge deck, 999
- C: Adsorption, 2271
- C: Carbonation, 1804
- C: Corrosion, 1804
- C: Diffusion, 2271
- C3A, 1820
- C<sub>3</sub>ASH<sub>4</sub>, 1152
- C<sub>4</sub>AH<sub>13</sub>, 1152
- Ca (OH)<sub>2</sub>, 1914
- Ca<sub>2</sub>SiO<sub>4</sub>, 1620
- Ca<sub>3</sub>Al<sub>2</sub>O<sub>6</sub>, 2026
- Ca<sub>3</sub>SiO<sub>5</sub>, 19, 1620, 2110
- CaCO<sub>3</sub>, 1027, 1555, 2074, 2143, 2278
- CaCO<sub>3</sub> filler, 647, 1457
- Calcination, 782
- Calcined clay, 1993
- Calcium aluminate cement, 1438, 1698, 2300
- Calcium aluminate cements, 641
- Calcium oxide, 2244
- Calcium silicate hydrate (C-S-H), 1665
- Calcium-silicate hydrate, 2364
- Calcium-silicate-hydrate, 1764
- Calcium-silicate-hydrate, 248, 1688
- Calcium-silicate-hydrate (C-S-H), 1165
- Calcium-Silicate-Hydrate (C-S-H), 1943
- Calcium silicate hydrates (CSH), 1999
- Calcium sulfoaluminate cement, 2252, 2261
- Calorimetry, 256, 719, 1285, 1551, 2074
- CaO, 1038
- Ca(OH)<sub>2</sub>, 199, 647, 994, 1555, 1943, 2278
- Carbon fiber reinforced cementitious composites (CFRCC), 2183
- Carbon fibers, 1430
- Carbon fibres, 324

- Carbonation, 377, 540, 647, 958, 1064, 1180, 1698, 1827, 2252, 2278
- Carboxymethylation, 883
- CaSO<sub>4</sub>, 994
- Cellulose, 883
- Cement, 3, 133, 301, 457, 520, 609, 711, 974, 1027, 1056, 1082, 1305, 1609, 1646, 1820, 1999, 2087
- Cement additive, 1141
- Cement clinker, 400
- Cement composite, 27
- Cement hydration, 177
- Cement kiln dust, 968
- Cement manufacture, 431
- Cement matrix, 296
- Cement paste, 77, 167, 233, 351, 377, 810, 817, 823, 891, 943, 1014, 1180, 1503, 1510, 1539, 1656, 1873, 1891, 2033, 2047, 2233
- Cement paste D, 2041
- Cement-based materials, 2018
- Cement/pozzolan composite, 637
- Ceramic fiber, 296
- Chaos theory, 3
- Characterisation, 951
- Characterization, 51, 57, 836, 1038, 1385, 1641, 1900, 2066, 2340
- Chemical environment, 332
- Chemical evaluation, 2170
- Chemical shrinkage, 177
- Chloride, 248, 344, 431, 562, 1814
- Chloride binding, 117
- Chlorides, 551
- Chromium, 2322
- Clinker, 438, 974, 1999
- CO<sub>2</sub> emission, 974
- Coal fly ash, 987
- Coating, 1412
- Cold weather, 1970
- Compatibility, 1577
- Composite, 243, 770, 926, 1088, 1641, 1646, 2104
- Composite material models, 2199
- Composition differential, 2170
- Compression, 2183
- Compressive strength, 11, 27, 185, 301, 400, 405, 412, 499, 578, 688, 696, 776, 782, 926, 979, 994, 1050, 1074, 1088, 1092, 1106, 1122, 1128, 1165, 1195, 1218, 1324, 1349, 1400, 1510, 1531, 1577, 1587, 1859, 1961, 1980, 2066, 2143, 2175, 2192
- Compressive strength and workability, 2350
- Compressive strength (C), 1970
- Concentration, 1827
- Concrete, 3, 99, 203, 267, 284, 393, 405, 445, 483, 551, 562, 584, 590, 743, 748, 758, 867, 931, 951, 1008, 1112, 1187, 1251, 1332, 1377, 1400, 1412, 1435, 1447, 1472, 1486, 1510, 1531, 1546, 1566, 1651, 1754, 1776, 1789, 1814, 1855, 1859, 1882, 1909, 1943, 1961, 2008, 2199, 2340, 2360, 2371
- Concrete bridge deck, 1420
- Concrete (E), 1970
- Concrete E, 2041
- Conditioning, 1400
- Construction, 1195
- Corrosion, 226, 277, 284, 324, 520, 540, 551, 562, 572, 584, 958, 1210, 1705, 1714, 1814, 1820, 2333
- Corrosion rate, 1827
- Corrosion resistance, 1391
- Crack detection, 284
- Crack formation, 2170
- Creep, 1776
- Crushed quartz, 1092
- Crystal size, 1555
- Crystal structure, 51, 199, 1665
- Cs, 77
- C-S-H, 351, 609
- Curing, 405, 464, 1112, 1377, 1555, 1961, 2033, 2158
- Cycles, 1776, 2371
- D. Admixture, 1804
- D: Cement paste, 2271
- Degradation, 141, 540, 958, 1741, 1764, 2371
- Degree of hydration, 719
- Deicer-scaling resistance, 2360
- Delayed ettringite formation, 125
- Delayed ettringite formation (DEF), 332
- Deterioration, 2170
- DFT, 199
- Diffusion, 141, 213, 520, 951, 1262, 1764, 1797, 1827, 2137
- Diffusivity, 1724
- Digital image processing, 1613
- Disjoining pressure, 2364
- Dispersing agent, 883
- Dispersion, 133, 891
- Dissolution, 943
- Dolomite, 1480
- Drying, 483, 2047
- Drying shrinkage, 449, 918
- DTA, 1155
- Durability, 226, 296, 344, 658, 731, 958, 1064, 1233, 1332, 1368, 1510, 1592, 1646, 1705, 1734, 1827, 2333, 2371
- Dynamic model, 1609
- E. Fibre reinforcement, 572
- Early age, 449
- Early strength, 758
- Early-age cracking, 457
- Eco-cement, 1074
- EDS, 248
- EDS analysis, 109
- EDX, 671
- Efficiency factor, 696, 1112
- Efflorescence, 731
- Elastic moduli, 199, 412, 1566, 1948
- Elastic modulus, 11, 483, 1531, 2175
- Electrical properties, 680, 810, 1262, 1430
- Electrical properties and microstructure, 1438
- Electrical resistance, 2183
- Electrochemical, 1820
- Electrochemical impedance spectroscopy, 1804
- Electrochemical properties, 344
- Electrokinetics, 2018
- Electronic microprobe, 155
- Epoxy, 1412
- Ettringite, 99, 332, 473, 2261, 2310
- Ettringite formation, 1638
- Ettringites, 1269
- EVA copolymer, 351
- Evaluation, 445
- Expanded polystyrene, 1218
- Expansion, 57, 67, 494, 540, 731, 763, 1305, 1314, 1480, 2244, 2310
- Expansive admixture, 2244
- Fatigue, 2371
- Fatty acids, 400
- Ferrite, 1922
- Ferrochromium slag, 2340
- Fiber, 913
- Fiber reinforced polymer plastic, 1420
- Fiber reinforced polymers, 999
- Fiber reinforcement, 27, 67, 364, 384, 393, 788, 810, 1546, 1646, 2104
- Fiber surface treatments, 2104
- Fibre reinforcement, 2350
- Fibre-reinforcement, 2095
- Filler, 842, 1285, 1324, 2290

- Fine recycled aggregate, 763  
 Fineness, 987, 1092  
 Fire, 609  
 Flexural strength, 499  
 Flexural behavior, 788  
 Flocculation, 2095  
 Fluidity, 703  
 Fluorescence, 1620  
 Fly ash, 315, 473, 711, 974, 994, 1038, 1056, 1088, 1092, 1122, 1128, 1135, 1145, 1152, 1165, 1204, 1210, 1218, 1224, 1233, 1486, 1914, 1984,  
 Fly Ash, 658  
 Foaming reactions, 803  
 Formation rates, 1269  
 Fracture toughness, 220, 243  
 Freezing and thawing, 203, 213, 671  
 Fresh concrete, 256, 464, 817, 831, 1014, 1834, 2175  
 FTIR, 1741  
 Fuzzy logic, 1531  
  
 Galvanic sensor system, 1814  
 Gasification, 796  
 Gel structures, 85  
 GFRC, 1587  
 Glass content, 1135  
 Glass powder, 987  
 Glue–capacity ratio, 931  
 Granulated blast furnace slag, 578, 1332, 2322  
 Granulated blast-furnace slag, 776, 842, 926, 1299, 1305, 1324, 1688, 1914  
 Grinding, 315, 400, 782  
 Ground granulate blast-furnace slag, 1391  
 Gypsum, 99, 527, 1314  
 Gypsum attack, 1269  
  
 Heat of hydration, 125  
 Heat treatment, 758  
 Heavy metal, 979  
 Heavy metals, 951, 1056, 2110  
 Heterogeneity, 233  
 Heterogeneous nucleation, 719  
 High performance concrete, 1747, 2192  
 High temperature, 1292  
 Highly flowable mortar, 532  
 High-performance concrete, 213, 597, 671, 688, 696, 1385, 1566, 1705  
 High-Performance Concrete, 2116  
 High-range water reducers, 256, 532  
 High-range water-reducers, 867  
 High-reactivity metakaolin, 1993  
 High-strength concrete, 449  
 High-volume fly ash, 1112  
 Homogenization, 141  
 Hot weather, 1970  
 Humidity, 213, 2158  
 Hybrid, 913  
 Hydration, 19, 185, 438, 457, 473, 623, 631, 850, 858, 979, 1074, 1135, 1155, 1285, 1324, 1377, 1609, 1638, 1676, 1914, 1922, 1948, 1999, 2026, 2066, 2081, 2310  
 Hydration degree, 1292  
 Hydration kinetics, 1601  
 Hydration products, 248, 907, 968, 1008, 1224, 1344, 1349, 2192, 2223, 2300  
 Hydration reaction, 2290  
 Hydraulic conductivity, 1724  
 Hydraulic lime mortars, 1577  
 Hydrogarnet, 1152, 2300  
 Hydrothermal, 1349  
  
 Image analysis, 233, 1495, 1629  
 Image analysis B, 2041  
 Impact, 11  
 Impedance, 1435  
 Impedance spectroscopy, 1797  
 Industrial by-products, 1993  
 Infrared microscopy, 2252  
 Interfacial transition zone, 344, 358, 671, 1180, 1368, 1943  
 Interfacial transition zone (ITZ), 1299  
 Ions diffusion, 2170  
 $\gamma$ -irradiation, 1447  
  
 Kinetics, 623, 631, 1676, 2081, 2095, 2137, 2310  
 Kolmogorov–Smirnov test, 393  
 Kramers-Kronig relations, 1435  
  
 Lateral confinement, 1747  
 Lateral pressure, 1522  
 Leaching, 277, 943, 1056, 2261  
 Leaching behaviour, 951  
 Lead, 1027, 1038, 2143  
 Lightweight aggregate, 936  
 Lightweight blocks, 1472  
 Lightweight concrete, 770, 913  
 Limestone aggregates, 1486  
 Limestone filler, 532, 1092  
 Lithium, 494  
 Lithium compounds, 1789  
 Local porosity theory, 233  
 Long term performance, 332  
 Long-term performance, 1705, 1754, 1764, 1961  
 LVSEM, 2233  
  
 Magnesian lime mortars, 1577  
 Magnetic property, 1050  
 Magnetic Resonance Imaging, 1873  
 Marsh cone, 823  
 Masonry mortars, 1128  
 Mass NMR, 1152  
 Maturity, 405, 758  
 Mean particle size, 1128  
 Mechanical properties, 11, 296, 393, 584, 590, 763, 770, 1172, 1187, 1358, 1546, 2116, 2192, 2340, 2350  
 Mechanical property, 900  
 Mechanical strengths, 203  
 Mechanism, 499  
 MEMS sensors, 2158  
 Mercury porosimetry, 1074  
 Metakaolin, 688, 696, 1269, 1314, 1688  
 Metal fabric, 1747  
 Metastable phases, 1292  
 MgO, 133, 1480, 1685  
 MgO–SiO<sub>2</sub>–H<sub>2</sub>O gels, 85  
 MgO–SiO<sub>2</sub>–H<sub>2</sub>O minerals, 85  
 Microcracking, 67, 284, 358, 384, 1385, 1555, 1651  
 Microhardness, 1299  
 Micromechanics, 1503, 1566  
 Microstructure, 19, 35, 226, 315, 351, 364, 513, 776, 803, 858, 1014, 1172, 1204, 1224, 1233, 1676, 1688, 1943, 1948, 1980, 1984, 2026, 2261, 2322  
 Microtomography, 637  
 Migrating corrosion inhibitor, 551  
 Migration, 1797  
 Mineral admixture, 867, 1539  
 Mineral admixtures, 1092  
 Mineralizers, 2074  
 Mineralogy, 377  
 Mix design, 267  
 Mixed mode, 243  
 Mixing hour, 1970  
 Mixture proportioning, 412, 770, 796, 831, 836, 926, 1008, 1855, 1859, 1900, 2116, 2350  
 MK-blended cement, 1292  
 Model, 1204, 1724

- Modeling, 3, 141, 185, 301, 623, 743, 831, 958, 1495, 1676, 1914, 1948, 2203, 2290
- Modelling, 109, 117, 167, 431, 926, 1734, 2333
- Modified zeolite (MZ), 1784
- Modulus of elasticity, 1218, 2199
- Molasses, 874
- Monte Carlo simulation, 1734
- Mortar, 35, 371, 647, 703, 850, 1092, 1145, 1555, 1789, 1797, 1891, 1980, 2233, 2278
- Mortar bars, 2014
- Mortar morphology, 1613
- Mortars, 324, 551
- M-S-H gel, 77
- Natural cement, 2055
- Nitrate, 1705
- NMR, 2033
- No category: nondestructive testing, 858
- Nondestructive testing, 763
- Nonlinear, 3
- Numerical modeling, 520
- Numerical simulation, 858
- Oilwell cement, 2223
- Old mortars, 2055
- Optimum usage, 1165
- Ordinary Portland cement, 2055
- Organic acids, 155
- Organic materials, 2104, 2233
- Oyster shell, 2175
- Packing effect, 1145
- Particle packing, 1495
- Particle shape, 1629
- Particle size distribution, 185, 1629, 2095, 2116
- Paste backfill, 301
- Percolation, 167, 1714
- Performance specification, 918
- Perlite powder, 2014
- Permeability, 57, 167, 412, 788, 1400, 1651, 1891, 1900, 1937, 1943
- PET fiber reinforcement, 1741
- Petrography, 99, 1377, 2278
- PFRC, 1587
- pH, 155, 277
- Phase equilibria, 109, 117
- Phase rule, 109
- Phosphogypsum, 1601
- Physical properties, 590, 823, 836, 1344, 1629, 1641, 1676, 1873, 1900
- Physical property, 900
- Pigment, 703
- Plaster, 2081
- Plastic concrete, 412
- Plating sludge, 1042
- Polycarboxylate dispersant, 1882
- Polycarboxylate type, 867
- Polymer, 680, 2026
- Polymer-modified mortar, 900
- Polymers, 35, 243, 891, 2047
- Polyolefin fiber, 364
- Polypropylene fiber, 1747
- Polyurethane, 1754
- Pore fluids, 77
- Pore size, 1292
- Pore size distribution, 377, 513, 943, 1074, 1262, 1495, 1566, 1724, 1764, 1980, 2033
- Pore solution, 57, 277, 377, 968, 2364
- Pore structure, 637
- Pore water pressure, 1522
- Pore-size distribution, 1577
- Porosity, 167, 1008, 1050, 1447, 1724
- Porous concrete, 1846
- Portland cement, 109, 438, 631, 979, 1741, 1922, 2008, 2066, 2143, 2322
- Portland cements, 1269
- Portlandite, 609
- Positive/negative pressure coefficient effect of resistance, 2183
- Pozzolan, 842, 1106, 1141, 1145, 1155, 1251, 1555
- Pozzolan activity, 782, 1993
- Pozzolan effects, 803
- Pozzolan reactions, 2137
- Pozzolan reactivity, 987
- Pozzolans, 2137
- Prediction equation, 483
- Pull-out strength, 35
- Pullout strength, 384
- Pumice, 936, 1859
- punching shear analysis, 1420
- Pyrite, 99
- Pyrrhotite, 99
- Quantitative stereology, 1855
- Quartz, 315
- Radial pressure, 2203
- Radioactive transmission, 1082
- Radioelement, 2018
- Raman spectroscopy, 1620
- Reaction, 540, 647, 1038, 1609
- Reactivity, 1135
- Recycled aggregate, 1187, 1846
- Recycled aggregate concrete, 1195
- Recycled asphalt, 2008
- Reduction in compressive strength, 1314
- Reinforcement, 562, 1820
- Reinforcement corrosion, 2203
- Reinforcing steel, 1814
- Relative humidity, 1539
- Restraint factor, 1909
- Retardants, 2081
- Retardation, 874
- Retempering, 907
- Rheology, 256, 532, 680, 817, 823, 831, 842, 1551, 1656, 1834, 1873, 1891
- Roller-compacted concrete, 267
- Salt hydration, 731
- Sand concrete, 1172
- Sand-aggregate ratio, 931
- Self-compacting concrete, 1457, 2290
- Self-consolidating concrete, 532, 1522
- Self-desiccation, 177, 1539
- SEM, 35, 99, 364, 499, 505, 900, 1014, 1027, 1042, 1172, 1180, 1299, 1349, 1368, 1385, 1741, 1980, 2047, 2192
- SEM-EDX, 2055
- Setting time, 499, 711, 850
- Sewage sludge ash (SSA), 803
- Shear modulus, 850
- Shotcrete, 788, 2087
- Shrinkage, 203, 445, 457, 464, 483, 513, 763, 788, 913, 1344, 1546, 1909, 2158, 2244, 2364
- Shrinkage prediction model, 918
- Shrinkage reducing admixture, 2244
- Shrinkage-reducing admixture, 445
- <sup>29</sup>Si NMR, FT-IR, 85
- Silica fume, 449, 513, 578, 680, 688, 696, 743, 748, 810, 1262, 1332, 1486
- Silicious aggregates, 1486
- Single-coat mortar, 836, 1900
- Sizes, 1269
- Slag, 974, 994, 1050, 1486
- Slag cement and aggressive Attack, 1592
- Slump retention, 1882
- Slump test, 817
- Sodium binding, 117
- Sodium monofluorophosphate, 1714
- Soft X-ray microscopy, 351

- Soft X-ray transmission microscopy, 2026
- Solid solution, 117
- Solid state NMR, 2233
- Soluble alkaline ASR, 1784
- Sorption isotherm, 2271
- Sound absorption, 1846
- Spalling, 597
- Spalling resistance, 1747
- Specific surface area, 719, 1092
- Spectroscopy, 1620
- Splitting tensile strength, 1218, 1587
- Squeezing test, 1891
- Stability, 155, 770, 891, 1064, 1463, 1834
- Stabilization, 2261
- Starch, 883
- Steam curing, 994
- Steel fiber, 2360
- Steel fibres, 572
- Steric hindrance effect, 527
- Strain effect, 1909
- Strength, 324, 711, 907, 1042, 1112, 1447, 1457
- Strength degradation, 584
- Strength estimation, 688
- Strengthening limit criterion, 999
- Stress, 1430, 1651
- Stress relaxation, 1503
- Stress–strain behavior, 1218
- Structural strengthening, 999, 1420
- Structural synthetic fiber, 384
- Styrene–butadiene rubber emulsion, 900
- Substitution rate, 2175
- Sulfate, 623, 731
- Sulfate attack, 226, 520, 1106, 1233, 1314, 1368, 1734
- Sulfate Modeling, 623
- Sulfoaluminate, 2074
- Sulfoethylation, 883
- Sulphate, 301, 1922
- Sulphate attack, 1820
- Sulphate-resisting cement, 1592
- Sulphates attack, 1064
- Sulphuric acid attack, 1486
- Superplasticizer, 133, 527, 578, 907, 936, 1112, 1510
- Supplementary cementing materials, 719, 1092
- Surface area, 400
- Surface layer, 748, 2364
- Synchrotron, 2223
- Synthesis, 445
- Target void ratio, 1846
- TCLP, 1042
- Temperature, 256, 590, 597, 680, 1377, 1385, 1438, 1463, 1472, 1609, 1776, 1961, 2158, 2223
- Tensile properties, 67, 220, 358, 384, 748, 1400
- Tensile strength, 743
- TGA, 1155
- Thermal analysis, 57, 597, 609, 1472, 1776, 1999, 2074
- Thermal and acid resistance, 578
- Thermal conductivity, 803
- Thermal treatment, 125, 1122, 1224, 1665, 1937, 2192
- Thermodynamic calculations, 631, 2310
- Thermoelectric, 810
- Thin sections, 1613
- Thixotropy, 1656
- Time to cover cracking, 2203
- TMP, 1646
- Tobermorite, 51
- Toughness, 913
- Toxic metal, 1056
- Transition zone, 364
- Transport, 1797
- Transport properties, 141, 344, 562, 597, 1714, 1754, 2033
- Tricalcium aluminate, 1601
- Tricalciumaluminate, 1638
- Tube compressive strength, 931
- Two-stage mixing approach, 1195
- Ultrasonic shear wave, 850
- Uniaxial compression, 1430
- Uniaxial loading, 1187
- Vibration, 1834
- Visco-elastic, 850
- Volcanic ash, 1141
- Volcanic glass, 505
- Volcanic pumice, 1141
- Volume stability, 1122
- Waste catalyst, 782
- Waste management, 438, 874, 1064, 1082, 1195, 2110, 2322
- Waste PET bottles lightweight aggregate, 776
- Waste stabilization, 1082
- Water absorption, 1050
- Water capillarity, 1577
- Water saturation, 2047
- Water–cementitious material ratio, 743
- Water-cooled slag, 1438
- Water-to-cementitious materials ratio, 696
- w/c ratio, 1377
- Wood extractives, 2081
- Workability, 703, 776, 836, 842, 874, 907, 1128, 1172, 1358, 1834, 1900, 2116
- Workability (A), 2087
- XPS, 51
- X-ray, 637
- X-ray diffraction, 99, 155, 431, 1027, 1285, 1299, 1332, 1634, 1714, 2110, 2143, 2223, 2300
- X-Ray diffraction, 1638, 2110
- X-ray diffraction and microstructure, 1601
- XRD, 1042
- Yield line theory, 1420
- Zeta potential, 527
- Zeta-potential, 1152
- Zinc, 1665