

## Keyword Index

### A. Processing

- Calcination 25
- Extrusion 159
- Films 29, 599, 753, 787
- Finishing 825
- Firing 341, 485
- Hot pressing 535, 625
- Implantation 29, 513
- Joining 19
- Powder 133
- Powders 593
- Powders: chemical preparation 469
- Powders: solid state reaction 271
- Shaping 251, 279
- Sintering 99, 221, 255, 303, 441, 495, 541, 583, 685, 715, 733, 739, 779, 807
- Slip casting 609
- Sol-gel processes 255, 347, 359, 507, 733, 883
- Suspension 47
- Suspensions 187, 279, 337, 609, 839
- Suspensions (aqueous) 67
- Suspensions (concentrated) 63
- Tape casting 535

### B. Structure and Microstructure

- Composite 295, 631
- Composites 33, 325, 535, 545, 825
- Defects 315
- Electron microscopy 359, 447, 513, 545, 571, 693, 753
- Grain boundaries 265, 295, 513, 571
- Grain size 541, 733
- Inclusions 571
- Interface 669
- Interfaces 19, 753, 801
- Microstructure 379, 391, 523, 583, 625, 685, 855, 887
- Microstructure-final 39, 715
- Microstructure-prefiring 279
- Nanocomposite 427
- Nanocomposites 391, 677
- Porosity 279, 315, 897
- Spectroscopy 29, 545, 589
- Surface 133
- Whiskers 7
- X-ray methods 359, 485, 545, 583

### C. Properties

- Chemical properties 187
- Dielectric properties 13, 651, 727, 865, 877, 883
- Diffusion 19, 617
- Electrical conductivity 325, 669
- Electrical properties 245, 265
- Fatigue 315, 721
- Ferroelectric properties 13, 651, 673
- Fracture 197, 721, 801
- Friction 787
- Hardness 397
- Impedance 745
- Magnetic properties 379, 507
- Mechanical properties 39, 397, 415, 495, 535, 631, 677, 721, 763, 801, 855
- Optical properties 469, 589, 883
- Plasticity 295
- Strength 251, 427, 763
- Surface chemical properties 93
- Thermal conductivity 589
- Thermal expansion 669, 739
- Thermal properties 757, 821
- Thermal shock resistance 347, 605
- Toughness and toughening 397
- Wear resistance 787

### D. Compositions

- Al<sub>2</sub>O<sub>3</sub> 63, 67, 251, 295, 371, 397, 441, 447, 801, 821
- Alkali oxides 397
- Alkaline earth oxides 397
- Alumina (Al<sub>2</sub>O<sub>3</sub>) 363, 391, 807
- Apatite 779
- BaTiO<sub>3</sub> 271
- BaTiO<sub>3</sub> and titanates 609, 693
- Boron carbide 523
- Carbides 441
- Carbon 133, 631, 787
- Cordierite 289, 739
- Ferrites 507
- Glass 757, 763, 769, 897
- Glass ceramics 289, 415, 779
- MgO 753
- Mullite 255, 347, 715
- PLZT 625
- PZT 541, 583

Perovskites 13, 265, 651  
 Porcelain 865  
 SiC 441, 447, 495, 513, 535, 593, 721, 757, 763, 849, 855  
 Si<sub>3</sub>N<sub>4</sub> 19, 33, 47, 315, 337, 535, 551, 571  
 SiO<sub>2</sub> 757  
 Sialon 839  
 Silicate 359, 447  
 Silicon carbide 7, 147, 391  
 Silicon nitride 197  
 Spinel 147, 507

Spinels 469, 605, 753  
 Traditional ceramics 485  
 Y<sub>2</sub>O<sub>3</sub> 839  
 ZnO 733  
 ZnO:Pr 645  
 ZnO thin film 883  
 ZrO<sub>2</sub> 187, 279, 295, 325, 371, 821  
 Zinc oxide (ZnO) 351  
 Zirconia 133

## E. Applications

Actuators 651  
 Biomedical applications 779  
 Cutting tools 579  
 Electrodes 289  
 Heat exchanger 849  
 PTC devices 265

Refractories 347  
 Structural applications 535  
 Substrate 739  
 Substrates 289  
 Varistors 645, 733

## Miscellaneous

Abrasion 39  
 Activation energy 593  
 Aging 245  
 Al hydroxide 551  
 Alkaline-earth metal metastannates 685  
 AlN and Si<sub>3</sub>N<sub>4</sub> powders 141  
 AlN 617  
 Alumina ceramics 203  
 Ammonium polyacrylate adsorption 551  
 Anisotropy 529  
 As-fired strength 197  
 Atomic force microscopy 295  
<sup>137</sup>Ba MAS NMR 87  
 Ba<sub>1-x</sub>Sr<sub>x</sub>TiO<sub>3</sub> 421  
 Ba<sub>2</sub>Ti<sub>9</sub>O<sub>20</sub>-based ceramics 99  
 Ball-milling medium 207  
 Barium magnesium tantalate 57  
 BaSm<sub>2</sub>Ti<sub>4</sub>O<sub>12</sub> ceramics 877  
 BiNbO<sub>4</sub> 113  
 Biomaterials 779  
 BN powder production 165  
 Bone implants 897  
 Brodnyan equation 159  
 Ca-PSZ preparation 215  
 Carbothermal reduction 455  
 Cation ordering 57  
 cBN 639  
 Ceramic foams 887  
 Ceramics 87  
 Characterisation 237  
 Chemical and spectroscopic techniques 141  
 Citrate method 475  
 Co-existence of phases in PZT 583  
 Co-precipitation method 207  
 Cobalt(II) oxide 119  
 Colloid 47  
 Combined cycle plant 849  
 Composite ceramic 523  
 Composite sintering 147  
 Composition 379, 415  
 Computational plasma process 165  
 Coprecipitation 517  
 CPVC 159  
 Crystal structure 105

Crystallization 415  
 CVD 73  
 Damage detection 745  
 Defect size density 197  
 Densification 605, 831  
 Dielectric resonators 99  
 Dislocations 427  
 Dispersant 93  
 DLC-films 411  
 Domain structure 383, 693  
 DY<sub>2</sub>O<sub>3</sub> 589  
 Electromechanical behaviour 655  
 Electronic characterisation 645  
 Electro-optical ceramics 625  
 Environmental embrittlement 463  
 Epitaxial growth 213  
 Equibiaxial strength 203  
 External pressure 699  
 Ferroelectric ceramics 383  
 Ferroelectrics 529  
 Flux 341  
 Fracture toughness 427  
 Gas sensor 123  
 Gelcasting 63, 67, 251  
 Gel-derived mesoporous silica 171  
 Heteropolynuclear complex precursors 193  
 Hexaamminecobalt(III) oxalate 119  
 High pressure 73  
 Hybrid bearings 315  
 Hydrogen effect 379  
 Hydrostatic pressure 565  
 Hydrothermal processing 351  
 Hydroxyapatite 221  
 Hydroxyhydrogel 831  
 Inorganic materials 87  
 In situ processing 699  
 Kaolinite 455  
 LaAlO<sub>3</sub> 757, 763  
 La containing PZT (PLZT) 231  
 LaCrO<sub>3</sub> 441  
 La<sub>2(1-x)</sub>NiSr<sub>2x</sub>O<sub>4</sub>, La<sub>1-x</sub>NiSr<sub>x</sub>O<sub>3</sub> 237  
 La<sub>2</sub>O<sub>3</sub>-doped strontium titanate 475  
 Lanthanum chromite 193  
 Layer structure 529

- Leakage current 421
- Low-loss dielectrics 57
- Machining 825
- Mechanical property 207
- Metallic cobalt 119
- MgO–CaO–SiO<sub>2</sub>–P<sub>2</sub>O<sub>5</sub> 415
- MgO–ZrO<sub>2</sub> powders 517
- Microhardness 29
- Microwave 73
- Microwave dielectric properties 113
- Migration 673
- Mn–Co–Ni thermistor 245
- Morphology and particle size 351
- M<sub>2</sub>SiAlO<sub>5</sub>N “B-phase” 105
- Multiphase ceramic 363
- Nano-zirconia suspensions 93
- Nitrogen atmosphere 455
- Nonoxides 303
- Orientation 883
- Oxalate gel 517
- Oxidation 495
- Oxidation resistance 447
- Oxygen distribution 141
- Oxygen effect 303
- Pechini process 231
- Perovskite oxides 193
- Phase diagram of Pb(Zn,Ti)O<sub>3</sub> 565
- Phosphor 341
- Phosphors 153, 469
- Photoluminescence 411
- Plasmachemical powders 303
- Polymeric sol–gel route 215
- Precipitation (SiC) 391
- Precursors 831
- Preparation 99
- Properties 221, 599
- Pseudoboehmite 551
- PVA composites 371
- Pyroelectric properties 541
- PZN 727
- Quality value 113
- Rare-earth element 153
- Reactions 877
- Reactive 831
- Reference materials for surface analysis 171
- Refinement 105
- Reinforced BAS composites 855
- Rheological behavior 337
- Rheology 133, 187, 839
- Sc<sub>2</sub>O<sub>3</sub> 589
- Seed particles 727
- Seeds 73
- Self-activated luminescence 153
- SiC/SiC composites 463
- Si<sub>3</sub>N<sub>4</sub>–Al<sub>2</sub>O<sub>3</sub>–TiC–Y<sub>2</sub>O<sub>3</sub> composites 579
- Single crystal 529
- Slip 133
- Sm 153
- SnO<sub>2</sub> 123
- Sol–gel 213
- Sol–gel derived 421
- Solar furnace 203
- Solid state reactions 753
- Spinellisation and densification 25
- Spodumene 289
- Stability 47, 839
- Stacking faults 7
- Strontium hexaferrite 379
- Surface modification 363
- Surgical titanium alloys 709
- Synthesis 33, 231, 237
- Thermal and morphological studies 371
- Thermal decomposition 119
- Thermal explosion 699
- Thermodynamics 769
- Thermoelectric properties 523
- Thin film 123
- Thin films 421
- Tin substitution 57
- Titanyl citrate precursor 475
- Transport current 663
- Tribology 363
- Tungsten boride 523
- Viscosity 159
- Wear and mechanical properties 807
- Weibull statistics 203
- Ytterbia stabilized zirconia 207
- Zeta potential 839
- Zircona-flyash 39
- Zirconium titanate 231
- ZnS 341
- ZrO<sub>2</sub> thin films 213
- ZrTiO<sub>4</sub> 231
- 3Y–ZrO<sub>2</sub> 133