

Keyword Index

A. Processing

Calcination 91
Extrusion 231
Films 149, 363, 385
Grain growth 63, 261, 903
Hot pressing 461, 701
Injection molding 205
Injection moulding 821
Microwave processing 415, 815
Mixing 467, 701
Powder 265, 615
Powders 559
Powders: chemical preparation 143

Powders: solid state reaction 179
Pressing 467
Sintering 29, 57, 63, 105, 201, 225, 243, 277,
283, 309, 315, 325, 343, 351, 415, 455, 461,
481, 523, 537, 571, 577, 591, 603, 795, 847, 853,
875
Slip casting 283, 491, 591
Sol–gel process 39, 607
Sol–gel processes 585, 741, 859
Suspensions 73, 731
Suspensions (aqueous) 185
Tape casting 149, 597, 731, 889

B. Structure and Microstructure

Composites 135, 149, 195, 391, 407, 537, 721, 833
Defects 889
Electrical conductivity 859
Electron microscopy 105, 325
Fibres 385
Grain boundaries 15, 243, 269
Grain size 63, 467
Impurities 29
Interfaces 261, 889

Microstructure 201, 343, 455, 559, 591, 603, 621, 669
Microstructure-final 29, 63, 415, 795
Nanocomposites 571
Platelets 265, 903
Porosity 1, 57, 467, 577
Surfaces 73, 143, 781
X-ray method 115
X-ray methods 29, 45, 91, 105, 179, 325, 351, 373, 741,
839

C. Properties

Chemical properties 143
Corrosion 299
Dielectric properties 157, 343, 367
Diffusion 1, 419, 431
Electrical conductivity 363, 367, 895
Electrical properties 115, 191, 321, 655
Fatigue 781
Ferroelectric 509
Ferroelectric properties 895
Friction 135
Hardness 225, 385, 407
Impedance 269, 367
Ionic conductivity 269

Magnetic properties 363
Mechanical properties 401, 565, 591, 621, 701,
795
Optical properties 39
Piezoelectric properties 91
Strength 45, 239, 537
Thermal conductivity 321
Thermal properties 351, 517, 839
Thermal shock 833
Thermal shock damage resistance 501
Thermal shock resistance 171
Toughness and toughening 15, 537
Wear resistance 135

D. Compositions

Al₂O₃ 171, 185, 225, 265, 407, 577, 701, 903
Alumina 231, 261
Apatite 191
BaTiO₃ ceramics 157
CeO₂ 149
Clay 875
Clays 45, 105
Glass 99

Glass-ceramic 99
Mullite 1, 195, 277, 315, 351, 517, 537, 795, 833, 847
Perovskite 419, 431, 509
PLZT 373
PZT 91, 367, 373, 585
Si₃N₄ 571, 591, 603, 781
Sialon 461
SiC 195, 559, 571

D. Compositions

Silicate 45, 105, 179, 191
 Silicon nitride 621
 SiO₂ 219
 Spinel 115
 TiO₂ 15
 Transition metal oxides 321
 Y₂O₃ 15
 ZrO₂ 15, 283, 415

E. Applications

Capacitor 243
 Capacitors 325, 895
 Fuel cells YSZ 731
 Membranes 299
 Nuclear applications 839
 Refractories 309
 Sensors 191
 Substrate 585
 Substrates 385, 467
 Varistor 761
 Varistors 115, 655
 Wear parts 225

Miscellaneous

Abnormal grain growths 215
 Adapter 205
 Additive 85
 Additives 201
 Advanced ceramics 889
 AlCl₃ 773
 Alumina/alumina: Ca-hexaluminate 443
 Alumina–SiC composites 163
 Aluminosilicate gel 277
 Aluminosilicate glasses 725
 Aluminum borosilicate 607
 Ammonium carbonate 481
 Amorphous materials 603
 Annealing 299
 ANOVA 401
 Ba-hexaferrite 215
 Barium 309
 Boehmite 231
 Brittle materials 239
 Burkina Faso 875
 Calcia-stabilized zirconia 269
 CaO, BaO additions 809
 CaO–Al₂O₃ 25
 CaO–Li₂O–Sm₂O₃–TiO₂ ceramics 809
 Carbothermal reduction 815
 cBN 637
 Cement 865
 Ceramic composite 755
 Ceramic powder 547
 Ceramic precursors 351
 Characterisation 523
 Chemical precipitation 523
 Chemical preparation 543
 Chemical synthesis 481
 Chemical vapor infiltration 565
 Chemically activated SHS 163
 Co-precipitation 721
 Co-precipitation method 615
 Columbite 509
 Constitutive law 261
 Controlled crystallization 9
 Cr₂O₃ 277
 Critical fracture curve 171
 Crystallisation 99, 607, 661, 725, 741
 CuFe_{1.8}Cr_{0.2}O₄–Ba_{0.8}Pb_{0.2}Ti_{0.8}Zr_{0.2}O₃ ceramics 853
 CuO-doped 705
 Decomposition reactions 123
 Deflection 559
 Dense grains 801
 Densification 157, 261
 Dielectrics and ME composites 531
 Dilatometry 875
 Dissolution 299, 451
 Double stage sintering 773
 DPT type behaviour 531
 Egyptian alum-waste 695
 Egyptian dolomite 865
 Electroceramics 335
 Environmental degradation 705
 Ferroelectrics 645
 Flexural strength 833
 Fluorescence spectra 39
 Fluorophlogopite 9
 Fly ash granules 749
 Friction and wear at elevated temperatures 251
 Fusible alloy core 821
 Gas pressure sintering 123
 Gel binder 231
 Gelcasting 1, 185, 649
 Grain orientation 215
 HA 451
 Heterogeneous nucleation processing 143
 Hydration resistance 201, 455
 Hydration resistant 801
 Hydrothermal 451
 Hydroxyapatite 615, 767
 Hydroxyhydrogel 123, 195
 Ilmenite 801
 In situ composite 903
 In situ texturing 443
 In vivo drug release 767
 Incinerator and granite wastes 713
 Indium tin oxide 363
 Induction melting 821
 Interfacial reaction 85
 Kaolin 517
 K₂O–CaO–MgO–Al₂O₃–SiO₂ system 661
 Laminated composite 597
 Lanthanum gallate 649
 Lanthanum hexaaluminate ceramics 899
 Laser cladding 15
 Laser irradiation 171
 Lead free glaze 681
 Lead titanate 741

- Li₂O evaporation 675
- Li_xCo_{1-x}O solid solution 675
- Lime 201
- Lime refractories 801
- Limestone 801
- Load 559
- Loss tangent 335
- Magnesium aluminate spinel 865
- Magnesium orthostannate 335
- Magnetoelectric effect 531
- Magnetoelectric output 853
- Manganese oxide 655
- Manometric method 431
- Mg–Al spinel 481
- MgAl₂O₄ spinel 773
- MgF₂ mineralizer 9
- Microwave properties 809
- Microwave sintering 81
- MLCD 85
- Mo 537
- Mo(Al,Si)₂ 829
- Mullite formation 689
- Mullite–zirconia composites 81
- Multi-component silicate glasses 661
- Multifunctional molecules 749
- Multilayer composites 443
- Nanofabrication 645
- Nanometer 265
- Nanometric particles 283
- Nanostructured coating 669
- Nanostructures 645
- Near net shape 195, 205
- Niobium carbide 225
- Optical propagation loss 585
- Orientation 585
- Oxides 391
- Partially stabilized zirconia 615
- Pb-based relaxor ferroelectric 85
- PFN 243
- Phase diagram 25, 247
- Phase evolution 761
- Phase transformation 179
- Plasma spray 669
- Plasma spraying 251
- PMN 243, 509
- Polymer 315
- Porcelainized stoneware 713
- Preparation 749
- Pressure filtration 491
- Processing 547, 761
- Properties 689
- Pulse electric current sintering (PECS) 537
- P₂O₅-doped magnesia 523
- Quantum size effect 39
- Raman spectroscopy 291
- Reaction bonding 559
- Reactions 571
- Reactivity of lime 455
- Recycling 713
- Refractory castables 689
- Refractory properties 695
- Resistance anisotropy 401
- Rheological properties 491
- Rheology 231
- Rice husk 219
- Rice husk ash 629
- Roughness 781
- Seed particles 509
- Shrinkage 315
- Si–C–N 73
- SiC–YAG composite 123
- Sillimanite sand 833
- Sintering additives 621
- Sintering aid 773
- Skeletal drug delivery system 767
- Sleeve 205
- Slurry 597
- SOFC 419, 431
- Sol–gel preparation 681
- Sol–gel substrates 81
- Solid oxide fuel cells 649
- Sr doped LaMn_{1-x}M_xO₃ (M = Co, Fe) 419
- Stabilised zirconia 839
- Stability 299
- Stable capacitor component 335
- Structural studies 219
- Synthesis 163, 615, 815, 829
- Synthesis properties 899
- Technical quality of bricks 401
- TEM 603, 637
- Temperature coefficient of capacitance 335
- Temperature coefficient of dielectric constant 335
- Tetragonal zirconia polycrystal 291
- Thermal plasma 547
- Thermal shock 801
- Thermomechanical 801
- TiC 637
- Tin oxide 655
- Titanyl zirconyl acetate 373
- Tooling 205
- Total fines content 501
- Tungsten carbide 669
- Ultrasonic machining 755
- Ultrasonic testing 401
- Uniform microstructure 9
- Viscosity 597
- Wear mechanism 135
- Weibull function 239
- Weibull statistics 391
- Whisker orientation 755
- Whitewares 629
- XPS 637
- XRD 637
- YAG 721
- Y–Nb ordering 291
- Y–TZP ceramics 705
- Yttria-stabilized zirconia 859
- Zeolites 105
- Zircon 491
- Zirconium carbide 547
- ZnS microcrystal 39
- ZrO₂ coating 251
- ZrO₂ powders 543
- ZrO₂–Cr₂O₃ system 247
- 3D SiC/SiC composites 565
- 3Y–ZrO₂ 299