

Contents of Volume 31

Number 1

- 1 Deformed microstructure in pressureless-sintered barium titanate
J.-K. LIOU & H.-Y. LU (Taiwan)
- 11 Phase transformations of $\text{Li}_2\text{O}-\text{Al}_2\text{O}_3-\text{SiO}_2$ glasses with CeO_2 addition
A.M. HU, K.M. LIANG, F. ZHOU, G.L. WANG & F. PENG (PR China)
- 15 Fabrication and oxidation behavior of $\text{LaB}_6-\text{ZrB}_2$ composites
R. GAO, G. MIN, H. YU, S.-Q. ZHENG, Q. LU, J. HAN & W. WANG (China)
- 21 Sol-gel preparation of $\text{Ba}_{6-3x}\text{Sm}_{8+2x}\text{Ti}_{18}\text{O}_{54}$ microwave dielectric ceramics
Y. XU, G. HUANG & Y. HE (PR China)
- 27 A novel hardystonite bioceramic: preparation and characteristics
C. WU, J. CHANG & W. ZHAI (PR China)
- 33 Effect of grain size on thermal shock resistance of $\text{Al}_2\text{O}_3-\text{TiC}$ ceramics
X.Q. YOU, T.Z. SI, N. LIU, P.P. REN, Y.D. XU & J.P. FENG (PR China)
- 39 Mechanical behavior of zirconia/alumina composites
S.R. CHOI & N.P. BANSAL (USA)
- 47 ETS-synthesized Hi-Nicalon fiber-SiC matrix composite
W. YANG, H. ARAKI, A. KOHYAMA, H. SUZUKI & T. NODA (Japan)
- 53 Preparation of ultrafine PZT powders by ultrasonic spray combustion synthesis (USCS)
S. LEE & B. JUN (South Korea)
- 57 Influence of the slip composition on the properties of tape-cast alumina substrates
M.P. ALBANO & L.B. GARRIDO (Argentina)
- 67 Microwave-assisted combustion synthesis of nanocrystalline MgAl_2O_4 spinel powder
I. GANESH, R. JOHNSON, G.V.N. RAO, Y.R. MAHAJAN, S.S. MADAVENDRA & B.M. REDDY (India)
- 75 Effect of Cr_2O_3 , Fe_2O_3 and TiO_2 nucleants on the crystallization behaviour of $\text{SiO}_2-\text{Al}_2\text{O}_3-\text{CaO}-\text{MgO}(\text{R}_2\text{O})$ glass-ceramics
M. REZVANI, B. EFTEKHARI-YEKTA, M. SOLATI-HASHJIN & V.K. MARGHUSSIAN (Iran)
- 81 Polarization toughening of LiTaO_3 particles dispersed Al_2O_3 ceramic composite
Y.G. LIU, Y. ZHOU, D.C. JIA & Y.Z. LI (PR China)
- 85 Optimization of $\text{MgTiO}_3-\text{CaTiO}_3$ based LTCC tapes containing B_2O_3 for use in microwave applications
T. HU, A. UUSIMÄKI, H. JANTUNEN, S. LEPPÄVUORI (Finland), K. SOPONMANEE & S. SIRISOONTHORN (Thailand)
- 95 Effects of dilution and preheating on SHS of vanadium nitride
C.L. YEY, H.C. CHUANG, E.W. LIU & Y.C. CHANG (Taiwan)

- 105 Microstructure and mechanical properties of $\text{Al}_2\text{O}_3\text{--MgB}_2$ composites
H.-X. LU, H.-W. SUN, G.-X. LI, C.-P. CHEN, D.-L. YANG & X. HU (China)
- 109 Synthesis of calcium phosphate bioceramics by citrate gel pyrolysis method
H.K. VARMA & S.S. BABU (India)
- 115 Preparation and electrical properties of $\text{La}_{0.4}\text{Sr}_{0.6}\text{Ni}_{0.2}\text{Fe}_{0.8}\text{O}_3$ using a glycine nitrate process
G. ZHU, X. FANG, C. XIA & X. LIU (PR China)
- 121 Investigation of parameters affecting grain growth of sintered magnesite refractories
C. AKSEL, F. KASAP & A. SESVER (Turkey)
- 129 Preparation and thermoelectric properties of $\text{Cd}_{3-x}\text{A}_x\text{TeO}_6$ (A = In, La, and Bi) ceramics
W. LUAN (PR China), Y.J. SHAN, M. ITOH & H. IMOTO (Japan)
- 135 Synthesis of carbonated hydroxyapatite nanofibers by mechanochemical methods
C. SHU, W. YANWEI, L. HONG, P. ZHENGZHENG & Y. KANGDE (China)
- 139 Dielectric and ferroelectric properties of lead-free $\text{Na}_{0.5}\text{Bi}_{0.5}\text{TiO}_3\text{--K}_{0.5}\text{Bi}_{0.5}\text{TiO}_3$ ferroelectric ceramics
Y. LI, W. CHEN, J. ZHOU, Q. XU, H. SUN & M. LIAO (PR China)
- 143 Microwave dielectric properties of magnesium calcium titanate thin films
B.D. LEE, H.R. LEE, K.H. YOON (Korea) & Y.S. CHO (USA)
- 147 Synergistic effect of fly ash and blast furnace slag on the mechanical strength of traditional porcelain tiles
K. DANA, J. DEY & S.K. DAS (India)
- 153 Development of ceramic tiles from coal fly ash and tincal ore waste
A. OLGUN, Y. ERDOGAN, Y. AYHAN & B. ZEYBEK (Turkey)
- 159 Hydrolysis assisted solidification of silicon carbide ceramics from aqueous suspension
W. LI, Z. LIU, M. GU & Y. JIN (PR China)
- 165 Effect of nano addition on the microstructures and mechanical properties of Ti(C, N)-based cermets
Y. ZHENG, W. XIONG, W. LIU, W. LEI & Q. YUAN (PR China)
- 171 Processing and properties of cobalt-substituted lithium ferrite in the GHz frequency range
N. GUPTA, M.C. DIMRI, S.C. KASHYAP & D.C. DUBE (India)
- 177 Water vapor corrosion of mullite containing small amount of sodium
S. UENO, D. DONI JAYASEELAN, N. KONDO, T. OHJI & S. KANZAKI (Japan)
- 181 Study of zircon or zirconia crystals addition in ceramic glazes by impedance spectroscopy
M. LLUSAR, G. MONRÓS (Spain), C.M. RODRIGUES & J.A. LABRINCHA (Portugal)
- 189 Crystallisation of non-stoichiometric cordierite glasses
N.J. AZÍN, M.A. CAMERUCCI & A.L. CAVALIERI (Argentina)
- 197 R-curve behavior of Si_3N_4 whisker-reinforced Si_3N_4 matrix composites
L.-H. ZOU (PR China; South Korea), Y. HUANG (PR China), D.-S. PARK, B.-U. CHO, H.-D. KIM & B.-D. HAN (South Korea)
- 205 Processing and characterization of $\text{TiO}_2/\text{ZnAl}_2\text{O}_4$ ultrafiltration membranes deposited on tubular support prepared from Moroccan clay
N. SEFFAJ, S. ALAMI YOUNSI (Maroc), M. PERSIN, M. CRETIN (France), A. ALBIZANE (Maroc) & A. LARBOT (France)

Short communication

- 211 Synthesis of $\text{Ce}_{0.75}\text{Zr}_{0.25}\text{O}_2$ at 100 °C
S.R. DHAGE, S.P. GAIKWAD, P. MUTHUKUMAR & V. RAVI (India)

Number 2

- 215 Development of red wall tiles by the dry process using Brazilian raw materials
S.J.G. SOUSA & J.N.F. HOLANDA (Brazil)
- 223 The effect of starting materials on the morphology and particle size of copper pyrovanadate $\text{Cu}_3\text{V}_2\text{O}_7(\text{OH})_2 \cdot 2\text{H}_2\text{O}$
K. MELGHIT (Sultanate of Oman) & L.S. WEN (Malaysia)
- 227 Preparation of $\beta\text{-SiC}/\text{Al}_2\text{O}_3$ composite from kaolinite gangue by carbothermal reduction
B. HAN & N. LI (PR China)
- 233 The use of nepheline-syenite in a body mix for porcelain stoneware tiles
L. ESPOSITO (Italy), A. SALEM (Iran), A. TUCCI, A. GUALTIERI (Italy) & S.H. JAZAYERI (Iran)
- 241 Synthesis of $\text{Li}_{1-x}\text{Ni}_{1+x}\text{O}_2$ using malonic acid as a chelating agent
T. THONGTEM & S. THONGTEM (Thailand)
- 249 Microstructure and mechanical properties of hot-pressed $\text{Al}_2\text{O}_3/\text{TiC}$ ceramic composites with the additions of solid lubricants
J. DENG, T. CAN & J. SUN (PR China)
- 257 A structural consideration of the defect in LaMnO_3 phase around stoichiometric composition
S. UENO, A. SHIMONO, H. NAKANO & N. KAMEGASHIRA (Japan)
- 261 Effect of substrate type on nanostructured titania sol–gel coatings for sensors applications
L.M. NIKOLIĆ, L. RADONJIC & V.V. SRDIĆ (Serbia and Montenegro)
- 267 AlN-TiB_2 composites fabricated by spark plasma sintering
X.-Y. ZHANG, S.-H. TAN & D.-L. JIANG (PR China)
- 271 Densification and mechanical properties of CaB_6 with nickel as a sintering aid
L. YANG, G. MIN, H. YU, J. HAN (PR China) & Y.B. PADERNO (Ukraine)
- 277 Effect of TiN on the corrosion behavior of $\text{Y}-(\alpha + \beta)\text{-sialon/TiN}$ materials in hot hydrochloric acidic solutions
W. LI, B. ZHANG, H. ZHUANG & W. LI (PR China)
- 281 Preparation and ferroelectric properties of PZT fibers
M. ZHANG, X.D. WANG, F.M. WANG (PR China), I.M. MIRANDA SALVADO, P.M. VILARINHO (Portugal) & W.C. LI (PR China)
- 287 Varistor properties of Sc_2O_3 -doped Sn-Co-Nb ceramics
W.-X. WANG, J.-F. WANG, H.-C. CHEN, W.-B. SU (PR China), B. JIANG (USA), G.-Z. ZANG, C.-M. WANG & P. QI (PR China)
- 293 Synthesis of beta-alumina powders by microwave heating from solution-derived precipitates
H.C. PARK, Y.B. LEE, S.G. LEE, C.H. LEE, J.K. KIM, S.S. HONG & S.S. PARK (South Korea)
- 297 Characteristics of yttria stabilized tetragonal zirconia powder used in optical fiber connector ferrule
C.-L. YANG, H.-I. HSIANG & C.-C. CHEN (Taiwan)
- 305 Effects of pyrolysis processes on microstructure and mechanical properties of $\text{C}/\text{Si-O-C}$ composites fabricated by preceramic polymer pyrolysis
Q.-S. MA, Z.-H. CHEN, W.-W. ZHENG & H.-F. HU (PR China)
- 315 Dielectric properties of plasma-sprayed silicates
P. CTIBOR, J. SEDLÁČEK, K. NEUFUSS, J. DUBSKÝ & P. CHRÁSKA (Czech Republic)

- 323 Study of the mechanical property and in vitro biocompatibility of CaSiO_3 ceramics
K. LIN, W. ZHAI, S. NI, J. CHANG, Y. ZENG & W. QIAN (People's Republic of China)
- 327 Sucrose combustion synthesis of $\text{La}_x\text{Sr}_{(1-x)}\text{MnO}_3$ ($x \leq 0.2$) powders
K. PRABHAKARAN, J. JOSEPH, N.M. GOKHALE, S.C. SHARMA & R. LAL (India)
- 333 Influence of gel-derived nanocrystalline spinel in a high alumina castable: Part 1
S. GHOSH, T. MAITI, S. SEN & S. MUKHOPADHYAY (India)

Short communication

- 349 Dielectric properties of LTNO ceramics and LTNO/PVDF composites
Z.-M. DANG & C.-W. NAN (PR China)

Discussion

- 353 Effect of oily waste addition to clay ceramic
S.N. MONTEIRO & C.M.F. VIEIRA (Brazil)

Correspondence

- 359 Comments on the paper "Effect of oily waste addition to clay ceramic"
J.N.F. HOLANDA (Brazil) & G.P. SOUZA (UK)

I Keywords for *Ceramics International*

Number 3

- 361 Correlation of the physico chemical properties of Zn-substituted Li–La ferrite
M.A. AHMED, N. OKASHA (Egypt) & A. EBRAHEM (Korea)
- 371 Dehydration kinetics of calcium aluminate cement hydrate under non-isothermal conditions
S. MAITRA, S. BOSE, N. BANDYOPADHYAY & A. ROYCHOUDHURY (India)
- 375 Effect of ageing on the electrical resistivities of $(\text{Ba}_{0.69}\text{Pb}_{0.31})\text{TiO}_3$ PTCR ceramic thermistors
Z.C. LI & B. BERGMAN (Sweden)
- 379 Co-precipitation method for the preparation of fine ferroelectric $\text{BaBi}_2\text{Nb}_2\text{O}_9$
S.P. GAIKWAD, H.S. POTDAR, V. SAMUEL & V. RAVI (India)
- 383 Densification and properties of glass/cordierite composites
E.M. HAMZAWY, A.A. EL-KHESHEN & M.F. ZAWRAH (Egypt)
- 391 Effects of reaction medium on the synthesis of TiO_2 nanocrystals by thermal decomposition of titanium (IV) *n*-butoxide
W. PAYAKGUL, O. MEKASUWANDUMRONG, V. PAVARAJARN & P. PRASERTHDAM (Thailand)
- 399 Investigation of electrical properties of tantalum doped SnO_2 varistor system
F.M. FILHO, A.Z. SIMÕES, A. RIES, E.C. SOUZA, L. PERAZOLLI, M. CILENSE, E. LONGO & J.A. VARELA (Brazil)
- 405 Characteristics of SnO_2 annealed in reducing atmosphere
S.-S. CHANG, S.O. YOON & H.J. PARK (South Korea)
- 411 Photoluminescence properties of spark-processed CuO
S.-S. CHANG, H.-J. LEE & H.J. PARK (South Korea)
- 417 Microstructural investigations in cordierite–mullite refractories
D.N. BOCCACCINI, C. LEONELLI, M.R. RIVASI, M. ROMAGNOLI (Italy) & A.R. BOCCACCINI (UK)
- 433 Microstructure of sodium polysialate siloxo geopolymer
M. SCHMÜCKER (Germany) & K.J.D. MACKENZIE (New Zealand)

- 439 Alumina bodies with near-to-theoretical density by aqueous gelcasting using concentrated agarose solutions
I. SANTACRUZ, M.I. NIETO & R. MORENO (Spain)
- 447 Influence of an initial hot-press processing step on the mechanical properties of 3D-C/SiC composites fabricated via PIP
J. SUO, Z. CHEN, J. XIAO & W. ZHENG (PR China)
- 453 Thermomechanical properties of alumina fiber membrane
J.A. FERNANDO & D.D.L. CHUNG (USA)
- 461 Comparison of the microstructures and ferroelectric characteristics of sputter deposited PZT films with and without lead or lead oxide for compensation
W.L. CHANG & J.L. HE (Taiwan)
- 469 Surface chemistry and hydrolysis of a hydrophobic-treated aluminium nitride powder
J. BINNER (UK) & Y. ZHANG (China)
- 475 Preparation of TiC ceramics through aqueous tape casting
J. ZHANG, D. JIANG, Q. LIN & Z. HUANG (China)
- 481 Characterization of Al_2O_3 -Al nano-composite powder prepared by a wet chemical method
H.-x. LU, J. HU, C.-P. CHEN, H.-w. SUN, X. HU & D.-I. YANG (China)
- 487 Study on Ru ware glaze of the Northern Song dynasty: One of the earliest crystalline-phase separated glazes in ancient China
W. LI, J. LI, Z. DENG, J. WU & J. GUO (China)

Short communication

- 495 Synthesis of bismuth oxide nanoparticles using bismuth nitrate and urea
R.K. JHA, R. PASRICHA & V. RAVI (India)

I Keywords for *Ceramics International*

Number 4

- 499 Effect of fluoride ions on the preparation of transparent glass ceramics based on crystallization of barium borates
S.A.M. ABDEL-HAMEED, N.A. GHONIEM, E.A. SAAD & F.H. MARGHA (Egypt)
- 507 Influence of the dopants on the electrical resistance of hematite-based humidity sensors
J.-M. TULLIANI (Italy) & P. BONVILLE (France)
- 515 Plastic behaviour of different ceramic pastes processed by extrusion
M.J. RIBEIRO, J.M. FERREIRA & J.A. LABRINCHA (Portugal)
- 521 Decreasing of CaZrO_3 sintering temperature with glass frit addition
W.-J. LEE, A. WAKAHARA (Japan) & B.-H. KIM (South Korea)
- 525 Effects of SiC sub-layer on mechanical properties of Tyranno-SA/SiC composites with multiple interlayers
W. YANG, H. ARAKI, A. KOHYAMA, H. SUZUKI & T. NODA (Japan)
- 533 Superconducting properties of Pr-substituted $(\text{Dy}_{1-x}\text{Pr}_x)\text{SrBaCu}_3\text{O}_{7-\delta}$
W.Y. YIP, A.K. KOH & R. ABD-SHUKOR (Malaysia)
- 537 Effects of particle size and matrix grain size and volume fraction of particles on the toughening of ceramic composite by thermal residual stress
C. XU (P.R. China)
- 543 Spark-plasma-sintered $\text{ZrO}_2(\text{Y}_2\text{O}_3)$ - BaCrO_4 self-lubricating composites for high temperature tribological applications
J.H. OUYANG, S. SASAKI, T. MURAKAMI & K. UMEDA (Japan)

- 555 Synthesis of nanocrystalline rutile
V. SAMUEL, R. PASRICHA & V. RAVI (India)
- 559 Formation of glass-ceramic materials based on pyroxene solid solution—fluorapatite phases and their thermal expansion properties
S.N. SALAMA, E.A. SAAD, H. DARWISH & H.A. ABO-MOSALLAM (Egypt)
- 567 HAp–ZrO₂ composite coatings prepared by plasma spraying for biomedical applications
A. RAPACZ-KMITA, A. ŚLÓARCZYK & Z. PASZKIEWICZ (Poland)
- 573 Properties and microstructure of Nextel 720/SiC composites
Z. CHEN, L. ZHANG, L. CHENG & Y. XU (PR China)
- 577 Tensile strength of aqueous-based alumina tapes using a PVP–PVA–gelatin cobinder
D.-J. KIM, I.-S. PARK & M.-H. LEE (South Korea)
- 583 Effect of polymorphism of Al₂O₃ on the synthesis of magnesium aluminate spinel
Z. ZHANG & N. LI (PR China)
- 591 Preparation and characterization of silica-doped aluminum nitride–aluminum nitride polytypoid composites
I.-L. TANGEN, Y. YU, T. GRANDE, R. HØIER & M.-A. EINARSRUD (Norway)
- 599 Synthesis and sintering behaviour of spinel-type Co_xNiMn_{2-x}O₄ (0.2 ≤ x ≤ 1.2) prepared by the ethylene glycol–metal nitrate polymerized complex process
P. DURÁN, J. TARTAJ, F. RUBIO, C. MOURE (Spain) & O. PEÑA (France)
- 611 Microstructures of partially stabilized zirconia manufactured via hybrid plasma spray process
G. ANTOU, G. MONTAVON, F. HLAWKA, A. CORNET & C. CODDET (France)
- 621 Microstructure and microtexture in laser-dressed alumina grinding wheel material
A.A. KHANGAR, E.A. KENIK & N.B. DAHOTRE (USA)
- 631 Preparation and characterization of 50SiO₂–50Y₂O₃ sol–gel coatings on glass and SiC(C/SiC) composites
M. APARICIO & A. DURÁN (Spain)
- I Keywords for *Ceramics International*

Number 5

- 635 The effect of In₂O₃ conductive coating on the luminescence and zeta potential of ZnS:Cu, Al phosphors
C.-H. CHANG, B.-S. CHIOU, K.-S. CHEN, C.-C. HO & J.-C. HO (Taiwan)
- 641 Preparation and characterization of macroporous sol–gel bioglass
N. LI, Q. JIE, S. ZHU & R. WANG (China)
- 647 The effect of deflocculants on the self-flow characteristics of ultra low-cement castables in Al₂O₃–SiC–C system
S. OTROJ, M.A. BAHREVAR, F. MOSTARZADEH & M.R. NILFOROSHAN (Iran)
- 655 Crack suppression behavior with post-process parameters in BaTiO₃-based Ni-MLCCs
D.-H. PARK, Y.-G. JUNG & U. PAIK (Korea)
- 663 Thermal behavior of the YAG precursor prepared by sol–gel combustion process
F. QIU, X. PU, J. LI, X. LIU, Y. PAN & J. GUO (PR China)
- 667 Effect of TiO₂ ratio on BaO–Nd₂O₃–TiO₂ microwave ceramics
Y.-P. FU, C.-W. LIU, C.-H. LIN & C.-K. HSIEH (Taiwan)
- 671 Influence of La on electronic structure of α-Al₂O₃ high k-gate from first principles
S.M. HOSSEINI, H.A. RAHNAMAYE ALIABAD & A. KOMPANY (Iran)

- 677 Influence of polyacrylic acid on rheology of SiC suspension and mechanical properties of densified SiC
X.H. WANG & Y. HIRATA (Japan)
- 683 Effect of MgO/CaO ratio on the microstructure of cordierite-based glass-ceramic glazes for floor tiles
F.J. TORRES & J. ALARCÓN (Spain)
- 691 In vitro degradation behavior of porous calcium phosphates under diametral compression loading
S.-J. DING, C.-W. WANG, D.C.-H. CHEN & H.-C. CHANG (Taiwan)
- 697 Ceramic processing of municipal sewage sludge (MSS) and steelworks slags (SS)
C. FAVONI, D. MINICHELLI, F. TUBARO, S. BRÜCKNER, A. BACHIORRINI & S. MASCHIO (Italy)
- 703 Gas pressure sintering of SiC sintered with rare-earth-(III)-oxides and their mechanical properties
K. BISWAS (India; Germany), G. RIXECKER & F. ALDINGER (Germany)
- 713 Modeling glass materials
K. BINDER, J. HORBACH, A. WINKLER (Germany) & W. KOB (France)
- 719 Direct formation of titanium carbonitrides by SHS in nitrogen
C.L. YEH & Y.D. CHEN (Taiwan)
- 731 Nanocrystalline ceria from carbon free materials
S.V. CHAVAN & A.K. TYAGI (India)
- 737 Electrical and microstructural properties of (Zn, Nb, Fe)-doped SnO₂ varistor systems
R. PARRA (Argentina), J.A. VARELA (Brazil), C.M. ALDAO & M.S. CASTRO (Argentina)
- 743 Sol–gel processing of alumina–zirconia minispheres
J. CHANDRADASS & M. BALASUBRAMANIAN (India)
- 749 Microstructure and mechanical properties of liquid-phase-sintered SiC with AlN and Y₂O₃ additions
K. SUZUKI & M. SASAKI (Japan)
- 757 Densification behaviour of a red firing Brazilian kaolinitic clay
F.A.C. MILHEIRO, M.N. FREIRE, A.G.P. SILVA & J.N.F. HOLANDA (Brazil)

Short communication

- 765 Evaluation of a dry ball-milling technique as a method for mixing boron carbide and carbon nanotube powders
R.H. WOODMAN, B.R. KLOTZ & R.J. DOWDING (USA)

I Keywords for *Ceramics International*

Number 6

- 769 Lattice thermal expansion studies on single-phase compositions in CeO₂–ThO₂–ZrO₂ system
V. GROVER & A.K. TYAGI (India)
- 773 Preparation of nanocrystalline ferroelectric CaBi₂Ta₂O₉ by the urea method
S.P. GAIKWAD, R. PASRICHA & V. RAVI (India)
- 777 Nano size BaTiO₃ powder coated with silica
J.S. PARK & Y.H. HAN (Republic of Korea)
- 783 The effect of aluminium oxide on the residual voltage of ZnO varistors
M. HOUABES, S. BERNIK, C. TALHI & A. BUI (France)
- 791 Influence of post-sintering annealing on relaxor behaviour of (Pb_{0.75}Ba_{0.25})(Zr_{0.70}Ti_{0.30})O₃ ceramics
M. ADAMCZYK, Z. UJMA, L. SZYMCAK & J. KOPERSKI (Poland)

- 795 Synthesis of nanocrystalline cerium oxide particles by the precipitation method
H.-I. CHEN & H.-Y. CHANG (Taiwan)
- 803 Soaking method for fabrication of alumina-based nanocomposites
U. LEELA-ADISORN, T. MATSUNAGA, Y. KOBAYASHI, S.-M. CHOI & H. AWAJI (Japan)
- 811 Preparation and sintering of Ni-coated Si_3N_4 composite powders
HE WANBAO, ZHANG BAOLIN, ZHUANG HANRUI & LI WENLAN (People's Republic of China)
- 817 Thermal shock properties and failure mechanism of plasma sprayed $\text{Al}_2\text{O}_3/\text{TiO}_2$ nanocomposite coatings
C.-S. ZHAI, J. WANG, F. LI, J.-C. TAO, Y. YANG & B.-D. SUN (PR China)
- 825 Reaction path in the aluminothermic reduction nitridation reaction to synthesize $\text{MgAl}_2\text{O}_4/\text{TiN}$ composite
Y. LI, L. NAN, G. RUAN & X. LI (PR China)
- 831 Physicochemical characteristics of alumina gel in hydroxyhydrogel and normal form
T. MEHER, A.K. BASU & S. GHATAK (India)
- 839 Porcellanite– CaCO_3 high temperature reaction: phases, microstructure, microhardness
J.C. KNIGHT (Trinidad and Tobago)
- 845 Effect of ceramic nanopowders on rheology of thermoplastic suspensions
M. TRUNEC & J. HRAZDERA (Czech Republic)
- 851 Microstructure and mechanical properties of ultrafine Ti(CN)-based cermets fabricated from nano/submicron starting powders
S. CHAO, N. LIU, Y. YUAN, C. HAN, Y. XU, M. SHI & J. FENG (PR China)
- 863 Ni-YSZ self-supported films by gel electrophoresis
B. FERRARI, I.M. DE FRANCISCO & R. MORENO (Spain)
- 869 Preparation of hydroxyapatite nanoparticles by reverse microemulsion
G. GUO, Y. SUN, Z. WANG & H. GUO (China)
- 873 Properties of ceramic casting molds produced with two different binders
H. SARIDIKMEN & N. KUSKONMAZ (Turkey)
- 879 Improvement in the oxidation resistance of liquid-phase-sintered silicon carbide with aluminum oxide additions
K. SUZUKI, N. KAGEYAMA & T. KANNO (Japan)
- 883 Microwave-assisted synthesis of nanocrystalline MWO_4 (M: Ca, Ni) via water-based citrate complex precursor
J.H. RYU, J.-W. YOON, C.S. LIM, W.-C. OH & K.B. SHIM (Korea)

Short communications

- 889 Synthesis of bismuth oxide nanoparticles by citrate gel method
M. ANILKUMAR, R. PASRICHA & V. RAVI (India)
- 893 Reinforcement of alumina matrix with multi-walled carbon nanotubes
J. SUN, L. GAO & X. JIN (PR China)

I Keywords for *Ceramics International*

Number 7

- 897 Post mortem study of $\text{Al}_2\text{O}_3/\text{SiC}/\text{C}/\text{MgAl}_2\text{O}_4$ ceramic lining used in torpedo cars
S.M. JUSTUS, S.N. SILVA, F. VERNILLI JR., A. MAZINE, R.G. TOLEDO, R.M. ANDRADE, O.R. MARQUES, E. LONGO, J.B. BALDO & J.A. VARELA (Brazil)
- 905 Low temperature sintering of $(\text{Zn}_{1-x}, \text{Mg}_x)\text{TiO}_3$ microwave dielectrics
Y.-R. WANG, S.-F. WANG & Y.-M. LIN (Taiwan)

- 911 Thermal conductivity of zirconia–alumina composites
N.P. BANSAL & D. ZHU (USA)
- 917 Processing of mullite–zirconia grains for slip cast ceramics
F. TEMOCHE, L.B. GARRIDO & E.F. AGLIETTI (Argentina)
- 923 Numerical simulation and experimental research on superplasticity of ceramic/ceramic laminated composite
G. WANG, K. ZHANG, G. CHEN, Z. WANG & W. HAN (People's Republic of China)
- 929 Preparation of ceria–zirconia and yttria–zirconia mixed oxides of unusual pore structures
M.A. MORRIS & H.M. REIDY (Ireland)
- 937 Refractory concrete based on barium aluminate–barium zirconate cements for steel-making industries
N.M. KHALIL (Egypt)
- 945 Influence of cobalt phase on mechanical properties and thermal shock performance of Al_2O_3 –TiC composites
J. LI & L.-P. MA (PR China)
- 953 Synthesis, evaluation and characterization of alumina ceramics with elongated grains
L. XU, Z. XIE, L. GAO, X. WANG, F. LIAN, T. LIU & W. LI (PR China)
- 959 Preparation and characterization of mesoporous MO_2 ($\text{M} = \text{Ti}, \text{Ce}, \text{Zr}, \text{and Hf}$) nanopowders by a modified sol–gel method
S. PAVASUPREE, Y. SUZUKI (Japan), S. PIVSA-ART (Thailand) & S. YOSHIKAWA (Japan)
- 965 Electrical, thermal and catalytic properties of CeO_2 – $\text{Sm}_{0.5}\text{Ti}_{0.5}\text{O}_{1.75}$ ceramics
S. KOUTCHEIKO, Y. YOO & I. DAVIDSON (Canada)
- 973 Colloidal processing, sintering and static grain growth behaviour of alumina-doped cubic zirconia
S. TEKELI & U. DEMIR (Turkey)
- 981 Influence of the amount of Na_2O and SiO_2 on the sintering behavior and on the microstructural evolution of a Bayer alumina powder
N. LOUET (France), M. GONON (Belgium) & G. FANTOZZI (France)
- 989 Charge compensation mechanism in yttria-doped barium titanate
H.-Y. LU & M.-H. LIN (Taiwan)
- 999 Mullite grown from fired andalusite grains: the role of impurities and of the high temperature liquid phase on the kinetics of mullitization and consequences on thermal shocks resistance
M.-L. BOUCHETOU, J.-P. ILDEFONSE, J. POIRIER & P. DANIELLOU (France)
- 1007 Wet forming and sintering behavior of nanometer-sized ceria powder
Y. HIRTA, A. HARADA & X.H. WANG (Japan)
- 1015 Gelcasting of alumina with a mixed PVP–MAM system
J. MA, Z. YI, Z. XIE, L. ZHOU, H. MIAO, B. ZHANG & X. LIN (PR China)

Short communication

- 1021 A study of hydroxyapatite/calcium sulphate bioceramics
D. YANG, Z. YANG, X. LI, L.-Z. DI & H. ZHAO (PR China)

I Keywords for *Ceramics International*

Number 8

- 1025 Effects of chemical additives on high-field electromechanical properties of PMN–PT–BT ceramics
Y.S. CHO (South Korea), C.H. YOON & S.M. PILGRIM (USA)
- 1031 Synthesis of niobium carbonitride by self-propagating combustion of Nb–C system in nitrogen
C.L. YEY & Y.D. CHEN (Taiwan)

- 1041 Synthesis of hydroxyapatite nanoparticles in ultrasonic precipitation
L.-y. CAO, C.-b. ZHANG & J.-f. HUANG (PR China)
- 1045 Processing and characterization of particles reinforced Si–O–C composites via pyrolysis of polysiloxane with SiC or/and Al fillers
Q.-S. MA, Z.-H. CHEN, W.-W. ZHENG & H.-F. HU (People's Republic of China)
- 1053 Recycling of spent magnesite and ZAS bricks for the production of new basic refractories
A.G.M. OTHMAN & W.M.N. NOUR (Egypt)
- 1061 YSZ thin films deposited by spin-coating for IT-SOFCs
X. XU, C. XIA, S. HUANG & D. PENG (PR China)
- 1065 Dry grinding kinetics of binary mixtures of ceramic raw materials by Bond milling
H. IPEK, Y. UCBAŞ, M. YEKELER & Ç. HOŞTEN (Turkey)
- 1073 Gas pressure sintering of $\text{Al}_2\text{O}_3/\text{TiCN}$ composite
H. YANG (PR China) & S. ROBERTS (UK)
- 1077 Thermal phase sequences in gibbsite/kaolinite clay: electron microscopy studies
H. DE SOUZA SANTOS, T. WAGNER CAMPOS, P. DE SOUZA SANTOS & P.K. KIYOHARA (Brazil)
- 1085 Improved direct bonding method of Nd:YVO_4 and YVO_4 laser crystals
A. SUGIYAMA & Y. NARA (Japan)
- 1091 Porous mullite– ZrO_2 composites from reaction sintering of zircon and aluminum
T. EBADZADEH (Iran)
- 1097 Effect of various dopants on the tunable and dielectric properties of $\text{Ba}_{0.6}\text{Sr}_{0.4}\text{TiO}_3$ ceramics
R.-H. LIANG, X.-L. DONG, Y. CHEN, F. CAO & Y.-L. WANG (PR China)
- 1103 Morphology and growth mechanism of CVD alumina–silica
Z. CHEN, S. LI & Z. LIU (PR China)
- 1109 Synthesis of nanophase tungsten carbide by electrical discharge machining
M.-H. LIN (Taiwan)
- 1117 Sintering of magnesia refractories through the formation of periclase–forsterite–spinel phases
A.G.M. OTHMAN & N.M. KHALIL (Egypt)
- 1123 Processing and characterization of sol–gel fabricated mixed metal aluminates
M. CHROMA, J. PINKAS (Czech Republic), I. PAKUTINSKIENE, A. BEGANSKIENE & A. KAREIVA (Lithuania)

Short communication

- 1131 Failure investigation of carbon nanotube/3Y-TZP nanocomposites
J. SUN, L. GAO (PR China), M. IWASA, T. NAKAYAMA & K. NIIHARA (Japan)
- 1135 Contents of Volume 31
- 1145 Keyword Index

I Keywords for *Ceramics International*