

Keyword Index

A. Processing

- Calcination 293, 495, 731
Extrusion 515
Films 143, 261, 507, 863
Firing 353, 757
Grain growth 591, 973
Hot pressing 15, 447
Microwave processing 293
Milling 905
Mixing 697, 765, 845
Powder 21, 327
Powders 293, 533, 555
Powders: chemical preparation 53, 211, 379, 391, 599, 773, 795, 889, 1041, 1123
Powders: solid state reaction 139, 839
Precursors 305, 1045
Precursors: organic 447
Shaping 439, 863
Sintering 1, 15, 121, 215, 267, 297, 323, 583, 599, 697, 703, 743, 749, 879, 905, 965, 981, 989, 1007, 1117
Slip casting 917
Sol–gel processes 27, 261, 333, 631, 633, 641, 743, 1025, 1123
Suspensions 159, 439, 475, 863
Tape casting 57, 85, 475, 577, 923

B. Structure and Microstructure

- Composites 33, 39, 47, 197, 227, 249, 267, 349, 383, 447, 525, 537, 567, 573, 631, 765, 911, 1091, 1131
Defects 257, 989
Electron microscopy 1, 211, 379, 433, 495, 555, 773, 889, 1077
Fiber 453
Grain boundaries 277, 287
Grain size 53, 121, 731, 1007
Impurities 879
Interfaces 305, 573
Microstructure 85, 105, 165, 223, 233, 249, 257, 333, 417, 433, 461, 981, 999
Microstructure-final 1, 215, 487, 591, 611, 683, 697, 737, 749, 757, 839, 851, 989, 1073
Nanocomposites 165, 481, 803, 893
Optical microscopy 315
Porosity 353, 533, 641
Surface 177
Surfaces 469
X-ray methods 211, 495, 555, 769, 889

C. Properties

- Chemical properties 391, 469
Color 487
Corrosion 177, 277, 897
Creep 453
Dielectric properties 349, 379, 773, 791, 1025, 1097
Diffusion 713
Electrical conductivity 349, 965, 989
Electrical properties 139, 287, 315, 361, 375, 507, 533, 737, 783
Ferroelectric properties 379, 773
Fracture 475, 1131
Friction 543
Hardness 39, 839
Impedance 115, 737
Magnetic properties 361
Mechanical properties 33, 39, 47, 165, 233, 249, 271, 305, 323, 447, 525, 573, 591, 655, 683, 691, 697, 851, 893, 945, 1045, 1073, 1131
Optical properties 795
Plasticity 515
Strength 39, 215, 453, 577, 677, 703, 749, 803
Thermal conductivity 453, 911
Thermal expansion 559, 769
Thermal shock resistance 33, 333, 945, 1045
Toughness and toughening 267, 475, 537

D. Compositions

- Al_2O_3 33, 39, 57, 81, 105, 227, 249, 293, 439, 453, 481, 577, 583, 621, 677, 713, 743, 803, 893, 911, 945, 953, 981, 1015, 1073, 1077
 $\beta\text{-Al}_2\text{O}_3$ 293
 Alkali oxides 713
 Apatite 567, 1041
 BaTiO_3 and titanates 1, 655, 777, 989, 1097
 CeO_2 211, 731, 795, 929, 965, 1007
 Carbides 765, 851
 Clays 205, 353, 757, 1077
 Cordierite 189, 383, 417, 683
 Ferrites 361, 507
 Glass 11, 189, 383, 487, 559, 641
 Glass-ceramics 11, 75, 499, 559, 683
 MgO 121, 1117
 Mullite 177, 227, 417, 917, 999, 1077, 1091
 Niobates 1025
 Nitrides 851
 Oxide superconductors 533
 PZT 53
 Perovskites 1, 115, 139, 257, 1123
 Porcelain 147
 SiC 47, 159, 227, 525, 677, 703, 749, 879
 Si_3N_4 197, 811
 SiO_2 713, 981
 SiAlON 591
 Silicates 315
 Spinel 333, 599, 1117
 TiO_2 261, 391, 555, 667, 1091
 Traditional ceramics 353
 Y_2O_3 543
 Yttria 677, 929
 ZrO_2 39, 181, 543, 567, 611, 743, 845, 911, 917, 929, 1091, 1131

E. Applications

- Actuators 1025
 Biomedical applications 641, 691
 Capacitors 655
 Electrodes 115
 Fuel cells 115, 327, 965
 Functional applications 53
 Insulators 315
 Nuclear applications 769
 Refractory 121, 417, 897, 1117
 Sensors 261, 507
 Structural applications 631, 757
 Substrates 261
 Thermal applications 177, 611
 Thermistors 375
 Varistors 287, 399, 737, 783

Miscellaneous

- $\alpha\text{-Al}_2\text{O}_3$ 671
 Ab initio 671
 Acetic acid 281
 Afterburning 95, 719
 Ageing 375
 $\text{Al}_2\text{O}_3\text{-SiC-C}$ 647
 AlN 469
 Al-sludge containing paste 515
 Alumina and colloidal processing 973
 Alumina gel 831
 Alumina-silica 1103
 Aluminium 481
 Aluminium hydroxide 831
 Aluminothermic reduction 825
 Aluminum 1091
 Aluminum tri-sec-butoxide 873
 Andalusite 999
 Annealing conditions 791
 Aqueous gelcasting 439
 $(\text{Ba}_{0.69}\text{Pb}_{0.31})\text{TiO}_3$ 375
 BaCrO_4 543
 Band structure 671
 Barium borate 499
 B_2O_3 85
 Binary mixtures 1065
 Bioceramic 109
 Bioceramics 1021
 Biocompatibility 27, 323
 Blast furnace slag 147
 Bond milling 1065
 Borax solid waste 153
 Breakage parameters 1065
 Cadmium tellurate 129
 Calcium boride 271
 Calcium phosphate 691
 Calcium silicate 323
 Calcium sulphate 1021
 Carbon content 1031
 Carbon fiber 305
 Carbon nanotubes 1131
 Carbonated hydroxyapatite 135
 Castable 333, 647
 CaZrO_3 521
 Ceramic composite 81
 Ceramic glazes 181
 Ceramic membrane 205, 453
 Ceramic mold 873
 Ceramic tile 147

- Ceramic-matrix composites 305, 1045
Ceramics 257, 323, 433, 791
Characterization 959
Chemical preparation 555
Chemical synthesis 21
Chemical vapor infiltration 47, 525
Citrate complex 883
Citrate precursor 109
Citrate precursor method 171
Coal fly ash 153
Coating 481, 777
Coatings 567, 631
Colloidal processing 677
Combustion synthesis 67, 327
Complex permeability 171
Complex permittivity 171
Copper pyrovanadate 223
Crack propagation 417
Crystal structure 257
Crystallisation 189
Crystallite size 67
Crystallization 11, 559
Crystallization behaviour 75
CT 143
Cubic zirconia 973
CuO 411
CVD 1103
Deep-drawing 923
Deflocculants 647
Degradation 691, 1021
Dehydration 371
Densification 271, 583
Dielectric constant 143
Dielectric loss 143
Dielectric resonator 667
Diluent 719
Dilution 95
Diopside 75
Direct bonding 1085
Dislocations 1
Display 635
Domain structure 281
Doped-zirconia 929
DTA 405
Electrical discharge machining 1109
Elongated grain 953
Ethyl silicate 873
Ethyltrichlorosilane 47
Ferroelectric characteristics 461
Filler 1045
Finite-element method 1085
Firing strength 153
Fluorapatite 559
Fluoride 499
Fly ash 147
Forsterite 1117
Fractal characteristics 953
Fracture toughness 677, 703, 803, 953
Fresnoite ($\text{Ba}_2\text{TiSi}_2\text{O}_8$) 777
FTIR 405
Functional application 1097
Functional ceramics 21
Gas-pressure sintering 1073
Gelcasting 1015
Geopolymers 433
Glass additives 905
Glass frit 521
Gloss 181
Green and sintered properties 57
Growth mechanism 1103
Hardystonite 27
Hematite 507
High alumina cement hydrate 371
High temperatures 543
Hot-press sintering 923
Hydrolysis 469
Hydrolysis assisted solidification 159
Hydroxyapatite 109, 869, 1021
Hydroxyhydrogel 831
Impedance spectroscopy 181
IT-SOFC 1061
Kaolin 1065, 1117
K-feldspar 1065
Kinetics 371, 1041
Kinetics of mullitization 999
La 671
 LaB_6 – ZrB_2 composites 15
Laminated composite 923
Laminates 475
Lanthanum manganite 327
Laser crystal 1085
Lead compensation 461
 $\text{Li}_{1-x}\text{Ni}_{1+x}\text{O}_2$ 241
 LiTaO_3 81
Li–Zn–La ferrites 361
Liquid droplet 1103
Lithium ferrite 171
Low temperature degradation 297
Low temperature sintering 521
LTNO 349
Magnesite 1053
Magnesium aluminate spinel 583
Malonic acid 241
MCT 143
Mechanochemical synthesis 135
Mesoporous oxides 959
Methacrylamide 1015
 MgAl_2O_4 spinel 67
 $\text{MgAl}_2\text{O}_4/\text{TiN}$ composite 825
 MgB_2 105
Microwave 143
Microwave dielectric property 21, 667
Microwave dielectrics 905
Microwave irradiation 883
Microwave synthesis 67
Mild conditions 959
Mineralogical phases 233
Molybdenum carbide 811
Morphology 223, 1103
MT 143
Multilayer 205
 MWO_4 (M: Ca, Ni) 883

- Na₂O 981
Nano 777
Nanocomposite coatings 817
Nanocrystalline 499
Nanofiber 135
Nanoparticles 795, 869
Nano-powder 1109
Nd:YVO₄ 1085
Nepheline-syenite 233
Nextel 720 573
Nickel 811
Niobium carbonitride 1031
Nitridation 1031
Nitrogen uptake 719
Non-isothermal 371
Nucleants 75
Nucleation 11
Oily waste 353
Ordered macroporous 929
Orientation imaging microscopy 621
Oscillatory propagation 1031
Oxidation 375, 879, 1045
Oxidation behaviors 15
Perovskite oxide 129
Phase transformation 139, 297
Phosphors 635
Photoluminescence 405, 411
Plasma spraying 315
Plasma spraying technology 817
Polarization 81
Polyacrylic acid 677
Polymerised complex method 241
Polyvinylpyrrolidone 1015
Porcelain stoneware tiles 233
Porous 929
Porous materials 1091
Post-process 655
Preheating 95
Processing 917
PyC-SiC interlayers 525
Pyrometric temperature measurement 621
Pyroxene solid solutions 559
PZT fiber 281
PZT thin film 461
Quartz 1065
Rare-earth oxides 703
R-curve behavior 197
Reaction path 825
Recycling 1053
Reduction 375
Relaxor ferroelectrics 791
Resonator 85
Reverse microemulsion 869
Rheology 647, 845
Self-flow 647
Self-lubricating composite 543
SHS 95, 719, 1031
Silica 777
Silicon oxycarbide 305, 1045
Sinterability 973
SiO₂-Y₂O₃ 631
Slags 697
SnO₂ 405
Soaking method 803
Solid oxide fuel cell 1061
Solid state reaction 533
Solidification 621
Sol-gel 205, 959
Spark-processing 411
Specific surface area 1007
Spin-coating technique 1061
Starting powder size 33
Superplastic forming 923
Surface modification 635
Synthesis 109, 293, 391
Tantalum oxide 399
Temperature coefficient of dielectric constant 143
TEOS 777
Thermal barrier coating 611
Thermal behavior 663
Thermal residual stress 537
Thermal shock properties 817
Thermal shocks 999
Thermal stability 1045
Thermoelectric power 361
Thermoelectric properties 129
Thermoplastic suspension 845
Thin film 1061
Ti(C, N)-based cermet 165
TiC 33
Tiles 215
Tin dioxide 399, 737
Titanium carbide 475
Titanium carbonitride 719
Torpedo car 897
Toughening 81
Transparent 499
Tunable properties 1097
Tungsten carbide 1109
Ultra low-cement 647
Ultrafiltration 205
Ultrafine 53
Vanadium nitride 95
Wall tile 153
Water absorption 153
Wear 543
Weibull modulus 677
Wet chemical method 481
Whisker alignment 197
XPS 411
XRD 405
Y-(α + β)-sialon/TiN 277
YAG 663
YAG precursor 831
YSZ 1061
Yttria-stabilized tetragonal zirconia polycrystals 297
ZAS 1053
Zinc titanate 905
Zircon 181, 1091
ZnO-based ceramics 783
ZnS 635