

Contents of Volume 32

Number 1

- 1 Donor- and acceptor-cosubstituted BaTiO_3 for nonreducible multilayer ceramic capacitors
D.-H. KUO, C.-H. WANG & W.-P. TSAI (Taiwan)
- 7 Optical and surface properties of hybrid TiO_2 /ormosil planar waveguide prepared by the sol–gel process
B. WANG & L. HU (PR China)
- 13 Wear behavior of alumina–titania coatings: analysis of process and parameters
S. GUESSASMA (France), M. BOUNAZEF (Algeria), P. NARDIN & T. SAHRAOUI (France)
- 21 In situ formation of Al_2O_3 –SiC–mullite from Al-matrix composites
M.F. ZAWRAH & M.H. ALY (Egypt)
- 29 In situ coagulation moulding: a new route for high quality, net-shape ceramics
J.G.P. BINNER, A.M. McDERMOTT, Y. YIN, R.M. SAMBROOK & B. VAIDHYANATHAN (UK)
- 37 Effects of phase transformation on photoluminescence behavior of ZnO:Eu prepared in different solvents
C.-C. YANG, S.-Y. CHENG, H.-Y. LEE & S.-Y. CHEN (Taiwan)
- 43 Crystallisation behaviour, microstructure and magnetic properties of $\text{BaO-Fe}_2\text{O}_3\text{-B}_2\text{O}_3\text{-SiO}_2$ glass ceramics
M. MIRKAZEMI, V.K. MARGHUSSIAN & A. BEITOLLAHI (Iran)
- 53 The preparation of cordierite from talc, fly ash, fused silica and alumina mixtures
R. GOREN, C. OZGUR & H. GOCMEZ (Turkey)
- 57 Synthesis of $\text{La}(\text{Mg}_{1/2}\text{Ti}_{1/2})\text{O}_3$ powder through ethylenediaminetetraacetic acid gel combustion
Y. XU, X. YUAN, P. LU, G. HUANG & C. ZENG (PR China)
- 61 Phase and microstructure evolution in precursor plasma-sprayed YIG coatings
X.Z. GUO, B.G. RAVI, Q.Y. YAN, R.J. GAMBINO, S. SAMPATH, J. MARGOLIES & J.B. PARISE (USA)
- 67 Effect of ceria on properties of yttrium-doped strontium titanate ceramics
S. KOUTCHEIKO, Y. YOO, A. PETRIC & I. DAVIDSON (Canada)
- 73 Effect of strontium concentration on electrical conduction properties of Sr-modified BaSnO_3
A. KUMAR, R.N.P. CHOUDHARY, B.P. SINGH & A.K. THAKUR (India)
- 85 Low voltage varistors based on CeO_2
V.V. DESHPANDE, M.M. PATIL & V. RAVI (India)

Short communication

- 89 A new percolation-threshold relation for the porosity dependence of thermal conductivity
W. PABST & E. GREGOROVÁ (Czech Republic)

I Keywords for *Ceramics International*

Number 2

- 93 Control of the inner stresses in ceramic green bodies formed by gelcasting
L.G. MA, Y. HUANG, J.L. YANG (Peoples' Republic of China), H.R. LE (UK) & Y. SUN (Peoples' Republic of China)
- 99 Synthesis of barium titanate nanopowder using polymeric precursor method
V. VINOTHINI, P. SINGH & M. BALASUBRAMANIAN (India)
- 105 Charge distribution at interface and in bulk of YSZ thin films deposited on Si substrate
K. GMUCOVÁ, M. HARTMANOVÁ & F. KUNDRACIK (Slovakia)
- 111 Study of elastic behaviour of magnesium ferri aluminates
K.B. MODI, M.C. CHHANTBAR & H.H. JOSHI (India)
- 115 The influence of various additions on a glass-ceramic matrix composition based on industrial waste
I. ROZENSTRAUHA, D. BAJARE, R. CIMDINS, L. BERZINA (Latvia), J. BOSSERT (Germany) & A.R. BOCCACCINI (UK)
- 121 Microstructural evolution and optical properties of doped TiO₂ films prepared by RF magnetron sputtering
S.-F. WANG, Y.-F. HSU & Y.-S. LEE (Taiwan)
- 127 Densification and grain growth of SiO₂-doped ZnO
N. CANIKOĞLU, N. TOPLAN, K. YILDIZ & H.Ö. TOPLAN (Turkey)
- 133 Rheology of concentrated SiC particles in silicon alkoxide sols
D.Y. FU & W.J. TSENG (Taiwan)
- 137 Effect of recoating slurry viscosity on the properties of reticulated porous silicon carbide ceramics
X. YAO, S. TAN, Z. HUANG & D. JIANG (PR China)
- 143 Powder characteristics and sinterability of ceria powders prepared through different routes
R.D. PUROHIT, S. SAHA & A.K. TYAGI (India)
- 147 Dispersion of lanthanoid-coated barium titanate in a paraffin-based extrusion binder system
M. WEGMANN (Switzerland, UK), F. CLEMENS (Switzerland), A. HENDRY (UK) & T. GRAULE (Switzerland)
- 157 The effect of grain boundary on the properties of La_{0.7}Sr_{0.3}MnO₃ thin films prepared by chemical solution deposition
S.M. LIU, X.B. ZHU, J. YANG, W.H. SONG, J.M. DAI & Y.P. SUN (PR China)
- 163 Hydration of coked MgO–C–Al refractories
S.K. NANDY, N.K. GHOSH, D. GHOSH & G.C. DAS (India)
- 173 Ceramic formulations prepared with industrial wastes and natural sub-products
F. RAUPP-PEREIRA (Portugal), D. HOTZA (Brazil), A.M. SEGADÃES & J.A. LABRINCHA (Portugal)
- 181 Energy efficient process for making pyrophyllite-based ceramic tiles using phosphoric acid and mineralizers
S.S. AMRITPHALE, S. BHASIN & N. CHANDRA (India)
- 189 Study of potassium additive on the phase formation and ferroelectric properties of 0.9PMN–0.1PT ceramics
J.C. BRUNO, A.A. CAVALHEIRO, M.A. ZAGHETE & J.A. VARELA (Brazil)
- 195 Processing of glass-ceramics in the SiO₂–Al₂O₃–B₂O₃–MgO–CaO–Na₂O–(P₂O₅)–F system via sintering and crystallization of glass powder compacts
D.U. TULYAGANOV, S. AGATHOPOULOS, H.R. FERNANDES & J.M.F. FERREIRA (Portugal)
- 201 Zirconia–mullite materials prepared from semi-colloidal route derived precursors
S. MAITRA, A. RAHAMAN, A. SARKAR & A. TARAFDAR (India)

- 207 In situ synthesis and optical properties of strong red emitting nanomaterial: $\text{Y}_x\text{Gd}_{2-x}\text{O}_3:\text{Eu}^{3+}$ by composing different hybrid polymeric precursors
L. ZHOU & B. YAN (PR China)
- 213 Synthesis of a powder precursor in the form of hydroxyhydrogel for reaction sintering of BN–mullite composite
A.K. BASU, A. MITRA & S. GHATAK (India)

Short communications

- 221 Sinterability of TiO_2 -coated fine Ni powder
R. TOMOSHIGE, A. KATO & K. NAGASHIMA (Japan)
- 223 Preparation of TiO_2 thin film on SiO_2 glass by a spin coating–pyrolysis process
B.-H. KIM, J.-H. AHN, J.-H. JEONG, Y.-S. JEON, K.-O. JEON & K.-S. HWANG (Republic of Korea)

I Keywords for *Ceramics International*

Number 3

- 227 Pressureless sintering of boron carbide
T.K. ROY, C. SUBRAMANIAN & A.K. SURU (India)
- 235 Preparation of a highly thermally stable titania anatase phase by addition of mixed zirconia and silica dopants
D.J. REIDY, J.D. HOLMES & M.A. MORRIS (Ireland)
- 241 Differential sintering of $\text{Al}_2\text{O}_3/\text{ZrO}_2$ –Ni composite, during pulse electric current sintering
D. ZHANG, L. ZHANG, Z. FU, J. GUO (China) & W.-H. TUAN (Taiwan)
- 249 Fracture toughness of alumina–zirconia composites
F. CESARI, L. ESPOSITO, F.M. FURGIUELE, C. MALETTA & A. TUCCI (Italy)
- 257 Hydration of hydratable alumina in the presence of various forms of MgO
G. YE & T. TROCZYNSKI (Canada)
- 263 Effect of thermal exposure on hardness and Young's modulus of EB-PVD yttria-partially-stabilized zirconia thermal barrier coatings
S. GUO & Y. KAGAWA (Japan)
- 271 New chemical route based on sol–gel process for the synthesis of oxyapatite $\text{La}_{9.33}\text{Si}_6\text{O}_{26}$
S. CÉLÉRIER, C. LABERTY, F. ANSART, P. LENORMAND (France) & P. STEVENS (Germany)
- 277 Preparation of bulk Si_3N_4 from tape casting and lamination
J. ZHANG (Japan), F. YE, D. JIANG (PR China) & M. IWASA (Japan)
- 283 Nonlinear electrical behaviour of the Cr_2O_3 , ZnO, CoO and Ta_2O_5 -doped SnO_2 varistors
F.M. FILHO, A.Z. SIMÕES, A. RIES, L. PERAZOLLI, E. LONGO & J.A. VARELA (Brazil)
- 291 Influence of heat treatment on physical–chemical properties of PAN-based carbon fiber
S. WANG, Z.-H. CHEN, W.-J. MA & Q.-S. MA (PR China)
- 297 PIM of non-conventional particles
F.M. BARREIROS & M.T. VIEIRA (Portugal)
- 303 Effect of β - Si_3N_4 seeds on densification and fracture toughness of silicon nitride
A. VUČKOVIĆ, S. BOŠKOVIĆ, B. MATOVIĆ (Serbia and Montenegro), M. VLAJIC & V. KRSTIC (Canada)
- 309 Synthesis of nanocrystalline lutetium aluminum garnet powders by co-precipitation method
H.-L. LI, X.-J. LIU & L.-P. HUANG (PR China)

- 313 Effects of resin and graphite content on density and oxidation behavior of MgO-C refractory bricks
B. HASHEMI, Z.A. NEMATI & M.A. FAGHIHI-SANI (Iran)
- 321 Growth and characterization of large size lead germanate single crystals
X. WU, J. XU, G. QIAN & W. JIN (PR China)
- 325 Influence of mixing/milling on sintering and technological properties of anorthite based porcelainised stoneware
M.U. TASKIRAN, N. DEMIRKOL & A. CAPOGLU (Turkey)
- 331 Influence of powder pre-treatments and milling on dispersion ability of aqueous hydroxyapatite-based suspensions
Z. SADEGHIAN, J.G. HEINRICH (Germany) & F. MOZTARZADEH (Iran)
- 339 Electrical and thermal properties of $\text{La}_{0.7}\text{Sr}_{0.3}\text{Ga}_{0.6}\text{Fe}_{0.4}\text{O}_3$ ceramics
S. KOUTCHEIKO, P. WHITFIELD & I. DAVIDSON (Canada)

Short communications

- 345 Synthesis of nanocrystalline $\text{Sn}_{0.2}\text{Zr}_{0.8}\text{TiO}_4$ by the citrate gel method
M.M. PATIL, V.V. DESHPANDE & V. RAVI (India)
- 349 Pressureless sintering of machinable $\text{Al}_2\text{O}_3/\text{LaPO}_4$ composites in N_2 atmosphere
G. GONG, B. ZHANG, H. ZHANG & W. LI (PR China)
- 353 A coprecipitation technique to prepare $\text{Mg}_4\text{Nb}_2\text{O}_9$ powders
V.V. DESHPANDE, M.M. PATIL & V. RAVI (India)

I Keywords for *Ceramics International*

Number 4

- 357 HA forming ability of some glass-ceramics of the $\text{CaMgSi}_2\text{O}_6\text{--Ca}_5(\text{PO}_4)_3\text{F--CaAl}_2\text{SiO}_6$ system
S.N. SALAMA, H. DARWISH & H.A. ABO-MOSALLAM (Egypt)
- 365 Synthesis and microstructural characterization of aluminum borate whiskers
L.M. PENG, X.K. LI, H. LI, J.H. WANG & M. GONG (PR China)
- 369 Alumina–mullite ceramics for structural applications
E. MEDVEDOVSKI (USA)
- 377 $\text{Ba}(\text{Zn}_{1/3}\text{Nb}_{2/3})\text{O}_3$ sintering temperature lowering for silver co-sintering applications
F. ROULLAND & S. MARINEL (France)
- 385 The role of counterions (Mo, Nb, Sb, W) in Cr-, Mn-, Ni- and V-doped rutile ceramic pigments. Part 1. Crystal structure and phase transformations
F. MATTEUCCI, G. CRUCIANI, M. DONDI & M. RAIMONDO (Italy)
- 393 The role of counterions (Mo, Nb, Sb, W) in Cr-, Mn-, Ni- and V-doped rutile ceramic pigments. Part 2. Colour and technological properties
M. DONDI, G. CRUCIANI, G. GUARINI, F. MATTEUCCI & M. RAIMONDO (Italy)
- 407 Synthesis of cordierite powder from talc, diatomite and alumina
R. GOREN, H. GOCMEZ & C. OZGUR (Turkey)
- 411 Preparation of Ca α -SiAlON powders with rod-like crystals by combustion synthesis
G. LIU, K. CHEN, H. ZHOU, X. NING (PR China), C. PEREIRA & J.M.F. FERREIRA (Portugal)

- 417 Yttrium silicate oxidation protective coating for SiC coated carbon/carbon composites
J.-F. HUANG, H.-J. LI, X.-R. ZENG & K.-Z. LI (PR China)
- 423 Toughening and strengthening of advanced ceramics with rare earth additives
C. XU, C. HUANG & X. AI (PR China)
- 431 AlZrC_2 synthesis
U. LEELA-ADISORN, S.M. CHOI, T. MATSUNAGA, S. HASHIMOTO, S. HONDA, K. HAYAKAWA, H. AWAJI & A. YAMAGUCHI (Japan)
- 441 Crystallization kinetics of plasma sprayed basalt coatings
G. BAYRAK & S. YILMAZ (Turkey)
- 447 Non-reducible BaTiO_3 -based dielectric ceramics for Ni-MLCC synthesized by soft chemical method
JI ZHEN, ZHANG YUE, GU YOUSONG, WANG SEN, LI LINGFENG, XIAO ZHIGANG & WANG YANBIN (China)
- 451 Water vapor corrosion behavior of lutetium silicates at high temperature
S. UENO, D.D. JAYASEELAN & T. OHJI (Japan)
- 457 Low temperature fabrication and characterizations of $\beta\text{-CaSiO}_3$ ceramics
L.H. LONG, L.D. CHEN & J. CHANG (China)
- 461 Effect of Y_2O_3 addition on the properties of reaction-bonded porous SiC ceramics
S. DING, S. ZHU (China), Y. ZENG (Japan) & D. JIANG (China)
- 467 Dielectric properties of $\text{Sr}_{1-x}\text{Bi}_{2+(2/3)x}(\text{V}_x\text{Nb}_{1-x})_2\text{O}_9$ [$x = 0.1$ and 0.2] ceramics
B.J. KALAISELVI, R. SRIDARANE & R. MURUGAN (India)

Short communications

- 471 Co-firing behavior of ZnTiO_3 dielectric ceramics/Ag composites for MLCCs
C. MIAO, M. WANG, Z. YUE, J. ZHOU (China) & Q. LI (USA)
- 475 A co-precipitation technique to prepare CaNb_2O_6
V. RAVI & S.C. NAVALE (India)

I Keywords for *Ceramics International*

Number 5

- 479 Effects of Zr/Ti ratio on structural, dielectric and piezoelectric properties of Mn- and (Mn, F)-doped lead zirconate titanate ceramics
E. BOUCHER, B. GUIFFARD, L. LEBRUN & D. GUYOMAR (France)
- 487 Studies on the structural, electrical and optical properties of Al-doped ZnO thin films prepared by chemical spray deposition
B. JOSEPH, P.K. MANOJ & V.K. VAIDYAN (India)
- 495 Structural and photoelectrochemical characteristics of nanocrystalline ZnO electrode with Eosin-Y
W.-J. LEE, H. OKADA, A. WAKAHARA & A. YOSHIDA (Japan)
- 499 Unlubricated friction and wear behaviors of various alumina-based ceramic composites against cemented carbide
DENG JIANXIN, DING ZELIANG, ZHAO JUN, LI JIANFENG & CAO TONGKUN (PR China)
- 509 Alumina–zirconia–yttria nanocomposites prepared by solution combustion synthesis
S. BIAMINO, P. FINO, M. PAVESE & C. BADINI (Italy)

- 515 Bioactivity and mechanical properties of $\text{Na}_2\text{O}\cdot\text{CaO}\cdot\text{SiO}_2\cdot\text{P}_2\text{O}_5$ modified glasses
I. BARRIOS DE ARENAS, C. SCHATTNER & M. VÁSQUEZ (Venezuela)
- 521 The interaction of organic dispersant with alumina: A molecular modelling approach
H. GOCMEZ (Turkey)
- 527 Hydroxyapatite formation on oxide films containing Ca and P by hydrothermal treatment
F. LIU (People's Republic of China, Japan), F. WANG (People's Republic of China), T. SHIMIZU, K. IGARASHI (Japan) & L. ZHAO (People's Republic of China)
- 533 Preparation of in-situ TiO_2/O' -Sialon multiphase ceramics by selective-oxidation
J. YANG, X. XUE, T. JIANG, P. XIE & M. WANG (PR China)
- 539 Perovskite stabilization and dielectric properties of $\text{Mg}_{1/3}\text{Nb}_{2/3}$ -substituted $\text{Pb}[(\text{Zn}_{1/3}\text{Ta}_{2/3}),\text{Ti}]\text{O}_3$
J.-S. KIM & N.-K. KIM (Korea)
- 545 Solubility of Ce^{4+} and Sr^{2+} in the pyrochlore lattice of $\text{Gd}_2\text{Zr}_2\text{O}_7$ for simulation of Pu and alkaline earth metal
S.J. PATWE & A.K. TYAGI (India)
- 549 Mechanical and tribological properties of hot-pressed h-BN/ Si_3N_4 ceramic composites
D. WEI, Q. MENG & D. JIA (PR China)
- 555 Influence of mechanical activation on the synthesis and hydraulic activity of calcium dialuminate
S. KUMAR, A. BANDOPADHYAY, T.C. ALEX & R. KUMAR (India)
- 561 Fabrication and characterization of ZnO comb-like nanostructures
Y. HUANG, Y. ZHANG, J. HE, Y. DAI, Y. GU, Z. JI & C. ZHOU (China)
- 567 Influence of the slip composition on the aqueous processing and properties of yttria stabilized zirconia green tapes
M.P. ALBANO & L.B. GARRIDO (Argentina)
- 575 Fabrication and mechanical properties of ultra-fine grained $\gamma\text{-Ni-20Fe/Al}_2\text{O}_3$ composites
X.Y. QIN, R. CAO & H.Q. LI (PR China)
- 583 Effects of electrolysis of water on the properties of soft lead zirconate titanate piezoelectric ceramics
X.P. JIANG, W.P. CHEN, Z. PENG, M. ZENG, H.L.W. CHAN, C.L. CHOY & Q.R. YIN (China)
- 587 Low temperature synthesis of ultrafine $\alpha\text{-Al}_2\text{O}_3$ powder by a simple aqueous sol–gel process
J. LI, Y. PAN, C. XIANG, Q. GE & J. GUO (PR China)
- 593 Rutilation in nickel oxide-doped titania prepared by different methods
S. RIYAS, G. KRISHNAN & P.N. MOHAN DAS (India)
- 599 Pressureless sintering of $\text{TiN/Y-(}\alpha/\beta\text{)-sialon}$ ceramics from SHS powder
J. XU, B. ZHANG, W. LI, H. ZHUANG & G. JIANG (PR China)

I Keywords for *Ceramics International*

Number 6

- 603 Glass foams from dismantled cathode ray tubes
E. BERNARDO & F. ALBERTINI (Italy)
- 609 Lattice thermal expansion studies of $\text{Th}_{1-x}\text{Nd}_x\text{O}_{2-x/2}$ solid solutions
M.D. MATHEWS, B.R. AMBEKAR & A.K. TYAGI (India)
- 613 Fabrication and interfacial structure of $\text{Al}_2\text{O}_3/\text{Ni}$ laminar ceramics
K.H. ZUO, D.L. JIANG & Q.L. LIN (PR China)

- 617 Low temperature synthesis of hydroxyapatite from $\text{CaHPO}_4 \cdot 2\text{H}_2\text{O}$ and Ca(OH)_2 based on effect of the spark plasma system (SPS)
M. OMORI, T. ONOKI, T. HASHIDA, A. OKUBO & Y. MURAKAMI (Japan)
- 623 Sol–gel synthesis of lithium aluminum silicate powders: The effect of silica source
M. CHATTERJEE & M.K. NASKAR (India)
- 633 Synthesis of $\text{SiC}_w/\text{MoSi}_2$ powder by the “chemical oven” self-propagating combustion method
J. XU, B. ZHANG, G. JIANG, W. LI & H. ZHUANG (People's Republic of China)
- 637 Surface chemical studies on SiC suspension in the presence of chitosan
L. SARAVANAN, S. SUBRAMANIAN, A.B.V. KUMAR & R.N. THARANATHAN (India)
- 647 Microwave-assisted synthesis of PbWO_4 nano-powders via a citrate complex precursor and its photoluminescence
J.H. RYU, S.-M. KOO, D.S. CHANG, J.-W. YOON, C.S. LIM & K.B. SHIM (South Korea)
- 653 Preparation of tantalum carbonitride by self-propagating high-temperature synthesis of Ta–C system in nitrogen
C.L. YEY & E.W. LIU (Taiwan)
- 659 Simple fabrication process for CeO_2 – MgO composite as surrogate for actinide-containing target for use in nuclear fuel
M. OSAKA, S. MIWA & Y. TACHI (Japan)
- 665 The photoluminescence of $\text{SrAl}_2\text{O}_4:\text{Sm}$ phosphors
T.-P. TANG, C.-M. LEE & F.-C. YEN (Taiwan)
- 673 Preparation of MgO -coated BaTiO_3 particles through a surface-induced precipitation method
J.S. PARK & Y.H. HAN (Republic of Korea)
- 679 SiOC glass modified by montmorillonite clay
E. BERNARDO (Italy), P. COLOMBO (Italy, USA) & E. MANIAS (USA)
- 687 Microstructure and mullitization of aluminosilicate matrix in Nextel 720/aluminosilicate composites prepared by LPCVI at 550°C
Z. CHEN, X. ZHU, Z. LIU, L. PAN & J. TAO (PR China)
- 691 Effect of anion electrolytes on the formation of silica nanoparticles via the sol–gel process
I.A. RAHMAN, P. VEJAYAKUMARAN, C.S. SIPAUT, J. ISMAIL, M. ABU BAKAR, R. ADNAN & C.K. CHEE (Malaysia)
- 701 Preferred orientation of Si_3N_4 ceramics by slip casting in a high magnetic field
S. LI, K. SASSA & S. ASAI (Japan)
- 707 Effect of processing route on the phase formation and properties of $\text{Bi}_4\text{Ti}_3\text{O}_{12}$ ceramics
B.D. STOJANOVIC (Brazil, Serbia and Montenegro), A.Z. SIMOES, C.O. PAIVA-SANTOS, C. QUINELATO, E. LONGO & J.A. VARELA (Brazil)
- 713 WO_3 and ZnO -doped SnO_2 ceramics as insulating material
M.A.L. MARGIONTE, A.Z. SIMÕES, C.S. RICCARDI, F.M. FILHO, A. RIES, L. PERAZOLLI & J.A. VARELA (Brazil)

Short communications

- 719 Photocatalytic efficiency enhancement of plasma-sprayed TiO_2 coatings under external bias voltage
J. LIU, Y. ZENG, J. GAO, W. QIAN & C. DING (PR China)
- 723 Ce^{4+} -modified cordierite ceramics
Z.M. SHI, X. BAI & X.F. WANG (China)

I Keywords for *Ceramics International*

Number 7

- 727 The effect of fired scrap addition on the sintering behaviour of hard porcelain
A. KARAMANOV, E. KARAMANOVA, A.M. FERRARI, F. FERRANTE & M. PELINO (Italy)
- 733 Resistance and capacitance analysis of Pd-doped and undoped SnO₂ thick films sensors exposed to CO atmospheres
M.A. PONCE, M.S. CASTRO & C.M. ALDAO (Argentina)
- 739 A catalytic effect of alumina grains onto polymerization rate of methacrylamide-based gelcasting system
M. POTOCEK (Poland)
- 745 Preparation of textured Ba₂Nb₅O₁₅ ceramics by templated grain growth
Q.-X. BAO, L.-H. ZHU, Q.-W. HUANG & J. XV (PR China)
- 751 Residual stress variations during rolling contact fatigue of refrigerant lubricated silicon nitride bearing elements
Z.A. KHAN, M. HADFIELD (UK), S. TOBE (Japan) & Y. WANG (UK)
- 755 Transport properties of La-doped Mn–Zn ferrite
S. SOLYMAN (Egypt)
- 761 Effect of temperature on rheological behavior of silicon carbide aqueous suspension
W. LI, Q. ZHANG, M. GU & Y. JIN (PR China)
- 767 STEM-X-EDS analysis of morphotropic PZT ceramics. Analysis of Zr/Ti + Zr values fluctuation depending on microstructure and synthesis route of powders
C. COURTOIS, J. CRAMPON, P. CHAMPAGNE, C. COCHRANE, N. TEXIER & A. LERICHE (France)
- 775 Recession mechanism of Lu₂Si₂O₇ phase in high speed steam jet environment at high temperatures
S. UENO, D.D. JAYASEELAN, T. OHJI (Japan) & H.-T. LIN (USA)
- 779 Some filtration parameters of diluted TiO₂/water suspensions and the cake microstructure after sintering
O. ŞAN (Turkey)
- 785 Fabrication of transparent Yb,Cr:YAG ceramics by a solid-state reaction method
Y. WU, J. LI, F. QIU, Y. PAN, Q. LIU & J. GUO (PR China)
- 789 Preparation and properties of glass-ceramics from kaolin clay refining waste (Kira) and paper sludge ash
T. TOYA, Y. KAMESHIMA, A. NAKAJIMA & K. OKADA (Japan)
- 797 Effects of surfactants on the microstructure and some intrinsic properties of porous building ceramics fabricated by gelcasting
M. FUJI, T. KATO, F.-Z. ZHANG & M. TAKAHASHI (Japan)
- 803 Rheological characterisation of ammonium polyacrylate dispersed, concentrated alumina suspensions
J.G.P. BINNER & A.M. McDERMOTT (UK)
- 811 Processing multi-channel alumina membranes by tape casting latex-based suspensions
Y. ZHANG, C. QIN (China) & J. BINNER (UK)
- 819 Preparation of mesoporous titania nanocrystals using alkylamine surfactant templates
N. KOSHITANI, S. SAKULKHAEMARUETHAI, Y. SUZUKI & S. YOSHIKAWA (Japan)
- 825 Additive and intensive grinding effects on the synthesis of cordierite
E. YALAMAÇ & S. AKKURT (Turkey)

- 833 Expansion characteristics of some $\text{Li}_2\text{O}-\text{BaO}-\text{Al}_2\text{O}_3-\text{SiO}_2$ glasses and glass-ceramics
G.A. KHATER & M.H. IDRIS (Saudi Arabia)
- 839 The influence of shaping process on microstructure and properties of BaTiO_3 -based chip thermistors
D. ZHOU, Z. ZHENG, S. GONG, G. HUANG & Y. HU (PR China)

Short communications

- 843 Preparation of potassium lithium niobate powders with low Li content via the Pechini method
J.-P. ZHAO, M.-H. QUAN & L. ZHANG (PR China)
- 847 A coprecipitation technique to prepare LiNbO_3 powders
S.C. NAVALE, V. SAMUEL & V. RAVI (India)

I Keywords for *Ceramics International*

Number 8

- 849 Microstructure and properties of $(\text{SiC}, \text{TiB}_2)/\text{B}_4\text{C}$ composites by reaction hot pressing
A. LI, Y. ZHEN, Q. YIN, L. MA & Y. YIN (China)
- 857 Two alternative synthesis routes for MnZn ferrites using mechanochemical treatments
P.M. BOTTA, P.G. BERCOFF, E.F. AGLIETTI, H.R. BERTORELLO & J.M. PORTO LÓPEZ (Argentina)
- 865 The characteristics of X1 type $\text{Y}_2\text{SiO}_5:\text{Tb}$ phosphor particles prepared by high temperature spray pyrolysis
H.J. LEE, S.K. HONG, D.S. JUNG, S.H. JU, H.Y. KOO & Y.C. KANG (Korea)
- 871 Effect of pyrophyllite on vitrification and on physical properties of triaxial porcelain
T.K. MUKHOPADHYAY, S. GHOSH, S. GHATAK & H.S. MAITI (India)
- 877 Influence of external electric field on relaxor behaviour of $(\text{Pb}_{0.75}\text{Ba}_{0.25})(\text{Zr}_{0.70}\text{Ti}_{0.30})\text{O}_3$ ceramics
M. ADAMCZYK, Z. UJMA, L. SZYM CZAK & A. SOSZYŃSKI (Poland)
- 883 In situ reaction synthesis and characterization of $\text{Ti}_3\text{Si}(\text{Al})\text{C}_2/\text{SiC}$ composites
D.T. WAN, Y.C. ZHOU, Y.W. BAO & C.K. YAN (PR China)
- 891 Production of β -SiC by pyrolysis of rice husk in gas furnaces
V. MARTÍNEZ, M.F. VALENCIA, J. CRUZ, J.M. MEJÍA & F. CHEJNE (Colombia)
- 899 The influence of reaction parameters on the free Si and C contents in the synthesis of nano-sized SiC
S. LARPKIATTAWORN, P. NGERNCHUKLIN, W. KHONGWONG, N. PANKURDDEE & S. WADA (Thailand)
- 905 Modification of alumina bubbles with ammonium aluminum sulphate
J. WANG, L. WANG, H. YANG, X. FU & D. KONG (PR China)
- 911 Materials processed by indirect microwave heating in a single-mode cavity
D. GROSSIN, S. MARINEL & J.-G. NOUDEM (France)
- 917 Effect of strontia on the densification and mechanical properties of sol-gel alumina
K. VISHISTA & F.D. GNANAM (India)
- 923 Influence of lanthanum and niobium doping on the relaxor behaviour of $(\text{Pb}_{0.75}\text{Ba}_{0.25})(\text{Zr}_{0.70}\text{Ti}_{0.30})\text{O}_3$ ceramics
M. ADAMCZYK (Poland)
- 929 Effect of sintering additives on microstructures and mechanical properties of short-carbon-fiber-reinforced SiC composites prepared by precursor pyrolysis-hot pressing
X. HE, Y. ZHOU, D. JIA & Y. GUO (China)

Short communications

- 935 Hydrophilic/hydrophobic conversion of Ni-doped TiO_2 thin films on glass substrates
K.-S. HWANG, J.-H. JEONG, J.-H. AHN & B.-H. KIM (Republic of Korea)
- 939 Studies on SnO_2 – ZrO_2 solid solution
S.R. DHAGE, V. SAMUEL, R. PASRICHA & V. RAVI (India)
- 943 SnO_2 microparticles by thermal evaporation and their properties
H.W. KIM, S.H. SHIM & C. LEE (South Korea)
- 947 A crystal structure consideration of an orthorhombic $\text{BaEu}_2\text{Mn}_2\text{O}_7$ phase
S. UENO, A. SHIMONO & N. KAMEGASHIRA (Japan)
- 951 Synthesis of single-crystal HAP nanorods
Y. SUN, G. GUO, Z. WANG & H. GUO (China)
- 955 Contents of Volume 32
- 965 Keyword Index
- I Keywords for *Ceramics International*