

Keyword Index

A. Processing

- Calcination 309, 331, 819, 891
- Extrusion 147
- Films 61, 223, 733, 935
- Firing 181
- Hot-pressing 575
- Injection moulding 297
- Microwave processing 911
- Milling 707, 825
- Mixing 37, 147, 297, 659
- Powders: chemical preparation 207, 309, 345, 475, 509, 623, 707, 767, 843
- Powders: gas phase reaction 865
- Powders: solid state reaction 411, 539, 633, 825
- Precursors: organic 99, 479
- Sintering 1, 67, 115, 143, 195, 227, 271, 339, 377, 599, 603, 713, 723, 727
- Slip casting 701
- Sol–gel processes 271, 623, 819
- Suspensions 29, 637, 739, 761, 779, 803
- Tape casting 277, 567, 613, 811

B. Structure and Microstructure

- Composites 21, 417, 549, 575, 599, 633, 659, 849
- Defects 321, 947
- Electron microscopy 353, 475, 515, 707, 767, 847, 891, 939
- Fibres 147
- Interfaces 105, 471, 613
- Microstructure 73, 143, 241, 303, 365, 369, 471, 687, 779, 839, 871, 929, 947
- Microstructure-final 89, 195, 479
- Nanocomposites 509, 679
- Optical microscopy 227
- Porosity 89, 115, 137
- Spectroscopy 393, 637
- Surface 61, 451, 733, 775
- Whiskers 411, 633
- X-ray methods 67, 321, 339, 345, 385, 475, 539, 707, 767, 847

C. Properties

- Chemical properties 637
- Colour 393
- Corrosion 451, 775
- Dielectric properties 1, 99, 321, 467, 539, 877, 911, 923
- Diffusion 471, 613
- Electrical conductivity 73, 89
- Ferroelectric properties 73, 189, 707, 733, 839
- Friction 499, 549
- Hardness 227, 263, 883, 917
- Impedance 73
- Magnetic properties 43, 61, 857, 911
- Mechanical properties 423, 457, 549, 575, 599, 603, 679, 723, 789, 917, 929
- Optical properties 7, 37, 121, 207, 223, 393, 865, 935
- Piezoelectric properties 479
- Strength 137
- Thermal conductivity 89
- Thermal expansion 609, 723, 833
- Thermal properties 67, 339
- Toughening 917
- Toughness and toughening 423
- Toughness 917
- Wear resistance 369

D. Compositions

- Al_2O_3 29, 369, 423, 499, 575, 587, 613, 739, 803, 811, 917
 Alumina 21, 521
 Apatite 271
 Barium titanate 1
 BaTiO_3 and titanates 99, 147
 Carbide 431
 Carbon 417, 431
 Ceria 143
 Cordierite 53, 407, 723, 825
 Ferrites 43, 111, 857
 Glass 603, 679
 Glass-ceramics 43, 115, 195, 357, 441, 623, 789
 MgO 257
 Mullite 369
 Niobates 843
 Perovskites 67, 99, 339, 377, 911, 947
 Porcelain 727, 871
 PZT 479, 767
 SiC 21, 133, 461, 637, 761, 849, 891
 Si_3N_4 277, 549
 Sialon 411, 599
 Silicate 451, 775
 Silicides 633
 Silicon carbide 137
 Silicon nitride 701, 751
 TiO_2 223, 235, 345, 385, 393, 527, 719, 779, 819, 935
 Titanates 707
 Traditional ceramics 385, 393
 Y_2O_3 207, 461
 ZnO 37, 127, 495
 ZrO_2 345, 567, 939

E. Applications

- Biomedical applications 515
 Capacitors 1, 377
 Cutting tools 423
 Engine components 775
 Fuel cells 271
 Functional applications 207
 Hard magnets 43
 Insulators 713
 Membrane 811
 Nuclear applications 227, 659
 PTC devices 147
 Refractories 173, 257
 Sensors 733
 Thermal applications 451, 603, 679
 Varistors 127, 283

Miscellaneous

- Activator 665
 Additives 201
 Advanced ceramics 21
 Afterburning combustion 653
 Aggregation 133
 $\text{Al}_2\text{O}_3/\text{LaPO}_4$ composite 349
 $\text{Al}_2\text{O}_3\text{--ZrO}_2$ composites 249
 $\text{Al}_2\text{O}_3\text{--ZrO}_2\text{--Ni}$ 241
 Alumina bubble 905
 Alumina–titania coating 13
 Alumina–zirconia composite 509
 Aluminium doping 487
 Aluminosilicate 687
 Aluminum borate whiskers 365
 AlZrC_2 431
 Ammonium aluminum sulphate 905
 Anatase 593
 Anatase-to-rutile transformation 385
 Anion electrolytes 691
 Anorthite 325
 Aqueous sol–gel process 587
 Atmospheric plasma spraying (APS) 13
 Aurivillius family 467
 B_2O_3 665
 B_4C 849
 Ballistic performance 369
 Barium sodium niobate ($\text{Ba}_2\text{NaNb}_5\text{O}_{15}$) 745
 Basalt 441
 BaTiO_3 673
 Bearing elements 751
 Bioactive glasses 515
 Bioactivity 457
 Boron carbide 227
 Boron nitride–mullite composite 213
 Bulk 105
 Calcium dialuminate 555
 Calcium phosphate 617
 Carbon content 653
 Carbon fiber 291
 CaSiO_3 457
 Castable 257
 Ceramic matrix composite 133
 Ceramic pigments 385, 393
 Ceramic tiles 181
 Ceramics 13, 85, 353, 457, 467, 499, 539, 877, 923, 947
 Chamotte 115
 Characterization 181
 Charge transient methods 105
 Chemical durability 789
 Chemical oven 633
 Chemical solution deposition 157
 Chemical synthesis 847
 Chip thermistors 839
 Chromium 283

- Citrate complex precursor 647
Coagulation 29
Coating 673
Co-firing 471
Coking 163
Combustion synthesis 57, 509
Compressive resistance 905
Conductivity 691, 755
Construction ceramic tile 797
Conversion efficiency 495
Co-precipitation 593
Critical particle size 235
Crystal growth 561
Crystal structure 947
Crystallization 195, 441, 623, 833
Debinding process 93
Degradation 583
Densification 127
Diatomite 407
Dielectric constant 755
Dielectric loss factor 755
Dielectrics 471
Differential sintering 241
Disintegration 163
Dispersant 521
Dispersion 331
Doping effects 85
DRX 891
EB-PVD TBC 263
Elastic properties 111
Electrolysis 583
Electronic materials 353, 847
Emission 665
Eosin-Y 495
Ethylenediaminetetraacetic acid 57
Eu₂O₃ 37
β-eucryptite ss 833
Experimental design 891
External bias 719
Fabrication 785
Feedstock 297
Ferrite material 755
Fluorapatite 357
Fluorite 545
Flux 665
Fly ash 53
Fracture toughness 249, 303
Free Si 899
Friction coefficient 13
Functional groups 521
Gelcasting 93, 739, 797
Grain growth kinetics 127
Graphite content 313
Graphitization 431
Green body 93
HA-forming 357
Heat treatment 291, 833
Hetero-coagulation 673
Hexacelsian 833
High magnetic field 701
Homogeneous precipitation 673
Host 665
Hydratable alumina 257
Hydration 163, 257
Hydraulic activity 555
Hydrogen 583
Hydroxy hydrogel intermediate 213
Hydroxyapatite synthesis 617
Hydroxyapatite 331, 527, 617, 951
Impact strength 181
Impedance spectroscopy 105
In situ synthesis 365
Indentation 263
Industrial wastes 173
Infrared spectra 111
Inner stresses 93
In-situ TiO₂/O'-Sialon 533
Kaolin clay waste 789
Kinetics 441, 533
La(Mg_{1/2}Ti_{1/2})O₃ 57
Latex binders 811
Layered oxides 467
Lead germanate 321
Lead zirconate titanate 583
LiF 665
LPCVI 687
LuAG 309
Luminescence 665
Machinable 349
Magnesia-carbon-aluminium 163
Magnetoresistance 157, 911
Manganites 157
Mechanical activation 555
Mechanochemistry 857
Methacrylamide 739
Mg 673
MgO-C refractories 313
Microarc oxidation 527
Microstructural evolution 121
Microwave-assisted 647
Mixing/milling 325
MLCC internal electrode 221
Molecular modelling 521
Monoclinic celsian 833
Monodispersed 691
Mortars 173
Mullitization 687
Nano-BaTiO₃-based 447
Nanoparticles 951
Nano-powders 647
Nanosilica 691
Nanostructured materials 143
Ni powder 221
Ni-MLCC 447
Non-conventional powder 297
Non-reducible 447
Orthorhombic celsian 833
Oxidation resistance 883
Oxidation 313, 417
Paper sludge ash 789
Particles 943
PbWO₄ 647
Pechini method 843
Perovskite oxides 539

- Phase relation 609
Phase transformation 235
Phosphor 665
Phosphoric acid 181
Photocatalytic efficiency 719
Photoluminescence 561, 647
Physical–chemical properties 291
Plasma spray coating 441
Plasma spray 61
Plasma spraying 719
PMN–PT 189
Polycrystalline structure 105
Porcelainised stoneware 325
Porous ceramics 461, 797
Powder metallurgy 659
Powder preparation 587
Powder XRD 545
Preferred orientation 701
Pressureless sintering 303, 349
Properties 357
Pulse electric current sintering 241
Pyrophyllite 181, 871
Pyroxene ss 357
Quartz 871
Reaction bonding 461
Reaction parameters 899
Reactive sintering 849
Recoating 137
Refrigerant lubrication 751
Relaxor ferroelectrics 877, 923
Relaxor 189
Residual stress 751
Resin 313
Reverse microemulsion 951
RF magnetron sputtering 121
Rheology 133, 277, 761, 803
Rietveld 53, 407
Rolling contact 751
Rutile 593
SBF solution 357
Schottky barrier 85
Seebeck voltage coefficient 755
Seeds 745
Selective-oxidation 533
Self reinforced Si_3N_4 with CeO_2 additive 303
Self-Q-switched lasers 785
Semi-colloidal technique 201
Shaping process 839
Short-carbon-fiber-reinforced SiC composite 929
SHS 599, 653
SiC powder 899
Si–C reaction 899
Silicate waste 115
Sinterability 221
Sintering additives 929
 SiO_2 doping 127
Slip and green tape properties 567
Slurry 331
Sm 665
 SnO_2 939, 943
Solar cell 495
Sol–gel waveguide 7
Sol–gel 133
Solid solubility 609
Solid solutions 939
Solid state reaction 785
Solubility 545
Solution combustion 143
Spark plasma sintering (SPS) 617
Spark plasma system (SPS) 617
Spectrum properties 785
Spinels 857
 β -spodumene ss 833
Spray pyrolysis 487
SPS 457
 SrAl_2O_4 665
Statistical experimental design 825
Strength development 555
Stress intensity factor 249
Strontia 917
Surfactant 797, 951
Surfactant-assisted templating method 819
Synthesis 555, 899
Talc 53, 407
Tantalum carbonitride 653
Templated grain growth (TGG) 745
Texture 745
Thermal evaporation 943
Thermal exposure 263
Thermal spray coatings 417
Thermodynamics 163
Thermo-mechanical applications 21
Thin film 105
Thoria 609
 Ti_2B 849
 $\text{Ti}_3\text{Si(Al)C}_2/\text{SiC}$ composites 883
Tin dioxide 283, 713
 $\text{TiN/O}'\text{-Sialon}$ 533
 TiO_2 coating 221
 TiO_2 film 121
Transparent ceramics 785
Transparent conducting films 487
Vapor–solid mechanism 561
Vitrification 871
Vittrified 325
Waste 727
Wear behavior 883
Wear 13, 499
Weight loss 313
Wet-impregnation 593
X-ray diffraction 353, 939
XRD 235
Yb,Cr:YAG 785
Young's modulus 263
Ytria-stabilized zirconia 105
Zeta potential 277, 331
Zinc oxide films 487
Zirconate pyrochlore 545
Zirconia $t \rightarrow m$ phase transformation 249
Zirconia–mullite 201
ZnO nanostructures 561
 ZnTiO_3 471