

Keyword Index

A. Processing

- Calcination 1387, 1399, 1829
Drying 173, 551
Dynamic hysteresis 731
EPD 1
Films 827, 905, 925, 961, 985, 1017, 1039, 1043, 1047, 1051, 1063, 1097, 1103, 1453, 2029
Firing 151, 385
Grain growth 137, 403, 741, 753, 769, 1051, 1183, 1393, 1595, 1709
Hot pressing 213, 1579
Joining 1159
Microwave processing 939
Milling 639, 813, 1629
Polyacrylamide gel 439
Powder 2011
Powders: chemical preparation 409, 443, 563, 645, 671
Powders: solid-state reaction 101, 219, 543, 639, 813, 823, 1109, 1113, 1117, 1533, 1629, 1955, 2067
Precursors: organic 409, 443
Pressing 1439
Processing 661
Shaping 1131
Sintering 15, 81, 89, 257, 455, 505, 543, 609, 615, 651, 695, 741, 757, 769, 783, 853, 883, 889, 901, 917, 921, 929, 1145, 1173, 1183, 1207, 1273, 1289, 1327, 1367, 1409, 1439, 1481, 1503, 1521, 1595, 1709, 1797, 1849, 1867, 1885, 1917, 1993, 2037, 2121, 2129, 2137, 2155
Slip casting 1131, 1309, 1935
Sol–gel 45
Sol–gel processes 205, 299, 905, 947, 979, 1023, 1031, 1055, 1067, 1261, 1431, 1481, 1909,
Sol–gel processing 1893
Suspensions 23, 165, 237, 359, 523, 1935, 2099
Tape-casting 197, 403, 1279, 1983

B. Structure and Microstructure

- Bismuth oxide 439
Composites 131, 181, 189, 231, 311, 317, 331, 429, 631, 793, 827, 1201, 1387, 1797, 1849, 1885, 2099, 2155
Defects 769, 1341
Electron microscopy 81, 669, 769, 901, 985, 1063, 1565, 1609, 1917, 1971, 1993
Failure analysis 2085
Grain boundaries 933, 939, 1459, 1709
Grain size 921, 1051, 1059, 1103, 1709, 1797
Hard PZT 731
Helical 1
Interfaces 331, 753, 967, 1487, 1787, 2025, 2085
Microstructure 181, 1159
Microstructure-final 75, 151, 299, 511, 581, 625, 757, 1153, 1267, 1327, 1495, 1503, 1719, 1741, 1935, 2121, 2129
Nanocomposites 213, 605, 873, 877, 1055, 1229, 1315, 1609, 1767
Platelets 311, 1729, 1971, 2029
Porosity 69, 661, 833, 1131, 1201, 1289, 1573, 1579, 1885, 1935, 1989
Spectroscopy 859, 1373, 2029
Surfaces 23, 511, 537, 837, 1139, 1215
Whiskers 1399
X-ray methods 645, 671, 679, 859, 917, 1273, 1439, 1533, 1661, 1955, 1993

C. Properties

- Chemical properties 23, 2011
Colour 1431, 2029
Corrosion 1215
Dielectric properties 609, 621, 709, 723, 735, 761, 779, 793, 883, 889, 901, 905, 911, 917, 921, 925, 929, 933, 939, 957, 997, 1017, 1023, 1063, 1261, 1503, 1617, 1767, 1931, 1941, 1993, 2067
Diffusion 1487, 2025
Electric properties 1035
Electrical conductivity 219, 853, 1173, 1703
Electrical properties 403, 651, 715, 719, 823, 827, 837, 873, 991, 1043, 1055, 1097, 1341, 1495, 1503, 1521, 1579, 1697
Ferroelectric properties 679, 709, 723, 735, 765, 779, 787, 961, 1003, 1031

- Fracture 311
- Hardness 631, 1367, 1481, 1509, 1797
- Impedance 735, 873, 1273, 1387
- Ionic conductivity 867, 1195, 2051
- Lifetime 523, 1341
- Magnetic properties 497
- Magnetostrictive 701
- Mechanical properties 75, 213, 311, 359, 615, 625, 719, 1201, 1315, 1361, 1393, 1419, 2037, 2085
- MgO 1399
- Nanoparticles 439
- Optical properties 69, 605, 979, 1039, 1085, 1103, 1109, 1113, 1117
- Piezoelectric 1
- Piezoelectric properties 621, 695, 741, 753, 761, 765, 773, 783, 793, 961, 1909, 2067
- Si₃N₄ 1159
- Soft PZT 731
- Strength 107, 511, 537, 581, 2129
- Technological properties 1867
- Thermal conductivity 833, 1543
- Thermal expansion 331, 1819
- Thermal properties 231, 645, 1661, 1849, 2011
- Toughness and toughening 213
- Wear resistance 1229, 1315

D. Compositions

- β -Al₂O₃ 1703
- Al₂O₃ 23, 165, 181, 189, 213, 311, 1109, 1229, 1315, 1459, 1551, 1595, 1609, 1667, 1719, 1729, 1885, 2121, 2129
- Al₂TiO₅ 181, 189
- Apatite 511, 1303, 1373, 1579
- BaSnO₃ 645
- BaTiO₃ 933
- BaTiO₃ and titanates 773, 1017
- BNT 765
- Carbides 631
- Carbon 323
- CeO₂ 409, 877, 1327, 2051
- C_r/SiO₂ 331
- Clays 1207
- Composite 701
- Cordierite 269, 593, 1753
- Ferrites 15
- Glass 505, 605, 1145, 1215, 1393, 1667, 1719, 1819
- Glass ceramics 75, 455, 505, 543, 1145, 1297, 1393, 2037, 2143, 2155
- Lead-free piezoelectrics 765
- MgO 323, 1153, 1989
- Mullite 593, 1753
- Niobates 89, 671, 783, 897, 901, 929
- Nitrides 231, 1453
- Perovskites 219, 671, 709, 753, 761, 787, 813, 849, 939, 1063, 1273, 1779, 1993, 2025
- PLZT 979
- Porcelain 1303
- Porcelain stoneware 1867
- PZT 621, 679, 695, 715, 719, 727, 1003, 1031, 1261, 1909
- PZT films 991
- SiC 151, 197, 317, 331, 391, 625, 837, 1609, 1361, 1381
- Silicate 101, 1113
- Si₃N₄ 1267
- SiO₂ 107, 165, 833, 947, 1935
- Spinel 213, 639, 853
- Tantalates 1117
- Tin oxide 563
- TiO₂ 89, 819, 883, 889, 1039, 1139, 1453, 2029
- Traditional ceramics 1289, 1431, 1917
- Transition metal oxides 859, 1779, 1875
- Transitional metal oxides 849
- ZnO 57, 69, 81, 823, 1055, 1097, 1153, 1425, 1521, 1697
- ZrO₂ 409, 779, 1047, 1113, 1229, 1279, 1315, 1327, 1459, 2129

E. Applications

- Actuators 1, 695, 787, 961
- Batteries 859, 863, 1387, 1779
- Biomedical applications 1131, 1373, 1667
- Capacitors 933, 1003, 1059, 1487
- Cutting tools 1481
- Electrodes 299, 929, 1779, 1989, 2025
- Engine components 1215
- Fuel cells 219, 1741, 1989, 2051
- Functional applications 917, 925, 979, 1017, 1453, 1867
- Insulators 947
- Nonlinear resistors 1521
- Refractories 165, 323, 581, 2085
- Sensors 95, 819, 823, 827, 833, 1703
- Soft magnets 2011
- Structural applications 213, 1849, 2137
- Substrate 1935
- Thermal applications 1533
- Thermistors 853
- Varistors 563, 1153, 1425, 1495, 1697
- Wear parts 1367

Miscellaneous

- 0.7BiFeO₃–0.3BaTiO₃ solid solution 797
 0.85CaWO₄–0.15LaNbO₄ 921
 0.98CeO₂–0.02CaTiO₃ ceramic 243
 α-Al₂O₃ 1539
 α-Al₂O₃ coating 1787
 γ-Al₂O₃ 1971
 Absorption 1073
 Absorption spectra 1077
 Acceptor 845
 Accumulation 1443
 Acetylacetone 1637
 Acid leaching 1835
 Acoustic emission 1857
 Active silica 269
 Additive ZrO₂ 1543
 Additives 1247
 Advanced materials 429
 Aerosol flame deposition (AFD) 873, 877
 Agarose 661
 Ageing 1603
 Agglomeration 1539
 Aging 557
 Al-anodising sludge 593
 Albumin 1443
 Alcohol 57
 Alcohol-dehydration 2059
 Alkaline earth silicate 2117
 Allophane 345
 AlN 985
 Al₂O₃ 1653
 Al₂O₃/Y₂O₃ composite gel fibers 1893
 Alumina 263, 337, 447, 523, 1551, 1857, 2099
 Aluminate 1109
 Aluminum 1787
 Aluminum foil 1285
 Aluminum nitride 943
 Amorphous titanium oxide 1637
 Anatase 557
 Anatase TiO₂ crystals 1637
 Annealing 205
 Anode 219
 Anorthite 1629
 Anorthite–diopside 1145
 Antiferroelectric thin films 1007
 Anti-heat island material 345
 Antioxidants 323
 Aqueous dispersion 397
 Arc melting 2073
 Artificial neural network 809
 A-site deficient perovskite 893
 (Ba_{0.5}Sr_{0.5})TiO₃ 1285
 Ba₂La₃Ti₃NbO₁₅ 2079
 Ball milling 709
 BaO–TiO₂–Nb₂O₅ system 1931
 Barium strontium titanate 1223
 Barrier layer 1261
 (Ba,Sr)TiO₃ 45
 BaTiO₃ 757, 779, 1341, 1941, 2007
 BaTiO₃-based ceramic 551
 BFN 1059
 Bi_{0.5}(Na_{0.7}K_{0.2}Li_{0.1})_{0.5}TiO₃ powder 1561
 BiNbO₄ 1565
 Binderless carbides 1419
 Bi₂O₃ 379
 Bi₂O₃ dopant 1949
 Bioactive composites 285
 Bioactivity 1527, 2091
 Bioceramics 1885
 Biomimetic 1747
 Biomimetic apatite 1139
 Biphasic mixtures 7
 Bi₂S₃ crystallites 249
 Bismuth-doped strontium titanate 997
 Bi₄Ti₃O₁₂ 379
 Black-glazed tea bowl 1473
 BN 317
 BN-doped ZnO 1011
 Boehmite 337
 Boron carbide 1543
 Boron suboxide 1713
 Brij-76 947
 BST 517
 BZT 911
 BZT thin films 1023
 Ca₃Al₂O₆ 943
 Ca-FSZ 1509
 Calcium aluminate 2091
 Calcium def-apatites 7
 Cameroon 1207
 (Ca,Mg)α'-Sialon 1643
 CaO–B₂O₃–SiO₂ 599
 Capacitance 1285
 Ca-PSZ 1509
 Carbides 841
 Carbon 1975
 Carbon matrix composites 1297
 Carbon mixed LiFePO₄ 1349
 Carbon nanotubes 231, 1843
 Carbothermal reduction 1127, 391
 Carbothermal reduction–nitridation 1643, 1791
 Carbothermic reduction 1253
 CaSiO₃ 1405
 Casting properties 1903
 Cathode 863
 Cathode material 1349
 Cathodoluminescence 943
 CaTiO₃ 1941
 Centrifugal casting 1653
 Ceramic composites 1361
 Ceramic films 1223
 Ceramic matrix composites 2037
 Ceramic matrix materials 1165

- Ceramic nitrides 1189
Ceramic processing 2017
Ceramic properties 593
Ceramic tiles 455
Ceramics 51, 257, 491, 675, 1425, 1449, 1565, 1617, 1955
Ceria-based conductor 1949
C_f/SiC composite 531
Chamotte 1207
Chelation 467
Chemical durability 1819
Chemical method 1875
Chemical properties 1975
Chemical synthesis 675, 1565, 2001
Chemical synthesis X-ray diffraction 669
Chemical treatment 269
Chemical vapor deposition 631
Chitosan 285
Chrome-bearing sol 573
Chromia refractory 2107
Citrate-to-nitrate ratio 141
Coal fly ash 2137
Coal slag 2107
Coating 337
Co-ceramics glazes 2147
Co-doping 845
Co-glass 447
Colloidal silica 165
Colossal dielectric constant 1059
Combustion 2117
Combustion synthesis 1267
Composite materials 615, 1925
Composites 279
Conductivity 1949
Congo red 479
Contact angle 305
Contamination 1551
Core-shell nanocrystals 1085
Corn-starch 1573
Corrosion resistance 573
Corundum-spinel 1241
Co_xZn_{1-x}O 2147
Crack extension 1857
Cracked-glass 113
Cracking behavior 1279
Critical specific surface area 1623
Cr,Nd:YAG ceramic 1675
CRT glass 1289
Cr-W-Ti-O 1875
Crystal growth 435
Crystal orientation 985
Crystal phases 1327
Crystal structure 257
Crystallization 63, 113, 125, 1393, 1473, 1819, 1965
3C-SiC film 657
CSZ 285
Cubic boron nitride 1367
Cubic zirconia 137, 365, 1959
Cutting tools (E) 1713
L-Cysteine 1691
Degree of crystallinity 1637
Dehydration 1829
Densification 1183, 1675
Deposition 1843
Dielectrics 517, 1027, 1413, 2079
Dielectric ceramic 1931
Dielectric constant 379, 803, 897
Dielectric property 45
Diopside 263
Dispersion 1309
Donor 845
Donor and acceptor doping 2007
Dopant 1183
DPT 1941
Drop shaft experiment 417
Elastic moduli 1811
Elastic modulus 2017
Electric property 1007
Electrical discharge machining 537
Electrical properties 1089, 1093, 1345
Electrical resistivity 1165
Electrical transport behavior 497
Electrolytic capacitor 1285
Electron backscatter diffraction (EBSD) 1459
Electron emission 685
Electronic materials 669, 675
Electrophoresis 1443
Electrophoretic deposition 1303
Electrostatic spray deposition 95
Energy savings 1165
Engineering ceramics 429
Enstatite 505, 1763
Epitaxy 967
EXAFS and defects 727
Fe₂O₃ 263
Ferroelectric 157, 1027
Ferroelectric cathode 685
Ferroelectric thin films 971
Ferroelectric-ferrite composites 803
Ferroelectricity 797
Ferromagnetism 797
Field emission 971
Filtration 1735
Flexural strength 1959
Fluorophlogopite 1527
Fly ash 125
Foaming 107
Fracture strength 253
Fracture toughness 1509, 1959
Fretting 1509
FT-IRRS 2091
Functionally graded materials 447, 1719
Gas phase reaction 841, 1661
Gas pressure sintering 1595
Gasification process 2107
Gate oxide 957
GdFeO₃ 1503
Gel combustion 1539
Gel combustion synthesis 141
Gelcasting 237, 551, 661
Geopolymer 1763

- Glass structure 1335
 Glass substrate 1237
 Glass-ceramics 113, 125, 599
 Glasses 1335
 Glycine-nitrate process 1773
 Grain growth 81
 Grain orientation 753
 Green and sintered properties 1983
 Green properties 1279
 Grown growth 841
 Guideway 263
 HAP 7
 Hard materials 1419
 Hardness and fracture toughness 365
 HEMA 285
 Hematite–silica 491
 Hertzian indentation 1857
 High energy ball milling 1077
 High pressure 1189
 High temperature application 429
 High temperature deformation 137
 High voltage insulator 385
 High-energy ball-milling 1573
 High-energy milling 1495, 2121
 High-k material 957
 High-power properties 2067
 High-rate properties 863
 HIP 845
 Hot pressing (A) 1713
 Hydration 957, 1829
 Hydrogel 485
 Hydrolysis operations 1637
 Hydrothermal 1569
 Hydrothermal method 249
 Hydrothermal synthesis 1223, 1691, 1971
 Hydroxyapatite 1747, 1843, 2091
 Hysteresis 819
 Hysteresis loop 803
 Image analysis 1925
 In situ decomposition 1241
In situ synchrotron X-ray diffractometry 1661
 In vitro 285, 1527
 Inclusion pigment 491
 Indium oxide 95
 Indium-tin oxide 1173
 Instrumented microindentation 447
 Interaction 2107
 Interaction energy 1353
 Intermetallic 615
 Internal electrode 1487
 Interparticle interactions 293
 Ion implantation 1121
 IR spectra 2147
 Iron deficiency 1409
 Isothermal kinetics 485
 Izumiya porcelain ceramic 1681
 Jian kiln 1473
 Kakiemon-style porcelain 1681
 Kaolin 1903
 Kinetic simulation 467
 Kinetics 27, 269, 557, 1587
 KNbO₃ 89, 787
 K₂Nb₈O₂₁ nanoribbons 435
 Koimari porcelain 1681
 316L stainless steel 1303
 LaNiO₃ 1007
 LaNiO₃ and PbTiO₃ films 1035
 La₂NiO_{4+δ} 651
 La₂O₃ 953
 Large-scale fine structural ceramics 263
 (La_xSr_{1-x})FeO₃ 273
 (La_xSr_{1-x})MnO₃ 273
 Lead 1735
 Lead magnesium niobate–lead titanate 1449
 Lead–borate glass 417
 Lead-free 2073
 Lead-free ceramics 403
 LiFePO₄ 863
 Lightweight aggregates 1735
 LiNi_{0.5}Co_{0.5}VO₄ 421
 Liquid desiccant 551
 Liquid reaction 119
 Liquid-phase sintering 911
 LiTaO₃ 669
 Lithium-ion batteries 1349
 Lithium–nickel–cobalt oxide 225
 Lithography 157
 Low temperature 1569
 Low temperature sintering 705
 LPCVD 657
 LTCC 599
 Luminescence 2117, 2143
 Machinability 63
 Magnesia 1829
 Magnesia-chrome refractory 573
 Magnesium aluminate spinel 1247
 Manganese oxide 1603, 1661
 Marine sediments 1917
 Mechanical milling 1551
 Mechanism of formation 1189
 Membranes 1653
 MEMS 991
 Mercury intrusion 531
 Metastable phase 715
 MgNb₂O₆ 371
 MgO–Al₂O₃–SiO₂–F[–] glass-ceramics 63
 MgO–B₂O₃–Al₂O₃ ternary glass system 1965
 Mica 63
 Microarc oxidation 1139
 Microdiffraction 447
 Microscopic structure 689
 Microstructure 107, 531, 1247, 1345, 1361, 1419, 1439, 1473, 1509, 1675, 1697, 189, 2143, 273, 351, 359, 37, 397, 409, 51, 63, 651, 905
 Microstructure analysis 639
 Microstructure final 1653
 Microwave dielectric ceramic 1405
 Microwave dielectric properties 243, 893
 Microwave heating 621
 Microwave irradiation 205

- Microwave properties 599
Milling 279
Milling media 1551
Mineralizer 249
Mineralogical compositions 1247
MLCC 1449
MOCVD 953, 1003
MOD process 991, 1035
Modelling 27
Molten salt 1253
Molten salt method 1561, 1783
Molten salt synthesis 435, 1729
Monomer 237
MoO₃ whisker 1121
Morphology 2059
MTMOS 1443
Mullite–zirconia 2017
Multicomponent composite 1165
Multilayers 197
N₂ sorption 531
Nanocomposite powder 2043
Nanocrystal 1763
Nanocrystalline 45
Nano-crystals 421
Nanoparticles 1353, 1569
Nanophase 615
Nanopowder 1405
Nanorod 57
Nanosize 1875
Nanosized CeO₂ 2001
Nanostructure 157
Nanostructured Nd:YAG 141
Nanosuspension 293
Nanowires 1127
NbSi₂–SiC 615
N-Cetyl pyridinium chloride 1691
Nd₂O₃ 51
Nickel 1735
Nickel ferrite 701
Ni–YSZ 1741
Nonlinear electrical-thermal switching 131
Non-stoichiometric Cordierite Glass 1753
Non-stoichiometric ferrite 1409
Non-toxic red pigment 491
Octahedral distortion 883
Optical coating 1067
Optical nonlinearity 1073
Optical properties 689, 1089, 1093
Order–disorder 893
Organic precursor 1195
Oriented growth 1035
Oxidation 317, 323, 2043, 2073
Oxidation protection 1297
Oxidative coupling of methane 1805
Oxide films 967
Oxide scale 151
Oxides 37, 675, 1565
Oxygen content 1097
Ozone 953
Paper mill sludge 2137
Particle morphology 1783
Particle size distribution 173
Patterning 157
PbS crystals 1691
Pb(Zn_{1/3}Nb_{2/3})O₃ 1413
Pechini 563
Penetration 1753
Percolation 1165
Periclase 1587
Permeability 803
Perovskite nanostructures 205
Perovskite oxides 1805, 1955
Phase evolution and microstructure 365
Phase transformation 557
Phase-separation 417
Phosphor 2117
Photocatalytic degradation 479
Photocatalytic performance 351
Physical properties 1667
Piezoelectric transformer and vibration velocity 705
PIN 723
PL spectra 1077
PLZST 1007
PLZT 685
PMN–PT 701
Polarization 379
Polyaniline/TiO₂ 1767
Polyelectrolytes 397, 1903
Polyethylene glycol 1747
Polymer 1569
Polymer-assisted sol–gel 997
Polymeric fibers 173
Porcelain stoneware 455
Pore network 531
Pore-forming 1241
Porosity 253
Porous 1241
Porous ceramics 107, 1573
Porous property 345
Porous SiC ceramics 253
Porous ZrO₂ 1983
Positive temperature coefficient of resistance 1165
Post-annealing 953
Potassium tantalate niobate 609
Powder 1081, 119
Powder synthesis 1643
Powders preparation 809
PRAM 1043
Pre ceramic polymer 1201
Pre ceramic polymer pyrolysis 253
Precursor 1425
Precursor of SBA-15 1791
Precursors: organic 1975
Preparation 2007
Pressureless sintering 1543, 1609
Properties 2001
Properties and stokes shift 1011
Pseudo-bioclastic texture 113
PTC 2073
PTCR 1573
Pulsed current activated combustion 615
PVA polymerization process 1949

- Pyrochlore 897
- PZT graded films 1027
- Raman spectroscopy 1121
- Rapid sintering 1419
- Rare-earth oxide 1335
- R-curve 1857
- Reaction-sintering process 273, 371, 517, 1413, 2079
- Recycling 581, 1289
- Red mud 125
- Red-overglaze 1681
- Reductant 2073
- Refractory 1207
- Refractory castables 173
- Relaxor ferroelectrics 1617
- Residual stress 679
- rf Sputtering 379
- Rheological properties 1893
- Rheology 237, 1381, 2099
- RIB 81
- Rice husks 269
- Rutile 557
- Rutile phase 1875
- Rutile structure 889
- Sanitaryware 1903
- Saturation ratio 1637
- SBF 2091
- Sb₂Te₃ 1043
- Screen-printing 753
- Second phase 1941
- Secondary nucleation 1623
- Serial compounds 497
- Shaping 1653
- Short carbon fibers 1787
- SHS 1189
- Si (1 1 0) 657
- α-Sialon 51
- β-Sialon 1791
- SiC 841
- Silica 137, 1959
- Silica colloid 1623
- Silica nanoparticles 2059
- Silicon carbide 845
- Silicon nitride 305, 1165, 1835
- Silicone resin 253
- Simulated body fluid 1509
- Simulation 385, 689
- Si₃N₄ and AlN additives 1811
- Single-crystal particles 1729
- Sintering 27, 279, 397
- Sintering additives 1603
- Sintering conditions 2007
- Slip casting 397
- Slurries 1835
- Slurry infiltration 1297
- SnO 1127
- SnO₂ 27, 1127
- Sodium 7
- Sodium silicate 1763, 1903
- SOFC 1773
- Sol-gel 37, 1237, 1405, 1787, 1805, 2059, 2143
- Sol-gel citrate method 225
- Sol-gel materials 1443
- Sol-gel method 1027
- Sol-gel preparation 1409
- Sol-gel processes 1039
- Sol-gel processing 1741
- Sol-gel reaction 467
- Solid oxide fuel cells 867, 1195
- Solid solutions 2001
- Solid state reaction 723
- Solids loading 1353
- Solid-state reaction 1675
- Solvothermal 57
- Solvothermal reaction 421
- Soundwave velocity 1811
- Spark-plasma-sintering 45, 1449, 1811
- Spherical 1747
- Spin coating 205
- Spinel 1587
- Spinnability 1893
- Spray pyrolysis 409, 1805
- Spray-pelleting 1349
- Sputter 1043
- Sputtering target 1173
- Statistical experimental design 1629
- Strain sensor 845
- Stress 385, 967
- Strontium molybdate 1557
- Structure 497
- Sub-critical growth 1857
- Sulfur oxides 1587
- Surface hydrolysis 1835
- Surface morphology 657
- Surface profilometry 1509
- Surface texturing 205
- Surfactant 293
- Suspension 1353, 1381
- Synthesis 119, 1557, 1561, 1773, 1949
- Tantalum oxide 1345
- β-TCP 7
- Templated grain growth (TGG) 745
- TEOS 1443
- Texture 403, 757
- Textured ceramics 745
- Thermal expansion 1965
- Thermal oxidation 1835
- Thermal properties 1335
- Thermal shock 1925, 2017
- Thermal shock resistance 197
- Thermal spraying 351
- Thermal transport 1121
- Thermoelectric properties 849
- Thermogravimetry 1081
- Thin film 1011
- Ti(C, N) 1253
- Ti–Cu alloys 305
- TiO₂ coating 351
- TiO₂ dopant 365
- TiO₂ nanosize anatase preparation 479
- TiO₂ varistor 1345
- Ti₃SiC₂ 537
- Titania 467

- Titania-bearing blast furnace slag 1643
Titanium dioxide 1067
Titanium silicon carbide 119
Topochemical microcrystal conversion (TMC) 745
Topochemical reactions 1587
Toughness and toughening (C) 1713
Transition metal cations 485
Transmittance 943
Transparent ceramics 1309
Transparent conducting oxide 1089, 1093
Tribology 1509
 β -Tricalcium phosphate 1131
Tunability 897, 911, 1023
Turbidity 1735
Ultrafine-cemented carbide 2043
Ultrasonic transducer 773
Ultrasonics 181, 189
Vacuum impregnation 573
Vacuum sintering 1309
Verification 125
Vermiculite 345
Vickers hardness 1335
Viscosity 293, 397
 V_2O_5 1153
(W, Ti)C 1361
Wastes recovery 125
Water glass 391, 1763
Water quench test 1925
Water-based tape-casting 867
Water-holding property 345
Water-in-oil microemulsions 1557
WC–10Co 2043
Wear rate 1509
Wettability 305
Wetting 1753
Whitlockite 1527
Wood template 69
Working temperature 2043
X-ray diffraction 205, 849, 1565
X-ray methods 1975, 2155
X-ray photoelectron spectroscopy 205
XRD 225, 675, 1081
XRD Phase development 2147
YAG 397
YSZ 867
Ytria-stabilized zirconia 1195, 1773
Yttrium aluminum garnet 1309
Y-TZP 1603
Zeolite 485, 543
Zeta potential 237, 337, 397
Zinc oxide 1103
Zirconia 27, 1603
Zirconium carbide 1165
 $ZnNb_2O_6$ 371
 $ZnNb_2O_6$ powder 1783
ZnO 1089, 1093
ZnO thin film 1237
ZnSe 1081, 1085
ZnSe nanocrystals 1073, 1077
 ZrB_2 –ZrC–SiC composites 1811
 ZrW_2O_8 1533
Z-scan technique 1073