

Contents of Volume 35

Number 1

- 1 Effect of silica on the microstructure and photocatalytic properties of titania
G. XU, Z. ZHENG, Y. WU & N. FENG (China)
- 7 Processing and physical properties of Al_2O_3 /aluminum alloy composites
S.-N. CHOU, H.-H. LU, D.-F. LI & J.-L. HUANG (Taiwan)
- 13 Two-step sintering of nanocrystalline $8\text{Y}_2\text{O}_3$ stabilized ZrO_2 synthesized by glycine nitrate process
M. MAZAHERI, M. VALEFI, Z.R. HESABI & S.K. SADRNEZHAAD (Iran)
- 21 Sonochemical synthesis of LaMnO_3 nano-powder
N. DAS, D. BHATTACHARYA, A. SÉN & H.S. MAITI (India)
- 25 Synthesis of nano-sized $\text{Yb}_3\text{Al}_5\text{O}_{12}$ powders by the urea co-precipitation method
Y. WU, J. LI, Y. PAN, Q. LIU & J. GUO (PR China)
- 29 Synthesis and characterization of YAG precursor powder in the hydroxyhydrogel form
S. BHATTACHARYYA & S. GHATAK (India)
- 35 Structural and electrical properties of sintered zinc-titanate ceramics
N. OBRADOVIC, N. MITROVIC & V. PAVLOVIC (Serbia)
- 39 TEM observation of liquid phase sintering in V_2O_5 modified $\text{Zr}_{0.8}\text{Sn}_{0.2}\text{TiO}_4$ microwave ceramics
R.-Y. YANG, M.-H. WENG & H. KUAN (Taiwan)
- 45 Temperature dependence of macroscopic and microscopic PZT properties studied by thermo-mechanical analysis, dielectric measurements and X-ray diffraction
L. SEVEYRAT, M. LEMERCIER, B. GUIFFARD, L. LEBRUN & D. GUYOMAR (France)
- 51 Low-temperature synthesis of $\text{Bi}_2\text{Fe}_4\text{O}_9$ nanoparticles via a hydrothermal method
Y. WANG, G. XU, L. YANG, Z. RÉN, X. WEI, W. WENG, P. DU, G. SHEN & G. HAN (PR China)
- 55 New ceramic microfiltration membranes from Tunisian natural materials: Application for the cuttlefish effluents treatment
S. KHEMAKHEM (Tunisia), A. LARBOT (France) & R. BEN AMAR (Tunisia)
- 63 Investigation of the stress and strain state of clay pipes under fire condition
Y. DING, Y. WANG (China), Y. ZHANG (Portugal) & P. PAULINI (Austria)
- 69 Effect of some nucleating agents on crystallizing phases and microstructure in $\text{Li}_2\text{O}-\text{BaO}-\text{Al}_2\text{O}_3-\text{SiO}_2$ system
G.A. KHATER & M.H. IDRIS (Saudi Arabia)
- 77 Effect of thermal treatment on the electrical properties of the sol–gel-derived $(\text{Zr},\text{Sn})\text{TiO}_4$ thin films
R.-Y. YANG, H. KUAN, M.-H. WENG & Y.-S. HO (Taiwan)

- 83 Micro-crystallization of the infrared transmitting chalcogenide glass in $\text{GeSe}_2\text{--As}_2\text{Se}_3\text{--PbSe}$ system
H. WANG, X. ZHANG, G. YANG, Y. XU (China), H. MA, J.L. ADAM (France), Z. GU & G. CHEN (China)
- 87 The electronic behavior of calcined material obtained from a manganese-*O*-phenylene-*S*-rhenium-*S*-phenylene hybrid copolymer
H. MATSUI, T. KURODA, T. KAWAHARA, D. KATAYAMA, S. KARUPPUCHAMY & M. YOSHIHARA (Japan)
- 93 Toughening mechanism of alumina-matrix ceramic composites with the addition of AlTiC master alloys and ZrO_2
X.H. ZHANG, C.X. LIU, M.S. LI, J.H. ZHANG & J.L. SUN (China)
- 99 Simultaneous synthesis and consolidation of nanostructured $\text{TaSi}_2\text{--Si}_3\text{N}_4$ composite by pulsed current activated combustion
H.-K. PARK, J.-H. PARK, J.-K. YOON, I.-Y. KO, J.-M. DOH & I.-J. SHON (South Korea)
- 105 Thermal conductivity and dielectric property of hot-pressing sintered AlN--BN ceramic composites
H. ZHAO, W. WANG, Z. FU & H. WANG (PR China)
- 111 Piezoelectric and dielectric properties of $(\text{Bi}_{0.5}\text{Na}_{0.5})_{0.94}\text{Ba}_{0.06}\text{TiO}_3\text{--Ba}(\text{Zr}_{0.04}\text{Ti}_{0.96})\text{O}_3$ lead-free piezoelectric ceramics
Z. CHEN & J. HU (China)
- 117 Depolarization temperature and piezoelectric properties of $(\text{Bi}_{1/2}\text{Na}_{1/2})\text{TiO}_3\text{--}(\text{Bi}_{1/2}\text{Li}_{1/2})\text{TiO}_3\text{--}(\text{Bi}_{1/2}\text{K}_{1/2})\text{TiO}_3$ lead-free piezoelectric ceramics
Y. HIRUMA, H. NAGATA & T. TAKENAKA (Japan)
- 121 Preparation and characterization of ceramic nanocomposites in the PZT--BT system
W. CHAISAN, R. YIMNIRUN & S. ANANTA (Thailand)
- 125 Processing and properties of $\text{Pb}(\text{Mg}_{1/3}\text{Nb}_{2/3})\text{O}_3\text{--PbTiO}_3$ -based ceramics
R. WONGMANEERUNG, A. RITTIDECH, O. KHAMMAN, R. YIMNIRUN & S. ANANTA (Thailand)
- 131 Incorporation of carbon nanotube into direct-patternable ZnO thin film formed by photochemical solution deposition
H. KIM, H.-H. PARK, H. JEON, H.J. CHANG, Y. CHANG & H.-H. PARK (Republic of Korea)
- 137 Microwave dielectric properties of $0.85\text{CaWO}_4\text{--}0.15\text{SmNbO}_4$ ceramics with sintering additives
S.J. KIM & E.S. KIM (Republic of Korea)
- 143 Structure, dielectric and optical properties of $\text{Bi}_{1.5+x}\text{ZnNb}_{1.5}\text{O}_{7+1.5x}$ pyrochlores
Q. WANG, H. WANG & X. YAO (China)
- 147 Phase evolution and electrical properties of lead zirconate titanate thin films grown by using a triol sol–gel route
S. THOUNTOM, M. NAKSATA, T. TUNKASIRI & P. THAVORNYUTIKARN (Thailand)
- 151 Size effects on charge ordering and magnetic properties in $\text{La}_{0.25}\text{Ca}_{0.75}\text{MnO}_3$
X.G. LI & T. ZHANG (China)
- 157 Synthesis of sodium ferrite by precursor and combustion methods: A comparative study
B.S. RANDHAWA & K. GANDOTRA (India)
- 163 Temperature dependence of piezoelectric properties on Nd and V co-substituted $\text{Bi}_4\text{Ti}_3\text{O}_{12}$ ceramics for ceramic resonator applications
H. NAGATA, S. MATSUZAWA, T. TOKUTSU, S. INAI, M. SUZUKI, Y. HIRUMA & T. TAKENAKA (Japan)
- 169 Fabrication and electrical properties of $\text{Pb}(\text{Co}_{1/3}\text{Nb}_{2/3})\text{O}_3$ ceramics
M. UNRUAN, N. VITTAYAKORN, R. WONGMANEERUNG, A. PRASATKHETRAGARN, S. ANANTA & R. YIMNIRUN (Thailand)
- 173 Effect of vibro-milling time on phase formation and particle size of barium titanate nanopowders
W. CHAISAN, R. YIMNIRUN & S. ANANTA (Thailand)

- 177 Effect of vibro-milling time and calcination condition on phase formation and particle size of nickel niobate nanopowders
O. KHAMMAN, Y. LAOSIRITAWORN, R. YIMNIRUN & S. ANANTA (Thailand)
- 181 Monte Carlo investigation of hysteresis properties in ferroelectric thin-films under the effect of uniaxial stresses
Y. LAOSIRITAWORN, S. ANANTA, J. POULTER & R. YIMNIRUN (Thailand)
- 185 Stress-dependent ferroelectric properties of $\text{Pb}(\text{Zr}_{1/2}\text{Ti}_{1/2})\text{O}_3$ – $\text{Pb}(\text{Zn}_{1/3}\text{Nb}_{2/3})\text{O}_3$ ceramic systems
R. YIMNIRUN, N. TRIAMNAK, M. UNRUAN, A. NGAMJARUROJANA, Y. LAOSIRITAWORN & S. ANANTA (Thailand)
- 191 Effects of compressive stress on the dielectric properties of PIN–PT ceramics
N. TRIAMNAK, S. WONGSAENMAI, S. ANANTA & R. YIMNIRUN (Thailand)
- 195 Chemical reduction of nanocrystalline CeO_2
S. ZEC, S. BOŠKOVIĆ, B. KALUDEROVIĆ Ž. BOGDANOV & N. POPOVIĆ (Serbia)
- 199 Effects of CeO_2 addition on the piezoelectric properties of PNW–PMN–PZT ceramics
R. ZHANG, Z. YANG, X. CHAO & C. KANG (PR China)
- 205 Effect of porosity on the elastic properties of porcelainized stoneware tiles by a multi-layered model
V. CANNILLO, L. ESPOSITO, E. RAMBALDI, A. SOLA & A. TUCCI (Italy)
- 213 Preparation and characterization of ceramic composites derived from rice husk ash and polysiloxane
E.J. SIQUEIRA, I.V.P. YOSHIDA, L.C. PARDINI & M.A. SCHIAVON (Brazil)
- 221 Microstructural and electrical behavior of $\text{Bi}_4\text{V}_{2-x}\text{Cu}_x\text{O}_{11-\delta}$ ($0 \leq x \leq 0.4$)
R. KANT, K. SINGH & O.P. PANDEY (India)
- 229 Preparation and characterization of foams from sheet glass and fly ash using carbonates as foaming agents
H.R. FERNANDES (Portugal), D.U. TULYAGANOV (Portugal, Uzbekistan) & J.M.F. FERREIRA (Portugal)
- 237 Is Weibull distribution the most appropriate statistical strength distribution for brittle materials?
B. BASU, D. TIWARI, D. KUNDU & R. PRASAD (India)
- 247 Phase transformation and gas–solid reaction of Al_2O_3 during high-energy ball milling in N_2 atmosphere
P. LI, S. XI & J. ZHOU (People's Republic of China)
- 253 Microstructure and dielectric properties control of $\text{Ba}_4(\text{Nd}_{0.7}\text{Sm}_{0.3})_{9.33}\text{Ti}_{18}\text{O}_{54}$ microwave ceramics
J. PEI, Z. YUE, F. ZHAO, Z. GUI & L. LI (PR China)
- 259 Synthesis and characterization of MgAl_2O_4 – ZrO_2 composites
I. GANESH (India, Portugal) & J.M.F. FERREIRA (Portugal)
- 265 Characteristics of polyimide/barium titanate composite films
S.-F. WANG, Y.-R. WANG, K.-C. CHENG & Y.-P. HSAIO (Taiwan)
- 269 Process chain development for the realization of zirconia microparts using composite reaction molding
T. HANEMANN & K. HONNEF (Germany)
- 277 Effects of heating rate on microstructures and microwave dielectric properties of $(1 - x)\text{ZnAl}_2\text{O}_4$ – $x\text{TiO}_2$ ($x = 0.21$) ceramics
W. LEI, W.-Z. LU, J.-H. ZHU & X. YE (PR China)
- 281 Effect of Y-TZP addition on the microstructure and properties of titania-based composites
X. MIAO, D. SUN (Australia) & P.W. HOO (Singapore)
- 289 Crystallographic characterization of silicon nitride ceramics sintered with Y_2O_3 – Al_2O_3 or E_2O_3 – Al_2O_3 additions
C. SANTOS, S. RIBEIRO, K. STRECKER, P.A. SUZUKI, S. KYCIA & C.R.M. SILVA (Brazil)

- 295 Electrochemical properties of $\text{LiNi}_{1-y}\text{Ti}_y\text{O}_2$ cathode
M. SONG, C. PARK, S. YOON, H. PARK (Republic of Korea) & D.R. MUMM (USA)
- 301 Crystallization of fluorcanasite–fluorrichterite glasses
A.A. OMAR, E.M.A. HAMZAWY & M.M. FARAG (Egypt)
- 309 Effect of La-doping on the properties of $\text{CaCu}_3\text{Ti}_4\text{O}_{12}$ dielectric ceramics
S. JIN, H. XIA & Y. ZHANG (China)
- 315 Defect analysis of Y^{3+} -doped $\text{Ba}_{0.95}\text{Sr}_{0.05}\text{Ti}_{1-x}\text{O}_{3-\delta}$ above Curie temperature
S. SUASMORO, E. HASTUTI & D. DARMINTO (Indonesia)
- 321 Gel casting of aqueous suspensions of BaTiO_3 nanopowders
I. SANTACRUZ (UK, Spain), M.I. NIETO (Spain), J. BINNER (UK) & R. MORENO (Spain)
- 327 Crystallization kinetics of lanthanum monoaluminate (LaAlO_3) nanopowders prepared by co-precipitation process
C.-L. KUO, Y.-H. CHANG & M.-C. WANG (Taiwan)
- 333 Joining of alumina and steel by a laser supported brazing process
M. ROHDE, I. SÜDMEYER, A. URBANEK & M. TORGE (Germany)
- 339 Sintering behavior and mechanical properties of WC–10Co, WC–10Ni and WC–10Fe hard materials produced by high-frequency induction heated sintering
I.-J. SHON, I.-K. JEONG, I.-Y. KO, J.-M. DOH & K.-D. WOO (Republic of Korea)
- 345 Magnetic and magnetoresistive properties of $\text{La}_{0.65-x}\text{Eu}_x\text{Sr}_{0.35}\text{MnO}_3$
M. FENG, H.-B. LI, M. LIU, N. LI & W.-T. ZHENG (PR China)
- 349 Preparation and properties of C/SiC/ ZrO_2 porous composites by hot isostatic pressing the pyrolyzed preforms
M.A. SHARIF & H. SUEYOSHI (Japan)
- 359 Mechanical properties up to 1100 °C of Al_2O_3 –MgO-extruded graphite pellets castables reinforced with steel fibres
K. SANKARANARAYANANE (France), K. BALAMURUGAN & M. RIGAUD (Canada)
- 363 Effect of Fe_2O_3 addition on consolidation and properties of 8 mol% yttria-stabilized zirconia by high-frequency induction heated sintering (HFIHS)
I.-J. SHON, I.K. JEONG, J.-H. PARK, B.-R. KIM & K.-T. LEE (Republic of Korea)
- 369 Carbide phases formed in WC–M (M = Fe/Ni/Cr) systems
C.M. FERNANDES, V. POPOVICH, M. MATOS, A.M.R. SENOS & M.T. VIEIRA (Portugal)
- 373 Improvement of corrosion resistance of spinel-bonded castables to converter slag
S. MUKHOPADHYAY, T.K. PAL & P.K. DASPODDAR (India)
- 381 Structural analysis on spinel (MgAl_2O_4) for application in spinel-bonded castables
A. BANERJEE, S. DAS, S. MISRA & S. MUKHOPADHYAY (India)
- 391 Effect of yttria on crystallization and microstructure of an alumina–YAG fiber prepared by aqueous sol–gel process
M. SHOJAIE-BAHAABAD, E. TAHERI-NASSAJ & R. NAGHIZADEH (Iran)
- 397 Reactive Spark Plasma Sintering of rhenium diboride
A.M. LOCCI, R. LICHERI, R. ORRÙ & G. CAO (Italy)
- 401 Effect of firing temperature and atmosphere on sintering of ceramics made from Bayer process bauxite residue
Y. PONTIKES, C. RATHOSI, P. NIKOLOPOULOS, G.N. ANGELOPOULOS (Greece), D.D. JAYASEELAN & W.E. LEE (UK)

- 409 Cr₂O₃ doping in ZnO–0.5 mol% V₂O₅ varistor ceramics
H.H. HNG & P.L. CHAN (Singapore)
- 415 Rheological characterization of a gelcasting system based on epoxy resin
X. MAO, S. SHIMAI, S. WANG, M. DONG & L. JIN (PR China)
- 421 Fabrication and characterization of Li_{1+x-y}Nb_{1-x-3y}Ti_{x+4y}O₃ substrates using aqueous tape casting process
S. LI, Q. ZHANG, H. YANG & D. ZOU (China)
- 427 Optical properties of transparent Pr:YSAG ceramic
T. FENG, J. SHI & D. JIANG (China)
- 433 Effect of M-doping (M = Fe, V) on the photocatalytic activity of nanorod rutile TiO₂ for Congo red degradation under the sunlight
K. MELGHIT, O.S. AL-SHUKAILI & I. AL-AMRI (Oman)
- 441 Synthesis of negative thermal expansion materials ZrW_{2-x}Mo_xO₈ (0 ≤ x ≤ 2) using hydrothermal method
J. YANG, Q. LIU, X. SUN, G. XU & X. CHENG (PR China)
- 447 Use of boron wastes in the production of heavy clay ceramics
A. CHRISTOGEROU (Greece), T. KAVAS (Turkey), Y. PONTIKES (Greece), S. KOYAS, Y. TABAK (Turkey) & G.N. ANGELOPOULOS (Greece)
- 453 High-pressure sintered yttria stabilized zirconia ceramics
Q. LI, Y.F. ZHANG, X.F. MA, J. MENG & X.Q. CAO (China)
- 457 Development of MgAl₂O₄ spinel coating on graphite surface to improve its water-wettability and oxidation resistance
A. SABERI, F. GOLESTANI-FARD, H. SARPOOLAKY (Iran), M. WILLERT-PORADA, T. GERDES, R. SIMON & C. LIEBSCHER (Germany)
- 463 Development of metal oxide nanoparticles by soft chemical method
M.I.B. BERNARDI, C.A.C. FEITOSA, C.A. PASKOCIMAS, E. LONGO & C.O. PAIVA-SANTOS (Brazil)
- 467 High-temperature electrical properties of lanthanum beta-alumina solid electrolytes
G.C.C. COSTA & R. MUCCILLO (Brazil)
- 471 Lightweight bricks made of diatomaceous earth, lime and gypsum
K. PIMRAKSA & P. CHINDAPRASIRT (Thailand)
- 479 Synthesis of doped Ba_{0.6}Sr_{0.4}TiO₃ ceramic powder via a sol freeze-granulation and freeze-drying process
F. PAUL, J.R. BINDER, H. GESSWEIN, H.-J. RITZHAUPT-KLEISSL & J. HAUSSELT (Germany)
- 487 Preparation and electrical properties of multilayer ZnO varistors with water-based tape casting
L. WANG, G. TANG & Z.-K. XU (China)
- 493 Relationship between fracture toughness determined by surface crack in flexure and fracture resistance measured by indentation fracture for silicon nitride ceramics with various microstructures
H. MIYAZAKI, H. HYUGA, Y.-I. YOSHIZAWA, K. HIRAO & T. OHJI (Japan)
- 503 Solubility and aging of lead magnesium niobate in water
A.AKAR-DELIORMANL, E. ÇELİK & M. POLAT (Turkey)
- 509 Spray-dried hydroxyapatite-5-Fluorouracil granules as a chemotherapeutic delivery system
C. Santos, C.F. Rovath, R.-P. Franke, M.M. Almeida, M.E.V. Costa (Portugal, Germany)
- 515 Synthesis of nanocrystalline 8 mol% yttria stabilized zirconia by the oleate complex route
D.S. PATIL, K. PRABHAKARAN, C. DURGAPRASAD, N.M. GOKHALE, A.B. SAMUI & S.C. SHARMA (India)

Short communication

- 521 Synthesis and emission analysis of RE^{3+} (Eu^{3+} or Dy^{3+}): Li_2TiO_3 ceramics
G.B. KUMAR & S. BUDDHUDU (India)
- 527 Thermal stability of expanded perlite modified by mullite
W. PICHÓR & A. JANIEC (Poland)
- 531 Synthesis of alumina nanofibers by a mercury-mediated method
Q. YANG, Y. DENG & W. HU (China)

Erratum

- 537 Erratum to “Fabrication and thermoelectric properties of heavily rare-earth metal doped $\text{SrO}(\text{SrTiO}_3)_n$ ($n = 1, 2$) ceramics” [Ceramics International 34 (2008) 849–852]
Y.F. WANG, K.H. LEE, H. OHTA & K. KOUMOTO (Japan)

Corrigendum

- 539 Corrigendum to “Densification and crystallization of Ba-exchanged zeolite A powders” [Ceram. Int. 34 (2008) 543–549]
F. ANDREOLA, M. ROMAGNOLI, C. SILIGARDI, T. MANFREDINI, C. FERONE & M. PANSINI (Italy)

I Keywords for *Ceramics International***Number 2**

- 541 Effect of MnO_2 addition on microstructure and electrical properties of $\text{ZnO-V}_2\text{O}_5$ -based varistor ceramics
C.-W. NAHM (Republic of Korea)
- 547 Master sintering curves of a nanoscale 3Y-TZP powder compacts
M. MAZAHARI, A. SIMCHI, M. DOURANDISH & F. GOLESTANI-FARD (Iran)
- 555 Bulk nucleated fine grained mono-mineral glass-ceramics from low-silica fly ash
K.C. VASILOPOULOS (Greece), D.U. TULYAGANOV (Portugal, Uzbekistan), S. AGATHOPOULOS, M.A. KARAKASSIDES (Greece), J.M.F. FERREIRA (Portugal) & D. TSIPAS (Greece)
- 559 Non-isothermal crystallization kinetics and microwave properties of $\text{Bi}_{0.75}\text{Y}_{2.25}\text{Fe}_5\text{O}_{12}$ prepared by coprecipitation
Y.-P. FU, D.-S. HUNG, C.-W. CHENG, F.-Y. TSAI & Y.-D. YAO (Taiwan)
- 565 Effects of the temperature of hot isostatic pressing treatment on Cr–Si targets
C.-H. TAM, S.-C. LEE, S.-H. CHANG, T.-P. TANG, H.-H. HO & H.-Y. BOR (Taiwan)
- 571 Iron role on mechanical properties of ceramics with clays from Ivory Coast
J.Y.Y. ANDJI, A.A. TOURE, G. KRA (Ivory Coast), J.C. JUMAS, J. YVON & P. BLANCHART (France)
- 579 Mullite whiskers derived from kaolin
B.M. KIM, Y.K. CHO, S.Y. YOON (South Korea), R. STEVENS (UK) & H.C. PARK (South Korea)
- 585 Densification behaviour and microstructural evolution of TiO_2 /CAS-incorporated alumina
C. CHANG-PING, Y. HUI-ZHI, G. JING-XIA, S. HONG-WEI & H. XING (China)
- 591 Synthesis of pyrochlore free PMN-PT powder by partial oxalate process route
E.M. JAYASINGH, K. PRABHAKARAN, R. SOORAJ, C. DURGAPRASAD & S.C. SHARMA (India)
- 597 Fabrication and characterization of cordierite-bonded porous SiC ceramics
S. LIU, Y.-P. ZENG & D. JIANG (China)
- 603 A new treatment for kinetics of oxidation of silicon carbide
X.-M. HOU, K.-C. CHOU & F.-S. LI (PR China)

- 617 Preparation of PZT discs for use in an acoustic wave sensor
M.I.S. VERÍSSIMO, P.Q. MANTAS, A.M.R. SENOS, J.A.B.P. OLIVEIRA & M.T.S.R. GOMES (Portugal)
- 623 The development of a thermodynamic model for Al_2O_3 – MgO refractory castable corrosion by secondary metallurgy steel ladle slags
J. BERJONNEAU, P. PRIGENT & J. POIRIER (France)
- 637 Silver cofirable $(\text{Ca}_{0.9}, \text{Mg}_{0.1})\text{SiO}_3$ microwave dielectric ceramics with Li_2CO_3 – Bi_2O_3 additive
H.-P. SUN, Q.-L. ZHANG & H. YANG (China)
- 643 Effect of transition metal ions on the development of nanocrystalline phase and optical properties in the BaO – B_2O_3 – TiO_2 system
S.A.M. ABDEL-HAMEED & M.A. AZOOZ (Egypt)
- 649 Ethanol sensing properties of CuO nanowires prepared by an oxidation reaction
P. RAKSA, A. GARDCHAREON, T. CHAIRUANGSRI, P. MANGKORNTONG, N. MANGKORNTONG & S. CHOOPUN (Thailand)
- 653 Ionic conductivity and mechanical properties of Y_2O_3 -doped CeO_2 ceramics synthesis by microwave-induced combustion
Y.-P. FU (Taiwan)
- 661 Preparation of spherical nanoparticles of LaAlO_3 via the reverse microemulsion process
Z. TIAN, W. HUANG & Y. LIANG (PR China)
- 665 Microstructure and chemical degradation of adobe and clay bricks
J.A. CALABRIA, W.L. VASCONCELOS (Brazil) & A.R. BOCCACCINI (UK)
- 673 Combustion synthesis of mullite–titanium boride composite
Z.I. ZAKI (Egypt)
- 679 The effect of Fe_2O_3 addition on tialite formation
H.R. REZAIE, R. NAGHIZADEH, N. FARROKHNI, S. ARABI & M. SOBHANI (Iran)
- 685 Sintering of titania nanoceramic: Densification and grain growth
M. MAZAHARI, A.M. ZAHEDI, M. HAGHIGHATZADEH & S.K. SADRNEZHAAD (Iran)
- 693 Preparation of titania-coated alumina film by electrolysis of TiCl_4 -containing solution
N. MATSUNAGA, Y. HIRATA, Y. FUKUDA & S. SAMESHIMA (Japan)
- 699 Simulation of thermal and electric field evolution during spark plasma sintering
D. TIWARI, B. BASU & K. BISWAS (India)
- 709 Mechanical properties and cytotoxicity of 3Y-TZP bioceramics reinforced with Al_2O_3 particles
C. SANTOS, L.H.P. TEIXEIRA, J.K.M.F. DAGUANO, S.O. ROGERO, K. STRECKER & C.N. ELIAS (Brazil)
- 719 Influence of processing techniques on the properties of YAG:Ce nanophosphor
K. ZHANG, W. HU, Y. WU & H. LIU (China)
- 725 Microstructure and mechanical properties of multi-cation containing α -sialons
F. YE, C.-F. LIU & L.-M. LIU (PR China)
- 733 $\text{Pb}(\text{Zr}_{0.95}\text{Ti}_{0.05})\text{O}_3$ powders and porous ceramics prepared by one-step pyrolysis process using non-aqueous Pechini method
S. QIU, X. ZHENG, C. GAO, X. GAN, J. CHEN, C. YANG & H. FAN (China)
- 741 Correlation between microstructure and mechanical properties of $\text{Al}_2\text{O}_3/\text{ZrO}_2$ nanocomposites
F.A.T. GUIMARÃES, K.L. SILVA, V. TROMBINI, J.J. PIERRI, J.A. RODRIGUES, R. TOMASI & E.M.J.A. PALLONE (Brazil)

- 747 Pore geometry of 3D-C_f/SiC composites by mercury intrusion porosimetry
W. LI & Z.H. CHEN (PR China)
- 755 Preparation of zirconium tungstate (ZrW₂O₈) by the amorphous citrate process
C. GEORGI & H. KERN (Germany)
- 763 Effect of Pb excess in sol–gel process on phase composition in PFN ceramics
H. BRUNCKOVÁ, L. MEDVECKÝ, J. MIHALIK & J. ĎURIŠIN (Slovak Republic)
- 771 Microstructure and mechanical properties of hot-pressed B₄C/TiC/Mo ceramic composites
D. JIANXIN & S. JUNLONG (PR China)
- 779 Mullite–zirconia–zircon composites: Properties and thermal shock resistance
N. RENDTORFF, L. GARRIDO & E. AGLIETTI (Argentina)
- 787 Crystal structure of Ce-doped CaMnO₃ perovskite
J. DUKIĆ, S. BOŠKOVIĆ & B. MATOVIĆ (Serbia)
- 791 Thermal expansion and thermal conductivity of Sm_xZr_{1-x}O_{2-x/2} (0.1 ≤ x ≤ 0.5) ceramics
Z.-G. LIU, J.-H. OUYANG, B.-H. WANG, Y. ZHOU & J. LI (PR China)
- 797 Shape dependence of corrosion kinetics of Si₃N₄ ceramics in acids
M. HERRMANN & J. SCHILM (Germany)
- 803 Screen printing of sol–gel-derived electrolytes for solid oxide fuel cell (SOFC) application
R. HANSCH, M.R.R. CHOWDHURY & N.H. MENZLER (Germany)
- 813 Multi-impregnating pitch-bonded Egyptian dolomite refractory brick for application in ladle furnaces
M. RABAH & E.M.M. EWAIS (Egypt)
- 821 Aqueous processing of Ce_{0.8}Sm_{0.2}O_{1.9} green tapes
Y.-P. FU & S.-H. CHEN (Taiwan)
- 827 The influence of different CaO source in the production of anorthite ceramics
S. KURAMA & E. OZEL (Turkey)
- 831 Effect of Al addition on pressureless sintering of B₄C
M. MASHHADI, E. TAHERI-NASSAJ (Iran), V.M. SGLAVO (Italy), H. SARPOOLAKY & N. EHSANI (Iran)
- 839 Chemical and thermomechanical compatibility between Ni–GDC anode and electrolytes based on ceria
V. GIL, J. TARTAJ & C. MOURE (Spain)
- 847 Texture stability of mesoporous ceria made from nanoparticles assembly
L. YUE & X.M. ZHANG (PR China)
- 855 Effects of SrTiO₃ additives on the structure and microwave dielectric properties of Ba_{4.2}Sm_{9.2}Ti₁₈O₅₄ ceramics
J. ZHU, W. LU, W. LEI & S. WAN (PR China)
- 861 Atmosphere and carbon effects on microstructure and phase analysis of *in situ* spinel formation in MgO–C refractories matrix
M. BAVAND-VANDCHALI, H. SARPOOLAKY, F. GOLESTANI-FARD & H.R. REZAIE (Iran)
- 869 Investigation of thin film end-termination on multilayer ceramic capacitors with base-metal-electrode
Y.-C. LEE, W.-H. LU & F.-S. SHIEU (Taiwan)
- 875 Structural properties of the red-color overglaze for the HIZEN porcelains produced in the early Edo period of Japan
M. HIDAKA, K. OHASHI, S. KAJIHARA, R.P. WIJESUNDERA, L.S.R. KUMARA (Japan), J.-Y. CHOI & N.E. SUNG (Republic of Korea)

- 887 Conduction model of oxide ions at grain boundary of solid electrolyte
Y. HIRATA & A. HARA (Japan)
- 897 Synthesis and characterization of LaPO_4 -coated $\alpha\text{-Al}_2\text{O}_3$ powders
Q. ZHENG, X. WANG, J. TIAN, Z. LIU, C. HUANG, J. WANG & J. XU (China)

Short communication

- 901 Preparation of a nano-sized $\alpha\text{-Al}_2\text{O}_3$ powder from a supersaturated sodium aluminate solution
H. LI, H. LU, S. WANG, J. JIA, H. SUN & X. HU (China)
- 905 Preparation and characterization of CuS hollow spheres
Y. HUANG, H. XIAO, S. CHEN & C. WANG (PR China)
- 909 Reaction bonded aluminum oxide composites containing cubic boron nitride
A. SHONHIWA (South Africa), M. HERRMANN (Germany), I. SIGALAS & N. COVILLE (South Africa)
- 913 Wear resistance of chromium oxide nanostructured coatings
A. CELLARD, V. GARNIER, G. FANTOZZI, G. BARET & P. FORT (France)
- 917 Microwave-assisted synthesis of CdF_2 nanoflakes in ionic liquid
C. XU, H. LUO, W. LIU & T. YING (PR China)
- 921 Development of mullite/zirconia composites from a mixture of aluminum dross and zircon
M.N. IBARRA CASTRO, J.M. ALMANZA ROBLES, D.A. CORTÉS HERNÁNDEZ, J.C. ESCOBEDO BOCARDO & J. TORRES TORRES (Mexico)
- 925 Optimization of the rheological properties of yttria suspensions
L. JIN, X. MAO, S. WANG & M. DONG (China)
- 929 A novel method for preparation of dense silicon-based ceramics
P. YUCHEN, L. YONGMING, L. SHUQIN & L. JIALU (People's Republic of China)

I Keywords for *Ceramics International*

Number 3

- 933 A novel approach to synthesis of nanosize MgAl_2O_4 spinel powder through sol–gel citrate technique and subsequent heat treatment
A. SABERI (Germany, Iran), F. GOLESTANI-FARD (Iran), M. WILLERT-PORADA, Z. NEGAHDARI, C. LIEBSCHER & B. GOSSLER (Germany)
- 939 Sintering of glass-added $\text{BaZn}_{1/3}\text{Nb}_{2/3}\text{O}_3$ ceramics
A. CHAOUCHI (Algeria), S. MARINEL, S. D'ASTORG (France) & M. ALIOUAT (Algeria)
- 943 Magnetic and thermal expansion properties of chromium-substituted lithium ferrite
Y.-P. FU, S.-B. WEN & C.-C. YEN (Taiwan)
- 949 Non-180° domains formation mechanism in LiTaO_3 grains of an $\text{Al}_2\text{O}_3/\text{LiTaO}_3$ composite
Y. ZHANG, Y. ZHOU, D. JIA, Q. MENG, Y. LIU & H. KE (China)
- 953 Hydrogen-induced degradation in SrTiO_3 -based grain boundary barrier layer ceramic capacitors
Z.J. SHEN, W.P. CHEN, K. ZHU, Y. ZHUANG, Y.M. HU, Y. WANG & H.L.W. CHAN (PR China)
- 957 Dielectric properties of barium titanate ceramics with different materials powder size
L. WU, M.-C. CHURE, K.-K. WU, W.-C. CHANG, M.-J. YANG, W.-K. LIU & M.-J. WU (Taiwan)
- 961 Tin oxide nanoparticles synthesized by gel combustion and their potential for gas detection
H. LIU, S. GONG, Y. HU, J. ZHAO, J. LIU, Z. ZHENG & D. ZHOU (PR China)

- 967 Synthesis and characterization of Si/SiC ceramics prepared using cotton fabric
G. AMIRTHAN, A. UDAYAKUMAR, V.V. BHANU PRASAD & M. BALASUBRAMANIAN (India)
- 975 Synthesis of pure phase BiFeO₃ powders in molten alkali metal nitrates
X. HE & L. GAO (PR China)
- 979 A new direct coagulation casting process for alumina slurries prepared using poly(acrylate) dispersant
K. PRABHAKARAN, R. SOORAJ, A. MELKERI, N.M. GOKHALE & S.C. SHARMA (India)
- 987 Water vapor adsorption and desorption of mesoporous materials derived from metakaolinite by hydrothermal treatment
H. MAEDA & E.H. ISHIDA (Japan)
- 991 Hot pressing of nanocrystalline zinc oxide compacts: Densification and grain growth during sintering
M. MAZAHARI, S.A. HASSANZADEH-TABRIZI & S.K. SADRNEZHAAD (Iran)
- 997 Dry sliding wear of zirconia-toughened alumina with different metal oxide additives
A.K. DEY & K. BISWAS (India)
- 1003 Low temperature mechanical behavior of 1D-C₄/SiO₂ composite
G.-H. ZHOU, S.-W. WANG & J.-K. GUO (PR China)
- 1007 Rheological behaviour of BaZrO₃ suspensions in non-aqueous media
F. BOSCHINI, A. RULMONT, R. CLOOTS (Belgium) & R. MORENO (Spain)
- 1015 Control of hydroxyl group content in silica particle synthesized by the sol-precipitation process
J.M. KIM, S.M. CHANG, S.M. KONG, K.-S. KIM, J. KIM & W.-S. KIM (Republic of Korea)
- 1021 Paper derived SiC–Si₃N₄ ceramics for high temperature applications
H. GHANEM, H. GERHARD & N. POPOVSKA (Germany)
- 1027 Characterization of strontium aluminate phosphors prepared from milled SrCO₃
Y.-L. CHANG, H.-I. HSIANG & M.-T. LIANG (Taiwan)
- 1033 Gelcasting of alumina nanopowders based on gelation of sodium alginate
H. AKHONDI, E. TAHERI-NASSAJ, H. SARPOOLAKY & A. TAAVONI-GILAN (Iran)
- 1039 Effect of monomer content on physical properties of silicon nitride ceramic green body prepared by gelcasting
J. YU, H. WANG, H. ZENG & J. ZHANG (China)
- 1045 Preparation of spinel ferrites from citrate precursor route—A comparative study
B.S. RANDHAWA, H.S. DOSANJH & M. KAUR (India)
- 1051 Effects of MO (M=Ba, Mg, Ca) on the crystallization of B₂O₃–Al₂O₃–SiO₂ glass-ceramics
T. SUN, H. XIAO, Y. CHENG & H. LIU (China)
- 1057 Electrical studies on A- and B-site-modified Bi₄Ti₃O₁₂ ceramic
N.V. PRASAD, S.N. BABU, A. SIDDESHWAR, G. PRASAD & G.S. KUMAR (India)
- 1063 Correlation between sintering conditions and water contact angles for Ti–O thick films screen printed on an alumina substrate
D. KUŠČER, M. KOSEC & J. HOLC (Slovenia)
- 1071 Preparation of titanium nitride ultrafine powders by sol–gel and microwave carbothermal reduction nitridation methods
H. ZHANG, F. LI & Q. JIA (China)
- 1077 Behavior of silicon carbide/cordierite composite material after cyclic thermal shock
M. DIMITRIJEVIC, M. POSARAC, J. MAJSTOROVIC, T. VOLKOV-HUSOVIC & B. MATOVIC (Serbia)

- 1083 *In vitro* bioactivity of glass–ceramics of the $\text{CaMgSi}_2\text{O}_6\text{--CaSiO}_3\text{--Ca}_5(\text{PO}_4)_3\text{F--Na}_2\text{SiO}_3$ system with TiO_2 or ZnO additives
S.M. SALMAN, S.N. SALAMA, H. DARWISH & H.A. ABO-MOSALLAM (Egypt)
- 1095 Single screw extrusion of mullite-based tubes containing Al-rich anodising sludge
M.J. RIBEIRO (Portugal), S. BLACKBURN (UK) & J.A. LABRINCHA (Portugal)
- 1103 Sonochemical preparation of PbWO_4 crystals with different morphologies
T. THONGTEM, S. KAOWPHONG & S. THONGTEM (Thailand)
- 1109 Mechanical behaviour of a silicon nitride particulate ceramic composite
G.A. GOGOTSI (Ukraine)
- 1115 Densification and grain growth during solid state sintering of LaPO_4
D. BREGIROUX, F. AUDUBERT & D. BERNACHE-ASSOLLANT (France)
- 1121 Effect of different nucleation catalysts on the crystallization of $\text{Li}_2\text{O--ZnO--MgO--Al}_2\text{O}_3\text{--SiO}_2$ glasses
O.A. AL-HARBI (Saudi Arabia)
- 1129 Oxidation behavior of polymer derived SiCO powders
Y. WANG, H. LI, L. ZHANG & L. CHENG (China)
- 1133 Crystallization behaviour and hardness of glass ceramics rich in nanocrystals of ZrO_2
F.H. MARGHA (Egypt, Japan), S.A.-H.M. ABDEL-HAMEED, N.A.E.-S. GHONIM, S.A. ALI (Egypt), S. KATO, S. SATOKAWA & T. KOJIMA (Japan)
- 1139 Simultaneous synthesis and single-step sintering of lead magnesium niobate ceramic using mixed nanopowders
A.M. BAZARGAN, M. NAGHAVI, M. MAZAHARI & S.K. SADRNEZHAAD (Iran)
- 1145 Electrochemical properties of $\text{LiNi}_{1-y}\text{M}_y\text{O}_2$ ($\text{M} = \text{Ni, Ga, Al and/or Ti}$) cathodes
M. SONG, C. PARK, S. YOON, H. PARK (Republic of Korea) & D.R. MUMM (USA)
- 1151 Mechanochemical synthesis of MgTa_2O_6 ceramic
A. MERGEN (Turkey)
- 1159 Rheological behaviour and mechanical properties of porcelain stoneware bodies containing Italian clay added with bentonites
F. ANDREOLA, C. SILIGARDI, T. MANFREDINI & C. CARBONCHI (Italy)
- 1165 Colloidal dispersion of nano-scale ZnO powders using amphibious and anionic polyelectrolytes
K.-L. YING, T.-E. HSIEH & Y.-F. HSIEH (Taiwan)
- 1173 Densification ability of combustion-derived Al_2O_3 powders
I. GANESH (India, Portugal), P.M.C. TORRES & J.M.F. FERREIRA (Portugal)
- 1181 Thermomechanical and thermodilatometric analysis of green alumina porcelain
I. ŠTUBŇA, A. TRNÍK & L. VOZÁR (Slovakia)
- 1187 Microstructure and mechanical properties of $\text{TiC--TiN--Zr--WC--Ni--Co}$ cermets
X. ZHANG, N. LIU, C. RONG & J. ZHOU (PR China)
- 1195 *In vitro* behavior of bioactive phosphate glass–ceramics from the system $\text{P}_2\text{O}_5\text{--Na}_2\text{O--CaO}$ containing titania
H.A. ELBATAL, E.M.A. KHALIL & Y.M. HAMDY (Egypt)
- 1205 The characteristics of Ni--Co--Mn--O precursor and $\text{Li}(\text{Ni}_{1/3}\text{Co}_{1/3}\text{Mn}_{1/3})\text{O}_2$ cathode powders prepared by spray pyrolysis
S.H. JU & Y.C. KANG (Republic of Korea)

- 1211 Preparation and characterization of some multicomponent silicate glasses and their glass–ceramics derivatives for dental applications
F.H. ELBATAL, M.A. AZOOZ & Y.M. HAMDY (Egypt)
- 1219 High-density YSZ tapes fabricated via the multi-folding lamination process
X.G. CAPDEVILA, J. FOLCH, A. CALLEJA, J. LLORENS, M. SEGARRA, F. ESPIELL & J.R. MORANTE (Spain)
- 1227 Effects of dispersant concentration and pH on properties of lead zirconate titanate aqueous suspension
R. SUNTAKO, P. LAORATANAKUL & N. TRAIPHOL (Thailand)
- 1235 Mechanical behavior of $\text{La}_{0.8}\text{Sr}_{0.2}\text{Ga}_{0.8}\text{Mg}_{0.2}\text{O}_3$ perovskites
S. PATHAK, D. STEINMETZ (USA), J. KUEBLER (Switzerland), E. ANDREW PAYZANT & N. ORLOVSKAYA (USA)
- 1243 Design of $\text{SiO}_2/\text{ZrO}_2$ core–shell particles using the sol–gel process
J.M. KIM, S.M. CHANG, S. KIM, K.-S. KIM, J. KIM & W.-S. KIM (Republic of Korea)
- 1249 Morphology and microstructure of 2.5 dimension C/SiC composites ablated by oxyacetylene torch
D. FANG, Z. CHEN, Y. SONG & Z. SUN (PR China)
- 1255 Effect of ZnO seed layers on the solution chemical growth of ZnO nanorod arrays
S.-F. WANG, T.-Y. TSENG, Y.-R. WANG, C.-Y. WANG & H.-C. LU (Taiwan)
- 1261 Effects of PbO and SrO contents on crystallization and dielectric properties of $\text{PbO–SrO–Na}_2\text{O–Nb}_2\text{O}_5\text{–SiO}_2$ glass–ceramics system
W. LIU, C.H. MAO, G.X. DONG & J. DU (PR China)

Short communication

- 1267 Preparation of porous TiO_2 by a novel freeze casting
L. REN, Y.-P. ZENG & D. JIANG (China)
- 1271 Low-temperature preparation and microwave dielectric properties of ZBS glass– Al_2O_3 composites
S.O. YOON, S.H. SHIM, K.S. KIM, J.G. PARK & S. KIM (Republic of Korea)
- 1277 Combustion synthesis of $\text{Ca}_{1-x}\text{Cu}_x\text{Al}_2\text{O}_4$ ($x = 0.0, 0.4$ and 0.8) copper doped calcium aluminate
K.S. MADHANA KUMAR & L. JOHN BERCHMANS (India)
- 1281 Effects of rf-power and working pressure on formation of rutile phase in rf-sputtered TiO_2 thin film
S. DANGTIP, N. SRIPONGPHAN, N. BOONYOPAKORN & C. THANACHAYANONT (Thailand)
- 1285 Hydrothermal synthesis of single-crystal bismuth ferrite nanoflakes assisted by potassium nitrate
Y. WANG, G. XU, L. YANG, Z. REN, X. WEI, W. WENG, P. DU, G. SHEN & G. HAN (PR China)
- 1289 Hydrothermal synthesis of S-doped TiO_2 nanoparticles and their photocatalytic ability for degradation of methyl orange
H. TIAN, J. MA, K. LI & J. LI (China)
- 1293 Alumina/silicon carbide composites fabricated via *in situ* synthesis of nano-sized SiC particles
S. GUSTAFSSON, L.K.L. FALK, E. LIDÉN & E. CARLSTRÖM (Sweden)
- 1297 Carbide matrix composites by fast MW reaction-sintering in air of $\text{B}_4\text{C–SiC–Al}$ mixtures
A. GOLDSTEIN, R. RUGINETS & L. GEIFMAN (Israel)
- 1301 In situ preparation of $\text{Si}_3\text{N}_4\text{–TiN}$ composite by pyrolysis of polytitanosilazane (PTSZ)
L. YONGMING, Z. ZHIMIN, X. CAIHONG & M. XUENING (PR China)
- 1305 Preparation of alumina/carbon nanotubes composites by chemical precipitation
Q. YANG, Y. DENG & W. HU (China)

1311 Joining of mullite ceramics with yttrium aluminosilicate glass interlayers
Y.-J. LIN & S.-H. TU (Taiwan)

1317 Influence of ball milling on the sintering behaviour of ZnO powder
Y.W. LAO, S.T. KUO & W.H. TUAN (Taiwan)

I Keywords for *Ceramics International*

Number 4

1321 Effect of diopside addition on sintering and mechanical properties of alumina
S. JUNLONG, L. CHANGXIA, Z. XIHUA, W. BAOWEI & N. XIUYING (PR China)

1327 Pressureless sintering of alumina matrix ceramic materials improved by Al–Ti–B master alloys and diopside
C. LIU, J. SUN, X. ZHANG, Y. MA & N. QI (PR China)

1335 Synthesis and electrical properties of $\text{Ce}_{0.8}\text{Sm}_{0.2}\text{O}_{1.9}$ ceramics for IT-SOFC electrolytes by urea-combustion technique
M. CHEN, B.H. KIM (South Korea), Q. XU (PR China), B.K. AHN, W.J. KANG (South Korea) & D.P. HUANG (PR China)

1345 Effect of Fe_2O_3 on properties and densification of $\text{Ce}_{0.8}\text{Gd}_{0.2}\text{O}_{2-\delta}$ by PCAS
K.-T. LEE, D.-K. KIM, J.-H. PARK & I.-J. SHON (Republic of Korea)

1353 Modified solution combustion route for the preparation of plasma sprayable ceria powder
S.T. ARUNA & K.S. RAJAM (India)

1357 A simple method for synthesis of acicular $\beta\text{-Si}_3\text{N}_4$ seed crystals
D.A. GOULD, M. QUINLAN (Canada), M.P. ALBANO, L.B. GARRIDO (Argentina), L.A. GENOVA (Brazil) & K.P. PLUCKNETT (Canada)

1363 Gelcasting of SiC using epoxy resin as gel former
M. DONG, X. MAO, Z. ZHANG & Q. LIU (PR China)

1367 Cefuroxime-impregnated calcium phosphates as an implantable delivery system in experimental osteomyelitis
S.K. NANDI, B. KUNDU, S.K. GHOSH, T.K. MANDAL, S. DATTA, D.K. DE & D. BASU (India)

1377 Hot pressing of bimodal alumina powders with magnesium aluminosilicate (MAS) addition
J. LI, Y. PAN, L. HUANG & J. GUO (China)

1385 The effect of lithium oxide on the threshold field of ZnO varistors
M. HOUABES (Algérie) & R. METZ (France)

1391 Thermal conductivity of combustion synthesized β -sialons
R. SIVAKUMAR, K. AOYAGI & T. AKIYAMA (Japan)

1397 Influence of oxidation on fatigue life of a carbon/silicon carbide composite in water vapor containing environments
C. LIU, L. CHENG, H. MEI & X. LUAN (PR China)

1403 Glass–ceramics as oxidation resistant bond coat in thermal barrier coating system
S. DAS, S. DATTA, D. BASU & G.C. DAS (India)

1407 Processing of dense nanostructured HAP ceramics by sintering and hot pressing
DJ. VELJOVIĆ, B. JOKIĆ, R. PETROVIĆ (Serbia), E. PALCEVSKIS, A. DINDUNE (Latvia), I.N. MIHAILESCU (Romania) & DJ. JANAČKOVIĆ (Serbia)

1415 Development of multiphase bioceramics from a filler-containing preceramic polymer
E. BERNARDO, E. TOMASELLA (Italy) & P. COLOMBO (Italy, USA)

- 1423 Structure and electrical properties of Nd_2O_3 -doped $0.82\text{Bi}_{0.5}\text{Na}_{0.5}\text{TiO}_3$ – $0.18\text{Bi}_{0.5}\text{K}_{0.5}\text{TiO}_3$ ceramics
Z. YANG, Y. HOU, B. LIU & L. WEI (PR China)
- 1429 Preparation of γ - LiAlO_2 green bodies through the gel-casting process
X. XU, Z. WEN, X. WU & J. LIN (PR China)
- 1435 Enhanced oxygen permeation through perovskite hollow fibre membranes by methane activation
H. LIU, Z. PANG, X. TAN, Z. SHAO (PR China), J. SUNARSO, R. DING & S. LIU (Australia)
- 1441 Mechanical and electrical properties of superplastically foamed titania-based ceramics
A. KISHIMOTO, M. OBATA, K. WAKU & H. HAYASHI (Japan)
- 1447 Synthesis and characterization of diopside glass–ceramic matrix composite reinforced with aluminum titanate
M. YOUSEFI, P. ALIZADEH, B. EFTEKHARI YEKTA, F. MOLAIE, N. GHAFORIAN & M. MONTAZERIAN (Iran)
- 1453 Castable matrix, additives and their role on hydraulic binder hydration
I.R. OLIVEIRA & V.C. PANDOLFELLI (Brazil)
- 1461 Effect of fiber type on mechanical properties of short carbon fiber reinforced B_4C composites
W. MINGCHAO, Z. ZUOGUANG, S. ZHIJIE & L. MIN (China)
- 1467 Two-step sintering of fine alumina–zirconia ceramics
C.-J. WANG, C.-Y. HUANG & Y.-C. WU (Taiwan)
- 1473 High temperature dielectric properties of cubic bismuth zinc tantalate
C.C. KHAW, K.B. TAN & C.K. LEE (Malaysia)
- 1481 Impedance analysis of Sr-substituted CePO_4 with mixed protonic and p-type electronic conduction
E.G.D. MORAL, D.P. FAGG, E. CHINARRO (Spain), J.C.C. ABRANTES (Portugal), J.R. JURADO & G.C. MATHER (Spain)
- 1487 Direct coagulation casting of YSZ powder suspensions using MgO as coagulating agent
K. PRABHAKARAN, A. MELKERI, N.M. GOKHALE, T.K. CHONGDAR & S.C. SHARMA (India)
- 1493 Effect of pyrophyllite on the mullitization in triaxial porcelain system
T.K. MUKHOPADHYAY, S. GHATAK & H.S. MAITI (India)
- 1501 The reaction between the magnesia–chrome brick and the molten slag of MgO – Al_2O_3 – SiO_2 – CaO – Fe_tO and the resulting microstructure
M.-C. WANG, C.-C. HSU & M.-H. HON (Taiwan)
- 1509 Formation enthalpy and magnetic properties of Bi-YIG powders
Y.-P. FU, C.-W. CHENG, D.-S. HUNG & Y.-D. YAO (Taiwan)
- 1513 Tribological behaviors of single and dual sol–gel ceramic films on Ti–6Al–4V
W. ZHANG, W. LIU, Y. LIU & C. WANG (China)
- 1521 Characteristics impedance spectroscopy: Tool to characterize ion-blocking phenomena
K. BISWAS (India)
- 1529 Structure and crystallization behaviour of some MgSiO_3 -based glasses
A. GOEL (Portugal, Sweden), D.U. TULYAGANOV (Portugal, Uzbekistan), E.R. SHAABAN (Egypt), C.S. KNEE, S. ERIKSSON (Sweden) & J.M.F. FERREIRA (Portugal)
- 1539 Preparation and characterization of some ferromagnetic glass–ceramics contains high quantity of magnetite
S.A.M. ABDEL-HAMEED, M.M. HESSIEN & M.A. AZOOZ (Egypt)
- 1545 Hydration of CAC cement in a castable refractory matrix containing processing additives
I.R. OLIVEIRA, F.S. ORTEGA & V.C. PANDOLFELLI (Brazil)

- 1553 Effect of the starting materials on the reaction synthesis of Ti_3SiC_2
M. ZAKERI, M.R. RAHIMPOUR & A. KHANMOHAMMADIAN (Iran)
- 1559 Effect of heat treating gel films on the formation of superhydrophobic boehmite flaky structures on austenitic stainless steel
X. ZHANG, M. HONKANEN, V. PORE, E. LEVÄNEN & T. MÄNTYLÄ (Finland)
- 1565 Synthesis of LiMn_2O_4 from a gelled ovalbumin matrix
T. SRI DEVI KUMARI, R. KANNAN & T. PREM KUMAR (India)
- 1569 Effect of the addition $\text{ZrO}_2\text{--Al}_2\text{O}_3$ on nanocrystalline hydroxyapatite bending strength and fracture toughness
I. MOBASHERPOUR, M. SOLATI HASHJIN, S.S. RAZAVI TOOSI & R. DARVISHI KAMACHALI (Iran)
- 1575 Preparation of a reticulated ceramic using vegetal sponge as templating
S.A. SILVA, D.D. BRUNELLI, F.C.L. MELO & G.P. THIM (Brazil)
- 1581 TiO_2 nanoceramic films prepared by ion beam assisted evaporation for optical application
S.-S. LIN, S.-C. CHEN & Y.-H. HUNG (Taiwan)
- 1587 Calcium phosphate granules for use as a 5-Fluorouracil delivery system
C. SANTOS, M.A. MARTINS (Portugal), R.-P. FRANKE (Germany), M.M. ALMEIDA & M.E.V. COSTA (Portugal)
- 1595 Effect of storing on the microstructure of Ag/Cu/HA powder
H. YANG, L. ZHANG & K.-W. XU (PR China)
- 1603 Solvothermal oxidation of gallium metal
S.-W. KIM, S. IWAMOTO & M. INOUE (Japan)
- 1611 Phase formation and dielectric properties of $(\text{Pb,Ba})[(\text{Zn}_{1/2}\text{W}_{1/2}),\text{Ti}]\text{O}_3$ ceramics
S.-H. CHO, B.-H. LEE & N.-K. KIM (Republic of Korea)
- 1617 Composites from WC powders sputter-deposited with iron rich binders
C.M. FERNANDES, A.M.R. SENOS, M.T. VIEIRA & J.V. FERNANDES (Portugal)
- 1625 Electrochemical properties of $\text{LiNi}_{1-y}\text{Co}_y\text{O}_2$ cathode materials synthesized from different starting materials by the solid-state reaction method
M. SONG (Republic of Korea), J. SONG (USA), E. BANG (Republic of Korea) & D.R. MUMM (USA)
- 1633 Fine-sized $\text{LiNi}_{0.8}\text{Co}_{0.15}\text{Mn}_{0.05}\text{O}_2$ cathode particles prepared by spray pyrolysis from the polymeric precursor solutions
S.H. JU & Y.C. KANG (Republic of Korea)
- 1641 Toughening macroporous alumina membrane supports with YSZ powders
G. LI, H. QI, Y. FAN & N. XU (China)

Short communication

- 1647 Effect of fluoride additive on the mechanical properties of hydroxyapatite/alumina composites
S.-J. KIM, H.-G. BANG, J.-H. SONG & S.-Y. PARK (Republic of Korea)
- 1651 Bioactive fluorapatite-containing glass ceramics
B.I. BOGDANOV, P.S. PASHEV, J.H. HRISTOV & I.G. MARKOVSKA (Bulgaria)
- 1657 Hydrothermal synthesis and characterization of $\text{Na}_{0.5}\text{Bi}_{0.5}\text{TiO}_3$ microcubes
Y. WANG, G. XU, L. YANG, Z. REN, X. WEI, W. WENG, P. DU, G. SHEN & G. HAN (PR China)
- 1661 Preparation, structural and thermo-mechanical properties of lithium aluminum silicate glass–ceramics
A. ARVIND, R. KUMAR, M.N. DEO, V.K. SHRIKHANDE & G.P. KOTHIYAL (India)

- 1667 Development of multi-phase B–Si–C ceramic composite by reaction sintering
D. MALLICK, T.K. KAYAL, J. GHOSH, O.P. CHAKRABARTI, S. BISWAS & H.S. MAITI (India)
- 1671 Effect of Mg^{2+} - and Fe^{3+} -ions on formation mechanism of aluminium titanate
T. KORIM (Hungary)
- 1677 Simultaneous high-frequency induction heated combustion synthesis and consolidation of nanostructured $HfSi_2$ –SiC composite
J.-H. PARK, J.-K. YOON, J.-M. DOH, B.-S. LEE & I.-J. SHON (Republic of Korea)
- 1683 Effect of propellant on the combustion synthesized Sr-doped $LaMnO_3$ powders
L. DA CONCEIÇÃO, N.F.P. RIBEIRO, J.G.M. FURTADO & M.M.V.M. SOUZA (Brazil)
- 1689 Composite wasteform based on SiO_2 –PbO–CaO– ZrO_2 – TiO_2 –(B_2O_3 – K_2O) parent glass with zircon as the second component
M. MALEK, M.R. KHANI, P. ALIZADEH & H. KAZEMIAN (Iran)
- 1693 Novel porous TiO_2 glass-ceramics with highly photocatalytic ability
T. YAZAWA, F. MACHIDA, K. OKI, A. MINESHIGE & M. KOBUNE (Japan)
- 1699 Dielectric and mechanical properties of porous Si_3N_4 ceramics prepared via low temperature sintering
Y. XIA, Y.-P. ZENG & D. JIANG (PR China)
- 1705 Synthesis and characterization of nanocrystalline forsterite through citrate–nitrate route
A. SABERI (Iran), Z. NEGAHDARI (Germany), B. ALINEJAD & F. GOLESTANI-FARD (Iran)

I Keywords for *Ceramics International*

Number 5

- 1709 Oxidation modeling of a Si_3N_4 –TiN composite: Comparison between experiment and kinetic models
F. DESCHAUX-BEAUME, N. FRETU, T. CUTARD & C. COLIN (France)
- 1719 Crystal structure and piezoelectric properties of $xPb(Mn_{1/3}Nb_{2/3})O_3$ –(0.2 – x) $Pb(Zn_{1/3}Nb_{2/3})O_3$ –0.8 $Pb(Zr_{0.52}Ti_{0.48})O_3$ ceramics
F. GAO, L.-H. CHENG, R.-Z. HONG, J. LIU, C.-J. WANG & C. TIAN (PR China)
- 1725 The effects of incomplete combustion on $Ba_2Ti_9O_{20}$ phase formation in a citrate solution combustion method
X. LOU, W. WENG, K. CHENG, C. SONG, P. DU, G. SHEN & G. HAN (China)
- 1731 Crack formation, exfoliation, and ridge formation in 500 °C annealed sol–gel silica coatings on stainless steel SUS304: Part I. Microscopic observations and elemental analyses
M. TAKEMORI (Japan)
- 1747 Crack formation, exfoliation, and ridge formation in 500 °C annealed sol–gel silica coatings on stainless steel SUS304: Part II Spectroscopic and mechanical analyses and insights into mechanisms controlling coating characteristics
M. TAKEMORI (Japan)
- 1757 Combustion synthesis of high-performance $Li_4Ti_5O_{12}$ for secondary Li-ion battery
T. YUAN, R. CAI, K. WANG, R. RAN (PR China), S. LIU (Australia) & Z. SHAO (PR China)
- 1769 Transport properties of $BaCe_{0.85}Y_{0.15}O_{3-\delta}$ at closed-cycle refrigerator temperature
C.-J. PARK, H.-W. RYU, J.-H. MOON, J.-S. LEE & S.-J. SONG (South Korea)
- 1775 Synthesis, microstructure and electrical conductivity of carbon nanotube–alumina nanocomposites
L. KUMARI, T. ZHANG, G.H. DU, W.Z. LI, Q.W. WANG, A. DATYE & K.H. WU (USA)

- 1783 Processing of porous yttria-stabilized zirconia tapes: Influence of starch content and sintering temperature
M.P. ALBANO, L.B. GARRIDO (Argentina), K. PLUCKNETT (Canada) & L.A. GENOVA (Brazil)
- 1793 Nanostructured nickel ferrite: A liquid petroleum gas sensor
S.L. DARSHANE, S.S. SURYAVANSHI & I.S. MULLA (India)
- 1799 Influence of process parameters on the formation of Silicalite-1 zeolite particles
A. DAS, N. DAS, M.K. NASKAR, D. KUNDU, M. CHATTERJEE & H.S. MAITI (India)
- 1807 The phase transformation and microstructure of TiAl/Ti₂AlC composites caused by hot pressing
Y.-L. CHEN, M. YAN, Y.-M. SUN, B.-C. MEI & J.-Q. ZHU (China)
- 1813 Effect of SiO₂ addition on the microstructure and microwave dielectric properties of ultra-low fire TiTe₃O₈ ceramics
S.-F. WANG, S.-J. WANG, Y.-R. WANG, Y.-F. HSU, L.-Y. CHEN & J.-S. TSAI (Taiwan)
- 1819 Preparation of stabilized Gd-doped BaPrO₃ materials by Zr substitution
A. MAGRASÓ, X. SOLANS (Spain), J.T.S. IRVINE (UK) & M. SEGARRA (Spain)
- 1829 Sintering behavior of La₂O₃–B₂O₃–TiO₂ glass powders prepared by spray pyrolysis for low temperature co-fired ceramics
D.S. JUNG & Y.C. KANG (Republic of Korea)
- 1837 Sol–gel preparation of titania multilayer membrane for photocatalytic applications
A. ALEM, H. SARPOOLAKY (Iran) & M. KESHMIRI (Canada)
- 1845 Fabrication of submicron alumina ceramics by pulse electric current sintering using M²⁺ (M = Mg, Ca, Ni)-doped alumina nanopowders
A. ODAKA, T. YAMAGUCHI, M. HIDA, S. TARUTA & K. KITAJIMA (Japan)
- 1851 Mechanical and dielectric properties of porous Si₂N₂O–Si₃N₄ in situ composites
L. SHUQIN, P. YUCHEN, Y. CHANGQING & L. JIALU (People's Republic of China)
- 1855 Electrophoretic shaping of sub-micron alumina in ethanol
M. SHAN, X. MAO, J. ZHANG & S. WANG (PR China)
- 1863 Effects of ZnO/Li₂O codoping on microstructure and piezoelectric properties of low-temperature sintered PMN–PNN–PZT ceramics
G. FENG, H. RONGZI, L. JIAJI, L. ZHEN & T. CHANG-SHENG (PR China)
- 1871 Fracture barrier estimation by the edge fracture test method
G.A. GOGOTSI & S.P. MUDRIK (Ukraine)
- 1877 Microstructure and deposition mechanism of CVD amorphous boron carbide coatings deposited on SiC substrates at low temperature
B. ZENG, Z. FENG, S. LI, Y. LIU, L. CHENG & L. ZHANG (China)
- 1883 Synthesis of organo-functionalized nanosilica via a co-condensation modification using γ -aminopropyltriethoxysilane (APTES)
I.A. RAHMAN, M. JAFARZADEH & C.S. SIPAUT (Malaysia)
- 1889 Aqueous tape casting process for SiC
Z. LV, T. ZHANG, D. JIANG, J. ZHANG & Q. LIN (PR China)
- 1897 Shock activation of α -alumina from calcinated Al-rich sludge
A.R. FARINHA, J.B. RIBEIRO, R. MENDES & M.T. VIEIRA (Portugal)
- 1905 Preparation of SiO₂–SiC composites with a precursor method
L. GUAN, B. FAN, C. LIU, H. WANG, L. XIN, D. CHEN & R. ZHANG (China)

- 1909 Sintering and mechanical properties of tricalcium phosphate–fluorapatite composites
N. BOUSLAMA, F. BEN AYED & J. BOUAZIZ (Tunisia)
- 1919 Processing and impact behavior of Al/SiCp composites fabricated by the pressureless melt infiltration method
A.M. ZAHEDI, H.R. REZAIE, J. JAVADPOUR, M. MAZAHARI & M.G. HAGHIGHI (Iran)
- 1927 Fabrication of pressureless sintered dense β -SiAlON via a reaction-bonding route with ZrO_2 addition
H. HYUGA, K. YOSHIDA, N. KONDO, H. KITA, J. SUGAI, H. OKANO & J. TSUCHIDA (Japan)
- 1933 Nanosized barium ferrite powders prepared by spray pyrolysis from citric acid solution
M.H. KIM, D.S. JUNG, Y.C. KANG & J.H. CHOI (Republic of Korea)
- 1939 Dispersion of Cu_2O particles in aqueous suspensions containing 4,5-dihydroxy-1,3-benzenedisulfonic acid disodium salt
M. GUEDES, J.M.F. FERREIRA & A.C. FERRO (Portugal)
- 1947 Effect of washing of barium titanate powders synthesized by hydrothermal method on their sinterability and piezoelectric properties
K. ZHU, J. QIU (PR China), K. KAJIYOSHI, M. TAKAI & K. YANAGISAWA (Japan)
- 1953 Foaming of flat glass cullet using Si_3N_4 and MnO_2 powders
A.S. LLAUDIS, M.J.O. TARI, F.J.G. TEN (Spain), E. BERNARDO (Italy) & P. COLOMBO (USA)
- 1961 Characteristics of silicate glasses derived from vitrification of manganese crust tailings
G.F. TERRY LAY, M.C. ROCKWELL (Canada), J.C. WILTSHIRE (USA) & C. KETATA (Canada)
- 1969 Fabrication of hydroxyapatite/diopside/alumina composites by hot-press sintering process
Z. XIHUA, L. CHANGXIA, L. MUSEN, B. YUNQIANG & S. JUNLONG (PR China)
- 1975 Process of pyroplastic shaping for special-purpose porcelain stoneware tiles
M. RAIMONDO, C. ZANELLI, G. GUARINI, M. DONDI, R. FABBRONI & T. CORTESI (Italy)
- 1985 Low sintering temperature of $(\text{Zn}_{0.65}\text{Mg}_{0.35})\text{TiO}_3$ – $x\text{CaTiO}_3$ -based dielectric with controlled temperature coefficient
A. CHAOUCHI (Algeria), S. D'ASTORG & S. MARINEL (France)
- 1991 Fabrication and characterization of bioactive glass (45S5)/titania biocomposites
H.H. BEHEREI, K.R. MOHAMED & G.T. EL-BASSYOUNI (Egypt)
- 1999 Investigation of substrate bias effects on the reactively sputtered ZrN diffusion barrier films
J.-L. RUAN, D.-F. LII, J.S. CHEN & J.-L. HUANG (Taiwan)
- 2007 Influence of raw material type and of the overall chemical composition on phase formation and sintered microstructure of mullite aggregates
I. GANESH (India, Portugal) & J.M.F. FERREIRA (Portugal)
- 2017 An evaluation of plasma-sprayed coatings based on Al_2O_3 and Al_2O_3 –13 wt.% TiO_2 with bond coat on pure titanium substrate
Ş. YILMAZ (Turkey)
- 2023 Development of electrochemical cell with layered composite of the Gd-doped ceria/electronic conductor system for generation of H_2 –CO fuel through oxidation–reduction of CH_4 – CO_2 mixed gases
Y. HIRATA, Y. TERASAWA, N. MATSUNAGA & S. SAMESHIMA (Japan)
- 2029 Synthesis and characterization of boehmitic alumina coated graphite by sol–gel method
S. YILMAZ, Y. KUTMEN-KALPAKLI & E. YILMAZ (Turkey)
- 2035 Electrical properties of low-temperature-fired ferrite–dielectric composites
H.-I. HSIANG & T.-H. CHEN (Taiwan)
- 2041 Dissolution of alumina ceramics in HCl aqueous solution
L. ČURKOVIĆ & M.F. JELAČA (Croatia)

- 2047 Impedance spectroscopic behaviour of spark plasma sintered nanocrystalline scandia stabilized zirconia (SSZ)
K. BISWAS (India)
- 2053 Nanocrystalline ceramic coating on γ -TiAl by bipolar plasma electrolysis (effect of frequency, time and cathodic/anodic duty cycle)
M. ALIOFKHAZRAEI, S.A. HASSANZADEH-TABRIZI, A. SABOUR ROUHAGHDAM & A. HEYDARZADEH (Iran)
- 2061 Structure and enhanced properties of perovskite ferroelectric PNN–PZN–PMN–PZ–PT ceramics by Ni and Mg doping
B.K. GAN & K. YAO (Singapore)
- 2069 Dielectric properties and energy storage density in ZnO-doped $\text{Ba}_{0.3}\text{Sr}_{0.7}\text{TiO}_3$ ceramics
G. DONG, S. MA, J. DU & J. CUI (China)

Short communication

- 2077 Synthesis of YAG powders by the co-precipitation method
Y. ZHANG & H. YU (China)
- 2083 Effect of polymer concentration on porosity and pore size characteristics of alumina membrane substrates prepared by gelcasting
K. PRABHAKARAN, P.K. OJHA, N.M. GOKHALE & S.C. SHARMA (India)
- 2087 Characterization of CoWO_4 nano-particles produced using the spray pyrolysis
S. THONGTEM, S. WANNAPOP & T. THONGTEM (Thailand)
- 2093 Differences in physical phenomena governing laser machining of structural ceramics
A.N. SAMANT & N.B. DAHOTRE (USA)
- 2099 γ - Bi_2MoO_6 nanoplates: Surfactant-assisted hydrothermal synthesis and optical properties
C. XU, D. ZOU, L. WANG, H. LUO & T. YING (PR China)

I Keywords for *Ceramics International*

Number 6

- 2103 Synthesis of spherical shape borate-based bioactive glass powders prepared by ultrasonic spray pyrolysis
J.S. CHO & Y.C. KANG (Republic of Korea)
- 2111 High surface area α -alumina preparation by using urban waste
M.M. MARTÍN-RUIZ, L.A. PÉREZ-MAQUEDA, T. CORDERO (Spain), V. BALEK, J. SUBRT, N. MURAFÁ (Czech Republic) & J. PASCUAL-COSP (Spain)
- 2119 Low-temperature synthesis of BiNbO_4 ceramics using reaction-sintering process
Y.-C. LIOU, W.-C. TSAI & H.-M. CHEN (Taiwan)
- 2123 Thermal cyclic behavior of glass–ceramic bonded thermal barrier coating on nimonic alloy substrate
S. DAS, S. DATTA, D. BASU & G.C. DAS (India)
- 2131 Microwave dielectric characteristics of Nb_2O_5 -added $0.9\text{Al}_2\text{O}_3$ – 0.1TiO_2 ceramics
X. YE, W. LEI & W.-Z. LU (PR China)
- 2135 Synthesis of $\text{Zn}_3\text{Nb}_2\text{O}_8$ ceramics using a simple and effective process
Y.-C. LIOU, H.-M. CHEN & W.-C. TSAI (Taiwan)
- 2139 Crystallization of triplet alkalis (Li, K, Na)-containing fluorrichterite glasses
E.M.A. HAMZAWY & S.A.M. ABDEL-HAMEED (Egypt)
- 2145 Simultaneous synthesis and densification of α -Zr(N)/ ZrB_2 composites by self-propagating high-temperature combustion under high nitrogen pressure
S. NAKANE, T. ENDO & K. HIROTA (Japan)

- 2151 Effects of gelatin addition on the microstructure of freeze-cast porous hydroxyapatite ceramics
Y. ZHANG, K. ZUO & Y.-P. ZENG (China)
- 2155 Silicon nitride/boron nitride ceramic composites fabricated by reactive pressureless sintering
B. YUAN, J.-X. LIU, G.-J. ZHANG, Y.-M. KAN & P.-L. WANG (China)
- 2161 Three-dimensional carbon fiber-reinforced silicon carbide matrix composites by vapor silicon infiltration
Q. ZHOU, S. DONG, Y. DING, Z. WANG, Z. HUANG & D. JIANG (China)
- 2171 Influence of microstructure and phase composition on the nanoindentation characterization of bioceramic materials based on hydroxyapatite
C.Y. TANG (PR China), P.S. USKOKOVIC (Serbia), C.P. TSUI (PR China), DJ. VELJOVIC, R. PETROVIC & DJ. JANACKOVIC (Serbia)
- 2179 Microwave properties of chromium-substituted lithium ferrite
Y.-P. FU, D.-S. HUNG & Y.-D. YAO (Taiwan)
- 2185 Synthesis, characterization and thermal expansion studies on ThO_2 – $\text{SmO}_{1.5}$ solid solutions
G.G.S. SUBRAMANIAN, G. PANNEERSELVAM, K.V. SYAMALA & M.P. ANTONY (India)
- 2191 Rheology and chemorheology of aqueous γ - LiAlO_2 slurries for gel-casting
X. XU, Z. WEN, X. WU, J. LIN & X. WANG (PR China)
- 2197 The influence of axial pressure on relaxor properties of $\text{BaBi}_2\text{Nb}_2\text{O}_9$ ceramics
M. ADAMCZYK, A. MOLAK & Z. UJMA (Poland)
- 2203 Degradation of MgO – C refractories by MnO -rich stainless steel slags
M.-A. VAN ENDE, M. GUO, P.T. JONES, B. BLANPAIN & P. WOLLANTS (Belgium)
- 2213 Electrochemical performance of LSM–SDC electrodes prepared with ion-impregnated LSM
X. XU, C. CAO, C. XIA & D. PENG (China)
- 2219 Fabrication and thermal conductivity of AlN/BN ceramics by spark plasma sintering
Y.-L. LI, J. ZHANG & J.-X. ZHANG (China)
- 2225 Characterization of a chromium-rich tannery waste and its potential use in ceramics
M.A. ABREU & S.M. TOFFOLI (Brazil)
- 2235 The effect of SiO_2 additions on barium aluminate cement formation and properties
M.R. REZAIE, H.R. REZAIE & R. NAGHIZADEH (Iran)
- 2241 Microstructural evolution in MgO_p/AlN composites
Y.W. LI, S.L. JIN, Y.B. LI, L. ZHAO & Z.Y. LI (China)
- 2249 Manufacturing of highly porous calcium phosphate bioceramics via gel-casting using agarose
M. POCIEK, A. ZIMA, Z. PASZKIEWICZ & A. ŚLÓWARCZYK (Poland)
- 2255 Preparation of boron carbide–aluminum composites by non-aqueous gelcasting
C. ZHANG, X. HUANG, Y. YIN, F. XIA, J. DAI & Z. ZHU (China)
- 2261 Preparation and characterization of TiO_2 , ZnO , and TiO_2/ZnO nanofilms via sol–gel process
J. TIAN, L. CHEN, J. DAI, X. WANG, Y. YIN & P. WU (PR China)
- 2271 Catalytic effect of alkaline earth oxides on carbothermic formation of hexagonal boron nitride
H.E. ÇAMURLU, Y. TOPKAYA & N. SEVINÇ (Turkey)
- 2277 Oxidation analysis of 2D C/ZrC – SiC composites with different coating structures in CH_4 combustion gas environment
H. LI, L. ZHANG, L. CHENG & Y. WANG (China)

- 2283 The effects of deposition temperature on structure and dielectric properties of $\text{Ba}_{0.6}\text{Sr}_{0.4}\text{TiO}_3$ thin films produced by pulsed laser deposition
M. ZHAO & W.Q. CAO (China)
- 2289 Rheological behavior of aqueous polymer-plasticized $\gamma\text{-LiAlO}_2$ pastes for plastic forming
J. LIN, Z. WEN, Y. LIU, X. XU, S. SONG & N. LI (PR China)
- 2295 Nanoindentation study of microplasma sprayed hydroxyapatite coating
A. DEY, A.K. MUKHOPADHYAY, S. GANGADHARAN, M.K. SINHA, D. BASU & N.R. BANDYOPADHYAY (India)
- 2305 Formation of rod-like Si_3N_4 grains in porous SRBSN bodies using $6\text{Y}_2\text{O}_3\text{-2MgO}$ sintering additives
D.-V. TUYEN, Y.-J. PARK, H.-D. KIM & B.-T. LEE (South Korea)
- 2311 The effect of high-energy ball milling parameters on the preparation and characterization of fluorapatite nanocrystalline powder
E. MOHAMMADI ZAHRANI & M.H. FATHI (Iran)
- 2325 Characterization of Ni–Cu–Zn ferrite prepared from industrial wastes
C.-H. LIN, C.-W. WANG & Y.-P. FU (Taiwan)
- 2329 Fabrication of 8-YSZ thin-wall tubes by powder extrusion moulding for SOFC electrolytes
T. JARDIEL, B. LEVENFELD, R. JIMÉNEZ & A. VÁREZ (Spain)
- 2337 Properties of BaTiO_3 synthesized from barium titanyl oxalate
J.-H. KIM, W.-S. JUNG, H.-T. KIM & D.-H. YOON (Republic of Korea)
- 2343 Preparation, biomimetic apatite induction and osteoblast proliferation test of TiO_2 -based coatings containing P with a graded structure
D. WEI & Y. ZHOU (PR China)
- 2351 Dielectric properties and phase transition in $\text{SrBi}_2\text{Nb}_2\text{O}_9\text{-SrBi}_2\text{Ta}_2\text{O}_9$ solid solution
D. KAJEWSKI, Z. UJMA (Poland), K. SZOT (Poland, Germany) & M. PAWEŁCZYK (Poland)
- 2357 Structural anomaly and electrical relaxation in $(\text{Na}_{2/3}\text{Pb}_{1/3})(\text{Mn}_{1/2}\text{Nb}_{1/2})\text{O}_3$ ceramics
A. MOLAK, E. KSEPKO & A. RATUSZNA (Poland)
- 2367 Effect of solvent and temperature on the preparation of potassium niobate by hydrothermal-assisted sol–gel processing
M.M. AMINI & M. MIRZAEI (Iran)
- 2373 Mechanical characteristics of porous hydroxyapatite/oxide composites produced by post-sintering hot isostatic pressing
M.A. AUGER, B. SAVOINI, A. MUÑOZ, T. LEGUEY, M.A. MONGE, R. PAREJA & J. VICTORIA (Spain)
- 2381 Synthesizing high α -phase Si_3N_4 powders containing sintering additives
N. KARAKUŞ, A.O. KURT & H.Ö. TOPLAN (Turkey)
- 2387 Preparation and microstructural characterization of $(\text{Nd}_{1-x}\text{Gd}_x)_2(\text{Ce}_{1-x}\text{Zr}_x)_2\text{O}_7$ solid solutions
Z.-G. LIU, J.-H. OUYANG, Y. ZHOU & X.-L. XIA (China)
- 2393 Pre-evaluation method for the spectroscopic properties of YAG bulk materials by sol–gel synthetic YAG powder
K. FUJIOKA, T. SAIKI, S. MOTOKOSHI, Y. FUJIMOTO, H. FUJITA & M. NAKATSUKA (Japan)
- 2401 Synthesis, microstructure and optical characterization of zirconium oxide nanostructures
L. KUMARI, G.H. DU, W.Z. LI, R.S. VENNILA, S.K. SAXENA & D.Z. WANG (USA)
- 2409 Tip deflection calculations of small-diameter thin-walled piezoelectric tubes
M. LEUNG, E. HAEMMERLE, M. HODGSON, W. CHEN & W. GAO (New Zealand)

- 2415 Synthesis of belite cement from lignite fly ash
K. PIMRAKSA, S. HANJITSUWAN & P. CHINDAPRASIRT (Thailand)
- 2427 The sintering kinetics of porcelain bodies made from waste glass and fly ash
S. YÜRÜYEN & H.Ö. TOPLAN (Turkey)
- 2435 The wetting behaviour and reaction kinetics in diamond–silicon carbide systems
K. MLUNGWANE, I. SIGALAS (South Africa), M. HERRMANN (Germany) & M. RODRÍGUEZ (Spain)
- 2443 Impedance spectroscopy analysis of $\text{BaFe}_{12}\text{O}_{19}$ M-type hexaferrite obtained by ceramic method
R.M. ALMEIDA, W. PARAGUASSU, D.S. PIRES, R.R. CORRÊA & C.W. DE ARAUJO PASCHOAL (Brazil)
- 2449 Synthesis and characterization of bioactive forsterite nanopowder
M. KHARAZIHA & M.H. FATHI (Iran)
- 2455 Further performance improvement of $\text{Ba}_{0.5}\text{Sr}_{0.5}\text{Co}_{0.8}\text{Fe}_{0.2}\text{O}_{3-\delta}$ perovskite membranes for air separation
Z. CHEN, R. RAN, Z. SHAO (PR China), H. YU, J.C.D. DA COSTA & S. LIU (Australia)
- 2463 Rheology and physical properties of $\text{Bi}_{0.5}(\text{Na}_{0.82}\text{K}_{0.18})_{0.5}\text{TiO}_3$ piezoelectric thick films by aqueous gel-tape casting process
M. FU, T. XIE & S. JIANG (China)
- 2469 Fabrication of porous magnesium spinel with directional pores by unidirectional solidification
S. UENO, T. AKATSU & H. NAKAJIMA (Japan)
- 2475 Polymer nanocomposites for bone tissue substitutes
I. KOTELA, J. PODPORSKA, E. SOLTYSIAK, K.J. KONSZTOWICZ & M. BLAZEWICZ (Poland)
- 2481 Preparation and mechanical characterization of dense and porous zirconia produced by gel casting with gelatin as a gelling agent
J.-M. TULLIANI, C. BARTULI, E. BEMPORAD, V. NAGLIERI & M. SEBASTIANI (Italy)

Short communication

- 2493 Characterization of porous lanthanum strontium manganite (LSM) and development of yttria stabilized zirconia (YSZ) coating
A.K. SAHU, A. GHOSH & A.K. SURI (India)
- 2499 Preparation and characterization of tetragonal- ZrO_2 nanopowders by a molten hydroxides method
L. WANG, K.F. CAI, Y.Y. WANG, J.L. YIN, H. LI & C.W. ZHOU (PR China)
- 2503 Laser irradiation of α -SiC ceramics
M. VLASOVA, P.A.M. AGUILAR, M.C. RESÉNDIZ-GONZÁLEZ, M. KAKAZEY, J. GUZMAN (Mexico), A. BYKOV, V. STETSENKO, T. TOMILA & A. RAGULYA (Ukraine)
- 2509 $\text{La}_5\text{Cu}_6\text{O}_4\text{S}_7$, a p-type material with high conductivity prepared using La_2S_3
W. LIBIN, L. MINLING, H. FUQIANG, C. LIDONG & G. XIANGDONG (PR China)
- 2513 Properties of glasses based on the CaO-MgO-SiO_2 system for low-temperature co-fired ceramic
M.-W. CHANG, S.H. LYOO, H.S. CHOO & J.M. LEE (Republic of Korea)
- 2517 Sol–gel synthesis of red-emitting LiEuW_2O_8 powder as a near-ultraviolet convertible phosphor
K.-S. HWANG, S. HWANGBO & J.-T. KIM (Republic of Korea)
- 2521 Preparation of barium hafnate fine powders by oxalate method
B.-Z. ZHOU, G.-H. ZHOU, L.-Q. AN, G.-J. ZHANG & S.-W. WANG (China)
- 2525 A Si–SiC oxidation protective coating for carbon/carbon composites prepared by a two-step pack cementation
F. QIAN-GANG, L. HE-JUN, W. YONG-JIE, L. KE-ZHI & W. HENG (PR China)

- 2531 Mössbauer effect study of the Fe-substituted NASICON
A. IGNASZAK (Canada), S. KOMORNICKI & P. PASIERB (Poland)
- 2537 Behaviour of bone origin hydroxyapatite at elevated temperatures and in O₂ and CO₂ atmospheres
K. HABERKO, M.M. BUČKO, W. MOZGAWA, A. PYDA, J. BRZEZIŃSKA-MIECZNIK (Poland) & J. CARPENTIER (France)
- 2541 Synthesis and densification behaviour of magnesium aluminate spinel: Effect of Dy₂O₃
H.S. TRIPATHI, S. SINGLA & A. GHOSH (India)

I Keywords for *Ceramics International*

Number 7

- 2545 Characteristic, cell response and apatite-induction ability of microarc oxidized TiO₂-based coating containing P on Ti6Al4V before and after chemical-treatment and dehydration
D. WEI, Y. ZHOU & C. YANG (PR China)
- 2555 Effect of pyrophyllite incorporation in porcelain composition on mechanical properties and microstructure
T.K. MUKHOPADHYAY, S. GHATAK & H.S. MAITI (India)
- 2563 Template-directed hydrothermal synthesis of dandelion-like hydroxyapatite in the presence of cetyltrimethylammonium bromide and polyethylene glycol
M. SALARIAN, M. SOLATI-HASHJIN, S.S. SHAFIEI, R. SALARIAN & Z.A. NEMATİ (Iran)
- 2571 Influence of crystallographic orientation on hydration of MgO single crystals
M. SUTCU, S. AKKURT & S. OKUR (Turkey)
- 2577 Processing of micro-components made of sintered reaction-bonded silicon nitride (SRBSN). Part 1: Factors influencing the reaction-bonding process
M. MÜLLER, W. BAUER & R. KNITTER (Germany)
- 2587 Spark plasma sintering of self-propagating high-temperature synthesized TiC_{0.7}/TiB₂ powders and detailed characterization of dense product
C. MUSA, A.M. LOCCI, R. LICHERI, R. ORRÙ, G. CAO, D. VALLAURI, F.A. DEORSOLA, E. TRESSO (Italy), J. SUFFNER, H. HAHN (Germany), P. KLIMCZYK & L. JAWORSKA (Poland)
- 2601 Properties of Si/SiC ceramic composite subjected to chemical vapour infiltration
G. AMIRTHAN, A. UDAYAKUMAR, V.V.B. PRASAD & M. BALASUBRAMANIAN (India)
- 2609 The influence of the binder on the properties of sintered glass-ceramics produced from industrial wastes
M. EROL, S. KÜÇÜKBAYRAK & A. ERSOY-MERİÇBOYU (Turkey)
- 2619 Energy transfer and up-conversion luminescence in Er³⁺/Yb³⁺ co-doped transparent glass ceramic containing YF₃ nano-crystals
F. WENG, D. CHEN, Y. WANG, Y. YU, P. HUANG & H. LIN (China)
- 2625 The use of recycled paper processing residues in making porous brick with reduced thermal conductivity
M. SUTCU & S. AKKURT (Turkey)
- 2633 Influence of nucleation agents on crystallization and machinability of mica glass–ceramics
P. WANG, L. YU, H. XIAO, Y. CHENG & S. LIAN (China)
- 2639 Thermal shock resistance and mechanical properties of La₂Ce₂O₇ thermal barrier coatings with segmented structure
Y. WANG, H. GUO & S. GONG (China)
- 2645 Improvement on the mechanical properties of zinc oxide green sheets by aqueous acrylamide gel tape casting
T. XIE, S. JIANG & M. FAN (China)

- 2651 Fine-sized $\text{BaMgAl}_{10}\text{O}_{17}:\text{Eu}^{2+}$ phosphor powders prepared by spray pyrolysis from the spray solution with BaF_2 flux
S.H. LEE, H.Y. KOO, D.S. JUNG, J.H. YI & Y.C. KANG (Republic of Korea)
- 2659 Mechano-synthesis of perovskite LaGaO_3 and its effect on the sintering of ceramics
A. MOURE, A. CASTRO, J. TARTAJ & C. MOURE (Spain)
- 2667 Thermodynamics of densification of powder compact
Y. HIRATA, A. HARA (Japan) & I.A. AKSAY (USA)
- 2675 Synthesis of NiWO_4 nano-particles in low-temperature molten salt medium
Z. SONG, J. MA, H. SUN, W. WANG, Y. SUN, L. SUN, Z. LIU & C. GAO (PR China)
- 2679 Effect of sintering temperature on varistor properties and aging characteristics of $\text{ZnO-V}_2\text{O}_5\text{-MnO}_2$ ceramics
C.-W. NAHM (Republic of Korea)
- 2687 Microstructure and dielectric properties of low temperature sintered ZnNb_2O_6 microwave ceramics
F. GAO, J. LIU, R. HONG, Z. LI & C. TIAN (PR China)
- 2693 Optical properties of TiO_2 nanoceramic films as a function of N–Al co-doping
S.-S. LIN (Taiwan)
- 2699 The growth of interfacial compounds between titanium dioxide and bismuth oxide
C.-D. LU, L.-S. CHANG, Y.-F. LU & F.-H. LU (Taiwan)
- 2705 Effect of carbonization time on the structure and electromagnetic parameters of porous-hollow carbon fibres
W. XIE, H.-F. CHENG, Z.-Y. CHU & Z.-H. CHEN (PR China)
- 2711 Microstructure of composite YAG crystal/ceramics
B. JIANG, W. LIU, T. HUANG, J. LI, Y. PAN & J. GUO (China)
- 2715 Dielectric properties and microstructures of CaSiO_3 ceramics with B_2O_3 addition
H.-P. WANG, S.-Q. XU, S.-Q. LU, S.-L. ZHAO & B.-L. WANG (China)
- 2719 Preparation, characterization, spectral and conductivity studies of $\text{Na}_3\text{MgZr}(\text{PO}_4)_3$ and $\text{Na}_{0.1}(\text{H}_3\text{O})_{2.9}\text{MgZr}(\text{PO}_4)_3$
B. VIJAYA KUMAR, R. VELCHURI, G. PRASAD & M. VITHAL (India)
- 2727 Morphology-controlled synthesis of quasi-aligned AlN nanowhiskers by combustion method: Effect of NH_4Cl additive
Z. SHI (PR China, Japan), M. RADWAN, S. KIRIHARA, Y. MIYAMOTO (Japan) & Z. JIN (PR China)
- 2735 Fracture behaviour of Mg-PSZ ceramics: Comparative estimates
G.A. GOGOTSI (Ukraine)
- 2741 Preparation and characterization of sol–gel $\text{Al}_2\text{O}_3/\text{Ni-P}$ composite coatings on carbon steel
L. LUO, J. YAO, J. LI & J. YU (China)
- 2747 Elaboration and characterisation of fly ash based mineral supports for microfiltration and ultrafiltration membranes
I. JEDIDI (Tunisia, France), S. KHEMAKHEM (Tunisia), A. LARBOT (France) & R. BEN AMAR (Tunisia)
- 2755 Processing of $\text{Bi}_{1.5}\text{ZnNb}_{1.5}\text{O}_7$ ceramics for LTCC applications: Comparison of synthesis and sintering methods
S.A. DA SILVA & S.M. ZANETTI (Brazil)
- 2761 Dielectric properties of Fe-doped $\text{Ba}_{0.65}\text{Sr}_{0.35}\text{TiO}_3$ thin films fabricated by the sol–gel method
Y. YE & T. GUO (China)

- 2767 Oxidation behavior of silicon carbide based biomorphic ceramics prepared by chemical vapor infiltration and reaction technique
H. GHANEM, E. ALKHATEEB, H. GERHARD & N. POPOVSKA (Germany)
- 2775 Pressureless sintering and mechanical properties of $\text{SiO}_2\text{--Al}_2\text{O}_3\text{--MgO--K}_2\text{O--TiO}_2\text{--F}$ (CaO–Na₂O) machinable glass–ceramics
B.A. RAD & P. ALIZADEH (Iran)
- 2781 Phase content and dielectrical properties of sintered BaSrTiO ceramics prepared by a high temperature hydrothermal technique
K.A. RAZAK (Malaysia), A. ASADOV & W. GAO (New Zealand)
- 2789 Characterization of basaltic tuffs and their applications for the production of ceramic and glass–ceramic materials
S. ERGUL, F. FERRANTE, P. PISCIELLA (Italy), A. KARAMANOV (Bulgaria) & M. PELINO (Italy)
- 2797 Ultraviolet photodetectors based on ZnO nanoparticles
J.H. JUN, H. SEONG, K. CHO, B.-M. MOON & S. KIM (Republic of Korea)
- 2803 Thermal expansion behavior of Cu/Cu₂O cermets with different Cu structures
W.Z. SHAO, L.C. FENG, L. ZHEN & N. XIE (China)
- 2809 Low-temperature synthesis of $\text{La}_{0.6}\text{Sr}_{0.4}\text{Co}_{0.2}\text{Fe}_{0.8}\text{O}_{3-\delta}$ perovskite powder via asymmetric sol–gel process and catalytic auto-combustion
L. GE, R. RAN, Z. SHAO (PR China), Z.H. ZHU & S. LIU (Australia)
- 2817 Solvothermal synthesis of CdS nanowires templated by polyethylene glycol
T. THONGTEM, A. PHURUANGRAT & S. THONGTEM (Thailand)
- 2823 Fabrication of alumina parts by electrophoretic deposition from ethanol and aqueous suspensions
S. NOVAK & K. KÖNIG (Slovenia)
- 2831 Fabrication of 2D C/ZrC–SiC composite and its structural evolution under high-temperature treatment up to 1800 °C
H. LI, L. ZHANG, L. CHENG & Y. WANG (China)
- 2837 Effect of polyvinylpyrrolidone on morphology and structure of In_2O_3 nanorods by hydrothermal synthesis
T.-T. TSENG & W.J. TSENG (Taiwan)
- 2845 Acidic and basic binders for magnesite based aggregate in plaster of tundish
S.M. SIADATI & A. MONSHI (Iran)
- 2853 Chemical durability and microstructural analysis of glasses soaked in water and in biological fluids
V. CANNILLO, F. PIERLI, I. RONCHETTI, C. SILIGARDI & D. ZAFFE (Italy)
- 2871 Thermal stability of polymer derived SiBNC ceramics
Y. TANG, J. WANG, X. LI, W. LI, H. WANG & X. WANG (PR China)
- 2877 Thermal and mechanical properties of LaNbO_4 -based ceramics
T. MOKKELBOST, H.L. LEIN, P.E. VULLUM, R. HOLMESTAD, T. GRANDE & M.-A. EINARSRUD (Norway)
- 2885 Phase transitional behavior and piezoelectric properties of $\text{BiYbO}_3\text{--Pb}(\text{Ti}_{0.5}\text{Zr}_{0.5})\text{O}_3\text{--LiNbO}_3$ ceramics
G. FENG, D. ZHENQI, Y. LE, C. LIHONG & T. CHANGSHENG (China)
- 2891 Fabrication and characterization of 1D brushite nanomaterials via sucrose ester reverse microemulsion
H. LIM, A. KASSIM, N. HUANG, R. HASHIM, S. RADIMAN, P. KHIEW & W. CHIU (Malaysia)
- 2899 Synthesis and structure of PMN–PT ceramic nanopowder free from pyrochlore phase
M. GHASEMIFARD, S.M. HOSSEINI & G.H. KHORRAMI (Iran)

- 2907 Mechanical and fracture properties of zircon–mullite composites obtained by direct sintering
N.M. RENDTORFF, L.B. GARRIDO & E.F. AGLIETTI (Argentina)
- 2915 Influence of processing atmosphere on the microstructural evolution of submicron alumina powder during sintering
A.S.A. CHINELATTO & R. TOMASI (Brazil)
- 2921 Representation of thermal conductivity of solid material with particulate inclusion
Y. HIRATA (Japan)
- 2927 Fabrication and properties of highly transparent $\text{Tm}_3\text{Al}_5\text{O}_{12}$ (TmAG) ceramics
W.-X. ZHANG, J. LI, W.-B. LIU, Y.-B. PAN & J.-K. GUO (PR China)
- 2933 Fabrication, characterization and bioactivity evaluation of calcium pyrophosphate/polymeric biocomposites
A.M. EL KADY, K.R. MOHAMED & G.T. EL-BASSYOUNI (Egypt)
- 2943 Neural network modeling and analysis of gel casting preparation of porous Si_3N_4 ceramics
J. YU, H. WANG & J. ZHANG (China)
- 2951 Kirkendall porosity in barium titanate–strontium titanate diffusion couple
C.-Y. SIAO, H.-W. LEE & H.-Y. LU (Taiwan)
- 2959 Characterization of $\text{Ce}_{0.9}\text{Gd}_{0.1}\text{O}_{1.95}$ powders synthesized by spray drying
P. BLENNOW, W. CHEN, M. LUNDBERG & M. MENON (Denmark)
- 2965 Sintering effect on mechanical properties of composites of natural hydroxyapatites and titanium
S. SALMAN (Turkey, USA), O. GUNDUZ, S. YILMAZ, M.L. ÖVEÇOĞLU (Turkey), R.L. SNYDER (USA), S. AGATHOPOULOS (Greece) & F.N. OKTAR (Turkey, Portugal)

Short communication

- 2973 A simple and effective process for fabrication of $\text{Gd}_{0.1}\text{Ce}_{0.9}\text{O}_{1.95}$ solid electrolyte ceramics
Y.-C. LIOU, D.-Z. WU, J.-H. SIAO & W.-C. TSAI (Taiwan)
- 2979 Hydrothermal synthesis of monodispersed LiFePO_4 cathode materials in alcohol–water mixed solutions
C. ZHANG, X. HUANG, Y. YIN, J. DAI & Z. ZHU (PR China)
- 2983 Synthesis of crystalline zeolite-13X from waste porcelain using alkali fusion
T. WAJIMA & Y. IKEGAMI (Japan)
- 2987 Inclusion of carbon nanotubes in a hydroxyapatite sol–gel matrix
H. NAJAFI (Switzerland), Z.A. NEMATİ & Z. SADEGHIAN (Iran)

I Keywords for *Ceramics International*

Number 8

- 2993 Temperature induced dielectric polarization evolution in polycrystalline $\text{Pb}(\text{Cd}_{1/3}\text{Nb}_{2/3})\text{O}_3$
C. KAJTOCH (Poland)
- 2999 Effects of zinc oxide on thermal shock behavior of zinc sulfide– silicon dioxide ceramics
J.K. CHEN, K.L. TANG & J.T. CHANG (Taiwan)
- 3005 Structure characterization and mechanical properties of CeO_2 – ZrO_2 solid solution system
Y.-P. FU, S.-H. HU & B.-L. LIU (Taiwan)
- 3013 Synthesis and properties of lithium disilicate glass-ceramics in the system SiO_2 – Al_2O_3 – K_2O – Li_2O
D.U. TULYAGANOV (Portugal, Uzbekistan), S. AGATHOPOULOS (Greece), I. KANSAL (Portugal), P. VALÉRIO (Brazil), M.J. RIBEIRO & J.M.F. FERREIRA (Portugal)

- 3021 Electrical and microwave dielectric properties of $K_2Nb_8O_{21}$ microwires
C.Y. XU (China, USA), L. ZHEN, J.T. JIANG (China), C.S. LAO (USA) & L. YANG (China)
- 3027 The effect of nano-sized BNBT on microstructure and dielectric/piezoelectric properties
M.-S. YOON, N.H. KHANSUR, B.-K. CHOI, Y.-G. LEE & S.-C. UR (Republic of Korea)
- 3037 Influence of dopants on the crystallization of borosilicate glass
S. SONG, Z. WEN, Y. LIU, Q. ZHANG, X. WU, J. ZHANG & J. HAN (PR China)
- 3043 Surface modification of bovine bone ash prepared by milling and acid washing process
D. GOUVÊA, G.A.V. ALATRISTA, S.L.M. BRITO (Brazil), R.H.R. CASTRO (USA) & H. KAHN (Brazil)
- 3051 In situ synthesis of multiferroic $YMnO_3$ ceramics by SPS and their characterization
Y. MA, Y.J. WU, X.M. CHEN, J.P. CHENG & Y.Q. LIN (China)
- 3057 Response characteristics of all-solid-state pH sensor using $Li_5YSi_4O_{12}$ glass
S. NAKAYAMA, K. ONISHI, T. ASAHI, Y.L. AUNG & S. KUWATA (Japan)
- 3061 Simple fabrication and photocatalytic activity of S-doped TiO_2 under low power LED visible light irradiation
Y. LIU, J. LIU, Y. LIN, Y. ZHANG & Y. WEI (China)
- 3067 Characterization of Al-doped ZnO thermoelectric materials prepared by RF plasma powder processing and hot press sintering
H. CHENG, X.J. XU, H.H. HNG & J. MA (Singapore)
- 3073 Sol–gel approach to near-net-shape oxide–oxide composites reinforced with short alumina fibres—The effect of crystallization
M.K. NASKAR, K. BASU & M. CHATTERJEE (India)
- 3081 Thermodynamic evaluation of the Al_2O_3 – H_2O binary system at pressures up to 30 MPa
S. SERENA, M.A. RASO, M.A. RODRÍGUEZ, A. CABALLERO & T.J. LEO (Spain)
- 3091 High strength alumina joints via transient liquid phase bonding
P.-L. LO, L.-S. CHANG & Y.-F. LU (Taiwan)
- 3097 Fe-mordenite/cordierite monolith for the catalytic decomposition of nitrous oxide
T. ZHOU, L. LI, C. JIE, Q. SHEN, Q. XIE & Z. HAO (PR China)
- 3103 Synthesis of fluorite ceria based solid solutions from mixed rare earth carbonates
K. JAYASANKAR, S. SAMAL & S. BHATTACHARJEE (India)
- 3111 Structure and properties of short fibre reinforced silica matrix composite foams
S. MISHRA, R. MITRA & M. VIJAYAKUMAR (India)
- 3117 The role of hydraulic binders on magnesia containing refractory castables: Calcium aluminate cement and hydratable alumina
R. SALOMÃO & V.C. PANDOLFELLI (Brazil)
- 3125 Characterization of sintered TiC–SiC composites
J. CHEN, W. LI & W. JIANG (PR China)
- 3131 Study on the synthesis of $Al_2W_2MoO_{12}$ by a simple stearic acid route and its negative thermal expansion property
G.-F. XU, Q.-Q. LIU, J. YANG, X.-J. SUN & X.-N. CHENG (PR China)
- 3135 Variation of cathode properties of $LiNi_{0.975}M_{0.025}O_2$ ($M = Ga, In$ and Tl) prepared by the combustion method
M. SONG, S. KWON & H. PARK (Republic of Korea)
- 3143 Effect of the excess of bismuth on the morphology and properties of the $BaBi_2Nb_2O_9$ thin films
T. MAZON, M.A. ZAGHETE, M. CILENSE & J.A. VARELA (Brazil)

- 3147 Rapid consolidation of nanocrystalline Al_2O_3 reinforced Ni–Fe composite from mechanically alloyed powders by high frequency induction heated sintering
N.-R. PARK, D.-M. LEE, I.-Y. KO, J.-K. YOON & I.-J. SHON (Republic of Korea)
- 3153 Aqueous tape casting and crystallization behavior of gadolinium-doped ceria
Y.-P. FU, Y.-C. LIU & S.-H. HU (Taiwan)
- 3161 Preparation and characterization of porous hydroxyapatite through polymeric sponge method
I. SOPYAN & J. KAUR (Malaysia)
- 3169 High performance porous Si_3N_4 ceramics prepared by coated pore-forming agent method
L. FANGSEN (China, UK), Z. WANCHENG, H. HANJUN, L. FA & Z. DONGMEI (China)
- 3175 Microwave-assisted synthesis and sintering of mullite
T. EBADZADEH, M.H. SARRAFI & E. SALAH (Iran)
- 3181 Preparation and properties of glass–ceramics derived from blast-furnace slag by a ceramic-sintering process
H. LIU, H. LU, D. CHEN, H. WANG, H. XU & R. ZHANG (China)
- 3185 Evaluation of sintering stresses of an Al_2O_3 powder with a self-loading apparatus
T. IKEGAMI, N. IYI & I. SAKAGUCHI (Japan)
- 3195 The influence of sintering aids for $\text{Nd}(\text{Mg}_{0.5}\text{Ti}_{0.5})\text{O}_3$ microwave dielectric ceramics properties
K.-W. TAY, Y.-P. FU & T.-Y. HUANG (Taiwan)
- 3201 Effects of preparation methods on the oxygen nonstoichiometry, B-site cation valences and catalytic efficiency of perovskite $\text{La}_{0.6}\text{Sr}_{0.4}\text{Co}_{0.2}\text{Fe}_{0.8}\text{O}_{3-\delta}$
L. GE (PR China), Z. ZHU (Australia), Z. SHAO (PR China), S. WANG & S. LIU (Australia)
- 3207 *In vitro* and *in vivo* release of cefuroxime axetil from bioactive glass as an implantable delivery system in experimental osteomyelitis
S.K. NANDI, B. KUNDU, P. MUKHERJEE, T.K. MANDAL, S. DATTA, D.K. DE & D. BASU (India)
- 3217 Densification rate and phase structure changes during sintering of zinc titanate ceramics
M.V. NIKOLIC, N. LABUS & M.M. RISTIC (Serbia)
- 3221 Effect of some rare-earth oxides on structure, devitrification and properties of diopside based glasses
I. KANSAL, A. GOEL (Portugal), D.U. TULYAGANOV (Portugal, Uzbekistan) & J.M.F. FERREIRA (Portugal)
- 3229 Composition and properties of glass obtained from Early Cretaceous Sidi Aich sands (central Tunisia)
W. HAJJAJI (Tunisia, Portugal), K. JERIDI (Tunisia), P. SEABRA, F. ROCHA, J.A. LABRINCHA (Portugal) & F. JAMOSSI (Tunisia)
- 3235 Crystallization behavior of $\text{Bi}_{1.25}\text{Y}_{1.75}\text{Fe}_5\text{O}_{12}$ prepared by coprecipitation process
Y.-P. FU & K.-K. LEW (Taiwan)
- 3241 Joining SiC ceramics with silicon resin YR3184
X. YUAN, S. CHEN, X. ZHANG & T. JIN (China)
- 3247 Electric and microstructural characteristics of bulk ZnO fabricated by underwater shock compaction
Y. KIM, T. UEDA, K. HOKAMOTO & S. ITOH (Japan)
- 3253 Hydrothermal synthesis and piezoelectric property of Ta-doping $\text{K}_{0.5}\text{Na}_{0.5}\text{NbO}_3$ lead-free piezoelectric ceramic
Y. ZHOU, M. GUO, C. ZHANG & M. ZHANG (China)
- 3259 Thermal conduction model of metal and ceramics
Y. HIRATA (Japan)

- 3269 Rapid fabrication of bulk graded $\text{Al}_2\text{O}_3/\text{YAG}/\text{YSZ}$ eutectics by combustion synthesis under ultra-high-gravity field
J. PEI, J.-T. LI, R. LIANG & K.-X. CHEN (China)
- 3275 Preparation of TiO_2 nanofilm via sol–gel process and its photocatalytic activity for degradation of methyl orange
L. CHEN, J. TIAN, H. QIU, Y. YIN, X. WANG, J. DAI, P. WU, A. WANG & L. CHU (PR China)
- 3281 Highly porous macro- and micro-cellular ceramics from a polysilazane precursor
C. VAKIFAHMETOGLU (Italy), I. MENAPACE, A. HIRSCH (Germany), L. BIASSETTO (Italy), R. HAUSER, R. RIEDEL (Germany) & P. COLOMBO (Italy, USA)
- 3291 Electrically induced liquid infiltration for the synthesis of carbon/carbon–silicon carbide composite
A.S. MUKASYAN & J.D.E. WHITE (USA)
- 3301 Early stage cavitation erosion within ceramics—An experimental investigation
G. GARCÍA-ATANCE FATJÓ, M. HADFIELD (UK), C. VIEILLARD & J. SEKULIC (The Netherlands)
- 3313 Phase formation during liquid phase sintering of ZnO ceramics
M.L. AREFIN, F. RAETHER (Germany), D. DOLEJŠ (Germany, Czech Republic) & A. KLIMERA (Germany)
- 3321 Photocatalytic activity of transparent porous glass supported TiO_2
T. YAZAWA, F. MACHIDA, N. KUBO & T. JIN (Japan)
- 3327 Microsilica or MgO grain size: Which one mostly affects the *in situ* spinel refractory castable expansion?
M.A.L. BRAULIO, P.O.C. BRANT, L.R.M. BITTENCOURT & V.C. PANDOLFELLI (Brazil)
- 3335 Effect of Samarium substitution on dielectric properties of $(\text{Pb})(\text{Zr}, \text{Ti}, \text{Fe}, \text{Nb})\text{O}_3$ type ceramic system
P. SINGH, S. SINGH, J.K. JUNEJA & C. PRAKASH (India)
- 3339 Surface strength of silicon nitride in relation to rolling contact performance
W. WANG, M. HADFIELD (UK) & A.A. WERESZCZAK (USA)
- 3347 Synthesis of mesoporous silica particles with controlled pore structure
R. FILIPOVIĆ, Z. OBRENOVIĆ (Bosnia and Herzegovina), I. STIJEPOVIĆ, L.M. NIKOLIĆ & V.V. SRDIĆ (Serbia)
- 3355 Synthesis, characterization and optical properties of $\text{Mg}(\text{OH})_2$ micro-/nanostructure and its conversion to MgO
L. KUMARI, W.Z. LI, C.H. VANNOY, R.M. LEBLANC & D.Z. WANG (USA)
- 3365 Thermal shock resistance of in situ formed $\text{Si}_2\text{N}_2\text{O}-\text{Si}_3\text{N}_4$ composites by gelcasting
P. YUCHEN, L. SHUQIN, Y. CHANGQING, H. ZHENG YU, M. JINGTAO & L. JIALU (PR China)
- 3371 Microstructure control and mechanical properties of porous silicon nitride ceramics
S.-Y. SHAN, Q.-M. JIA, L.-H. JIANG, Y.-M. WANG & J.-F. YANG (China)
- 3375 Conventional- vs microwave-hydrothermal synthesis of tin oxide, SnO_2 nanoparticles
M. KRISHNA & S. KOMARNENI (USA)
- 3381 Utilization of aluminum sludge and aluminum slag (dross) for the manufacture of calcium aluminate cement
E.M.M. EWAIS (Egypt), N.M. KHALIL (Libya), M.S. AMIN, Y.M.Z. AHMED & M.A. BARAKAT (Egypt)
- 3389 Potassium-based composition for a bioactive glass
V. CANNILLO & A. SOLA (Italy)
- 3395 Mechanical properties and rapid consolidation of binderless nanostructured tantalum carbide
B.-R. KIM, K.-D. WOO, J.-M. DOH, J.-K. YOON & I.-J. SHON (Republic of Korea)

- 3401 Structural, optical and bioactive properties of calcium borosilicate glasses
K. SINGH, I. BALA & V. KUMAR (India)
- 3407 Preparation of Ni-coated Si_3N_4 powders via electroless plating method
J. DAI, X. LIU, H. ZHAI, Z. LIU & J. TIAN (PR China)
- 3411 Isothermal corrosion testing of frit furnace refractories
F. BALIKOGLU & S. AKKURT (Turkey)
- 3421 Correlation between yttria stabilized zirconia particle size and morphological properties of NiO–YSZ films prepared by spray coating process
A.C. NASCIMENTO, R.M.F. BASAGLIA, F.T.A. CUNHA, C.G. FONSECA, M.C. BRANT, T. MATENCIO & R.Z. DOMINGUES (Brazil)
- 3427 Morphology and structure of YSZ powders: Comparison between xerogel and aerogel
J. FENECH, C. VIAZZI, J.-P. BONINO, F. ANSART & A. BARNABÉ (France)
- 3435 Preparation and varistor properties of new quaternary Zn–V–Mn–(La, Dy) ceramics
C.-W. NAHM (Republic of Korea)
- 3441 Effect of the fuel type on the synthesis of yttria stabilized zirconia by combustion method
C.A. DA SILVA, N.F.P. RIBEIRO & M.M.V.M. SOUZA (Brazil)
- 3447 Processing of carbon-fiber reinforced ($\text{SiC} + \text{ZrC}$) mini-composites by soft-solution approach and their characterization
N. PADMAVATHI, S. KUMARI, V.V. BHANU PRASAD, J. SUBRAHMANYAM & K.K. RAY (India)
- 3455 Sintering of aluminum nitride by using alumina crucible and MoSi_2 heating element at temperatures of 1650 °C and 1700 °C
C.-H. CHU, C.-P. LIN, S.-B. WEN & Y.-H. SHEN (Taiwan)
- 3463 Comparison of the microwave-induced combustion and solid-state reaction for the synthesis of LiMn_2O_4 powder and their electrochemical properties
Y.-P. FU, Y.-H. SU, C.-H. LIN & S.-H. WU (Taiwan)
- 3469 Electrophoretically deposited manganese oxide coatings for supercapacitor application
C.-Y. CHEN, S.-C. WANG, C.-Y. LIN, F.-S. CHEN & C.-K. LIN (Taiwan)

Short Communication

- 3475 Sintering mechanism and dielectric properties of LiTaO_3 matrix composites with the addition of Al_2O_3 particles
Y. ZHANG, D. JIA, Y. ZHOU, Q. MENG, Y. LIU & H. KE (China)
- 3479 Joining of sintered silicon carbide using ternary Ag–Cu–Ti active brazing alloy
Y. LIU, Z.R. HUANG & X.J. LIU (PR China)
- 3485 Synthesis of $\text{Y}(\text{Al,Cr})\text{O}_3$ red pigments by co-precipitation method and their interactions with glazes
S. AHMADI, A. AGHAEI & B. EFTEKHARI YEKTA (Iran)
- 3489 The effect of fluoride ions on the structure and crystallization kinetics of La_2O_3 -containing diopside based oxyfluoride glasses
I. KANSAL, A. GOEL (Portugal), D.U. TULYAGANOV (Uzbekistan), E.R. SHAABAN (Egypt), M.J. RIBEIRO & J.M.F. FERREIRA (Portugal)
- 3495 Wear properties and microstructures of alumina matrix composite ceramics used for drawing dies
X.-F. YANG, X.-B. ZE, H.-Y. WANG & H. WANG (China)
- 3503 Non-isothermal crystallization kinetics of MgO – BaO – B_2O_3 – Al_2O_3 – SiO_2 glass
Y. CHENG, H. XIAO & B. TANG (China)

- 3507 Rapid synthesis of $\text{Ti}_3\text{AlC}_2/\text{TiB}_2$ composites by the spark plasma sintering (SPS) technique
Z. WEIBING, M. BINGCHU & Z. JIAOQUN (People's Republic of China)
- 3511 Evaluation of Pd-based brazes to join silicon nitride to copper-clad-molybdenum
R. ASTHANA & M. SINGH (USA)
- 3517 Low thermal expansion porous SiC–WC composite ceramics
J. PANG & J. LI (China)
- 3521 Preparation of cobalt ferrite from the thermolysis of cobalt tris(malonato)ferrate(III)trihydrate precursor
B.S. RANDHAWA, M. GUPTA & M. KAUR (India)
- 3525 Low-temperature synthesis of SrWO_4 nano-particles by a molten salt method
X. JIANG, J. MA, Y. YAO, Y. SUN, Z. LIU, Y. REN, J. LIU & B. LIN (PR China)
- 3529 Effect of mechanical activation on syntheses temperature of TiC reinforced iron-based nano-composite from ilmenite concentrate
M. RAZAVI & M.R. RAHIMIPOUR (Iran)
- 3533 Reaction mechanism and size control of CaB_6 micron powder synthesized by the boroncarbide method
Z. LIN, M. GUANGHUI & Y. HUASHUN (PR China)
- 3537 $(h\ k\ l)$ -specific G.P. zones in Sn- versus Zr-doped $\alpha\text{-Al}_2\text{O}_3$ by solution annealing
J.-H. LU, I.-L. LIU & P. SHEN (Taiwan)
- I Keywords for *Ceramics International*