

Keyword Index

A. Processing

- Calcination 157, 531, 579, 591, 847, 1045, 2415, 2871, 3043, 3521, 3525
Composites 3447
Drug delivery 509
Drying 479, 3427
Extrusion 2329
Films 1063, 1559, 1731, 1747, 1999, 2053, 2295, 3143, 3469
Firing 1961, 2337, 3537
Freeze casting 1267
Grain growth 163, 547, 555, 991, 1115, 1467, 2271, 2305, 3247
Hot isostatic pressing 349, 565, 2373
Hot press 991
Hot pressing 565, 887, 949, 1807, 1969, 2921, 3475
Injection molding 269
Injection moulding 2577
Joining 1311, 2699, 3091, 3479
Microwave Processing 653, 917, 3463
Milling 35, 173, 177, 195, 1317, 1391, 1553, 2311, 2443, 3043
Powder: chemical preparation 1509, 2325, 2393, 2401, 3153, 3235, 3347, 3355
Powder: chemical properties 609
Powders 699
Powders solid state reaction 1423, 3195
Powders: chemical preparation 441, 463, 559, 719, 733, 897, 975, 1335, 1353, 1595, 1603, 1683, 1705, 1799, 1819, 1933, 1947, 2103, 2271, 2387, 2499, 2755, 2781, 3005, 3131, 3407, 3463
Powders: gas-phase reaction 1205, 1633, 1829, 1933, 2103, 2651
Powders: solid state reaction 177, 617, 943, 1611, 1671, 2179, 2587, 3103
Powders-chemical preparation 479, 1829, 2651
Precursors 929
Precursors: organic 1129, 2277, 2475, 2831
Shaping 321, 979, 1415, 1429, 1487, 1851, 2823
Sintering 35, 137, 163, 169, 221, 259, 397, 401, 453, 547, 571, 637, 685, 699, 709, 741, 763, 957, 997, 1063, 1115, 1219, 1301, 1391, 1407, 1447, 1467, 1529, 1677, 1689, 1775, 1845, 1897, 1909, 1985, 2023, 2061, 2185, 2357, 2387, 2435, 2541, 2587, 2609, 2667, 2789, 2845, 2951, 2965, 3013, 3051, 3111, 3185, 3195, 3217, 3221, 3395, 3475, 3517
Slip casting 925
Sol–gel process 131, 147, 345, 479, 755, 1513, 1559, 1565, 1731, 1747, 1837, 1845, 2393, 2449, 2899, 2983, 3073, 3321
Solid state reaction 397, 521
Spray drying 509
Suspensions 321, 415, 503, 979, 1227, 1453, 1487, 1545, 1889, 1939, 2083, 2463, 2481, 2645, 2823, 3043
Tape casting 1783, 1889, 2463, 2645, 3153, 421, 609, 637
Tape casting 1219

B. Structure and Microstructure

- Composites 131, 213, 349, 771, 897, 909, 921, 949, 987, 1003, 1109, 1301, 1305, 1397, 1447, 1689, 1709, 1851, 1909, 1919, 2145, 2161, 2277, 2435, 269, 2831, 3073, 3111, 3291, 3407, 3507, 3147
Defects 315, 3537
Diopside 2775
Electron microscopy 463, 649, 917, 949, 1211, 1353, 1559, 1705, 1799, 1851, 2053, 2099, 2351, 2401, 2499, 2951, 3355
Failure analysis 953
Fiber 2161
Fibres 1021, 3073, 3111, 3447, 359
Grain boundaries 685, 1335
Grain growth 221
Grain size 137, 555, 887, 1115, 1187, 1407, 1661, 1845, 2171, 2499, 2667, 3131, 3143
Impurities 3537
Inclusions 1467, 2921
Interfaces 1003, 1063, 1731, 1747, 2241, 2699, 3043, 3091, 3475
 γ -LiAlO₂ 1429
Microstructure 665, 997, 2965, 3217
Microstructure-final 205, 409, 441, 709, 1063, 1115, 1317, 1403, 2123, 2387, 2699, 3389, 3479
Nanocomposites 25, 741, 847, 1553, 1595, 1775, 2475, 2587, 2619, 3395, 3525
Optical microscopy 1501
Phlogopite 2775
Platelets 975
Porosity 205, 565, 665, 733, 747, 967, 1603, 1837, 1851, 1953, 2017, 2083, 2249, 2305, 2481, 2625, 2667, 2789, 2823, 2943, 3347, 3517
Porous 1267

Spectroscopy 521, 719, 733, 1195, 1211, 2311, 2619, 3469
 Surfaces 457, 503, 693, 2277, 2343, 3495, 3185
 Whiskers 579, 2831
 X-ray diffraction 1261

X-ray methods 35, 45, 157, 195, 345, 463, 531, 787, 917, 929,
 1045, 1151, 1353, 1415, 1501, 1611, 1671, 1683, 1705,
 1799, 1961, 199, 2185, 2351, 2357, 2367, 2781, 2871, 2983,
 3217, 3427, 3441, 3469, 3521

C. Properties

Chemical properties 897, 1501, 1595, 1689, 1693, 2023
 Coefficient of thermal expansion 3517
 Colour 3103, 3229
 Conductivity 315
 Corrosion 623, 797, 1129, 1195, 1211, 1397, 2041, 2203, 3411
 Dielectric 315
 Dielectric properties 39, 45, 105, 111, 121, 125, 137, 143, 169,
 191, 265, 309, 637, 855, 953, 957, 1261, 1423, 1611, 1863,
 1985, 2131, 2179, 2197, 2337, 2351, 2443, 2687, 2715,
 2755, 2781, 3027, 3051, 2035, 3143, 3195
 Diffusion 1709
 Electrical conductivity 453, 699, 1775, 2329, 2357
 Electrical properties 35, 131, 199, 345, 1385, 1719, 1999, 2679,
 2885, 3057, 3067, 3435
 Fatigue 1397
 Ferroelectric 315
 Ferroelectric properties 125, 185, 2061
 Fracture 967, 1109, 1235, 1871, 2735
 Fracture properties 2907
 Friction 997, 1513
 Hardness 259, 397, 653, 1133, 1617, 1661, 1677, 2295, 3395,
 Impedance 315, 2047, 2443
 Ionic conductivity 221, 363, 467, 653, 887, 1335, 1345, 2659, 3057
 Lifetime 1397
 Magnetic properties 151, 345, 559, 943, 1509, 1933, 2179, 2325,

3051, 2035
 Mechanical properties 205, 281, 363, 421, 709, 725, 741, 771,
 827, 929, 967, 1003, 1159, 1187, 1235, 1297, 1301, 1321,
 1345, 1407, 1461, 1617, 1889, 1909, 1961, 2017, 2145,
 2171, 2295, 2409, 2463, 2481, 2587, 2645, 2775, 2877,
 2907, 2927, 2965, 3005, 3073, 3111, 3147, 3185, 3229,
 3259, 3371, 3447, 3479, 3507
 Microstructure 3407
 Microstructure-final 2951
 Optical properties 25, 131, 143, 427, 643, 693, 719, 2099, 2393,
 2401, 2619, 2651, 2899, 2927, 3103, 3355, 3525
 Optoelectrical properties 2797
 Piezoelectric properties 111, 117, 163, 617, 1423, 1863, 1947,
 2061, 2409, 2463, 3027, 3253
 Plasticity 3301
 Strength 571, 1021, 1109, 1311, 1429, 2415, 2845, 2943, 3091
 Thermal conductivity 1391, 2219, 2625, 2921, 3259, 3455
 Thermal expansion 333, 441, 755, 943, 1003, 1121, 1661, 2185,
 2513, 2541, 2803, 3131, 3327
 Thermal properties 25, 45, 105, 199, 527, 559, 609, 827, 1403,
 1509, 2871, 2927, 3067, 3153, 3235, 3389
 Thermal shock resistance 779, 1077, 2123, 3365
 Toughness 571
 Toughness and toughening 493
 Wear resistance 3495

D. Compositions

Al_2O_3 333, 359, 415, 531, 693, 709, 909, 949, 979, 1293, 1453,
 1501, 1545, 1845, 1855, 1897, 2017, 2083, 2093, 2823,
 3091, 3455, 3475, 3495, 3537
 $\text{Al}_2\text{O}_3/\text{ZrO}_2$ 741
 $\beta\text{-Al}_2\text{O}_3$ 467
 Al_2TiO_5 1447, 1671
 Alkaline earth oxides 1051, 2271
 Alumina 1033, 1467
 Apatite 1407, 1587, 1595, 2171, 2249, 2311, 2475
 Borides 397, 771, 2053, 2145
 Carbides 771, 1297, 1553, 1617, 2053, 3517
 Carbon 359, 457, 2525, 3447
 CeO_2 195, 609, 653, 821, 847, 1353, 2023, 2667, 2959, 3005, 3153
 Clays 55, 571, 665, 987, 2983
 Cordierite 597, 3097
 Cordierite/SiC composite ceramics 1077
 [D] 5-Fluorouracil 509
 [D] Hydroxyapatite 509
 Ferrites 157, 943, 1045, 1509, 1793, 2325, 3521
 Glass 555, 1311, 1529, 1651, 1871, 1953, 1961, 2853, 3013,
 3221, 3229, 3321, 3389, 3401, 3489
 Glass ceramics 83, 301, 1121, 1133, 1195, 1211, 1261, 1403,

1447, 1501, 1651, 1661, 1829, 2103, 2123, 2139, 2513,
 2619, 2775, 2789, 3013, 3037
 Halide 3489
 MgO 979, 1173, 1487, 2093, 2203, 2241, 2571, 2845, 3355
 Mullite 527, 579, 1095, 1311, 1493, 2007, 2907, 3175
 Niobates 177, 191, 2367, 2755, 2877, 3143, 3253
 Nitrides 1709, 1999, 2241, 2271, 2727, 2921
 Perovskites 345, 503, 787, 975, 1235, 1611, 1683, 1819, 2061,
 2351, 2357, 2367, 2455
 PMN–PT 2899
 Porcelain 1181, 1493, 2427, 3043
 PZT 45, 121, 147, 185, 199, 617, 733, 1227, 2409, 3335
 RBAO 909
 α -Sialon 725
 Sialon 1391, 1927
 SiC 213, 597, 967, 1021, 1293, 1889, 2093, 2161, 2435, 2525,
 2767, 3291, 3479
 Silicate 1121, 1529, 1693, 1799, 2449, 3013, 3321, 3401, 3489
 Silicon nitride 1709
 Si_3N_4 289, 493, 1021, 1301, 2093, 2305, 2577, 3301, 3407
 SiO_2 1731, 1747, 2235, 3111, 3327, 3347
 Spinel 623, 1565, 2179, 2325, 2541, 3327

Strength 3185
 TiO₂ 685, 1063, 1267, 1281, 1693, 2343, 2699, 3275, 3321
 Traditional ceramics 1159, 2789
 Transition metal oxides 1939
 X-ray diffraction 221
 Y₂O₃ 3455

ZnO 409, 991, 1317, 2797, 3067, 3247
 ZrO₂ 93, 269, 709, 1133, 1403, 1487, 2123, 2329, 2401, 2481,
 2499, 2735, 3005, 3301, 3427
 SiC 1129
 ZrO₂ 3441

E. Applications

Actuator 2409
 Batteries 1205, 1565, 1633, 3463
 Biomedical applications 709, 1195, 1211, 1415, 1587, 1909,
 2017, 2295, 2311, 2449, 2475, 3389, 3401
 Capacitors 953, 957, 1985, 2337, 3469
 Electrodes 2959, 3057
 Fuel cells 609, 653, 821, 887, 2959, 3005, 3153, 3441
 Functional Applications 987
 Kirkendall effect 2951
 Membranes 55, 1837
 Nuclear application 1689, 2185

Refractories 457, 623, 1077, 1453, 1545, 2203, 2241, 2571, 2845,
 3291, 3327, 3411
 Sensors 467, 617, 649
 Soft magnets 559, 943, 1509, 2179, 2325, 3235
 Soft-solution approach 3447
 Structural applications 579, 665, 1961, 2625, 3073
 Substrates 2083
 Thermal applications 967, 3259
 Varistors 409, 1385, 3313
 Waste porcelain 2983
 Wear parts 741, 3291, 3495

Miscellaneous

0.85CaWO₄–0.15SmNbO₄ 137
 Freeze-drying 479
 Ablation mechanism 1249
 Abnormal grain growth 585
 Absorption 1581
 Activation energy 547
 Additive 1863
 Adhesion strength 2741
 Adobes 665
 Agrellite 301
 α-Al₂O₃ 1173
 Al 831
 AlN 3455
 AlN–BN composites 105
 Al₂O₃/aluminum alloy composite 7
 Al₂O₃–H₂O 3081
 Al₂O₃–TiO₂ 2131
 Al-rich industrial sludge 1897
 Al-rich sludge 1095
 Al–Ti–B master alloys 1327
 Al–Ti–C master alloys 93
 α-Alumina preparation 2111
 Alumina 93, 585, 901, 1305, 1321, 1327, 1871, 1969, 2029, 2915
 Alumina ceramics 2041
 Alumina coating 2741
 Alumino-calcium-silicate-hydrate 471
 Aluminum 2255
 Aluminum dross 921, 3381
 Aluminum nitride 2219
 Aluminum sludge 3381
 Aluminum titanate 679
 Ammonium chloride 2727

Ammonium polyacrylate 1227
 Analytical model 747
 Anode 3421
 Anorthite 827
 Anti-hydration technique 3117
 Arc-melting technique 3125
 Artificial neural networks 2943
 Aspect ratio 1357
 Asymmetry 2809
 Atmosphere 2915
 Auto-combustion synthesis 2809
 Axial pressure 2197
 BaCe_{0.85}Y_{0.15}O_{3–δ} 1769
 Ball clay 2007
 BaO·(Nd_{0.8}Bi_{0.2})₂O₃·4TiO₂ 2035
 BaPrO₃ 1819
 Barium aluminate 2235
 Barium hafnate 2521
 Barium titanate 265
 Barium zirconate 1007
 Barremian sands 3229
 Basaltic tuffs 2789
 Bauxite residue 401
 Ba(Zn_{1/3}Nb_{2/3})O₃ 939
 BaZrO₃ 1819
 B₄C 1461, 831
 B₄C–SiC–Si composite 1667
 Beach sand sillimanite 2007
 Bending strength 333, 1569, 1641
 Bentonites 1159
 Bi₂Fe₄O₉ nanoparticles 51
 Bimodal alumina 1377

- BiNbO₄ 2119
Bi₂O₃ 2699
Bioactive glass 1991, 3207
Bioactivity 281, 1083
Bioceramics 1909, 2249
Biocomposites 1991, 2933
Biomaterials 2373
Biomedical applications 2537
Biomimetic 1575
Biomimetic apatite 2343, 2545
Biomorphic ceramics 2767
Bismuth ferrite nanoflakes 1285
Bismuth molybdate 2099
Blast-furnace slag 3181
BLSF 1057
B₂O₃ 3091
B₂O₃ addition 2715
Boehmite 381, 1173, 3081
Bone implants 1991, 3161
Bone origin hydroxyapatite 2537
Borides 673
Boron carbide 2255
Boron carbide coating 1877
Boron nitride 2155, 2219
Boron waste utilization 447
Borocarbide method 3533
Borophosphosilicate 1699
Brick 2625
Brushite 2891
BST 2069
BST thin film 2283
BT 121
Bulk conductivity 1769
BZN pyrochlores 143
C/SiC composites 1249
CaCu₃Ti₄O₁₂ 309
CaF₂ 3489
Calcination 933, 1725, 2537
Calcium 2853
Calcium aluminate 1277, 3381
Calcium aluminate cement 3117
Calcium hexaboride 3533
Calcium phosphates 2891
Calcium pyrophosphate 2933
Calcium silicate hydrates 471
CaMgSi₂O₆ 2513
Cancer 1539
Capacity fading rate 1625
Carbon clusters 87
Carbon fibres 1461, 2705
Carbon impregnation 813
Carbon nanotubes 1305, 1775, 2987
Carbonates 229
Carbonization 2705
Carbothermal 1071
Carbothermal reaction 2601
CaSiO₃ ceramic 2715
Catalysis 2809
Cathode materials 2979
Cation mixing 3135
CdS nanowires 2817
Ce_{0.9}Gd_{0.1}O_{1.95} 2973
Ce_{0.8}Gd_{0.2}O_{2-δ} 1345
Cell proliferation 2343
Cellulose 1757
Celsian 2235
Cement 2235
Ceramics 55, 213, 253, 277, 401, 503, 855, 1007, 2131, 2197, 2387, 2993, 3339
Ceramic composites 1461, 2155
Ceramic membrane 1641
Ceramic paste 2289
Ceramic pigment 3485
Ceramic powder 2809
Ceramic tiles 1975
Ceramics joining 3241
Cerium phosphate 1481
Cetyltrimethylammonium bromide 2563
Chalcogenide glass 83
Characterization 905, 3161
Charge ordering 151
Chemical binding 1243
Chemical durability 2853
Chemical precipitation 1305
Chemical preparation 933
Chemical vapor deposition 1775
Chemical vapour infiltration 2601
Chemorheology 2191
China clay 2007
Chromium 2225
Citrate solution combustion 1725
Clay pipe element 63
Closed-cycle refrigerator 1769
CMCs 747
Coal fly ash 2609
Coated powders 369
Coating 1305, 2545
Co-condensation 1883
Combustion method 3135
Combustion synthesis 673, 1173, 1391, 1757, 2727, 3269
Composite 265
Composite ceramics 2711, 2999
Compression strength 3281
Condensation 1015
Congo red 433
Copper oxysulfide 2509
Co-precipitation 2077, 3485
Co-precipitation method 327
Coprecipitation-calcination method 791
Core-shell particles 1243
Cotton fabric 2601
CoWO₄ 2087
CPFAM 3169
Cr₂O₃ 913
Cr–Si targets 565
Crystal structure 2509
Crystalline 1905
Crystallization 69, 391, 2261, 2633, 2987, 3181, 3503
Crystallization kinetics 327, 1051
Cu/Cu₂O cermet 2803

- Cubic AlN 247
- Cubic boron nitride 909
- Cu-clad-Mo 3511
- CuO 2119
- Curie temperature 1719, 2885
- CuS 905
- Cuttlefish effluent 55
- CVD 1877
- Dandelion-like 2563
- Degree of displacement of the nickel and lithium ions 1625
- Degree of dissolution 2041
- Dehydration 2545
- Densification 105, 585, 991, 1345, 1813
- Density 1919
- Depolarization temperature 117
- Deposition mechanism 1877
- Diatomaceous earth 471
- Dielectric behaviour 2047
- Dielectric constant 1139, 1699
- Dielectric loss 1473
- Dielectric properties 277, 939, 1271, 2069, 2761, 2993, 3169
- Dielectric relaxation 2283
- Dielectric tuner 2979
- Dielectrics 253, 2135, 3335
- Different Cu structure 2803
- Different starting materials 1625
- Diffused phase transition 2993
- Diffusion barrier 1999
- 3-Dimensional reinforcement 747
- Diopside 1321, 1327, 1969
- Dip-coating 3097
- Direct coagulation casting 979, 1487
- Discharge capacity 1625
- Dispersant 925
- Dispersion 2077
- Dissipation factor 869
- Dissolution-precipitation 2415
- Dolomite brick 813
- Double-stage firing process 2007
- DSC 3503
- DTA 1521, 1651
- β -Eucryptite ss 69
- EDAX 2719
- Edge flaking (chipping) 2735
- Edge fracture 1871
- EF method 1109
- Elastic modulus 779
- Electrical ac-conductivity 1057
- Electrical conductivity 2493
- Electrical properties 487, 541, 1277
- Electrical resistivity 1441
- Electrical transport property 3021
- Electroceramics 3313
- Electrochemical properties 295, 1145
- Electroless plating Ni-P film 2741
- Electrolysis 693
- Electrolyte 803
- Electromagnetic parameters 2705
- Electron microscopy 933
- Electron transport 87
- Electrophoretic deposition 1855, 2823
- Enamelling 3389
- End-termination 869
- Energy dispersive spectroscopy 3511
- Energy storage density 2069
- Ethylenediamine 2817
- Eutectic ceramics 3269
- Explosive compaction 1897
- Extrusion 2493, 2747
- F. Al_2O_3 3185
- Fe/Ni/Cr 369
- Fe-doped BST thin film 2761
- Fe-doped TiO_2 433
- Fe_2O_3 additive 679
- Ferrimagnetic 1539
- Ferrite–dielectric composites 2035
- Ferroelectric thin-films 181
- Ferroelectrics 111
- Fibers 531
- Films 147, 1581
- Fine structural ceramics 1327
- Flash polycondensation 29
- Flexural strength 1039, 3169
- Flexure strength 3339
- Fluorapatite 1651
- Fluorcanasite 301
- Fluoride 1647
- 5-Fluorouracil 1587
- Fluorrichterite 301
- Fly ashes 229, 555, 2747
- Foams 1953, 3281
- Formation 679
- Formation mechanism 1671
- Four-points bending strength 7
- Fracture barrier 1871
- Fracture toughness 13, 259, 339, 1569, 1641
- Freeze casting 2151
- Freeze granulation 1293
- Frit 3411
- FT-IR 1277
- Fuel cells 803, 839, 2493
- Ga_2O_3 1603
- Gas–solid reaction 247
- Gel casting 2943
- Gel former system 1363
- Gelatin 2151
- Gelation process 1363
- Gelcasting 415, 1033, 1039, 1363, 2083, 2255
- Gibbsite 3081
- Glass ceramics 1271
- Glass foams 229
- Glass phases 939
- Glass wastes 229
- Glass–ceramics 1083, 1539, 3181
- Grain boundary phases 797, 2219
- Grain growth 685
- Grain morphology 725
- Graphite 2029
- Green and sintered properties 1783
- Growth from solution 1255

- Hard materials 339
 Heat-treatment 1357
 Heavy clay ceramics 447
 Heterogeneous nucleation processing 897
 Hexacelsian 69
 High temperature X-ray diffraction 3313
 High temperature–time curve 63
 High-energy ball milling 247, 3533
 High-energy milling 1151
 High-frequency induction heated sintering 339, 363
 HIZEN porcelains 875
 Hollow fibre 1435
 Hollow spheres 905
 Hopping frequencies 2047
 Hot pressing 1377
 Hot-pressing sintering 105
 Humidity 1441
 Hybrid sol–gel process 1905
 Hydratable alumina 3117
 Hydration behavior 2571
 Hydrogen peroxide decomposition 3201
 Hydrogen solubility 2469
 Hydrogen-separation membrane 1481
 Hydrolysis 1015
 Hydrothermal 51, 1657, 2099, 2367
 Hydrothermal process 3375
 Hydrothermal synthesis 1285, 1289, 2979
 Hydrothermal treatment 987
 Hydroxyapatite 1367, 1969, 2151, 2373, 2563, 2965, 2987, 3401
 Hydroxyapatite/alumina composites 1647
 Hydroxyhydrogel 29
 Hydroxyl groups 1015
 Hyperthermia 1539
 Hysteresis 181
 I_{003}/I_{104} 295, 1145, 3135
 Ilmenite 3529
 Image analysis 7, 1077
 Impedance and modulus spectroscopy 1057
 Impedance spectroscopy 1481, 1521, 2213
 $\text{LiNi}_{0.975}\text{M}_{0.025}\text{O}_2$ (M = Ga 3135
 In and Ti) 3135
 In situ reaction 3365
In situ synthesis 1293
In vitro 2933, 3207
In vivo 3207
 Indentation 2735
 Indentation fracture technique 493
 Indium oxide (In_2O_3) 2837
 Inorganic membrane 1435
 Interfaces 839
 Intermetallics 99, 1677
 Ion-blocking 1521
 Ionic liquid 917
 Ion-impregnation technique 2213
 Kakiemon 875
 Kinetics 603
 $\text{K}_2\text{Nb}_8\text{O}_{21}$ microwires 3021
 Knoop microhardness 3511
 Kokutani 875
 Kolmogorov statistics 237
 $\text{La}_{0.6}\text{Sr}_{0.4}\text{Co}_{0.2}\text{Fe}_{0.8}\text{O}_3$ 1435
 $\text{La}_{0.6}\text{Sr}_{0.4}\text{Co}_{0.2}\text{Fe}_{0.8}\text{O}_{3-\delta}$ 3201
 LaAlO_3 661
 $\text{La}_2\text{Ce}_2\text{O}_7$ (LCO) 2639
 La^{3+} doping 309
 LaMnO_3 21
 Lanthanum monoaluminum 327
 Lanthanum strontium manganite 2493
 Laser brazing 333
 Laser irradiation 2503
 Lattice structure 1719
 Lead magnesium niobate 1139
 Lead magnesium niobate titanate 125
 Lead tungstate 1103
 Lead-free 1947
 Lead-free piezoelectric ceramics 117
 Leakage current 2761, 77
 Leather 2225
 $\gamma\text{-LiAlO}_2$ 2191, 2289
 Lightweight brick 471
 Lignite fly ash 2415
 $\text{LiNi}_{1-y}\text{Co}_y\text{O}_2$ 1625
 $\text{LiNi}_{1-y}\text{M}_y\text{O}_2$ (M = Ni, Ga, Al and/or Ti) 1145
 $\text{LiNi}_{1-y}\text{Ti}_y\text{O}_2$ 295
 Liquid infiltration 3291
 Liquid phase 39
 Liquid phase sintering 3313
 LiTaO_3 949, 3475
 Lithium disilicate 3013
 $\text{Li}_4\text{Ti}_5\text{O}_{12}$ 1757
 $\text{Li}_{1+x-y}\text{Nb}_{1-x-3y}\text{Ti}_{x+4y}\text{O}_3$ 421
 Local anti-infective agents 1367
 Low dimensional nanomaterials 2891
 Low sintering temperature 939
 Low temperature 51, 2675
 Low-temperature sintering 253, 1699, 2687
 LSM–SDC cathode 2213
Luffa cylindrica 1575
 Luminescence 1657
 Magnesia hydration 3117
 Magnesium 2853
 Manganites 151
 Master sintering curve 547
 Mechanical activated 3529
 Mechanical properties 1377, 1647
 Mechanical strength 1441
 Mechanism 603
 Mechanochemical synthesis 1151
 Mechanosynthesis 2659
 Melt 3269
 Melt infiltration 1919
 Membrane 2747
 Membrane method 1855
 Mercury intrusion 747
 Metal–ceramic joining 333
 MG63 cell 2545
 MgAl_2O_4 spinel 259, 861
 MgAl_2O_4 –YPSZ composite 259
 MgO –C refractories 861
 MgTa_2O_6 1151
 Mica glass–ceramics 2633

- Microarc oxidation 2343, 2545
- Micro-components 2577
- Micro-crystallization 83
- Microemulsion 2891, 661
- Microfiltration 55
- Microhardness 1083
- Microstructural evolution 1813
- Microstructures 77, 253, 391, 453, 585, 855, 861, 1051, 1121, 1173, 1187, 1249, 1321, 1377, 1807, 1863, 1877, 2151, 2261, 2381, 2679, 2711, 2715, 2853, 3125, 3169, 3175, 3421, 3427, 3435
- Microstructure characterization 2111
- Microstructure control 3371
- Microwave 1071
- Microwave ceramic 2687
- Microwave dielectric property 3021
- Microwave heating 2719, 3175
- Microwave properties 1813
- Microwave-hydrothermal process 3375
- Milling 295, 1145
- Mixed conduction 2455
- Mixed conductor 1481
- Mixed oxide 1139
- Mixed rare earths 3103
- MLCC 869
- MnS 87
- Modelling 1095
- Modified 1883
- Molten salt method 2675
- Molten salt synthesis (MSS) 3021
- Monoclinic celsian 69
- Monodispersed 1883
- Monodispersed particles 2979
- Monte Carlo 181
- Mordenite 3097
- Morphology 1249
- Morphotropic phase boundary 117
- Mössbauer spectroscopy 157, 1045, 2531, 3521
- Mullite 673, 2555
- Mullite/Zirconia 921
- Mullite–zirconia 779
- Multi-phase ceramic 1667
- Multiplex oxides additives 2687
- $\text{Na}_{0.5}\text{Bi}_{0.5}\text{TiO}_3$ 1423
- $\text{Na}_{0.5}\text{Bi}_{0.5}\text{TiO}_3$ microcubes 1657
- $\text{Na}_{0.1}(\text{H}_3\text{O})_{2.9}\text{MgZr}(\text{PO}_4)_3$ 2719
- Nabeshima ware 875
- N–Al co-doped TiO_2 film 2693
- Nano 321
- Nano zirconia 1521
- Nano-crystal 3529
- Nanocrystalline 13
- Nanocrystalline hydroxyapatite 1569
- Nanoindentation 2171
- Nanomagnetite 1539
- Nanomaterials 1255, 1793, 3375
- Nanoparticles 21, 661, 961, 2087, 2675, 2797
- Nano-particles of ZrO_2 1243
- Nanophase 99, 3147
- Nanophase glass–ceramics 643
- Nanopowder 1033, 2449
- Nano-powders 957
- Nanorod 2837
- Nano-scale dispersion 1165
- Nanosilica 1883
- Nano-sized BNBT 3027
- Nanostructures 195, 913, 1677, 1705
- Nanostructured ceramics 373
- Nanostructured coating 913
- Nanowhiskers 2727
- Nano-zirconia 2047
- Nano-ZnO target 1165
- NASICON 2531
- Nb_2O_5 addition 2131
- N*-Cetyl pyridinium chloride 1103
- Network modifier 3037
- NiCuZn ferrite 2035
- $\text{NiFe-Al}_2\text{O}_3$ 3147
- NiO/YSZ 3421
- Niobates 1261
- NiWO_4 2675
- Non-aqueous 2255
- Non-isothermal 3503
- Non-stoichiometric 143
- Nucleation agent 2633
- Organic precursor synthesis 515
- Organic solvents 1007
- Osteomyelitis 1367, 3207
- Ovalbumin 1565
- Oxalate method 2521
- Oxidation 603, 2503, 2525
- Oxidation mechanism 1129, 2277
- Oxidation resistance 2741, 2767
- Oxide 1255
- Oxyacetylene torch 1249
- Oxygen diffusion 315
- Oxygen fugacity 3313
- Oxygen nonstoichiometry 3201
- Oxygen permeation 2455
- Oxygen pressure 2283
- Oxygen separation 1435
- η -Phase 369
- Paper waste 2625
- Particle dispersion 1227
- PCN 169
- Pd–Co braze 3511
- Pd–Ni braze 3511
- Pechini complex 763
- Perlite 527
- Permittivity 1473
- Perovskite 1435, 3485
- Perovskite phase 763
- PFN precursor 763
- Phase transformation 247, 1807
- Phlogopite 2139
- Phosphor 2517
- Photocatalytic activity 3061
- Photocatalytic property 1
- Photodegradation 433
- Photodetectors 2797
- Photoluminescent properties 2517
- Photolysis 3275

- Piezoelectric ceramics 1719, 2885
Pigments 463, 2225
Pine tree shape 1103
Pitch-bonded brick 813
Plasma spray 913
³¹P-MAS NMR 2719
PMN-PT 591
Polyacrylamide gel 961
Polyelectrolytes 1165
Polyethylene glycol 2563, 2817
Polyimide 265
Polymeric sponge 3161
Polysilazane preceramic polymer 3281
Polysiloxane 213, 3241
Porcelain 2555
Porcelain stoneware 1975
Porcelainized stoneware 205
Porosity 847, 1271, 1581, 2693
Porous 3371
Porous ceramics 597, 2601
Porous hydroxyapatite 3161
Porous Si₃N₄ ceramics 1699, 3169
Porous spinel 2469
Porous supports 2747
Porous ZrO₂ 1783
Post-heat treatment 725
Powder 2381, 591
Powder and compacted samples 3175
Powder precursor 29
Powders 1071, 2521
Powders: solid state reaction 173
Pozzolanic reaction 471
Precursor 1905
Precursor powder 2077
Preform 1919
Pre-milling 3027
Preparation 2521
Pressureless sintering 831, 1321, 1327
Prosity 2493
Proton conduction 1481
Proton conductor 1769
p-Type 2509
Pulsed current activated combustion 99
Pulsed current activated sintering 1345
Pulsed laser deposition 2283
Pyrochlore 763, 1139, 1473
Pyrochlore phase 2885
Pyrophyllite 1493, 2555
Pyroplastic deformation 1975
PZTFN 3335
Quaternary-based varistors 3435
Radial deformation–temperature property 63
Rapid sintering 339, 3147
Rare-earth oxides 3221
Rate capacity 1757
RBSN 2155, 2305
Re 87
RE³⁺:ceramic 521
Reaction bonding 597, 1927, 2577
Reaction sintering 1667
Reaction-sintering process 2119, 2135
Reactive alumina 861
Reactive-sintering process 2973
Recycling 229
Red mud 401
Red-overglaze enamels 875
Reduction 1071
Refractive index 1581, 2693
Refractory brick 813
Refractory castables 373, 381, 3117
Refractory cement 3381
Relaxor ferroelectrics 503, 2197, 2993
Resistivity 7
Resonant method 1181
Reticulate ceramic 1575
R-factor 295, 1145, 3135
rf-Power 1281
rf-Sputtering 1281
Rheological properties 925, 1159, 1363
Rheology 269, 415, 1007, 2191, 2289
Rice husk ash 213
Richterite 2139
Rietveld method 289
R-line 1109
Roedderite 2139
Rolling contact 3339
β-SiC 349
β-Spodumene ss 69
Samarium 3335
SBF 1083, 1991
Scale parameter 237
Scanning electron microscopy 3511
Screen printing 803
Screw extrusion 1095
S-doped 1289
S-doped TiO₂ 3061
Seed crystals 1357
Seeds 901
Segmentation cracks 2639
SEM 1277, 1651, 1991
SEM-EDAX 2933
Semiconductors 2509
Sensor 1793
Shape parameter 237
Shrinkage rate 1039
Si–B–N–C ceramics 2871
SiC 603, 1363, 2601
SiC ceramics 2503, 3241
SiC–Si₃N₄ 2767
Silica particle 1015
Silicon carbide 1871
Silicon carbonitride 3281
Silicon nitride 797, 1357, 1927, 2155, 2381, 3339, 3371, 3511
Silicon resin 3241
Silty marls 55
Si₃N₄ ceramics 2943
Si₃N₄ green body 1039
Si₂N₂O–Si₃N₄ 3365
Sintering 839, 1271, 1297, 1725, 2915
Sintering behaviour 1173
Sintering kinetics 2427
Sintering process 3181

- SiO₂–SiC composite 1905
Slag corrosion 373
Slow crack growth 1235
Sm_xZr_{1-x}O_{2-x/2} 791
SnO₂:Sb 463
Sodium alginate 1033
Sodium aluminate solution 901
SOFCs 2213
Sol–gel 77, 381, 763, 1071, 2367, 2517
Sol–gel coating 2029
Sol–gel growth 2261, 3275
Sol–gel method 309
Sol–gel processes 1243, 2741
Sol–gel processing 391
Sol–gel technique 1
Solid electrolyte 2973
Solid oxide fuel cell (SOFC) 515, 2213, 3421
Solid-state reaction 2415
Solid-state reaction mechanism 3533
Solid-state reaction method 295, 1145, 1625
Solvothermal reaction 1603
Solvothermal synthesis 2817
Sonochemical 21
Sonochemical process 1103
Spark plasma sintering 2047
Spinel 359, 373, 381, 457, 1121, 1793
Sponge 1575
Spray drying 1587
Spray pyrolysis 2087
SPS 2219
Sputter-coated powders 1617
Stabilisation 1007
Strength data 237
Stress 185, 191
Stress–strain state 63
Structural evolution 2831
Structure 2837, 3037
Sub-micron 1855
Substituted ion radius 3135
Substrates 421
Sucrose 1173
Sucrose ester 2891
Superhydrophobic 1559
Superplastic deformation 1441
Support 1641
Surface area 2111
Surface modification 2455
Surface property 1015
Surface strength 3339
Surfactant 2077
Suspension 1007
Sustained release 1367, 3207
Synthesis 591, 661, 2381
β-Tricalcium phosphate 1367
Ta-doping 3253
Tainiolite 2139
Tape casting 487, 821
TaSi₂–Si₃N₄ 99
TEM 21, 39, 1521
Temperature coefficient of capacitance 1473
Template 1575
Tensile strength 869
Ternary system ZnO–V₂O₅–MnO₂ 541, 2679
Test 3411
TG analysis 2029
Thermal analysis 327
Thermal barrier coatings (TBCs) 2639
Thermal behaviour 401, 2111
Thermal conductivity 791
Thermal expansion 791, 1083
Thermal shock 2639
Thermal shock damage parameters 2999
Thermal shock resistance 2999
Thermilatometry 1181
Thermodynamic assessment 3081
Thermodynamic modeling 623
Thermodynamic simulation 3313
Thermoelectric properties 3067
Thermomechanical analysis 1181
Thin film 77, 869, 1281, 1513, 2261, 3275
Thixotropy 2289
TiAl/Ti₂AlC composites 1807
Ti₃AlC₂ 3507
Ti–6Al–4V 1513
TiB₂ 3507
TiC–SiC composites 3125
Tin oxide 961, 3375
TiO₂ 693, 1289
TiO₂/SiO₂ composite 1
Titania 281, 1837, 1991
Titania porous ceramics 1441
Titanium 2965
Titanium alloy 2545
Titanium carbide 3529
Titanium nitride 1071
TiTe₃O₈ 1813
Toughness 3395
Toughness and toughening 2735
Transient liquid phase 93
Transition metals 643
Transmission 2693
Transparent 643
Transparent ceramics 427, 2711, 2927
Transport properties 2509
Trim pieces 1975
Triple junctions 685
Tubular electrolyte 2329
Tunability 2761
Tungsten carbide 369
Two-parameter distributions 237
Two-step method 3125
Two-step sintering 13
Ultra-high-gravity 3269
Ultrasonic velocity 1077
Underwater shock compaction 3247
Uniaxial stress 181
Unidirectional solidification 2469
Universal Jonscher's modified law 1057
Urban waste 2111
Urea 1173
Urea–formaldehyde 2083
Varistor ceramics 541, 2679, 3435

- Varistors 487
V-doped TiO_2 433
Visible-light 3061
Warpage rate 1039
Waste 2225
Waste glass 2427
Water-wettability 457
Wear 913, 1513
Weight ratio 1863
Working pressure 1281
X7R/BME 869
X-ray analysis 1651
X-ray diffraction 277, 289, 827, 1255, 1277, 2531
X-ray methods 933
XRD 1521, 3335
statistics 237
YAG 29, 2077, 2711
YAG/ Al_2O_3 composite fibers 391
 $\text{Y}_3\text{Al}_5\text{O}_{12}$ 289
8Y-FSZ 13
 YMnO_3 ceramics 3051
YPSZ 259
YR3184 3241
YSAG 427
 Y_2SiO_5 289
8YSZ 363
YSZ 1219, 1641
Yttria 925
Yttria stabilized zirconia 453, 515
Yttrium aluminate 3485
 3Y-ZrO_2 547
Zeolites 2983
Zeta potential 1007
Zinc titanate 3217
Zircon 779, 2907
Zirconia 281, 1927
Zirconia–Alumina (ZA) 1569
Zirconium 1187
 ZnAl_2O_4 – TiO_2 277
 $\text{Zn}_3\text{Nb}_2\text{O}_8$ 2135
ZnO 487, 1165, 2069
ZnO-based ceramics 1385
 ZnS-SiO_2 2999
 $(\text{Zr}_{0.8}\text{Sn}_{0.2})\text{TiO}_4$ 39, 77
 ZrW_2O_8 755
ZTA 997