

Contents of Volume 36

Issue 1

- 1 Heterocoagulation moulding of alumina powder suspensions prepared using citrate dispersant
K. PRABHAKARAN, R. SOORAJ, C.S. KUMBHAR, A. MELKERI, N.M. GOKHALE & S.C. SHARMA (India)
- 9 Spontaneous infiltrations of compound systems of Y_2O_3 , Sm_2O_3 , RE_2O_3 , Al_2O_3 and AlN in SiC ceramics
S.P. TAGUCHI, R.M. BALESTRA, G.C.R. GARCIA & S. RIBEIRO (Brazil)
- 15 Effect of α and γ polymorphs of alumina on the preparation of $MgAl_2O_4$ -spinel-containing refractory cements
A.E. LAVAT, M.C. GRASELLI & E.G. LOVECCHIO (Argentina)
- 23 In situ synthesis of orange rutile ceramic pigments by non-conventional methods
C. GARGORI, S. CERRO, R. GALINDO & G. MONRÓS (Spain)
- 33 Effects of thermal and chemical treatments on physical properties of kaolinite
J.D.D. MELO, T.C. DE CARVALHO COSTA, A.M. DE MEDEIROS & C.A. PASKOCIMAS (Brazil)
- 39 ^{31}P NMR spectroscopic studies of the influence of the environment in the degradation process of the Graham's salt
J.M. CASAS, M.P. GARCÍA, M. SANZ, F. CACHO & J. PÉREZ (Spain)
- 47 The effect of ceramic nanoparticles on tribological properties of alumina sol–gel thin coatings
I. PIWOŃSKI & K. SOLIWODA (Poland)
- 55 The role of MgO on the structural properties of $CaO-Na_2O(MgO)-P_2O_5-CaF_2-SiO_2$ derived glass ceramics
S.M. SALMAN, S.N. SALAMA, H. DARWISH & E.A. MAHDY (Egypt)
- 63 Characteristics of $BaNd_2Ti_5O_{14}$ powders directly prepared by high-temperature spray pyrolysis
Y.N. KO, D.S. JUNG, J.M. HAN, H.Y. KOO, M.-J. LEE & Y.C. KANG (Republic of Korea)
- 69 Effect of temperature on lateral growth of ZnO grains grown by MOCVD
Y.J. CHEN, Y.Y. SHIH, C.H. HO, J.H. DU & Y.P. FU (Taiwan)
- 75 $Ba_{0.7}Sr_{0.3}TiO_3$ -glass-silver percolative composite
K.S. DEEPA, P.L. PRIYATHA, P. PARAMESWARAN, M.T. SEBASTIAN & J. JAMES (India)
- 79 Does a tiny amount of dispersant make any change to refractory castable properties?
I.R. OLIVEIRA & V.C. PANDOLFELLI (Brazil)
- 87 The properties of Al-doped TiO_2 nanoceramic films deposited by simultaneous rf and dc magnetron sputtering
S.-S. LIN & D.-K. WU (Taiwan)

- 93 A new technological procedure using sucrose as porogen compound to manufacture porous biphasic calcium phosphate ceramics of appropriate micro- and macrostructure
A.-M. LE RAY, H. GAUTIER, J.-M. BOULER, P. WEISS & C. MERLE (France)
- 103 Microwave-assisted polyol synthesis of sub-micrometer Y_2O_3 and $Yb-Y_2O_3$ particles for laser source application
M. SERANTONI, E. MERCADELLI, A.L. COSTA, M. BLOSI, L. ESPOSITO & A. SANSON (Italy)
- 107 Preparation and properties of bimodal porous apatite ceramics through slip casting using different hydroxyapatite powders
Y. ZHANG (China), Y. YOKOGAWA (Japan), X. FENG, Y. TAO & Y. LI (China)
- 115 Influence of fluorine content on the crystallization and microstructure of barium fluorphlogopite glass-ceramics
P.K. MAITI, A. MALLIK, A. BASUMAJUMDAR & P. KUNDU (India)
- 121 Preparation, sintering and electrical properties of nano-grained multidoped ceria
S. BOŠKOVIĆ, S. ZEC, G. BRANKOVIĆ, Z. BRANKOVIĆ, A. DEVEČERSKI, B. MATOVIĆ (Serbia) & F. ALDINGER (Germany)
- 129 Mullite interaction with bismuth oxide from minerals and sol–gel processes
F. GRIDI-BENNADJI (France), J. ZIMOVÁ (Czech Republic), J.P. LAVAL & P. BLANCHART (France)
- 135 Preparation and characterization of nanometric-sized $LiCoO_2$ cathode materials for lithium batteries by a novel sol–gel method
W.-D. YANG, C.-Y. HSIEH, H.-J. CHUANG & Y.-S. CHEN (Taiwan)
- 141 Influence of critical plasma spraying parameter (CPSP) on plasma sprayed Alumina–Titania composite coatings
S. YUGESWARAN, V. SELVARAJAN, M. VIJAY, P.V. ANANTHAPADMANABHAN & K.P. SREEKUMAR (India)
- 151 Pressureless sintering of boron carbide
M. MASHHADI, E. TAHERI-NASSAJ (Iran) & V.M. SGLAVO (Italy)
- 161 Sintering behavior, microstructure and mechanical properties of silicon carbide ceramics containing different nano-TiN additive
X. GUO, H. YANG, L. ZHANG & X. ZHU (PR China)
- 167 Effect of additives introduced by ball milling on sintering behavior and mechanical properties of hot-pressed B_4C ceramics
Q.-C. MA, G.-J. ZHANG, Y.-M. KAN, Y.-B. XIA & P.-L. WANG (China)
- 173 Crack profiles under a Vickers indent in silicon nitride ceramics with various microstructures
H. MIYAZAKI, H. HYUGA, Y.-I. YOSHIZAWA, K. HIRAO & T. OHJI (Japan)
- 181 Microwave dielectric properties of Mn-doped $BaO-(Nd_{0.7}, Sm_{0.3})_2O_3-4TiO_2$ ceramic sintered in a reducing atmosphere
W.-H. LEE & Y.-C. LEE (Taiwan)
- 187 An aqueous gel-casting process for γ - $LiAlO_2$ ceramics
X. XU, Z. WEN, J. LIN, N. LI & X. WU (P.R. China)
- 193 Upconversion luminescence of high content Er-doped YAG transparent ceramics
J. ZHOU, W. ZHANG, J. LI, B. JIANG, W. LIU & Y. PAN (China)
- 199 Synthesis and characterization of $ZnWO_4$ ceramic powder
G.B. KUMAR, K. SIVAIAH & S. BUDDHUDU (India)
- 203 Synthesis of 11 Å Al-substituted tobermorite from trachyte rock by hydrothermal treatment
H. YOUSSEF, D. IBRAHIM (Egypt), S. KOMARNENI (USA) & K.J.D. MACKENZIE (New Zealand)

- 211 Investigation of high-temperature reactions within the $\text{ZrSiO}_4\text{--Al}_2\text{O}_3$ system
A. BRADECKI & S. JONAS (Poland)
- 215 Dry pressed ceramic tiles based on fly ash–clay body: Influence of fly ash granulometry and pentasodium triphosphate addition
R. SOKOLAR & L. SMETANOVA (Czech Republic)
- 223 Optimization of feedstock properties for reaction-bonded net-shape zircon ceramics by design of experiments
N. SCHLECHTRIEMEN, J.R. BINDER, R. KNITTER & J. HAUBELT (Germany)
- 231 Elaboration of porous mullite-based materials via SHS reaction
A. ESHARGHAWI, C. PENOT & F. NARDOU (France)
- 241 Preparation of $\text{Bi}_4\text{Ti}_3\text{O}_{12}$ nanopowder by azeotropic co-precipitation and dielectric properties of the sintered ceramic
C. ZHI-HUI, Q. JUN-FU, L. CHENG, D. JIAN-NING & Z. YUAN-YUAN (China)
- 245 Synthesis and microstructural characterization of $\text{Bi}_{12}\text{SiO}_{20}$ (BSO) thin films produced by the sol–gel process
A. VEBER, Š. KUNEJ & D. SUVOROV (Slovenia)
- 251 Optimization of dielectric properties of barium rare earth titanate by complex substitution
S. BAHTEL & S.B. NARANG (India)
- 257 Characterization of nanostructured ZnO produced by microwave irradiation
T. THONGTEM, A. PHURUANGRAT & S. THONGTEM (Thailand)
- 263 The influence of microstructure on the maximum load and fracture energy of refractory castables
S. RIBEIRO & J.A. RODRIGUES (Brazil)
- 275 Structural and magnetic phase evolution study on needle-shaped nanoparticles of magnesium ferrite
T.K. PATHAK, N.H. VASOYA, V.K. LAKHANI & K.B. MODI (India)
- 283 Bioactivity of ferrimagnetic $\text{MgO--CaO--SiO}_2\text{--P}_2\text{O}_5\text{--Fe}_2\text{O}_3$ glass-ceramics
R.K. SINGH & A. SRINIVASAN (India)
- 291 Synthesis, characterization and bioactivity investigation of bioglass/hydroxyapatite composite
R. RAVARIAN, F. MOZTARZADEH, M.S. HASHJIN, S.M. RABIEE, P. KHOSHAKHLAGH & M. TAHRIRI (Iran)
- 299 Layered structures in ceramic nozzles for improved erosion wear resistance in industrial coal-water-slurry boilers
J. DENG, D. YUN, H. ZHOU & Y. TAN (PR China)
- 307 Electrophoretic deposition of carbon nanotubes and bioactive glass particles for bioactive composite coatings
M. CHARLOTTE SCHAUSTEN (Germany), D. MENG (UK), R. TELLE (Germany) & A.R. BOCCACCINI (UK)
- 313 F-substituted hydroxyapatite nanopowders: Thermal stability, sintering behaviour and mechanical properties
A. BIANCO, I. CACCIOTTI, M. LOMBARDI, L. MONTANARO, E. BEMPORAD & M. SEBASTIANI (Italy)
- 323 Synthesis of SiC ceramics from processed cellulosic bio-precursor
A. MAITY, D. KALITA, T.K. KAYAL, T. GOSWAMI, O. CHAKRABARTI, H.S. MAITI & P.G. RAO (India)
- 333 Optical properties of amorphous organo-modified silica nanoparticles produced via co-condensation method
M. JAFARZADEH, I.A. RAHMAN & C.S. SIPAUT (Malaysia)
- 339 Effect of BaF_2 as the source of Ba component and flux material in the preparation of $\text{Ba}_{1.1}\text{Sr}_{0.88}\text{SiO}_4\text{:Eu}_{0.02}$ phosphor by spray pyrolysis
S.H. LEE, H.Y. KOO, S.Y. LEE, M.-J. LEE & Y.C. KANG (Republic of Korea)

- 345 Fracture behaviour of Y-TZP ceramics: New outcomes
G.A. GOGOTSI, V.I. GALENKO, S.P. MUDRIK, B.I. OZERSKY, V.V. KHVOROSTYANY & T.A. KHRISTEVICH (Ukraine)
- 351 Properties and rapid consolidation of nanostructured TiC-based hard materials with various binders by a high-frequency induction heated sintering
K.-D. WOO, B.-R. KIM, E.-P. KWON, D.-S. KANG & I.-J. SHON (Republic of Korea)
- 357 Fibrous zinc oxide prepared by combined electrospinning and solvothermal techniques
N. SANGKHAPROM, P. SUPAPHOL & V. PAVARAJARN (Thailand)

Short Communications

- 365 A comparative study of the properties of terbium aluminum garnet powder sintered in air, vacuum and by laser irradiation
H. SHABIR, B. LAL & M. RAFAT (India)
- 371 Lowering the sintering temperature of Gd-doped ceria by mechanochemical activation
W.-S. JUNG, H.-S. PARK, Y.J. KANG & D.-H. YOON (South Korea)
- 375 Effect of the amounts of silicon on the in situ synthesis of Ti_3SiC_2 based composites made from TiC/Si powder mixtures
I. KERO, R. TEGMAN & M.-L. ANTTI (Sweden)
- 381 Mode I fracture toughness of SiC particle-dispersed ZrB_2 matrix composite measured using DCDC specimen
J.K. KURIHARA, T. TOMIMATSU, Y.F. LIU, S.Q. GUO & Y. KAGAWA (Japan)
- 385 The influence of solid loading in suspensions of a submicrometric alumina powder on green and sintered pressure filtrated samples
M. MICHÁLKOVÁ, K. GHILLÁNYOVÁ & D. GALUSEK (Slovak Republic)
- 391 Preparation of antireflective SiO_2 nanometric films
Ö. KESMEZ, H. ERDEM ÇAMURLU, E. BURUNKAYA & E. ARPAÇ (Turkey)
- 395 Effect of precursor types on the characteristics of the Pb-based glass powders prepared by spray pyrolysis
Y.N. KO, H.Y. KOO, J.H. KIM, J.H. YI & Y.C. KANG (Republic of Korea)
- 401 Contents of Volume 35
- 433 Keyword Index
- I Keywords for *Ceramics International*

Issue 2

- 443 Preparation of oriented SiO_3^{2-} doped TiO_2 film and degradation of methylene blue under visible light irradiation
X. XU, D. YIN, S. WU, J. WANG & J. LU (China)
- 451 Microstructural characterization of spark plasma sintered boron carbide ceramics
S. HAYUN, S. KALABUKHOV, V. EZERSKY, M.P. DARIEL & N. FRAGE (Israel)
- 459 Sintering of waste of superalloy casting investment shells as a fine aggregate for refractory tiles
F. VALENZA, R. BOTTER, P. CIRILLO, F. BARBERIS, M. DI FOGGIA & D. SOTTILE (Italy)
- 465 Characteristics of samaria-doped ceria nanoparticles prepared by spray pyrolysis
H.C. JANG, D.S. JUNG, J.H. KIM, Y.C. KANG, Y.H. CHO & J.-H. LEE (Republic of Korea)
- 473 Influence of processing route on microstructure and mechanical properties of MgAl_2O_4 spinel
I. GANESH, G. JAGANATHA REDDY, G. SUNDARARAJAN (India), S.M. OLHERO, P.M.C. TORRES & J.M.F. FERREIRA (Portugal)

- 483 Preparation and characterization of neodymium-doped ceria electrolyte materials for solid oxide fuel cells
Y.-P. FU & S.-H. CHEN (Taiwan)
- 491 Properties of Si_3N_4 –TiN composites fabricated by spark plasma sintering by using a mixture of Si_3N_4 and Ti powders
N. AHMAD (Japan, Malaysia) & H. SUEYOSHI (Japan)
- 497 Preparation of zinc oxide ceramics with a sustainable antibacterial activity under dark conditions
K. HIROTA, M. SUGIMOTO, M. KATO, K. TSUKAGOSHI, T. TANIGAWA & H. SUGIMOTO (Japan)
- 507 TEM study of a fluorite-type $(1 - x)\text{Bi}_2\text{O}_3 \cdot x\text{Fe}_2\text{O}_3$ superstructure in BiFeO_3 ceramics synthesized by the rapid liquid-phase sintering method
C. GUO, S. PU, Z. CHEN, M. LI, J. CAO & H. ZOU (People's Republic of China)
- 513 Antibacterial properties, in vitro bioactivity and cell proliferation of titania–wollastonite composites
W. ORTEGA-LARA, D.A. CORTÉS-HERNÁNDEZ (México), S. BEST, R. BROOKS (UK) & A. HERNÁNDEZ-RAMÍREZ (Mexico)
- 521 Influence of processing parameters on the electrical response of screen printed $\text{SrFe}_{0.6}\text{Ti}_{0.4}\text{O}_{3-\delta}$ thick films
A. SANSON, E. MERCADELLI, E. RONCARI, R. LICHERI, R. ORRÙ, G. CAO, E. MERLONE-BORLA, D. MARZORATI, A. BONAVITA, G. MICALI & G. NERI (Italy)
- 529 Preparation of binary washcoat deposited on cordierite substrate for catalytic applications
T. ZHOU, L. LI, J. CHENG & Z. HAO (PR China)
- 535 The effect of natural dolomite admixtures on calcium zirconate–periclase materials microstructure evolution
J. SZCZERBA & Z. PĘDZICH (Poland)
- 549 Effects of sintering behavior on microstructure and piezoelectric properties of porous PZT ceramics
A. YANG, C.-A. WANG, R. GUO, Y. HUANG & C.-W. NAN (PR China)
- 555 Microstructural evolution of nanocrystalline Al_2O_3 sintered at a high heating rate
F. MENG, Z. FU, W. WANG & Q. ZHANG (China)
- 561 Nanocrystalline yttria stabilized zirconia by metal–PVA complexation
P.K. OJHA, S.K. RATH, T.K. CHONGDAR & A.R. KULKARNI (India)
- 567 Evolution of microstructure, mineralogy and properties during firing of clay-based ceramics with borates
A. CHRISTOGEROU (Greece), T. KAVAS (Turkey), Y. PONTIKES, C. RATHOSSI & G.N. ANGELOPOULOS (Greece)
- 577 The effect of phosphate source on the sintering of carbonate substituted hydroxyapatite
A. ŚLÓSZARCZYK, Z. PASZKIEWICZ & A. ZIMA (Poland)
- 583 Sintering and electrical properties of Cu-particle-dispersed $(\text{Na,K,Li})\text{NbO}_3$
G.-L. ZHAO, H. ZHANG, B.-P. ZHANG & J.-F. LI (China)
- 589 Phase transformation and morphological evolution of electrospun zirconia nanofibers during thermal annealing
L. LI, P. ZHANG, J. LIANG & S.M. GUO (USA)
- 595 Microwave sintering of fine grained HAP and HAP/TCP bioceramics
DJ. VELJOVIĆ (Serbia), I. ZALITE, E. PALCEVSKIS (Latvia), I. SMICKLAS, R. PETROVIĆ & DJ. JANAČKOVIĆ (Serbia)
- 605 Size and crystallinity-dependent magnetic properties of CoFe_2O_4 nanocrystals
C.H. CHIA, S. ZAKARIA, M. YUSOFF, S.C. GOH, C.Y. HAW, SH. AHMADI, N.M. HUANG & H.N. LIM (Malaysia)
- 611 Characteristics of $\text{Y}_3\text{Al}_5\text{O}_{12}:\text{Ce}$ phosphor powders prepared by spray pyrolysis from ethylenediaminetetraacetic acid solution
S.H. LEE, H.Y. KOO, S.M. LEE & Y.C. KANG (Republic of Korea)

- 617 Freeze casting of aqueous alumina slurries with glycerol for porous ceramics
Y. ZHANG, L. HU, J. HAN & Z. JIANG (China)
- 623 The effect of citric acid on the sintering of calcium phosphate bioceramics
A.I. MITSIONIS, T.C. VAIMAKIS & C.C. TRAPALIS (Greece)
- 635 Effects of niobium doping site and concentration on the phase structure and oxygen permeability of Nb-substituted SrCoO_x oxides
K. ZHANG, R. RAN, Z. SHAO (PR China), Z. ZHU, Y. JIN & S. LIU (Australia)
- 643 Preparation of asymmetric perovskite-type membranes by a settlement method
M. MATSUKA, I.E. AGRANOVSKI & R.D. BRADDOCK (Australia)
- 653 The effects of templating synthesis procedures on the microstructure of Ytria Stabilised Zirconia (YSZ) and NiO/YSZ templated thin films
A. LASHTABEG, J.L. BRADLEY, G. VIVES & J. DRENNAN (Australia)
- 661 Synthesis of monoclinic Celsian from Coal Fly Ash by using a one-step solid-state reaction process
D. LONG-GONZÁLEZ, J. LÓPEZ-CUEVAS, C.A. GUTIÉRREZ-CHAVARRÍA (Mexico), P. PENA, C. BAUDIN & X. TURRILLAS (Spain)
- 673 Fabrication and properties of porous mullite ceramics from calcined carbonaceous kaolin and $\alpha\text{-Al}_2\text{O}_3$
J. BAI (PR China)
- 679 Large-scale synthesis of single-crystalline KNb_3O_8 nanobelts via a simple molten salt method
Z.Y. ZHAN, C.Y. XU, L. ZHEN, W.S. WANG & W.Z. SHAO (China)
- 683 Strontium-substituted calcium phosphates prepared by hydrothermal method under linoleic acid–ethanol solution
W.M. LAM, H.B. PAN, Z.Y. LI, C. YANG, W.K. CHAN, C.T. WONG, K.D.K. LUK & W.W. LU (China)
- 689 Sintering of binderless tungsten carbide
K.-M. TSAI, C.-Y. HSIEH & H.-H. LU (Taiwan)
- 693 Synthesis of zinc oxide nanocrystalline powders for cosmetic applications
C.-L. KUO, C.-L. WANG, H.-H. KO, W.-S. HWANG, K.-M. CHANG, W.-L. LI, H.-H. HUANG, Y.-H. CHANG & M.-C. WANG (Taiwan)
- 699 Fabrication of multilayer glassy ceramic filters by fine particle migration during slip casting
C. ÖZGÜR & O. ŞAN (Turkey)
- 707 Processing of micro-components made of sintered reaction-bonded silicon nitride (SRBSN). Part 2: Sintering behaviour and micro-mechanical properties
M. MÜLLER, J. RÖGNER, B. OKOLO, W. BAUER & R. KNITTER (Germany)
- 719 Wetting and pressureless infiltration in the $\text{CuTi}/\text{Al}_2\text{O}_3$ system under poor vacuum
K. SANG (PR China, Germany), L. WEILER & E. AULBACH (Germany)
- 727 Dielectric relaxation and enhanced multiferroic properties in $\text{YMn}_{0.8}\text{Fe}_{0.2}\text{O}_3$ ceramics prepared by in situ spark plasma sintering
Y. MA, X.M. CHEN, Y.J. WU & Y.Q. LIN (China)
- 733 Microstructural characterization of alkali metal mediated high temperature reactions in mullite based refractories
J. STJERNBERG, B. LINDBLOM, J. WIKSTRÖM, M.-L. ANTTI & M. ODÉN (Sweden)
- 741 Alumina–copper joining by the sintered metal powder process
I. FOROUTAN, R.S. MAMOORY & N. HOSSEINABADI (Iran)
- 749 A microstructural study of carbon–carbon composites impregnated with SiC filaments
T. GUMULA, J. MICHALOWSKI, M. BLAZEWCZ & S. BLAZEWCZ (Poland)

- 755 Exploration of YPO_4 as a potential environmental barrier coating
Y. WANG, X. CHEN, W. LIU, L. CHENG & L. ZHANG (PR China)
- 761 Synthesis and sintering of pre-mullite powders obtained via carbonate precipitation
S. WANG, X.-Q. SHEN, H.-C. YAO & Z.-J. LI (China)
- 767 Nanostructured alumina particles synthesized by the Spray Pyrolysis method: microstructural and morphological analyses
M.I. MARTÍN, L.S. GÓMEZ (Spain), O. MILOSEVIC (Serbia) & M.E. RABANAL (Spain)
- 773 Low toxicity binder systems for tape cast $\text{Ce}_{0.9}\text{Gd}_{0.1}\text{O}_{1.95}$ laminates
T. KLEMENSØ, M. MENON & S. RAMOUSSE (Denmark)
- 781 Zirconia toughening of mullite–zirconia–zircon composites obtained by direct sintering
N.M. RENDTORFF, L.B. GARRIDO & E.F. AGLIETTI (Argentina)

Short Communications

- 789 Electret state in $\text{Bi}_4\text{Ti}_3\text{O}_{12}$ ceramics
Č. JOVALEKIĆ & M. ZDUJIC (Serbia)
- 793 Stabilization of nanostructured materials using fine inert ceramic particles
S.S. RAZAVI TOUSI, M.B. RAHAELI, M.S. ABDI & S.K. SADRNEZHAAD (Iran)
- 797 Interfacial and fouling effects on diffusional permeability across a composite ceramic membrane
L. PELAEZ, M.I. VÁZQUEZ & J. BENAVENTE (Spain)
- 803 Preparation and characterization of hydroxyapatite from eggshell
G. GERGELY, F. WÉBER, I. LUKÁCS, A.L. TÓTH, Z.E. HORVÁTH, J. MIHÁLY & C. BALÁZSI (Hungary)
- 807 Soft chemistry preparation of layered $\text{Al}_{0.3}\text{V}_2\text{O}_5 \cdot 5\text{H}_2\text{O}$
Z.M. ELHADI, K. MELGHIT, I. AL-AMRI & M.A. AL-KINDI (Oman)
- 811 Influence of additives on nano-SiC whisker formation in alumina silicate–SiC–C monolithic refractories
E. KARAMIAN & A. MONSHI (Iran)
- 817 ZrSi_2 –SiC composite obtained from mechanically activated $\text{ZrC} + 3\text{Si}$ powders by pulsed current activated combustion synthesis
I.-Y. KO, J.-H. PARK, J.-K. YOON, K.-S. NAM & I.-J. SHON (Republic of Korea)
- 821 Effect of Al_2O_3 content on BaO – Al_2O_3 – B_2O_3 – SiO_2 glass sealant for solid oxide fuel cell
T. SUN, H. XIAO, W. GUO & X. HONG (China)
- 827 Thermo-analysis of nanocrystalline TiO_2 ceramics during the whole sintering process using differential scanning calorimetry
D. LI (PR China, Australia), S. CHEN, D. WANG, Y. LI, W. SHAO (PR China), Y. LONG (Australia, PR China), Z. LIU & S.P. RINGER (Australia)

I Keywords for *Ceramics International*

Issue 3

Reviews

- 831 Porcelain tile: Almost 30 years of steady scientific-technological evolution
E. SÁNCHEZ, J. GARCÍA-TEN, V. SANZ & A. MORENO (Spain)

Original Articles

- 847 Synthesis and characteristics of nanocrystalline 3Y-TZP and CuO powders for ceramic composites
L. WINNUST, P.J. DE VEEN, S. RAN & D.H.A. BLANK (The Netherlands)

- 855 Full transition from metal to ceramic by direct oxidation of metallic cobalt powder
R. METZ, J. MOREL, H. DELALU (France), S. ANANTHAKUMAR (India) & M. HASSANZADEH (France)
- 863 Fabrication of rigid media tube filter bound with aluminum borate using Al_2O_3 – B_2O_3 – MgO frit for filtration of molten aluminum
O. YAMAKAWA, H. SHIRAKAWA, M. HASHIBA & O. SAKURADA (Japan)
- 871 Hydrothermal synthesis of NaNbO_3 with low NaOH concentration
S.Y. WU, X.Q. LIU & X.M. CHEN (China)
- 879 Effect of alumina addition on initial sintering of cubic ZrO_2 (8YSZ)
G. SUÁREZ & Y. SAKKA (Japan)
- 887 Thermoelectric properties of layered $\text{Ca}_{3.95}\text{RE}_{0.05}\text{Mn}_3\text{O}_{10}$ compounds (RE = Ce, Nd, Sm, Eu, Gd, Dy)
S. LEMONNIER, E. GUILMEAU, C. GOUPIL (France), R. FUNAHASHI (Japan) & J.G. NOUDEM (France)
- 893 Variation of discharge capacities with C-rate for $\text{LiNi}_{1-y}\text{M}_y\text{O}_2$ (M = Ni, Ga, Al and/or Ti) cathodes synthesized by the combustion method
S. KWON, S.-D. YOON, H. PARK & M. SONG (Republic of Korea)
- 899 Indentation fracture resistance test round robin on silicon nitride ceramics
H. MIYAZAKI, Y.-I. YOSHIZAWA, K. HIRAO & T. OHJI (Japan)
- 909 Pyrophyllite as raw material for ceramic applications in the perspective of its pyro-chemical properties
T.K. MUKHOPADHYAY, S. GHATAK & H.S. MAITI (India)
- 917 Electrical resistivity of porcelain bodies with natural zeolite addition
A.Ş. DEMIRKIRAN, R. ARTIR & E. AVCI (Turkey)
- 923 Cellular silica-based ceramics prepared by direct foaming at high temperature
C. XU, S. WANG (People's Republic of China), K. FLODSTRÖM (Sweden), X. MAO & J. GUO (People's Republic of China)
- 929 Moisture sensitivity of $\text{YCr}_{(1-x)}\text{Mn}_x\text{O}_3$ perovskites
C. NIVOT, J. BERNARD, C. LELIEVRE, J.-M. HAUSSONNE & D. HOUIVET (France)
- 937 Synthesis, densification and characterization of TaB_2 – SiC composites
R. LICHERI, R. ORRÙ, C. MUSA & G. CAO (Italy)
- 943 Transmission electron microscopy characterization of spark plasma sintered ZrB_2 ceramic
T. MIZUGUCHI, S. GUO & Y. KAGAWA (Japan)
- 947 Synthesis of nanostructured material by mechanical milling and study on structural property modifications in $\text{Ni}_{0.5}\text{Zn}_{0.5}\text{Fe}_2\text{O}_4$
N.H. VASOYA, L.H. VANPARIYA, P.N. SAKARIYA, M.D. TIMBADIYA, T.K. PATHAK, V.K. LAKHANI & K.B. MODI (India)
- 955 Oxide ionic conductivities of apatite-type lanthanum silicates and germanates and their possibilities as an electrolyte of lower temperature operating SOFC
Y. HIGUCHI, M. SUGAWARA, K. ONISHI, M. SAKAMOTO & S. NAKAYAMA (Japan)
- 961 Structure and thermal properties of heat treated plasma sprayed ceria–yttria co-stabilized zirconia coatings
G. DI GIROLAMO, C. BLASI, M. SCHIOPPA & L. TAPFER (Italy)
- 969 Synthesis of manganese ferrite from non-standard raw materials using ceramic technique
Y.M.Z. AHMED (Egypt)
- 979 Optimization of the sputtering process parameters of GZO films using the Grey–Taguchi method
C.-C. CHEN, C.-C. TSAO, Y.-C. LIN & C.-Y. HSU (Taiwan)
- 989 A novel mercury-media route to synthesize ZnO hollow microspheres
Q. YANG & W. HU (China)

- 995 Synthesis of silicate glass/poly(L-lactide) composite scaffolds by freeze-extraction technique: Characterization and in vitro bioactivity evaluation
A.M. EL-KADY, E.A. SAAD, B.M.A. EL-HADY & M.M. FARAG (Egypt)
- 1011 Preparation and characterization of C/SiC–ZrB₂ composites by precursor infiltration and pyrolysis process
H. HU, Q. WANG, Z. CHEN, C. ZHANG, Y. ZHANG & J. WANG (China)
- 1017 Thermogelling behaviour of starches to be used in ceramic consolidation processes
M.H. TALOU, M.A. VILLAR & M.A. CAMERUCCI (Argentina)
- 1027 Reaction mechanism in Ti–SiC–C powder mixture during pulse discharge sintering
Y. ZOU (Japan, PR China), Z. SUN, H. HASHIMOTO (Japan) & L. CHENG (PR China)
- 1033 Effect of the processing on the production of cordierite–mullite composite
E. OZEL & S. KURAMA (Turkey)
- 1041 Phase evolution, dielectric and impedance spectroscopic study of SrNb₂O₆ columbite phase
M. PASTOR, S. GOENKA, S. MAITI, K. BISWAS & I. MANNA (India)
- 1047 Temperature and common-ion effect on magnesium oxide (MgO) hydration
L.F. AMARAL, I.R. OLIVEIRA, R. SALOMÃO, E. FROLLINI & V.C. PANDOLFELLI (Brazil)
- 1055 Effect of fly ash on the physico-chemical and mechanical properties of a porcelain composition
T.K. MUKHOPADHYAY, S. GHOSH, J. GHOSH, S. GHATAK & H.S. MAITI (India)
- 1063 Electrical properties of Pr₆O₁₁-doped WO₃ capacitor–varistor ceramics
T.G. WANG, G.Q. SHAO, W.J. ZHANG, X.B. LI & X.H. YU (China)
- 1069 Are the parameters of the empirical law dependent on the dielectric properties of the ferroelectric relaxors?
C.-S. HONG, S.-Y. CHU, W.-C. SU & H.-H. NIEN (Taiwan)
- 1075 Microstructure evaluation of sintered combustion-derived fine powder NiO–YSZ
M. MARINŠEK & K. ZUPAN (Slovenia)
- 1083 On the shear strength of laser brazed SiC–steel joints: Effects of braze metal fillers and surface patterning
I. SÜDMEYER, T. HETTESHEIMER & M. ROHDE (Germany)
- 1091 Structure and luminescence of Eu³⁺ doped glass ceramics embedding ZnO quantum dots
Y. YU, D. CHEN, P. HUANG, H. LIN & Y. WANG (China)
- 1095 Electrical properties and AC degradation characteristics of low voltage ZnO varistors doped with Nd₂O₃
M.-H. WANG, Q.-H. TANG & C. YAO (PR China)
- 1101 Synthesis of nanocrystalline samarium-doped CeO₂ (SDC) powders as a solid electrolyte by using a simple solvothermal route
T. KARACA, T.G. ALTINÇEKİÇ & M. FARUK ÖKSÜZÖMER (Turkey)
- 1109 Effect of dopant (Al, Nb, Bi, La) on varistor properties of ZnO–V₂O₅–MnO₂–Co₃O₄–Dy₂O₃ ceramics
C.-W. NAHM (Republic of Korea)
- 1117 Formation of nanosize ZnO particles by thermal decomposition of zinc acetylacetonate monohydrate
S. MUSIĆ, A. SARIĆ & S. POPOVIĆ (Croatia)
- 1125 Evaluation of microwave processed glass–ceramic coating on nimonic superalloy substrate
S. DAS, A.K. MUKHOPADHYAY, S. DATTA & D. BASU (India)

Short Communications

- 1131 Iron oxide synthesis using a continuous hydrothermal and solvothermal system
M.-T. LIANG, S.-H. WANG, Y.-L. CHANG, H.-I. HSIANG, H.-J. HUANG, M.-H. TSAI, W.-C. JUAN & S.-F. LU (Taiwan)

- 1137 Fabrication of olivine-type $\text{LiMn}_x\text{Fe}_{1-x}\text{PO}_4$ crystals via the glass–ceramic route and their lithium ion battery performance
T. HONMA, K. NAGAMINE & T. KOMATSU (Japan)
- 1143 Influence of magnesia on sintering stress of alumina
T. IKEGAMI, N. IYI & I. SAKAGUCHI (Japan)
- 1147 Properties of sol–gel derived Al_2O_3 –15 wt.% ZrO_2 (3 mol% Y_2O_3) nanopowders using two different precursors
A. TAAVONI-GILAN, E. TAHERI-NASSAJ, R. NAGHIZADEH & H. AKHONDI (Iran)
- 1155 A simple mild hydrothermal route for the synthesis of nickel phosphide powders
Z. LIU, X. HUANG, Z. ZHU & J. DAI (China)
- 1159 Effect of ZrO_2 on phase transformation of Al_2O_3
M. IPEK, S. ZEYTIN & C. BINDAL (Turkey)
- 1165 Microwave-hydrothermal synthesis of barium titanate under stirring condition
S. KOMARNENI (USA) & H. KATSUKI (Japan)
- 1171 Size-controlled Bi-based glass powders prepared by spray pyrolysis as inorganic additives for silver electrode
J.H. KIM, H.Y. KOO, D.S. JUNG, Y.N. KO & Y.C. KANG (Republic of Korea)

Issue 4

Review

- 1177 Survey on wetting of SiC by molten metals
G.W. LIU (Italy, China), M.L. MUOLO, F. VALENZA & A. PASSERONE (Italy)

Original Articles

- 1189 Spinelisation and properties of Al_2O_3 – MgAl_2O_4 –C refractory: Effect of MgO and Al_2O_3 reactants
H.S. TRIPATHI & A. GHOSH (India)
- 1193 Effect of cellulose buffer layer on synthesis and gas permeation properties of NaA zeolite membrane
N. DAS (India)
- 1201 Fabrication and luminescent properties of artificial luminous gem
X. LV, M. SUN, J. ZHANG, H. ZHU & T. WANG (PR China)
- 1205 The effect of SrSO_4 and BaSO_4 on the corrosion and wetting by molten aluminum alloys of mullite ceramics
M.N.I. CASTRO, J.M.A. ROBLES, D.A.C. HERNANDEZ, J.C.E. BOCARDO & J.T. TORRES (Mexico)
- 1211 Co-precipitated ZnAl_2O_4 spinel precursor as potential sintering aid for pure alumina system
T.K. PARYA, R.K. BHATTACHARYYA, S. BANERJEE & U.B. ADHIKARI (India)
- 1217 Generation of ceramic–ceramic layered composite microstructures using electrohydrodynamic co-axial flow
M. NANGREJO, Z. AHMAD & M. EDIRISINGHE (UK)
- 1225 Electrochemical characterizations of Fe-substituted LiNiO_2 synthesized in air by the combustion method
M. SONG, I. KWON (Republic of Korea), S. SHIM & J.H. SONG (USA)
- 1233 Characteristics of α' - and β - $\text{Sr}_2\text{SiO}_4\text{:Eu}^{2+}$ phosphor powders prepared by spray pyrolysis
S.H. LEE, H. YOUNG, KOO & Y.C. KANG (Republic of Korea)
- 1239 Effect of Bi_2O_3 additives on sintering and microwave dielectric behavior of $\text{La}(\text{Mg}_{0.5}\text{Ti}_{0.5})\text{O}_3$ ceramics
K.-W. TAY, Y.-P. FU, Q.-F. HUANG & F.-H. JANG (Taiwan)

- 1245 Preparation and characterizations of highly transparent UV-curable ZnO-acrylic nanocomposites
H.-C. HUANG & T.-E. HSIEH (Taiwan)
- 1253 Size-controlled synthesis of nano α -alumina particles through the sol–gel method
F. MIRJALILI, M. HASMALIZA & L.C. ABDULLAH (Malaysia)
- 1259 Carbon atmosphere effect on Ti_3SiC_2 based composites made from TiC/Si powders
I. KERO, R. TEGMAN & M.-L. ANTTI (Sweden)
- 1265 The effect of pre-milling/pre-synthesis process and excess Ba on the microstructure and dielectric/piezoelectric properties of nano-sized $0.94[(\text{Bi}_{0.5}\text{Na}_{0.5})\text{TiO}_3]-0.06[\text{Ba}_{(1+x)}\text{TiO}_3]$
M.-S. YOON, N.H. KHANSUR & S.-C. UR (Republic of Korea)
- 1277 Relaxor ferroelectric behavior of La substituted BPZT ceramics
J.K. JUNEJA, P. KUMAR, S. SINGH, C. PRAKASH & K.K. RAINA (India)
- 1283 The effect of the wet-milling process on sintering temperature and the amount of additive of SiAlON ceramics
O. ESER & S. KURAMA (Turkey)
- 1289 Coarsening, coalescence and sintering of hexagonal ZnO elongated nanoparticles
I.-H. LIU & P. SHEN (Taiwan)
- 1297 Erosion behaviour of B_4C -based ceramic composites
C. LIU & J. SUN (PR China)
- 1303 Preparation and luminescent properties of Eu-doped transparent mica glass–ceramics
S. TARUTA, M. MATSUKI, H. NISHIKIORI, T. YAMAKAMI, T. YAMAGUCHI & K. KITAJIMA (Japan)
- 1311 Electrical and magnetic properties of magnesium-substituted lithium ferrite
Y.-P. FU & S.-H. HU (Taiwan)
- 1319 Intermediate phases formation during the synthesis of $\text{Bi}_4\text{Ti}_3\text{O}_{12}$ by solid state reaction
M.G. NAVARRO-ROJERO, J.J. ROMERO, F. RUBIO-MARCOS & J.F. FERNANDEZ (Spain)
- 1327 Investigation of the effect of ZrO_2 and $\text{ZrO}_2/\text{Al}_2\text{O}_3$ additions on the hot-pressing and properties of equimolecular mixtures of α - and β - Si_3N_4
E.M.M. EWAIS, M.A.A. ATTIA, A. ABOUSREE-HEGAZY (Egypt) & R.K. BORDIA (USA)
- 1339 Structural, magnetic and electrical properties of Ga-substituted NiCuZn nanocrystalline ferrite
M.A. GABAL, S.A. AL-THABAITI, E.H. EL-MOSSALAMY & M. MOKHTAR (Saudi Arabia)
- 1347 Preparation, characterization, photoactivity and XPS studies of $\text{Ln}_2\text{ZrTiO}_7$ (Ln = Sm and Nd)
B. VIJAYA KUMAR, R. VELCHURI, G. PRASAD, B. SREEDHAR, K. RAVIKUMAR & M. VITHAL (India)
- 1357 A novel colloidal processing route to alumina ceramics
I. GANESH, G. SUNDARARAJAN (India), S.M. OLHERO, P.M.C. TORRES & J.M.F. FERREIRA (Portugal)
- 1365 Synthesis and characterization of multiferroic BiFeO_3 powders fabricated by hydrothermal method
S.H. HAN, K.S. KIM, H.G. KIM, H.-G. LEE, H.-W. KANG, J.S. KIM & C.I. CHEON (Republic of Korea)
- 1373 Cavitation and rolling wear in silicon nitride
B. KARUNAMURTHY, M. HADFIELD (UK), C. VIEILLARD, G.E. MORALES-ESPEJEL (The Netherlands) & Z. KHAN (UK)
- 1383 Mechanism of seeded infiltration growth process analysed by magnetic susceptibility measurements and in situ observation
H. CAO (PR China, France), X. CHAUD, J.G. NOUDEM (France), C. ZHANG, R. HU, J. LI & L. ZHOU (PR China)
- 1389 Microstructural and thermal properties of plasma sprayed mullite coatings
G. DI GIROLAMO, C. BLASI, L. PILLONI & M. SCHIOPPA (Italy)

- 1397 Microstructure evolution of $\text{Si}_3\text{N}_4/\text{Si}_3\text{N}_4$ joint brazed with Ag–Cu–Ti + SiCp composite filler
J. ZHANG, Y.M. HE, Y. SUN & C.F. LIU (PR China)
- 1405 Low-temperature synthesis of superfine barium strontium titanate powder by the citrate method
X.-F. ZHANG, Q. XU, Y.-H. HUANG, H.-X. LIU, D.-P. HUANG & F. ZHANG (People's Republic of China)
- 1411 The effect of nano-size additives on the electrical conductivity of matrix suspension and properties of self-flowing low-cement high alumina refractory castables
S. OTROJ, A. SAGAEIAN, A. DAGHIGHI & Z.A. NEMATI (Iran)
- 1417 Hydrothermal synthesis of magnetite nanoparticles as MRI contrast agents
C.Y. HAW, F. MOHAMED, C.H. CHIA, S. RADIMAN, S. ZAKARIA, N.M. HUANG & H.N. LIM (Malaysia)
- 1423 Effects of trace of Bi_2O_3 addition on the morphology of strontium ferrite particles
L. QIAO, B. XU, Q. XI, J. ZHENG & L. JIANG (People's Republic of China)
- 1429 Kinetic field approach to study liquid phase sintering of ZnO based ceramics
F. RAETHER & M.L. AREFIN (Germany)
- 1439 Impact of Si and Zr addition on the surface defect and photocatalytic activity of the nanocrystalline TiO_2 synthesized by the solvothermal method
P. SUPPHASRIRONGJAROEN, P. PRASERTHDAM, O. MEKASUWANDUMRONG & J. PANPRANOT (Thailand)
- 1447 Effects of high-temperature heat treatment on the mechanical properties of unidirectional carbon fiber reinforced geopolymer composites
P. HE, D. JIA, T. LIN, M. WANG & Y. ZHOU (China)
- 1455 Development and characterisation of triaxial electrical porcelains from Ugandan ceramic minerals
P.W. OLUPOT (Sweden, Uganda), S. JONSSON (Sweden) & J.K. BYARUHANGA (Uganda)

Short Communications

- 1463 A hot-pressing reaction technique for SiC coating of carbon/carbon composites
F. QIAN-GANG, X. HUI, W. HENG, L. HE-JUN, L. KE-ZHI & T. JUN (PR China)
- 1467 Ti^{4+} addition effect on $\alpha\text{-Al}_2\text{O}_3$ flakes synthesis using a mixture of boehmite and potassium sulfate
H.-I. HSIANG, C.-C. CHUANG, T.-H. CHEN & F.-S. YEN (Taiwan)
- 1473 Different microstructure $\text{BaO-B}_2\text{O}_3\text{-SiO}_2$ glass/ceramic composites depending on high-temperature wetting affinity
X.-M. CUI, Y. HE, Z.-Y. LIANG, H. ZHANG & J. ZHOU (PR China)
- 1479 Phase development and dielectric responses in PMN–BNT ceramics
N. JAITANONG, W.C. VITTAYAKORN & A. CHAIPANICH (Thailand)
- 1485 Solid state metathesis synthesis of BaTiO_3 , PbTiO_3 , $\text{K}_{0.5}\text{Bi}_{0.5}\text{TiO}_3$ and $\text{Na}_{0.5}\text{Bi}_{0.5}\text{TiO}_3$
R. VELCHURI, B.V. KUMAR, V.R. DEVI, G. PRASAD & M. VITHAL (India)
- 1491 Ultra-fast densification of boron carbide ceramics under high heating rate and high pressure
F. ZHANG, Z. FU, J. ZHANG, H. WANG, W. WANG, Y. WANG & J. SHI (China)

Issue 5

Original Articles

- 1495 Electrical behavior against current impulse in $\text{ZnO-Pr}_6\text{O}_{11}$ -based varistor ceramics with terbium addition
C.-W. NAHM (Republic of Korea)
- 1503 High internal phase emulsion as reaction medium for precipitating brushite crystals
H.N. LIM, A. KASSIM, N.M. HUANG, K.H. LEE, A. SYAHIDA & C.H. CHIA (Malaysia)

- 1511 Densification and grain growth of CuO-doped Pr_6O_{11} varistors
T.Y. LI, H.Q. WANG, Z.Q. HUA, L. DONG, H.W. ZHAO & Y. WANG (People's Republic of China)
- 1517 Synthesis and characterization of aluminum oxide–boron carbide coatings by air plasma spraying
A. DATYE, S. KONETI, G. GOMES, K.-H. WU & H.-T. LIN (USA)
- 1523 Synthesis of calcium copper titanate ceramics via the molten salts method
K.-P. CHEN & X.-W. ZHANG (PR China)
- 1529 Influence of Co content on the characterization and magnetic properties of magnetite
M.A. AHMED, N. OKASHA & S.I. EL-DEK (Egypt)
- 1535 Low temperature sintering and microwave dielectric properties of $\text{Ce}_2(\text{WO}_4)_3$ ceramics
P.S. ANJANA, T. JOSEPH & M.T. SEBASTIAN (India)
- 1541 VUV photoluminescence properties of $\text{Y}_{1-x}\text{Gd}_x\text{VO}_4\text{:Eu}$ phosphors prepared by ultrasonic spray pyrolysis
K. PARK, S.W. NAM & M.H. HEO (Republic of Korea)
- 1545 Processing of alumina-coated tetragonal zirconia materials and their response to sliding wear
S. BUENO (Spain, Italy), B. FERRARI (Spain), C. MELANDRI, G. DE PORTU (Italy) & C. BAUDÍN (Spain)
- 1553 Ca- α SiAlON hollow spheres prepared by carbothermal reduction–nitridation from different SiO_2 powders
M. HOTTA, J. TATAMI, C. ZHANG, K. KOMEYA, T. MEGURO (Japan), M.R. TERNER & Y.-B. CHENG (Australia)
- 1561 Compressive strength and preliminary *in vitro* evaluation of gypsum and gypsum–polymer composites in protein-free SBF at 37 °C
H.F. EL-MAGHRABY, O. GEDEON, D. ROHANOVA (Czech Republic) & Y.E. GREISH (United Arab Emirates)
- 1571 Low temperature and microwave dielectric properties of TiO_2 /ZBS glass composites
K.S. KIM, S.H. SHIM, S. KIM & S.O. YOON (Republic of Korea)
- 1577 Fabrication of seven cells in single tubular solid oxide fuel cell using multi-pass extrusion process
A.H.M.E. RAHMAN, M. KIM, J.-H. KIM & B.T. LEE (South Korea)
- 1581 Rheology and pressure filtration of aqueous SiC suspensions of nanometer-sized bimodal particles
N. MATSUNAGA, Y. NAKASHIMA, Y. HIRATA & S. SAMESHIMA (Japan)
- 1589 Glass–ceramics and composites containing aluminum borate whiskers
H.K. LEE (USA), S. ZERBETTO (Italy), P. COLOMBO (Italy, USA) & C.G. PANTANO (USA)
- 1597 Magnetic and catalytic properties of copper ferrite nanopowders prepared by a microwave-induced combustion process
Y.-C. LIU & Y.-P. FU (Taiwan)
- 1603 Role of V_2O_5 on the formation of chemical mullite from aluminosilicate precursor
J. ROY, N. BANDYOPADHYAY (India), S. DAS (USA) & S. MAITRA (Malaysia)
- 1609 Thermal conductivity in mullite/ ZrO_2 composite coatings
E. GARCÍA, J. MESQUITA-GUIMARÃES, M.I. OSENDI & P. MIRANZO (Spain)
- 1615 Fabrication of Sn^{4+} doped $\text{Ba}(\text{Mg}_{1/3}\text{Ta}_{2/3})\text{O}_3$ transparent ceramics by a solid state reaction method
Y. HUANG, D. JIANG, J. ZHANG & Q. LIN (China)
- 1621 Effect of A_2O_3 (A = La, Y, Cr, Al) on thermal and crystallization kinetics of borosilicate glass sealants for solid oxide fuel cells
V. KUMAR, O.P. PANDEY & K. SINGH (India)
- 1629 Low temperature sintering of CCTO using P_2O_5 as a sintering aid
S. GOSWAMI & A. SEN (India)

- 1633 Improvements in microstructural, mechanical, and biocompatibility properties of nano-sized hydroxyapatites doped with yttrium and fluoride
B. BASAR, A. TEZCANER, D. KESKIN & Z. EVIS (Turkey)
- 1645 In vitro bioactivity of novel cured ionomer cement based on iron oxide
J. NOURMOHAMMADI, S.K. SADRNEZHAAD & A. BEHNAMGHADER (Iran)
- 1653 Synthesis of high efficiency $\text{Zn}_2\text{SiO}_4\text{:Mn}^{2+}$ green phosphors using nano-particles
C.-C. DIAO & C.-F. YANG (Taiwan)
- 1659 Fabrication and characterization of sol–gel derived hydroxyapatite/zirconia composite nanopowders with various yttria contents
S. SALEHI & M.H. FATHI (Iran)
- 1669 Effect of SiC particles on rheological and sintering behaviour of alumina–zircon composites
H. MAJIDIAN, T. EBADZADEH & E. SALAHI (Iran)
- 1675 Optimisation of sintered glass–ceramics from an industrial waste glass
E. BERNARDO, E. BONOMO & A. DATTOLI (Italy)
- 1681 Preparation of ZrC by self-propagating high-temperature synthesis
J. LI, Z.Y. FU, W.M. WANG, H. WANG (PR China), S.H. LEE (Republic of Korea) & K. NIIHARA (Japan)
- 1687 Flow properties of PLZTN aqueous suspensions for tape casting
D. GARDINI, M. DELUCA, M. NAGLIATI & C. GALASSI (Italy)
- 1697 Effect of sintering temperature on compressive strength of porous yttria-stabilized zirconia ceramics
L. HU & C.-A. WANG (PR China)
- 1703 3-D micro-ceramic components from hydrothermally processed carbon nanotube–boehmite powders by electrophoretic deposition
A.C. ZAMAN, C.B. ÜSTÜNDAĞ, N. KUŞKONMAZ, F. KAYA & C. KAYA (Turkey)

Short Communications

- 1711 Microstructure and refractory properties of spinel containing castables
S.A. ABO-EL-ENEIN, M.M. ABOU-SEKKINA, N.M. KHALIL & O.A. SHALMA (Egypt)
- 1719 Effects of variable aspect ratio inclusions on the electrical impedance of an alumina zirconia composite at intermediate temperatures
J.C. GOLDSBY (USA)
- 1725 Effect of sintering temperature on ferroelectric properties of $0.94(\text{K}_{0.5}\text{Na}_{0.5})\text{NbO}_3\text{--}0.06\text{LNbO}_3$ system
P. KUMAR & P. PALEI (India)
- 1731 A microstructural study of surface hydration on a magnesia refractory
M. SUTCU, S. AKKURT & S. OKUR (Turkey)
- 1737 Synthesis and sintering of Y_2O_3 -doped ZrO_2 powders using two Pechini-type gel routes
E.C. GRZEBIELUCKA, A.S.A. CHINELATTO, S.M. TEBCHERANI & A.L. CHINELATTO (Brazil)
- 1743 Surface morphology and conductivity of zirconium-doped nanostructured indium oxide films with various crystallographic features
Y.-C. LIANG (Taiwan)
- 1749 Characteristics of Bi-based glass powders with various glass transition temperatures prepared by spray pyrolysis
H.Y. KOO, J.H. YI & Y.C. KANG (Republic of Korea)

Erratum

- 1755 Erratum to “Utilization of aluminum sludge and aluminum slag (dross) for the manufacture of calcium aluminate cement” [Ceram. Int. 35 (2009) 3381–3388]
E.M.M. EWAIS (Egypt), N.M. KHALIL (Libya), M.S. AMIN, Y.M.Z. AHMED & M.A. BARAKAT (Egypt)

Issue 6

Original Articles

- 1757 Characterization and in vitro-bioactivity of natural hydroxyapatite based bio-glass–ceramics synthesized by thermal plasma processing
C.P. YOGANAND, V. SELVARAJAN (India), V. CANNILLO, A. SOLA (Italy), E. ROUMELI, O.M. GOUDOURI, K.M. PARASKEVOPOULOS (Greece) & M. ROUABHIA (Canada)
- 1767 Boron suboxide materials with Co sintering additives
O.T. JOHNSON, I. SIGALAS, E.N. OGUNMUYIWA (South Africa), H.J. KLEEBE, M.M. MÜLLER & M. HERRMANN (Germany)
- 1773 Synthesis of γ -Al₂O₃ nanowires through a boehmite precursor route
Y. DENG, Q. YANG, G. LU & W. HU (China)
- 1779 Rheological properties of concentrated aqueous fluorapatite suspensions
M.P. ALBANO & L.B. GARRIDO (Argentina)
- 1787 Fabrication of SiC_w reinforced ZrB₂-based ceramics
Y. WANG, M. ZHU, L. CHENG & L. ZHANG (China)
- 1791 Transparent semiconductor zinc oxide thin films deposited on glass substrates by sol–gel process
C.-Y. TSAY, K.-S. FAN, Y.-W. WANG, C.-J. CHANG, Y.-K. TSENG & C.-K. LIN (Taiwan)
- 1797 Consolidation of binderless nanostructured titanium carbide by high-frequency induction heated sintering
I.-J. SHON, B.-R. KIM, J.-M. DOH & J.-K. YOON (Republic of Korea)
- 1805 The effect of surface treatment on CaP deposition of Ti6Al4V open cell foams in SBF solution
U. TURKAN & M. GUDEN (Turkey)
- 1817 Properties of lanthanum doped BaTiO₃ produced from nanopowders
M.M. VIJATOVIĆ, B.D. STOJANOVIĆ, J.D. BOBIĆ (Serbia), T. RAMOSKA (Lithuania) & P. BOWEN (Switzerland)
- 1825 Surfactant-free hydrothermal synthesis and characterization of single-crystal K₂V₈O₂₁ nanobelts
J.N. AN, C.Y. XU, L. ZHEN & Y.D. HUANG (China)
- 1831 Effect of citric acid content on synthesis of LiNi_{1/3}Mn_{1/3}Co_{1/3}O₂ and its electrochemical characteristics
G. SINGH, A. SIL, S. GHOSH & A. PANWAR (India)
- 1837 Development of mullite and spinel coatings on graphite for improved water-wettability and oxidation resistance
S.A. ANSAR, S. BHATTACHARYA, S. DUTTA, S.S. GHOSH & S. MUKHOPADHYAY (India)
- 1845 Sintering behaviour of nanostructured glass-ceramic glazes
J.J. REINOSA, F. RUBIO-MARCOS, E. SOLERA, M.A. BENGOCHEA & J.F. FERNÁNDEZ (Spain)
- 1851 Piezoelectric properties of pure and (Nb⁵⁺ + Fe³⁺) doped PZT ceramics
M.M.S. POJUCAN, M.C.C. SANTOS, F.R. PEREIRA, M.A.S. PINHEIRO & M.C. ANDRADE (Brazil)
- 1857 Optical, thermal and dielectric properties of Bi₄(TiO₄)₃ ceramic powders
G.B. KUMAR & S. BUDDHUDU (India)
- 1863 Thermodynamic evaluation of SiC oxidation in Al₂O₃–MgAl₂O₄–SiC–C refractory castables
A.P. LUZ & V.C. PANDOLFELLI (Brazil)
- 1871 Morphology controlled synthesis of ZnO particles through the oxidation of Al–Zn mixture
G.-H. LEE (Republic of Korea)
- 1877 Chemical corrosion of basic refractories by cement kiln materials
J. SZCZERBA (Poland)

- 1887 $\text{Ni}_4\text{Nb}_2\text{O}_9$ ceramics prepared by the reaction-sintering process
Y.-C. LIOU, Z.-S. TSAI, K.-Z. FUNG & C.-Y. LIU (Taiwan)
- 1893 The threonine effect on calcium phosphate preparation from a solution containing $\text{Ca/P} = 1.33$ molar ratio
K. MAHMUD, A. MITSIONIS, T. VAIMAKIS, N. KOURKOUMELIS & C. TRAPALIS (Greece)
- 1901 Combustion synthesis of high porosity SiC foam with nanosized grains
J.F. QIU, J.T. LI (PR China) & K.L. SMIRNOV (Russia)
- 1905 Characterization and X-ray peak broadening analysis in PZT nanoparticles prepared by modified sol–gel method
A. KHORSAND ZAK & W.H. ABD. MAJID (Malaysia)
- 1911 Influence of the sintering temperature on the structural feature and bioactivity of sol–gel derived $\text{SiO}_2\text{–CaO–P}_2\text{O}_5$ bioglass
J. MA, C.Z. CHEN, D.G. WANG, X.G. MENG & J.Z. SHI (China)
- 1917 Ethanol sensing properties of tungsten oxide nanorods prepared by microwave hydrothermal method
Y. LI, X. SU, J. JIAN & J. WANG (China)
- 1921 Microstructural features and electrical properties of copper oxide added potassium sodium niobate ceramics
E.M. ALKOY & M. PAPILA (Turkey)
- 1929 Clarifying the effect of sintering conditions on the microstructure and mechanical properties of β -tricalcium phosphate
F.H. PERERA, F.J. MARTÍNEZ-VÁZQUEZ, P. MIRANDA, A.L. ORTIZ & A. PAJARES (Spain)
- 1937 Conductivity and electrochemical performance of $(\text{Ba}_{0.5}\text{Sr}_{0.5})_{0.8}\text{La}_{0.2}\text{CoO}_{3-\delta}$ cathode for intermediate-temperature solid oxide fuel cell
I.-M. HUNG, C.-Y. LIANG, C.-J. CIOU & Y.-C. LEE (Taiwan)
- 1945 Influence of Tiron concentration on dispersability and sintering behaviors of hydroxyapatite in an aqueous system
T. NAVIZI, E. SALAHI, M. GHAFARI & I. MOBASHERPOUR (Iran)
- 1951 Thermal conductivity of traditional ceramics. Part I: Influence of bulk density and firing temperature
J. GARCÍA TEN, M.J. ORTS, A. SABURIT & G. SILVA (Spain)
- 1961 Synthesis of nanocrystalline hydroxyapatite from Ca(OH)_2 and H_3PO_4 assisted by ultrasonic irradiation
M.A. GIARDINA & M.A. FANOVICH (Argentina)
- 1971 Evaluation and comparison of the microstructure and mechanical properties of fibrous $\text{Al}_2\text{O}_3\text{–(m-ZrO}_2\text{)}/\text{t-ZrO}_2$ composites after multiple extrusion steps
S.K. ŠARKAR & B.T. LEE (South Korea)
- 1977 Effect of ion-exchange temperature on mechanical properties of a dental porcelain
V. ROSA, C. FREDERICCI, M.F. MOREIRA, H.N. YOSHIMURA & P.F. CESAR (Brazil)
- 1983 Monte Carlo simulation of microstructure evolution in biphasic-systems
D. BELLUCCI, V. CANNILLO & A. SOLA (Italy)

Short Communications

- 1989 Preparation and characterization of Ni-coated Cr_3C_2 powder by room temperature ultrasonic-assisted electroless plating
L. LUO, J. YU, J. LUO & J. LI (China)
- 1993 Preparation of nickel ferrite from thermolysis of nickel tris(malonato)ferrate(III) heptahydrate precursor
B.S. RANDHAWA, J. SINGH, H. KAUR & M. KAUR (India)

- 1997 Effects of impurities on the properties of BaTiO₃ synthesized from barium titanyl oxalate
W.-S. JUNG, J. PARK, Y. PARK & D.-H. YOON (Republic of Korea)
- 2003 Low-temperature molten salt synthesis of YAlO₃ powders assisted by an electrochemical process
Z. LIU, J. MA, Y. SUN, Z. SONG, J. FANG, Y. LIU, C. GAO & J. ZHAO (PR China)
- 2007 Enhanced microwave-assisted sintering of X7R ceramic dielectrics for use in multilayer capacitors
A.B. MCINROY, A.T. ROWLEY & R. FREER (UK)

Issue 7

Original Articles

- 2011 Testing media influences on the dielectric properties of lead sodium niobate glass-ceramics
D.F. HAN, Q.M. ZHANG, Q. TANG, J. LUO & J. DU (China)
- 2017 Thermal conductivity of traditional ceramics. Part II: Influence of mineralogical composition
J. GARCÍA-TEN, M.J. ORTS, A. SABURIT & G. SILVA (Spain)
- 2025 Preparation and properties of high toughness RBAO macroporous membrane support
G. LI, Y. FAN, Y. ZHENG & Y. WU (China)
- 2033 Effects of the single layer CVD SiC interphases on the mechanical properties of the SiCf/SiC composites fabricated by PIP process
H. LIU, H. CHENG, J. WANG & G. TANG (China)
- 2039 Effects of carbothermal reduction on the thermal and electrical conductivities of aluminum nitride ceramics
H.-S. KIM, J.-M. CHAE, Y.-S. OH, H.-T. KIM, K.-B. SHIM & S.-M. LEE (Republic of Korea)
- 2047 Synthesis and characterization of TiO₂ nanoparticles
M.M. VIANA, V.F. SOARES & N.D.S. MOHALLEM (Brazil)
- 2055 Fabrication and characterization of neat and aluminium-doped titanium (IV) oxide fibers prepared by combined sol–gel and electrospinning techniques
J. KAEWSAENEE, P. VISAL-ATHAPHAND, P. SUPAPHOL & V. PAVARAJARN (Thailand)
- 2063 Replication of jute stem for porous cellular ceramics/composites in the SiO₂–SiC–C System
S.S. GHOSH, P.K. MANDAL & R. MAJUMDAR (India)
- 2073 Low-temperature synthesis of BiVO₄ crystallites in molten salt medium and their UV–vis absorption
Y. LIU, J. MA, Z. LIU, C. DAI, Z. SONG, Y. SUN, J. FANG & J. ZHAO (People's Republic of China)
- 2079 The impact of pre-formed and *in situ* spinel formation on the physical properties of cement-bonded high alumina refractory castables
E.Y. SAKO, M.A.L. BRAULIO, P.O. BRANT & V.C. PANDOLFELLI (Brazil)
- 2087 Zirconia microbial hollow fibre bioreactor for *Escherichia coli* culture
L. LIU, S. LIU (Australia) & X. TAN (PR China)
- 2095 Magnesia induced coagulation of aqueous PZT powder suspensions for direct coagulation casting
K. PRABHAKARAN, K. JOSEPH, R. SOORAJ & C. DURGAPRASAD (India)
- 2103 Ballistic performance of armour ceramics: Influence of design and structure. Part 1
E. MEDVEDOVSKI (USA)
- 2117 Ballistic performance of armour ceramics: Influence of design and structure. Part 2
E. MEDVEDOVSKI (USA)
- 2129 Wear mechanisms of TiN–TiB₂ ceramic in sliding against alumina from room temperature to 700 °C
Z.-L. YANG, J.-H. OUYANG, Z.-G. LIU & X.-S. LIANG (China)

- 2137 Spinel precipitation in Sn^{4+} -doped Co_{1-x}O polycrystals with dispersed $\text{Co}_{2+x}\text{Sn}_{1-x}\text{O}_4$ particles
C.-Y. PAN & P. SHEN (Taiwan)
- 2147 Roles of polymeric dispersant charge density on lead zirconate titanate aqueous processing
N. TRAIPHOL, R. SUNTAKO & K. CHANTHORNTHIP (Thailand)
- 2155 Structure and properties of plasma sprayed BaTiO_3 coatings
P. CTIBOR (Czech Republic), H. AGEORGES (France), J. SEDLACEK & R. CTVRTLÍK (Czech Republic)
- 2163 Proton conductive YSZ-phosphate composite electrolyte for H_2S SOFC
H. CHEN, Z. XU, C. PENG, Z. SHI, J.-L. LUO, A. SANGER & K.T. CHUANG (Canada)
- 2169 Monodisperse nanospheres of yttrium oxysulfide: Synthesis, characterization, and luminescent properties
P.F. AI, W.Y. LI, L.Y. XIAO, Y.D. LI, H.J. WANG & Y.L. LIU (PR China)
- 2175 Trimethylamine sensing properties of nano- SnO_2 prepared using microwave heating method
X. CHU, Y. HAN, S. ZHOU & H. SHUI (PR China)
- 2181 Toughening of SiC matrix with *in-situ* created TiB_2 particles
D. BUCEVAC (Canada, Serbia), S. BOSKOVIC, B. MATOVIC (Serbia) & V. KRSTIC (Canada)
- 2189 State dependent pyroelectric and thermal expansion coefficients in a PZT wafer
S.-J. KIM & Y.S. KIM (Republic of Korea)
- 2197 Influence of heating rate on optical properties of Nd:YAG laser ceramic
W. LIU, B. JIANG, W. ZHANG, J. LI, J. ZHOU, D. ZHANG, Y. PAN & J. GUO (PR China)
- 2203 Thermal conductivity of porous SiC composite ceramics derived from paper precursor
N. POPOVSKA, E. ALKHATEEB, A.P. FRÖBA & A. LEIPERTZ (Germany)
- 2209 Large-scale synthesis of AlN nanofibers by direct nitridation of aluminum
P.G. ZHANG, K.Y. WANG & S.M. GUO (USA)
- 2215 Sol–gel hydrothermal synthesis of bismuth– TiO_2 nanocubes for dye-sensitized solar cell
M.N. AN'AMT, S. RADIMAN, N.M. HUANG, M.A. YARMO, N.P. ARIYANTO, H.N. LIM & M.R. MUHAMAD (Malaysia)

Short Communications

- 2221 Processing and microstructure of $\gamma\text{-LiAlO}_2$ ceramics
J. LIN, Z. WEN, X. XU & Z. GU (PR China)
- 2227 Microstructure evolution of Ti_3SiC_2 powder during high-energy ball milling
L. LIU, L. WANG, L. SHI & W. JIANG (People's Republic of China)
- 2231 The preparation and characterization of soft-agglomerated $\text{ZrO}_2\text{--SiO}_2$ nanocrystalline composite by supercritical CO_2
H. GOCMEZ, M. TUNCER & I. UZULMEZ (Turkey)
- 2235 Oxidation behavior of Al_2O_3 reinforced MoSi_2 composite coatings fabricated by vacuum plasma spraying
X. FEI, Y. NIU, H. JI, L. HUANG & X. ZHENG (China)
- 2241 Effects of annealing on phase evolution, microstructure and magnetic properties of mechanically synthesized nickel-ferrite
A. AZIZI & S.K. SADRNEZHAAD (Iran)
- 2247 The effect of milling time on the sintering kinetics of Si_3N_4 based nanocomposites
O. TAPASZTÓ & C. BALÁZSI (Hungary)
- 2253 Sintering process and high temperature stability investigation for nano-scale CaB_6 materials
L. ZHANG, G. MIN, H. YU & H. YU (PR China)

- 2259 Heteroepitaxial ZnO/sapphire (0 0 0 1) structure prepared by sol–gel process
K.-S. HWANG, B.-A. KANG, Y.-S. KIM, S. HWANGBO & J.-T. KIM (Republic of Korea)

Issue 8

Original Articles

- 2263 Improvement in shape memory in magnesium niobate modified PZST
A. PATHAK, R. CHATTERJEE & C. PRAKASH (India)
- 2269 Fabrication and characterization of nanoporous SiO₂ ceramics via pyrolysis of silicone resin filled with nanometer SiO₂ powders
Q.-S. MA, Y. MA & Z.-H. CHEN (PR China)
- 2273 Phase evolution and thermophysical properties of plasma sprayed thick zirconia coatings after annealing
G. DI GIROLAMO, C. BLASI, L. PAGNOTTA & M. SCHIOPPA (Italy)
- 2281 Effect of sintering temperature on the microstructure and mechanical properties of ZrO₂-3 mol%Y₂O₃ sol–gel films
A. DÍAZ-PARRALEJO, A.L. ORTIZ (Spain) & R. CARUSO (Argentina)
- 2287 Actively brazed alumina to alumina joints using CuTi, CuZr and eutectic AgCuTi filler alloys
K.M. JASIM (Iraq, UK), F.A. HASHIM, R.H. YOUSIF (Iraq), R.D. RAWLINGS & A.R. BOCCACCINI (UK)
- 2297 Influence of precursor morphology on the microstructure of silicon carbide nanopowder produced by combustion syntheses
Z. YERMEKOVA, Z. MANSUROV (Kazakhstan) & A. MUKASYAN (USA)
- 2307 Crystallization behaviour and properties of multicomponent strontium—Containing lithia calcia silicate glasses
S.M. SALMAN, S.N. SALAMA & H.A. ABO-MOSALLAM (Egypt)
- 2315 An in situ high pressure-high temperature powder diffraction study of the formation of a precursor phase of bismuth manganite
R.J. CERNIK (UK), L. DUBROVINSKY (Germany), R. FREER & M. THRALL (UK)
- 2323 Influence of rare earth additives and boron component on electrical conductivity of sodium rare earth borate glasses
S. NAKAYAMA, T. WATANABE, T. ASAH, H. KIYONO, Y.L. AUNG & M. SAKAMOTO (Japan)
- 2329 Study of mullite formation in porcelain stoneware applying isoconversional and IKP methods
J.M. PÉREZ, J.M. RINCÓN & M. ROMERO (Spain)
- 2337 Relationship between fracture toughness characteristics and morphology of sintered Al₂O₃ ceramics
K. MAITI & A. SIL (India)
- 2345 Piezoelectric and dielectric characteristics of lead-free BNKLT ceramic thick film and multilayered piezoelectric actuators
S.H. CHOY, X.P. JIANG, K.W. KWOK & H.L.W. CHAN (China)
- 2351 Sintering of surfactant modified ZnO–Bi₂O₃ based varistor nanopowders
S. ANAS (India), R. METZ (France), M.A. SANOJ (India), R.V. MANGALARAJA (Chile) & S. ANANTHAKUMAR (India)
- 2359 Growth-temperature-dependent microstructure and ferromagnetic properties of perovskite manganite-based heterostructures
Y.-C. LIANG (Taiwan)
- 2365 A study on the interfacial reaction and dielectric properties of Ba_{0.88}(Nd_{1.40}Bi_{0.42}La_{0.30})Ti₄O₁₂/alkali-borosilicate glass composites
K.-H. LIN, C.-L. LIAO & S.-T. LIN (Taiwan)

- 2375 Synthesis of cellulose–nanohydroxyapatite composite in 1-*n*-butyl-3-methylimidazolium chloride
S. ZADEGAN, M. HOSSAINALIPOUR, H. GHASSAI, H.R. REZAIE & M.R. NAIMI-JAMAL (Iran)
- 2383 Effect of the calcination temperature on the composition and microstructure of hydroxyapatite derived from human and animal bone
M. FIGUEIREDO, A. FERNANDO, G. MARTINS, J. FREITAS, F. JUDAS & H. FIGUEIREDO (Portugal)
- 2395 Effect of cesium substitution on the thermal evolution and ceramics formation of potassium-based geopolymer
P. HE, D. JIA, M. WANG & Y. ZHOU (China)
- 2401 Microstructure and interfacial reactions between B₆O and (Ni, Co) couples
O.T. JOHNSON, I. SIGALAS (South Africa) & M. HERRMANN (Germany)
- 2407 Development of ceramic electrochemical sensor based on Bi₂Ru₂O_{7+x} – RuO₂ sub-micron oxide sensing electrode for water quality monitoring
S. ZHUIYKOV (Australia)
- 2415 Multiferroic ceramics in BaO–Y₂O₃–Fe₂O₃–Nb₂O₅ system
Y.J. WU, S.P. GU, Y.Q. LIN, Z.J. HONG, X.Q. LIU & X.M. CHEN (China)
- 2421 Investigation of biphasic calcium phosphate/gelatin nanocomposite scaffolds as a bone tissue engineering
L. BAKHTIARI, H.R. REZAIE, S.M. HOSSEINALIPOUR & M.A. SHOKRGOZAR (Iran)
- 2427 Fabrication of β-Si₃N₄ whiskers from a GPSed-RBSN sponge using 6Y₂O₃–2MgO additives
D.-V. TUYEN, J.-H. YOO, H.-D. KIM & B.-T. LEE (South Korea)
- 2431 Development of macroporous nanocomposite scaffolds of gelatin/bioactive glass prepared through layer solvent casting combined with lamination technique for bone tissue engineering
M. MOZAFARI, F. MOZTARZADEH, M. RABIEE, M. AZAMI, S. MALEKNIA, M. TAHRIRI (Iran), Z. MOZTARZADEH (Germany) & N. NEZAFATI (Iran)
- 2441 Synthesis of organized hydroxyapatite (HA) using triton X-100
J. ZHANG, D. JIANG, J. ZHANG, Q. LIN & Z. HUANG (China)
- 2449 Potassium based bioactive glass for bone tissue engineering
D. BELLUCCI, V. CANNILLO, G. CIARDELLI, P. GENTILE & A. SOLA (Italy)
- 2455 Raman spectroscopy studies of the high-temperature evolution of the free carbon phase in polycarbosilane derived SiC ceramics
M. YAN, W. SONG & C. ZHAO-HUI (PR China)
- 2461 Recycling the insoluble residue from titania slag dissolution (tionite) in clay bricks
M. DONDI, G. GUARINI, M. RAIMONDO, C. ZANELLI, D.D. FABBRICHE & A. AGOSTINI (Italy)
- 2469 The recycling of MSWI bottom ash in silicate based ceramic
E. RAMBALDI, L. ESPOSITO, F. ANDREOLA, L. BARBIERI, I. LANCELLOTTI & I. VASSURA (Italy)
- 2477 Characteristics of Ag powders coated with Pb-based glass material prepared by spray pyrolysis under various gas environments
J.H. YI, H.Y. KOO, J.H. KIM, Y.N. KO, Y.C. KANG, H.M. LEE & J.Y. YUN (Republic of Korea)

Short Communications

- 2485 Hydrothermal synthesis of Li(Ni_{1/3}Co_{1/3}Mn_{1/3})O₂ for lithium rechargeable batteries
J. XIE, X. HUANG, Z. ZHU & J. DAI (China)
- 2489 Hydrothermal synthesis of LiNi_{0.9}Co_{0.1}O₂ cathode materials
J. XIE, X. HUANG, J. DAI, Z. ZHU, Y. ZHENG & Z. LIU (PR China)
- 2493 Dehydration reactions and kinetic parameters of gibbsite
B. ZHU, B. FANG & X. LI (China)

- 2499 The controllable microstructure of porous Al₂O₃ ceramics prepared via a novel freeze casting route
L. JING (P.R. China), K. ZUO (China), Z. FUQIANG, X. CHUN, F. YUANFEI (P.R. China), D. JIANG & Y.-P. ZENG (China)
- 2505 Al₂O₃/diopside ceramic composites and their behaviour in simulated body fluid
M. ZHANG, C. LIU, X. ZHANG, S. PAN & Y. XU (PR China)
- 2511 Effect of activation on boron nitride coating on carbon fiber
M. DAS, J. GHOSH & A.K. BASU (India)
- I Keywords for *Ceramics International*