

Contents of Volume 37

Issue 1

Original Articles

- 1 Mechanical properties of cBN–Al composite materials
A. MCKIE (South Africa), J. WINZER (Germany), I. SIGALAS (South Africa), M. HERRMANN, L. WEILER, J. RÖDEL (Germany) & N. CAN (South Africa)
- 9 Sintering behavior of nano alumina powder shaped by pressure filtration
M. AMINZARE (Iran), M. MAZAHARI (Switzerland), F. GOLESTANI-FARD, H.R. REZAIE & R. AJEIAN (Iran)
- 15 Effect of bentonite addition on fabrication of reticulated porous SiC ceramics for liquid metal infiltration
U. SOY, A. DEMIR & F. CALISKAN (Turkey)
- 21 Isothermal sintering of barium–zinc–titanate ceramics
N. OBRADOVIĆ, S. FILIPOVIĆ, V. PAVLOVIĆ, M. MITRIĆ, S. MARKOVIĆ, V. MITIĆ, N. ĐORPEVIĆ & M.M. RISTIĆ (Serbia)
- 29 Solid particle erosion behaviour of high purity alumina ceramics
L. ĆURKOVIĆ, I. KUMIĆ & K. GRILEC (Croatia)
- 37 Dielectric properties of Sm, Nd and Fe doped $\text{Bi}_{1.5}\text{Zn}_{0.92}\text{Nb}_{1.5}\text{O}_{6.92}$ pyrochlores
A. MERGEN, H. ZORLU, M. ÖZDEMİR & M. YUMAK (Turkey)
- 43 Preparation of ITO/Ag nanohybrid particles by a reverse micellar layer-by-layer coating
J.-W. FAN, T.-T. TSENG, C.-N. CHEN, M.-H. WEI & W.J. TSENG (Taiwan)
- 49 Structure, thermal stability and electrical conductivity of $\text{CaMoO}_{4+\delta}$
H.-N. IM, M.-B. CHOI, S.-Y. JEON & S.-J. SONG (South Korea)
- 55 Dielectric properties of CuO-doped $\text{La}_{2.98/3}\text{Ba}_{0.01}(\text{Mg}_{0.5}\text{Sn}_{0.5})\text{O}_3$ ceramics at microwave frequency
Y.-C. CHEN & W.-Y. HSU (Taiwan)
- 59 Thermal evolution and crystallization kinetics of potassium-based geopolymer
P. HE, D. JIA, M. WANG & Y. ZHOU (PR China)
- 65 Synthesis and characterization of hydroxyapatite/ β -tricalcium phosphate nanocomposites using microwave irradiation
A. FARZADI, M. SOLATI-HASHJIN, F. BAKHSHI & A. AMINIAN (Iran)
- 73 Preparation and filtration testing of diatomite filtering layer by acid leaching
O. ŞAN & A. İMARETLİ (Turkey)
- 79 Microstructure and anti-oxidation properties of multi-composition ceramic coatings for carbon/carbon composites
F. TAO, L. HE-JUN, F. QIAN-GANG, Z. YU-LEI & S. XIAO-HONG (PR China)
- 85 Frost resistance of clay roofing tiles: Case study
V. DUCMAN, A.S. ŠKAPIN (Slovenia), M. RADEKA & J. RANOGAJEC (Serbia)

- 93 Electrical properties of C/C and C/C–SiC ceramic fibre composites
S. SINGH & V.K. SRIVASTAVA (India)
- 99 Refractory coating based on cordierite for application in new evaporate pattern casting process
Z. AČIMOVIĆ-PAVLOVIĆ, L. ANDRIĆ, V. MILOŠEVIĆ & S. MILIĆEVIĆ (Serbia)
- 105 Effect of Ni substitution on electrical and thermoelectric properties of LaCoO_3 ceramics
F. LI & J.-F. LI (China)
- 111 Hydrothermal conversion of Nb-anatase nanoparticles into layered titanates
L.M. NIKOLIĆ (Serbia), M. MILANOVIĆ, S. NEDIĆ, K. GIANNAKOPOULOS & A.G. KONTOS (Greece)
- 119 Fabrication, microstructure and optical properties of polycrystalline $\text{Er}^{3+}:\text{Y}_3\text{Al}_5\text{O}_{12}$ ceramics
J. ZHOU, W. ZHANG, L. WANG, Y. SHEN, J. LI, W. LIU, B. JIANG, H. KOU, Y. SHI & Y. PAN (China)
- 127 High thermally stable Mg-substituted tricalcium phosphate *via* precipitation
I. CACCIOTTI & A. BIANCO (Italy)
- 139 Microstructural design and elaboration of multiphase ultra-fine ceramics
P. PALMERO, V. NAGLIERI, G. SPINA & M. LOMBARDI (Italy)
- 145 A new potassium-based bioactive glass: Sintering behaviour and possible applications for bioceramic scaffolds
D. BELLUCCI, V. CANNILLO & A. SOLA (Italy)
- 159 Enhanced particle rearrangement during liquid phase spark plasma sintering of silicon nitride-based ceramics
P. MIRANZO, J. GONZÁLEZ-JULIÁN, M.I. OSENDI & M. BELMONTE (Spain)
- 167 Synthesis and characterization of monetite and hydroxyapatite whiskers obtained by a hydrothermal method
B. JOKIĆ, M. MITRIĆ (Serbia), V. RADMILOVIĆ (USA), S. DRMANIĆ, R. PETROVIĆ & D. JANAČKOVIĆ (Serbia)
- 175 Synthesis and characterization of nanocrystalline merwinite ($\text{Ca}_3\text{Mg}(\text{SiO}_4)_2$) *via* sol–gel method
M. HAFEZI-ARDAKANI, F. MOZTARZADEH, M. RABIEE & A.R. TALEBI (Iran)
- 181 Amorphous zones in flame sprayed alumina–titania–zirconia compounds
T. KRATSCHEMER & C.G. ANEZIRIS (Germany)
- 189 Synthesis and cathodoluminescence of ZnO tetrapods prepared by a simple oxidation of Zn powder in air atmosphere
G.-H. LEE (Republic of Korea)
- 195 Gel-combustion, characterization and processing of porous Ni–YSZ cermet for anodes of solid oxide fuel cells (SOFCs)
M.B. KAKADE, S. RAMANATHAN & D. DAS (India)
- 201 Low-temperature formation of α -alumina from various polyhydroxoaluminum–hydroxy acid composite gels
T. YAMAGUCHI, N. MUKOUYAMA, T. FUJITA, S. TARUTA & K. KITAJIMA (Japan)
- 207 Interface states and MWS polarization contributions to the dielectric response of low voltage ZnO varistor
C. TSONOS, A. KANAPITSAS, D. TRIANTIS, C. ANASTASIADIS, I. STAVRAKAS, P. PISSIS (Greece) & E. NEAGU (Romania)
- 215 Calcium aluminate cement source evaluation for Al_2O_3 –MgO refractory castables
M.A.L. BRAULIO, G.G. MORBIOLI, D.H. MILANEZ & V.C. PANDOLFELLI (Brazil)
- 223 Preparation of porous SiC ceramics by an infiltration technique
A. DEY, N. KAYAL & O. CHAKRABARTI (India)
- 231 Composite cathodes of $\text{La}_{0.9}\text{Ca}_{0.1}\text{Ni}_{0.5}\text{Co}_{0.5}\text{O}_3$ – $\text{Ce}_{0.8}\text{Sm}_{0.2}\text{O}_{1.9}$ for solid oxide fuel cells
Y.-P. FU & F.-Y. TSAI (Taiwan)
- 241 Effect of Y_2O_3 additive on conventional and microwave sintering of mullite
P.M. SOUTO, R.R. MENEZES & R.H.G.A. KIMINAMI (Brazil)

- 249 Morphology control of α - Al_2O_3 platelets by molten salt synthesis
Z. LI-HUI & H. QING-WEI (People's Republic of China)
- 257 Influence of sintering parameters on tribological properties of ceria stabilized zirconia bio-ceramics
A.K. PANDEY & K. BISWAS (India)
- 265 Impulse degradation behavior of Co–Cr–Al–Y-doped $\text{ZnO-Pr}_6\text{O}_{11}$ -based varistors with sintering temperature
C.-W. NAHM (Republic of Korea)
- 273 Yttria-stabilized zirconia closed end tubes prepared by electrophoretic deposition
E. CAPRONI, D. GOUVÊA & R. MUCCILLO (Brazil)
- 279 Phase and thermal stability of hydroxyapatite whiskers precipitated using amine additives
H. ZHANG & M. ZHANG (China)
- 287 DC-field-induced synthesis of ZnO nanowhiskers in water-in-oil microemulsions
H. LU, X. YU, Z. ZENG, D. CHEN, K. BAO, L. ZHANG, H. WANG, H. XU & R. ZHANG (China)
- 293 Processing and properties of ZrB_2 –SiC composites obtained by aqueous tape casting and hot pressing
Z. Lü, D. JIANG, J. ZHANG & Q. LIN (PR China)
- 303 Engineering grain size and electrical properties of donor-doped barium titanate ceramics
K. NIESZ, T. OULD-ELY, H. TSUKAMOTO & D.E. MORSE (USA)
- 313 Fabrication of aluminum nitride coatings by electrophoretic deposition: Effect of particle size on deposition and drying behavior
H. ABDOLI, M. ZARABIAN, P. ALIZADEH & S.K. SADRNEZHAAD (Iran)
- 321 Novel fabrication of pressure-less sintering of translucent powder injection molded (PIM) alumina blocks
J.Y. ROH, J. KWON, C.S. LEE & J.S. CHOI (Republic of Korea)
- 327 Photocatalytic properties of TiO_2 sol–gel modified nanocomposite films
A. ESHAGHI, R. MOZAFFARINIA, M. PAKSHIR & A. ESHAGHI (Iran)
- 333 Synthesis, characterization and optical properties of $\text{Zn}_{1-x}\text{Ti}_x\text{O}$ nanoparticles prepared via a high-energy ball milling technique
S. SUWANBOON, P. AMORNPIKOSUK & P. BANGRAK (Thailand)
- 341 Phase transformation kinetics of 3 mol% yttria partially stabilized zirconia (3Y-PSZ) nanopowders prepared by a non-isothermal process
C.-W. KUO, Y.-H. SHEN, S.-B. WEN, H.-E. LEE, I.-M. HUNG, H.-H. HUANG & M.-C. WANG (Taiwan)
- 349 Effect of TiO_2 on phase evolution and microstructure of MgAl_2O_4 spinel in different atmospheres
R. NAGHIZADEH, H.R. REZAIE & F. GOLESTANI-FARD (Iran)
- 355 The white porcelains from Dehua kiln site of China: Part I. Chemical compositions and the evolution regularity
W. LI, H. LUO, J. LI, X. LU & J. GUO (China)
- 363 Testing method to assess lifetime of EB-PVD thermal barrier coatings on tubular specimens in static and cyclic oxidation tests
R.W. STEINBRECH, V. POSTOLENKO, J. MÖNCH, J. MALZBENDER & L. SINGHEISER (Germany)
- 369 Thermal conductivity studies on ceramic floor tiles
E. GARCÍA, A. DE PABLOS, M.A. BENGOCHEA, L. GUAITA, M.I. OSENDI & P. MIRANZO (Spain)
- 377 Ash from sunflower husk as raw material for ceramic products
N. QUARANTA, M. UNSEN, H. LÓPEZ, C. GIANIRACUSA (Argentina), J.A. ROETHER & A.R. BOCCACCINI (UK)

Short Communications

- 387 Dielectric properties of $\text{Ba}(\text{Ti}_{1-x}\text{Sn}_x)\text{O}_3$ ceramics in the paraelectric phase
C. KAJTOCH (Poland)

393	Effects of annealing temperature on some structural and optical properties of ZnO nanoparticles prepared by a modified sol–gel combustion method A.K. ZAK (Malaysia, Iran), M.E. ABRISHAMI (Iran), W.H.ABD. MAJID (Malaysia), R. YOUSEFI & S.M. HOSSEINI (Iran)
399	Formation of 3D tubular channel in fully densified zirconia ceramics by free-foaming method using superplasticity T.I. BHUIYAN, H. HAYASHI & A. KISHIMOTO (Japan)
403	Preparation of hydroxyapatite coating on smooth implant surface by electrodeposition D.-Y. LIN & X.-X. WANG (China)
407	Pore-forming agent induced microstructure evolution of freeze casted hydroxyapatite K.H. ZUO, Y. ZHANG, Y.-P. ZENG & D. JIANG (China)
411	Phase composition of bauxite-based refractory castables M.M. ABOU-SEKKINA, S.A. ABO-EL-ENEIN, N.M. KHALIL & O.A. SHALMA (Egypt)
419	Hydrothermal synthesis of orthorhombic LiMnO ₂ nano-particles J. XIE, X. HUANG, Z. ZHU & J. DAI (China)
423	Thermal conductivity studies on Si/SiC ceramic composites G. AMIRTHAN, A. UDAYA KUMAR & M. BALASUBRAMANIAN (India)
427	Growth kinetics of nanograins in Co ₃ O ₄ fibers S.-W. CHOI, J.Y. PARK & S.S. KIM (Republic of Korea)
431	On some properties of PZT–NZF composite films manufactured by hybrid synthesis route K.P. PRAMODA, A. HUANG & S.R. SHANNIGRAHI (Singapore)
I	Contents of Volume 36
XXII	Keyword Index
XXIX	Keywords for <i>Ceramics International</i>

Issue 2

Original Articles

437	Sintering behaviour of nano-crystalline γ -Al ₂ O ₃ powder without additives at 2–7 GPa N. KUSKONMAZ (Turkey), N. CAN, A. CAN & L. SIGALAS (South Africa)
443	Synthesis of Fe–TiC–Al ₂ O ₃ hybrid nanocomposite via carbothermal reduction enhanced by mechanical activation M. RAZAVI, A.H. RAJABI-ZAMANI, M.R. RAHIMIPOUR (Iran), R. KABOLI (Germany), M.O. SHABANI & R. YAZDANI-RAD (Iran)
451	Morphological studies of randomized dispersion magnetite nanoclusters coated with silica C.Y. HAW, C.H. CHIA, S. ZAKARIA, F. MOHAMED, S. RADIMAN, C.H. TEH, P.S. KHIEW, W.S. CHIU & N.M. HUANG (Malaysia)
465	Role of Ti ⁴⁺ and Sn ⁴⁺ ions in spinel formation and reactive sintering of magnesia-rich ceramics R. LODHA, G. OPREA & T. TROCZYNSKI (Canada)
471	The effect of the shape and size of the pores on the mechanical properties of porous HAP-based bioceramics D. VELJOVIĆ, R. JANČIĆ-HAJNEMAN, I. BALAĆ, B. JOKIĆ, S. PUTIĆ, R. PETROVIĆ & D. JANAČKOVIĆ (Serbia)
481	Effects of aqueous gelcasting and dry pressing on the sinterability and microwave dielectric properties of ZnAl ₂ O ₄ -based ceramics J.-M. WU, W.-Z. LU, W. LEI, J.-P. HE & J. WANG (China)
487	Effect of Ce and La substitution on dielectric properties of bismuth titanate ceramics N. PAVLOVIĆ (Serbia), V. KOVAL, J. DUSZA (Slovakia) & V.V. SRDIĆ (Serbia)

- 493 Solid solutions of mixed metal $\text{Mn}_{3-x}\text{Mg}_x\text{Fe}_4(\text{PO}_4)_6$ orthophosphates: Colouring performance within a double-firing ceramic glaze
M. LLUSAR, J.A. BADENES, A. GARCÍA, C. GARGORI, R. GALINDO & G. MONRÓS (Spain)
- 505 Initial stage sintering of binderless tungsten carbide powder under microwave radiation
D. DEMIRSKYI (USA, Ukraine), A. RAGULYA (Ukraine) & D. AGRAWAL (USA)
- 513 Optical properties of Er,Yb co-doped YAG transparent ceramics
J. ZHOU, W. ZHANG (China), T. HUANG (Hong Kong), L. WANG, J. LI, W. LIU, B. JIANG, Y. PAN & J. GUO (China)
- 521 Effect of time on microstructure and hardness of βSiAlON –cubic boron nitride composites during spark plasma sintering
M. HOTTA & T. GOTO (Japan)
- 525 Preparation of $\text{Y}_2\text{O}_3\text{:Eu}^{3+}$ nanopowders via polymer complex solution method and luminescence properties of the sintered ceramics
R.M. KRSMANOVIĆ, Ž. ANTIĆ, M.G. NIKOLIĆ, M. MITRIĆ & M.D. DRAMIĆANIN (Serbia)
- 533 Mechanical activation of fly ash: Effect on reaction, structure and properties of resulting geopolymer
S. KUMAR & R. KUMAR (India)
- 543 Preparation and characterization of $\text{Cr}_2\text{O}_3\text{--TiO}_2\text{--Al}_2\text{O}_3\text{--V}_2\text{O}_5$ green pigment
T. THONGKANLUANG, T. KITTAUCHAWAL & P. LIMSUWAN (Thailand)
- 549 Phase formation studies in $\text{ZnB}''_2\text{O}_6$ and $\text{Pb}(\text{Zn}_{1/3}\text{B}''_{2/3})\text{O}_3$ ($\text{B}'' = \text{Nb, Ta}$)
B.-Y. AHN, T.-K. PARK & N.-K. KIM (Republic of Korea)
- 555 Effect of doping concentration on the properties of aluminium doped zinc oxide thin films prepared by spray pyrolysis for transparent electrode applications
C.M. MUIVA, T.S. SATHIARAJ & K. MAABONG (Botswana)
- 561 Microwave sintering of simulated inert matrix fuel for generation IV nuclear reactors
R.R. THRIDANDAPANI, D.C. FOLZ & D.E. CLARK (USA)
- 567 Structure and properties of nanocrystalline BaHfO_3 synthesized by an auto-igniting single step combustion technique
J.K. THOMAS, H.P. KUMAR, V.S. PRASAD & S. SOLOMON (India)
- 573 Characterization of $\text{NdSrCo}_{1-x}\text{Fe}_x\text{O}_{4+\delta}$ ($0 \leq x \leq 1.0$) intergrowth oxide cathode materials for intermediate temperature solid oxide fuel cells
K.-W. SONG & K.-T. LEE (Republic of Korea)
- 579 Fabrication of highly dispersed crystallized nanoparticles of barium strontium titanate in the presence of N,N-dimethylacetamide
D. DONG, X. LIU, H. YU & W. HU (PR China)
- 585 Oxidation behavior of $\text{ZrB}_2\text{--MoSi}_2\text{--SiC}$ composites in air at 1500 °C
S. GUO, T. MIZUGUCHI, M. IKEGAMI & Y. KAGAWA (Japan)
- 593 Growth of Sb_2O_3 submicron rods by the thermal evaporation of a mixture of Zn and Sb powders
H.W. KIM, H.S. KIM, H.G. NA, J.C. YANG, M.A. KEBEDE & C. LEE (Republic of Korea)
- 599 Effects of bismuth oxide on the sinterability of hydroxyapatite
S. RAMESH, C.Y. TAN, W.H. YEO, R. TOLOUEI, M. AMIRIYAN, I. SOPYAN & W.D. TENG (Malaysia)
- 607 Quantitative determination of ZrC in new ceramic materials by Fourier transform infrared spectroscopy
M.M.L. GUERRERO, A.G. DE TORRES, E.V. ALONSO, M.T.S. CORDERO & J.M.C. PAVÓN (Spain)
- 615 Characterization of indium tin oxide (ITO) thin films prepared by a sol–gel spin coating process
H. CHO & Y.-H. YUN (Korea)
- 621 Preparation of Pt/beta zeolite– Al_2O_3 /cordierite monolith for automobile exhaust purification
T. WANG, S. YANG, K. SUN & X. FANG (PR China)

- 627 Modelling the pressure dependence and the influence of added polymeric fibers on the permeability of refractory concretes
B. COLLIGNON, C. MOYNE, J.-L. GUICHARD, C. PERROT & Y. JANNOT (France)
- 635 Porous hydroxyapatite ceramics by ice templating: Freezing characteristics and mechanical properties
K. ZHAO, Y.-F. TANG, Y.-S. QIN & J.-Q. WEI (PR China)
- 641 Microstructure and fracture behavior of β - Si_3N_4 based nanoceramics
C.-H. LEE, H.-H. LU (Taiwan), C.-A. WANG (People's Republic of China), W.-T. LO, P.K. NAYAK & J.-L. HUANG (Taiwan)
- 647 *In situ* TEM observation of crack propagation in LiTaO_3 particle toughened Al_2O_3 ceramics
Y.G. LIU, D.C. JIA, Y. ZHOU, M.H. FANG & Z.H. HUANG (PR China)
- 651 The white porcelains from Dehua kiln site of China. Part II: Microstructure and its physicochemical basis
W. LI, H. LUO, J. LI, X. LU & J. GUO (China)

Short Communications

- 659 TiO_2 /modified natural clay semiconductor as a potential electrode for natural dye-sensitized solar cell
N.-O. SAELIM, R. MAGARAPHAN & T. SREETHAWONG (Thailand)
- 665 Hydrothermal synthesis of $\text{LiNi}_x\text{Co}_{1-x}\text{O}_2$ cathode materials
J. XIE, X. HUANG, Z. ZHU & J. DAI (China)
- 669 Formation mechanism of barium titanate by thermal decomposition of barium titanyl oxalate
W.-S. JUNG, B.-K. MIN, J. PARK & D.-H. YOON (Republic of Korea)
- 673 Preparation of single-phase magnesium silicon nitride powder by a two-step process
J.H. YANG, J.F. QIU & J.T. LI (PR China)
- 679 Rapid consolidation of nanostructured TaSi_2 from mechanochemically synthesized powder by high frequency induction heated sintering
I.-J. SHON, I.-Y. KO, S.-M. CHAE & K.-I. NA (Republic of Korea)
- 683 Synthesis of BaMoO_4 high photoluminescent whiskers by an electrochemical method
Y. SUN, J. MA, J. FANG, C. GAO & Z. LIU (PR China)
- 687 Characteristics of nanosized Bi-based glass powders prepared by flame spray pyrolysis as transparent dielectric layer material
J.H. KIM, H.Y. KOO, Y.N. KO, D.S. JUNG, Y.C. KANG & J.-H. LEE (Republic of Korea)

Corrigenda

- 691 Corrigendum to "Investigation of the effect of ZrO_2 and $\text{ZrO}_2/\text{Al}_2\text{O}_3$ additions on the hot-pressing and properties of equimolecular mixtures of α - & β - Si_3N_4 " [Ceram. Int. 36 (2010) 1327–1338]
E.M.M. EWAIS, M.A.A. ATTIA, A. ABOUSREE-HEGAZY (Egypt) & R.K. BORDIA (USA)
- 693 Corrigendum to "The effect of surface treatment on CaP deposition of Ti6Al4V open cell foams in SBF solution." [Ceram. Int. 39 (2010) 1805–1816]
U. TURKAN & M. GUDEN (Turkey)

Issue 3

Original Articles

- 695 Mechanical properties and microstructures of C_f/SiC – ZrC composites using T700SC carbon fibers as reinforcements
Z. WANG, S.M. DONG, Y.S. DING, X.Y. ZHANG, H.J. ZHOU, J.S. YANG & B. LU (PR China)
- 701 Microstructure and electrical properties of Sc_2O_3 -doped ZnO – Bi_2O_3 -based varistor ceramics
D. XU, X. CHENG, G. ZHAO, J. YANG & L. SHI (China)
- 707 Structural and electrical properties of $0.56\text{Pb}(\text{Ni}_{1/3}\text{Nb}_{2/3})\text{O}_3$ – $0.10\text{Pb}(\text{Zn}_{1/3}\text{Nb}_{2/3})\text{O}_3$ – 0.34PbTiO_3 ceramics prepared by different ceramic processings
B. FANG, Q. DU, D. WU, L. ZHOU (PR China), Y. SHAN, K. TEZUKA & H. IMOTO (Japan)

- 715 Phase evolution during the low temperature formation of stoichiometric hydroxyapatite-gypsum composites
Y.E. GREISH (United Arab Emirates)
- 725 Biomorphic silicon/silicon carbide ceramics from birch powder
Z. YAN, J. LIU, J. ZHANG, T. MA & Z. LI (China)
- 731 Correlation of compaction pressure, green density, pore size distribution and sintering temperature of a nano-crystalline 2Y-TZP- Al_2O_3 composite
S. KOLEY, A. GHOSH, A.K. SAHU, R. TEWARI & A.K. SURI (India)
- 741 Synthesis and characterization of clinopyroxene based glasses and glass-ceramics along diopside ($\text{CaMgSi}_2\text{O}_6$)–jadeite ($\text{NaAlSi}_2\text{O}_6$) join
R. JINDAL (India, Germany), R. JAYAGANTHAN, I.V. SINGH (India) & R. CONRADT (Germany)
- 749 Crystalline morphology and photoluminescent properties of $\text{YInGe}_2\text{O}_7\text{:Eu}^{3+}$ phosphors prepared from microwave and conventional sintering
R.-Y. YANG, H.-Y. CHEN, C.-M. HSIUNG & S.-J. CHANG (Taiwan)
- 753 Effect of solvent on structure and optical properties of PZT nanoparticles prepared by sol–gel method, in infrared region
A.K. ZAK (Malaysia, Iran) & W.H.ABD. MAJID (Malaysia)
- 759 Studies on novel bioactive glasses and bioactive glass–nano-HAp composites suitable for coating on metallic implants
C. SOUNDRAPANDIAN, S. BHARATI, D. BASU & S. DATTA (India)
- 771 Combined zirconia toughened alumina (ZTA) stacks obtained by electron beam physical vapour deposition
S.M. NAGA, S.H. KENAWY, M. AWAAD (Egypt), E. ROOS, A. LYUTOVICH, H. RUOFF & R. KRISCH (Germany)
- 779 Effects of Zn or Ti substitution for Ni on the electrochemical properties of LiNiO_2
H.U. KIM (Republic of Korea), J. SONG, D.R. MUMM (USA) & M.Y. SONG (Republic of Korea)
- 783 $\text{TiAl/B}_4\text{C}$ marine material—Fabrication, mechanical and corrosion properties
W. ZHANG (China, Australia), L. GAO (Australia), J. LI, B. YANG & Y. YIN (China)
- 791 Growth and structural characteristics of perovskite–wurtzite oxide ceramics thin films
Y.-C. LIANG (Taiwan)
- 797 Mesoporous high surface area $\text{Ce}_{0.9}\text{Gd}_{0.1}\text{O}_{1.95}$ synthesized by spray drying
M. LUNDBERG, H.-J. WANG, P. BLENNOW & M. MENON (Denmark)
- 803 Preparation and characterization of CuFe_2O_4 bulk catalysts
J.E. TASCA, C.E. QUINCOCES, A. LAVAT, A.M. ALVAREZ & M.G. GONZÁLEZ (Argentina)
- 813 A comparative study of MoSi_2 coatings manufactured by atmospheric and vacuum plasma spray processes
X. FEI, Y. NIU, H. JI, L. HUANG & X. ZHENG (China)
- 819 Sodium impurities in $\text{ZnO-Bi}_2\text{O}_3\text{-Sb}_2\text{O}_3$ based varistors
M. PEITEADO, Y. IGLESIAS & A.C. CABALLERO (Spain)
- 825 Characteristics of exothermic reaction fronts in the gasless combustion system
T.S. KANG, C.-H. PARK & S.H. KIM (Republic of Korea)
- 835 Influence of chemical composition on sintering ability of ZTA ceramics consolidated from freeze dried granules
I. GANESH, G. SUNDARARAJAN (India), S.M. OLHERO & J.M.F. FERREIRA (Portugal)
- 843 The hindering function of phosphate on the grain growth behavior of nanosized zirconia powders calcined at high temperatures
J. LIU, B. LU, J. LIU, Y. ZHANG & Y. WEI (China)
- 851 Influence of mineralogical composition of applied ball clays on properties of porcelain tiles
K. GALOS (Poland)

- 863 Solubility of blue CoAl_2O_4 ceramic pigments in water and diethylene glycol media
S. AKDEMIR, E. OZEL & E. SUVACI (Turkey)
- 871 Utilization of muscovite granite waste in the manufacture of ceramic tiles
M. HOJAMBERDIEV (USA, PR China), A. EMINOV (Uzbekistan) & Y. XU (PR China)
- 877 Hydrothermal synthesis of submicron NaNbO_3 powders
H. SONG & W. MA (People's Republic of China)
- 883 Structural characterization of plasma sprayed basalt– SiC glass–ceramic coatings
E. ERCENK, U. SEN & S. YILMAZ (Turkey)
- 891 Preparation and properties of 2D $\text{C/SiC-ZrB}_2\text{-TaC}$ composites
L. LI, Y. WANG, L. CHENG & L. ZHANG (PR China)
- 897 Enhancement of hydrogen-storage properties of Mg by reactive mechanical grinding with oxide, metallic element(s), and hydride-forming element
M.Y. SONG, S.N. KWON (Republic of Korea), J.-L. BOBET (France) & H.R. PARK (Republic of Korea)
- 903 Optimizing the performance of porous electrochemical cells for flue gas purification using the DOE method
K.B. ANDERSEN, F.B. NYGAARD, Z. HE, M. MENON & K.K. HANSEN (Denmark)
- 913 Powder morphology modification and sinterability improvement of $\text{Ce}_{0.8}\text{Sm}_{0.2}\text{O}_{1.9}$ derived from solution combustion process
Q. XU, D.-P. HUANG, K. ZHAO, W. CHEN (China), M. CHEN & B.-H. KIM (Republic of Korea)
- 921 High temperature bending creep behavior of a multi-cation doped $\alpha/\beta\text{-SiAlON}$ composite
A. ULUDAĞ & D. TURAN (Turkey)
- 927 Synergistically reinforcement of a self-setting calcium phosphate cement with bioactive glass fibers
N. NEZAFATI, F. MOZTARZADEH, S. HESARAKI & M. MOZAFARI (Iran)
- 935 Enhanced phase stability in hydroxylapatite/zirconia composites with hot isostatic pressing
C. ERGUN (Turkey)
- 943 Fabrication and properties of $\text{CaZr}_{0.9}\text{In}_{0.1}\text{O}_{3-\delta}$ prepared by an auto-ignition combustion process
J. ZHANG, Z. WEN, J. HAN, Y. LIU, S. SONG & T.-L. WEN (PR China)
- 951 Synthesis of nanocrystalline lithium niobate powders via a fast chemical route
C.-L. KUO, Y.-S. CHANG, Y.-H. CHANG & W.-S. HWANG (Taiwan)
- 957 Pulsed electric current sintering of transparent Cr-doped Al_2O_3
K.Q. DANG, S. TAKEI, M. KAWAHARA & M. NANKO (Japan)
- 965 Fabrication of superhydrophilic membrane filters using spherical glass particles obtained by ultrasonic spray pyrolysis
C. ÖZGÜR & O. ŞAN (Turkey)
- 971 Synthesis and microstructural characterization of nano-size calcium phosphates with different stoichiometry
C. ERGUN, Z. EVIS (Turkey), T.J. WEBSTER (USA) & F.C. SAHIN (Turkey)
- 979 Dielectric and piezoelectric properties of rare-earth gadolinium modified lead lanthanum zirconium niobium titanate ceramics
K. RAMAM (Chile) & K. CHANDRAMOULI (India)
- 985 Vacuum heat-treatment of MgO-densified silicon nitride ceramics and their compatibility with molten aluminium and copper
V. DEMIR & A. DEMIR (Turkey)
- 989 Effects of CaSiO_3 addition on sintering behavior and microwave dielectric properties of Al_2O_3 ceramics
J.-M. CHEN, H.-P. WANG, S.-Q. FENG, H.-P. MA, D.-G. DENG & S.-Q. XU (China)
- 995 Synthesis of nanocrystalline Mn–Zn ferrite powders through thermolysis of mixed oxalates
A. ANGERMANN & J. TÖPFER (Germany)

- 1003 Microstructure and phase evolution of alumina–spinel self-flowing refractory castables containing nano-alumina particles
S. OTROJ & A. DAGHIGHI (Iran)
- 1011 Diffusion phenomena in the α - Si_3N_4 -solid solution and 304L stainless steel static interaction couple
G. CHAKRABORTY, S. BANDYOPADHYAY, B. HALDAR & R. DAS (India)
- 1017 Synthesis and characterization of mesoporous TiO_2 nanostructured films prepared by a modified sol–gel method for application in dye solar cells
E.C. MUNIZ, M.S. GÖES, J.J. SILVA, J.A. VARELA, E. JOANNI (Brazil), R. PARRA (Argentina) & P.R. BUENO (Brazil)
- 1025 Effect of Bi_2O_3 and B_2O_3 additives on the sintering temperature, microstructure, and microwave dielectric properties for $\text{Sm}(\text{Mg}_{0.5}\text{Ti}_{0.5})\text{O}_3$ ceramics
K.-W. TAY, Y.-P. FU, J.-F. HUANG & H.-C. HUANG (Taiwan)
- 1033 Structure and dielectric characteristics of $\text{Ca}(\text{Fe}_{1/2}\text{Ta}_{1/2})\text{O}_3$ complex perovskite ceramics
X. LV, Z. WANG & X.M. CHEN (China)
- 1039 Effect of sphalerite to wurtzite crystallographic transformation on microstructure, optical and mechanical properties of zinc sulphide ceramics
P. RAMAVATH, P. BISWAS, R.S. KUMAR, V. MAHENDAR, G.V.N. RAO, U.S. HAREESH, R. JOHNSON & N.E. PRASAD (India)
- 1047 Densification and grain growth of 8YSZ containing NiO
R.M. BATISTA & E.N.S. MUCCILLO (Brazil)
- 1055 Facile synthesis of boron carbide elongated nanostructures via a simple in situ thermal evaporation process
M. JAZIREHPOUR, H.-R. BAHABRVANDI, A. ALIZADEH & N. EHSANI (Iran)
- 1063 In situ growth of silicon carbide nanowires from anthracite surfaces
H. HUANG, J.T. FOX, F.S. CANNON & S. KOMARNENI (USA)
- 1073 Effect of temperature and heating rate on the sintering of leucite-based dental porcelains
C. FREDERICCI, H.N. YOSHIMURA, A.L. MOLISANI, M.M. PINTO & P.F. CESAR (Brazil)
- 1079 Solid state sintering of very low and negative thermal expansion ceramics by Spark Plasma Sintering
O. GARCÍA-MORENO, A. FERNÁNDEZ & R. TORRECILLAS (Spain)
- 1085 Reaction sintering of colloidal processed mixtures of sub-micrometric alumina and nano-titania
M.I. NIETO, C. BAUDÍN & I. SANTACRUZ (Spain)
- 1093 Thermal properties of plasma-sprayed thermal barrier coating with bimodal structure
Q. YU, A. RAUF, N. WANG & C. ZHOU (China)
- 1101 Synthesis of PZT fine particles using Ti^{3+} precursor at a low hydrothermal temperature of 110 °C
S.H. KIM & S. KOMARNENI (USA)

Short Communications

- 1109 Increases in the strength of Si-additive mixture granules by presintering
Y.-J. PARK, B.-W. PARK, J.-W. LEE, H.-S. YUN & I.-H. SONG (Republic of Korea)
- 1115 Characterization of microwave processed aluminium powder
S. GHOSH, K.S. PAL, N. DANDAPAT, A.K. MUKHOPADHYAY, S. DATTA & D. BASU (India)
- 1121 Interaction of boron suboxide with compacted graphite cast iron
C.S. FREEMANTLE, O.T. JOHNSON, I. SIGALAS (South Africa) & M. HERRMANN (Germany)
- 1127 Memory characteristics of multi-stacked thin films using La_2O_3 and LaAlO_3 as charge trap layer
H.J. KIM & D.J. CHOI (South Korea)
- 1133 Preparation and characterization of transparent Tm:YAG ceramics
W.-X. ZHANG, Y.-B. PAN, J. ZHOU, W.-B. LIU, J. LI, Y.-W. ZOU & Z.-Y. WEI (PR China)

- 1139 Microstructural control of ultrafine and nanocrystalline WC–12Co–VC/Cr₃C₂ mixture by spark plasma sintering
V. BONACHE, M.D. SALVADOR, V.G. ROCHA & A. BORRELL (Spain)

- 1143 Novel machinable calcium phosphate/CaTiO₃ composites
C. ERGUN (Turkey)

- I Keywords for *Ceramics International*

Issue 4

Original Articles

- 1147 Artificial neural network investigation of hardness and fracture toughness of hydroxylapatite
Z. EVIS & E. ARCAKLIOGLU (Turkey)
- 1153 Synthesis, characterization and photocatalytic properties of sol–gel TiO₂ films
S. ŠEGOTA, L. ČURKOVIĆ, D. LJUBAS, V. SVETLIČIĆ, I.F. HOURA & N. TOMAŠIĆ (Croatia)
- 1161 Manufacture and characterization of ultra and microfiltration ceramic membranes by isostatic pressing
R. DEL COLLE, C.A. FORTULAN & S.R. FONTES (Brazil)
- 1169 Microstructure and mechanical properties of dental 3Y-TZP ceramics by using CaO–P₂O₅ glass as additive
W.-F. HO, H.-C. HSU, Y.-F. PENG & S.-C. WU (Taiwan)
- 1175 A comparative study of electric properties of nano-structured and bulk Mn–Mg spinel ferrite
S.F. MANSOUR & M.A. ELKESTAWY (Egypt)
- 1181 Effect of carbon addition on the ferroelectric hysteresis properties of lead zirconate–titanate ceramic–cement composites
A. CHAIPANICH, N. JAITANONG & R. YIMNIRUN (Thailand)
- 1185 Recession behavior of Lu₂SiO₅ under a high speed steam jet at high temperatures
S. UENO, T. OHJI (Japan) & H.-T. LIN (USA)
- 1191 Thermodynamic evaluation of spinel containing refractory castables corrosion by secondary metallurgy slag
A.P. LUZ (Brazil), A.G.T. MARTINEZ (Argentina), M.A.L. BRAULIO & V.C. PANDOLFELLI (Brazil)
- 1203 Effects of PVA content on the synthesis of LaFeO₃ via sol–gel route
J. FENG, T. LIU, Y. XU, J. ZHAO & Y. HE (China)
- 1209 Preparation and characterization of graded SSC–SDC MIEC cathode for low-temperature solid oxide fuel cells
H. CHEN, K. CHENG, F. YE & W. WENG (China)
- 1215 Chemical synthesis of nanosized BaCO₃ with a pillar-like morphology
C. ZENG, P. LI, H. XU, Z. XU, H. LI & Y. ZHANG (PR China)
- 1219 Synthesis of silicon-substituted hydroxyapatite by a hydrothermal method with two different phosphorous sources
A. AMINIAN, M. SOLATI-HASHJIN, A. SAMADIKUCHAKSARAEI, F. BAKHSI, F. GORJIPOUR, A. FARZADI, F. MOZTARZADEH (Islamic Republic of Iran) & M. SCHMÜCKER (Germany)
- 1231 Gelcasting of alumina–chitosan beads
J. BRANDI, J.C. XIMENES, M. FERREIRA & R. SALOMÃO (Brazil)
- 1237 Microwave sintering of cordierite precursor green bodies prepared by starch consolidation
M.L. SANDOVAL, M.H. TALOU (Argentina), P.M. DE SOUTO, R.H.G.A. KIMINAMI (Brazil) & M.A. CAMERUCCI (Argentina)
- 1245 Analysis of structural and thermal properties of Li₂TiO₃ ceramic powders
R. RAMARAGHAVULU, S. BUDDHUDU & G. BHASKAR KUMAR (India)
- 1251 Synthesis of high surface area Al₂O₃–CeO₂ composite nanopowder via inverse co-precipitation method
S.A. HASSANZADEH-TABRIZI & E. TAHERI-NASSAJ (Iran)

- 1259 Structural characterization of barium titanate–cobalt ferrite composite powders
L.V. LEONEL, A. RIGHI, W.N. MUSSEL, J.B. SILVA & N.D.S. MOHALLEM (Brazil)
- 1265 Dielectric and piezoelectric properties of PZT ceramics doped with strontium and lanthanum
V. KALEM, İ. ÇAM & M. TIMUÇIN (Turkey)
- 1277 Reaction kinetics and ablation properties of C/C–ZrC composites fabricated by reactive melt infiltration
Y. WANG, X. ZHU, L. ZHANG & L. CHENG (PR China)
- 1285 The influence of the grain size distribution of raw materials on the selected surface properties of sanitary glazes
J. PARTYKA & J. LIS (Poland)
- 1293 Sintering and characterisation of ceramics containing paper sludge, glass cullet and different types of clayey materials
E. FURLANI, G. TONELLO, S. MASCHIO, E. ANEGGI, D. MINICHELLI, S. BRUCKNER & E. LUCCHINI (Italy)
- 1301 Chemical vapor deposition and composition–depth profiling of a graded coating by Auger electron spectroscopy used in conjunction with taper polishing
S. EROGLU & B. GALLOIS (USA)
- 1307 A study of surface-coated SiC whiskers on carbon fiber substrates and their properties for diesel particulate filter applications
Y.Y. CHOI, J.G. KIM, K.M. LEE, H.C. SOHN & D.J. CHOI (Republic of Korea)
- 1313 Synthesis, structural and magnetic properties of nanostructured $\text{Ca}_{0.9}\text{Gd}_{0.1}\text{MnO}_3$ obtained by modified glycine nitrate procedure (MGNP)
M. ROSIĆ, M. LOGAR, A. DEVEČERSKI, M. PREKAJSKI, A. RADOSAVLJEVIĆ-MIHAILOVIĆ, V. KUSIGERSKI, V. SPASOJEVIĆ & B. MATOVIĆ (Serbia)
- 1321 Microstructure and dielectric properties of $\text{Ba}_{0.6}\text{Sr}_{0.4}\text{TiO}_3$ – MgAl_2O_4 composite ceramics
G. HU, F. GAO, L. LIU, X. CAO & Z. LIU (PR China)
- 1327 Densification, microstructural evolution and microwave dielectric properties of fluxed sintered 12R- $\text{Ba}(\text{Ti}_{0.5}\text{Mn}_{0.5})\text{O}_3$ ceramics
S.-F. WANG, Y.-F. HSU, H.-S. HUANG & Y.-J. LIU (Taiwan)
- 1333 Studies on plasma sprayed bi-layered ceramic coating on bio-medical Ti–13Nb–13Zr alloy
S. SATHISH, M. GEETHA, S.T. ARUNA, N. BALAJI, K.S. RAJAM & R. ASOKAMANI (India)
- 1341 Developing the properties of new blue phosphors: TiO_2 -doped Zn_2SiO_4
W.-C. TZOU, C.-C. DIAO, C.-F. YANG, C.-G. KUO & C.-J. HUANG (Taiwan)
- 1345 On the spinel formation in $\text{Co}_{1-x}\text{O}/\text{Co}_2\text{TiO}_4$ composites via reactive sintering, exsolution and oxidation
K.-C. YANG & P. SHEN (Taiwan)
- 1353 Mechanical synthesis and rapid consolidation of a nanocrystalline $5.33\text{Fe}_{0.37}\text{Cr}_{0.16}\text{Al}_{0.4}\text{Si}_{0.07}$ – Al_2O_3 composite by high-frequency induction heating
I.-J. SHON, S.-L. DU, I.-Y. KO, T.-W. KIM, J.-M. DOH, J.-K. YOON & S.-W. PARK (Republic of Korea)
- 1359 Dependence of optical properties on doping metal, crystallite size and defect concentration of M-doped ZnO nanopowders (M = Al, Mg, Ti)
S. SUWANBOON, P. AMORNPIKOSUK & A. SUKOLRAT (Thailand)
- 1367 Minimization of Pb content in a ceramic glaze by reformulation the composition with secondary raw materials
L.M. SCHABBACH, F. ANDREOLA, I. LANCELOTTI & L. BARBIERI (Italy)
- 1377 Evaluation of hydroxyapatite and β -tri calcium phosphate microplasma spray coated pin intra-medullary for bone repair in a rabbit model
A. DEY, S.K. NANDI, B. KUNDU, C. KUMAR, P. MUKHERJEE, S. ROY, A.K. MUKHOPADHYAY, M.K. SINHA & D. BASU (India)
- 1393 Porous alumina-spinel ceramics for high temperature applications
R. SALOMÃO, M.O.C.V. BÔAS & V.C. PANDOLFELLI (Brazil)

- 1401 Phase stability and microstructure evolution of yttria-stabilized zirconia during firing in a reducing atmosphere
C.-J. HO & W.-H. TUAN (Taiwan)
- 1409 Pulse aging behavior of $\text{ZnO-Pr}_6\text{O}_{11}\text{-CoO-Cr}_2\text{O}_3\text{-Dy}_2\text{O}_3$ varistor ceramics with sintering time
C.-W. NAHM (Republic of Korea)
- 1415 Sintering behavior of nanostructured WC–Co composite
A. KUMAR, K. SINGH & O.P. PANDEY (India)
- 1423 Microwave-assisted synthesis of gadolinia-doped ceria powders for solid oxide fuel cells
A. GONDOLINI, E. MERCADELLI, A. SANSON, S. ALBONETTI, L. DOUBOVA & S. BOLDRINI (Italy)
- 1427 Thermal shock resistance and fatigue of Zircon–Mullite composite materials
N.M. RENDTORFF, L.B. GARRIDO & E.F. AGLIETTI (Argentina)
- I Keywords for *Ceramics International*

Issue 5

Review

- 1435 The transformation mechanism from suspension to green body and the development of colloidal forming
J. YU, J. YANG & Y. HUANG (China)

Original Articles

- 1453 Effects of cubic BN addition and phase transformation on hardness of Al_2O_3 –cubic BN composites
M. HOTTA & T. GOTO (Japan)
- 1459 Preparation and characterization of $\text{CeO}_2/\text{TiO}_2$ nanoparticles by flame spray pyrolysis
C. CHAISUK, A. WEHATORANAWEE, S. PREAMPIYAWAT, S. NETIPHAT, A. SHOTIPRUK, J. PANPRANOT, B. JONGSOMJIT & O. MEKASUWANDUMRONG (Thailand)
- 1465 Turquoise blue nanocrystalline pigment based on $\text{Li}_{1.33}\text{Ti}_{1.66}\text{O}_4$: Synthesis and characterization
A. FERNÁNDEZ-OSORIO, M.P. JIMÉNEZ-SEGURA, A. VÁZQUEZ-OLMOS & R. SATO-BERRU (Mexico)
- 1473 High temperature mechanical behavior of Al_2O_3 – MgO – C refractories for steelmaking use
L. MUSANTE, V. MUÑOZ, M.H. LABADIE & A.G. TOMBA MARTINEZ (Argentina)
- 1485 Sintering behaviour and properties of YAlSiO and YAlSiON glass-ceramics
M.A. SAINZ, P. MIRANZO & M.I. OSENDI (Spain)
- 1493 Phase evolution during the low temperature formation of calcium-deficient hydroxyapatite–gypsum composites
Y.E. GREISH (UAE)
- 1501 Incorporation of the transition metals (Cr and Fe) into β - SiAlON crystal structure
H. YURDAKUL & S. TURAN (Turkey)
- 1507 Mechanochemical synthesis and characterisation of BaTa_2O_6 ceramic powders
M. İ.LHAN, A. MERGEN & C. YAMAN (Turkey)
- 1515 Microwave dielectric properties of the $(1 - x)\text{Mg}_2\text{TiO}_4\text{-xCaTiO}_3\text{-y wt.}\%$ ZnNb_2O_6 ceramics system
H. ZHU, W.-Z. LU & W. LEI (PR China)
- 1521 The effects of sintering method on crystalline morphology and photoluminescent properties of $\text{BaY}_2\text{ZnO}_5\text{:Tb}^{3+}$
H.-Y. CHEN, M.-H. WENG, R.-Y. YANG & S.-J. CHANG (Taiwan)
- 1525 Synthesis and electrical conductivity of La-Sr-X-Mg-O ($\text{X} = \text{Ti, Zr, Al}$) perovskite solid solution
K. SHIRATANI, Y. HIRATA, S. SAMEISHIMA, N. MATSUNAGA & S. NAKAHARA (Japan)
- 1533 IR reflectance characterization of glass–ceramic films obtained by high pressure impregnation of SnO_2 nanopowders on float glass
T. SEQUINEL, S. CAVA, J.O. PIMENTA, S.A. PIANARO, S.M. TEBCHERANI & J.A. VARELA (Brazil)

- 1537 Chelants to inhibit magnesia (MgO) hydration
L.F. AMARAL, I.R. OLIVEIRA, P. BONADIA, R. SALOMÃO & V.C. PANDOLFELLI (Brazil)
- 1543 Effects of cathode fabrication conditions and cycling on the electrochemical performance of LiNiO_2 synthesized by combustion and calcination
S.N. KWON (Republic of Korea), J. SONG & D.R. MUMM (USA)
- 1549 Properties and consolidation of nanocrystalline WSi_2 –SiC composite from mechanically activated powders by pulsed current activated combustion synthesis
I.-J. SHON, J.-H. PARK, I.-Y. KO, J.-M. DOH, J.-K. YOON & K.-S. NAM (Republic of Korea)
- 1557 Effect of silicon carbide additive on microstructure and properties of porcelain ceramics
A. SHUI, X. XI, Y. WANG & X. CHENG (China)
- 1563 An aqueous synthesis of photocatalyst by selective dissolution of titanium oxide/hydroxyapatite composite
Y. ONO, T. RACHI, T. OKUDA, M. YOKOUCHI, Y. KAMIMOTO, H. ONO, A. NAKAJIMA & K. OKADA (Japan)
- 1569 A comparative study on combustion synthesis of Ta–B compounds
C.L. YEH & H.J. WANG (Taiwan)
- 1575 Macroporous Bioglass®-derived scaffolds for bone tissue regeneration
D. BELLUCCI, V. CANNILLO, A. SOLA, F. CHIELLINI, M. GAZZARRI & C. MIGONE (Italy)
- 1587 Dielectric and ferroelectric properties of $\text{Ba}_{0.8}\text{Sr}_{0.2}\text{Ti}_{1-5x/4}\text{Nb}_x\text{O}_3$ ceramics
W.Q. CAO, L. YANG (China), M.M. ISMAIL (Iraq) & P. FENG (China)
- 1593 Determination of hardness, Young's modulus and fracture toughness of lanthanum tungstates as novel proton conductors
J.J. ROA (Spain), A. MAGRASÓ (Norway), M. MORALES, P. NÚÑEZ & M. SEGARRA (Spain)
- 1601 A comparative physico-chemical study of bioactive glass and bone-derived hydroxyapatite
A. DOOSTMOHAMMADI, A. MONSHI, M.H. FATHI (Iran) & O. BRAISSANT (Switzerland)
- 1609 Microwave dielectric properties of PTFE/ CaTiO_3 polymer ceramic composites
Y. HU, Y. ZHANG, H. LIU & D. ZHOU (PR China)
- 1615 Phase analysis and microstructure evolution of a bone china body modified with scrap addition
T.K. MUKHOPADHYAY, S. GHOSH & S. GHATAK (India)
- 1625 *In vitro* bioactivity assessment and mechanical properties of novel calcium titanate/borosilicate glass composites
A. VILLALPANDO-REYNA, D.A. CORTÉS-HERNÁNDEZ, A. GOROKHOVSKY, J.M. ALMANZA-ROBLES & J.C. ESCOBEDO-BOCARD (México)
- 1631 Electroconductive Alumina–TiC–Ni nanocomposites obtained by Spark Plasma Sintering
T. RODRIGUEZ-SUAREZ, J.F. BARTOLOMÉ (Spain), A. SMIRNOV (Spain, Estonia), S. LOPEZ-ESTEBAN, L.A. DÍAZ, R. TORRECILLAS & J.S. MOYA (Spain)
- 1637 Synthesis, characterization and in vitro bioactivity of magnesium-doped sol–gel glass and glass-ceramics
J. MA, C.Z. CHEN, D.G. WANG & J.H. HU (PR China)
- 1645 Comparison of dispersants performance on the suspension $\text{Lu}_2\text{O}_3\text{:Eu}^{3+}$ stability and high-density compacts on their basis
N.A. DULINA, T.G. DEINEKA, R.P. YAVETSKIY, Z.P. SERGIENKO, A.G. DOROSHENKO, P.V. MATEYCHENKO, O.M. VOVK & N.A. MATVEEVSKAYA (Ukraine)
- 1653 Experimental and theoretical dielectric studies of PVDF/PZT nanocomposite thin films
A.K. ZAK (Malaysia, Iran), W.C. GAN, W.H.A. MAJID (Malaysia), M. DARROUDI (Iran) & T.S. VELAYUTHAM (Malaysia)
- 1661 Microstructural and mechanical characterization of fly ash cenosphere/metakaolin-based geopolymeric composites
M.-R. WANG, D.-C. JIA, P.-G. HE & Y. ZHOU (China)

- 1667 The effect of precursor composition and sintering additives on the formation of β -sialon from Al, Si and Al_2O_3 powders
H.C. EWING & S. YANG (UK)
- 1675 Microstructure characteristics of silicon carbide coatings fabricated on C/C composites by plasma spraying technology
Y. NIU, X. ZHENG, C. DING, H. LI, C. HU, M. REN & J. SUN (China)
- 1681 Sintering of Al_2O_3 –SiC composite from sol–gel method with MgO , TiO_2 and Y_2O_3 addition
R. MOHAMMAD-RAHIMI, H.R. REZAIE & A. NEMATI (Iran)

Short Communications

- 1689 Fabrication of B_4C from $\text{Na}_2\text{B}_4\text{O}_7 + \text{Mg} + \text{C}$ by SHS method
G. JIANG, J. XU, H. ZHUANG & W. LI (PR China)
- 1693 Effects of sintering temperature on microstructure, nitrogen deficiency and densification of spark plasma sintered $\text{Mn}_3\text{Cu}_{0.5}\text{Ge}_{0.5}\text{N}$
Z. SUN, X. SONG & L. XU (China)
- 1697 Influence of calcium substitution on structural and electrical properties of substituted barium titanate
P. KUMAR, S. SINGH, J.K. JUNEJA, C. PRAKASH & K.K. RAINA (India)
- 1701 Investigation of shaped alumina based refractories used in slagging gasifiers
P. GEHRE, C. WENZEL & C.G. ANEZIRIS (Germany)

I Keywords for *Ceramics International*

Issue 6

Review

- 1705 Spinel-containing alumina-based refractory castables
M.A.L. BRAULIO (Brazil), M. RIGAUD (Canada), A. BUHR (Germany), C. PARR (France) & V.C. PANDOLFELLI (Brazil)

Original Articles

- 1725 Effect of holmium on the magnetic and electrical properties of barium based W-type hexagonal ferrites
F. AEN, S.B. NIAZI, M.U. ISLAM, M. AHMAD & M.U. RANA (Pakistan)
- 1731 EBSD- and CT-analyses for phase evolution and crack investigations of thermal shocked flame sprayed alumina and alumina-rich structures
P. GEHRE & C.G. ANEZIRIS (Germany)
- 1739 Characterization and oxidation properties of biomorphic porous carbon with SiC gradient coating prepared by PIP method
W. GONG, P. GAO & W. WANG (China)
- 1747 Fabrication of bulk AlN–TiN nanocomposite by reactive ball milling and underwater shock consolidation technique
H.A. MASHHADI, N. WADA, R. TOMOSHIGE, P. MANIKANDAN & K. HOKAMOTO (Japan)
- 1755 A rapid method for the preparation of silica-coated ZrO_2 nanoparticles by microwave irradiation
I.A. SIDDIQUEY (Japan, Bangladesh), T. FURUSAWA, M. SATO, N.M. BAHADUR (Japan), M.N. UDDIN (Bangladesh) & N. SUZUKI (Japan)
- 1761 Characterization and properties of microarc oxidized coatings containing Si, Ca and Na on titanium
S. CHENG, D. WEI, Y. ZHOU & H. GUO (PR China)
- 1769 Effect of heat treatment on $7\text{Na}_2\text{O}$ – $23\text{B}_2\text{O}_3$ – 70SiO_2 glass
Z. ZHOU (PR China), M.-C. WANG (Taiwan), J. HAN, F. XU & X. ZHAO (PR China)
- 1775 Synthesis, microstructure, and photocatalysis of In_2O_3 hollow particles
T.-T. TSENG, J.-Y. UAN & W.J. TSENG (Taiwan)
- 1781 Structural and luminescence properties of RE^{3+} (RE = Eu, Tb): $(\text{MgCa})_2\text{Bi}_4\text{Ti}_5\text{O}_{20}$ ceramics
S. SAILAJA & B.S. REDDY (India)

- 1789 Studies on slip casting behavior of lanthanum strontium manganite
M.B. KAKADE, D. DAS & S. RAMANATHAN (India)
- 1795 Nearly stoichiometric BN fiber by curing and thermolysis of a novel poly[(alkylamino)borazine]
Y.-P. LEI, Y.-D. WANG, Y.-C. SONG, C. DENG & H. WANG (PR China)
- 1801 Directional diffusion-controlled development of spinel interlayer between zinc-orthosilicate glaze and alumina
C.-H. WU, C.-N. HUANG, C. SUN, C. KUAN & P. SHEN (Taiwan)
- 1813 Formation of needle-like titanium oxynitride particles through nitridation of hydrated titanates
H. KIYONO, T. TSUMURA, T. KIYO, M. TOYODA & S. SHIMADA (Japan)
- 1819 Fabrication and characterization of bioactive glass/hydroxyapatite nanocomposite foam by gelcasting method
H. GHOMI, M.H. FATHI & H. EDRIS (Iran)
- 1825 Hydroxyapatite extracted from fish scale: Effects on MG63 osteoblast-like cells
Y.-C. HUANG, P.-C. HSIAO & H.-J. CHAI (Taiwan)
- 1833 A comparative study on the magnetic properties of $MFe_{12}O_{19}$ and $MAFe_{11}O_{19}$ ($M = Sr, Ba$ and Pb) hexaferrites with different morphologies
S. SINGHAL, T. NAMGYAL, J. SINGH, K. CHANDRA & S. BANSAL (India)
- 1839 Citric acid as anti-hydration additive for magnesia containing refractory castables
R. SALOMÃO & V.C. PANDOLFELLI (Brazil)
- 1843 Microstructural and phase transformations during sintering of a phillipsite rich zeolitic tuff
S. ERGUL, G. SAPPA, D. MAGALDI, P. PISCIELLA & M. PELINO (Italy)
- 1851 Influence of $CaO-ZrO_2-Al_2O_3-SiO_2$ glass-ceramic frits on the technological properties of porcelain stoneware bodies
C. SILIGARDI, P. MISELLI, L. LUSVARGHI & M. REGINELLI (Italy)
- 1859 Fabrication of $BaTiO_3$ -PTFE composite film for embedded capacitor employing aerosol deposition
Y.-H. KIM, H.-J. KIM, J.-H. KOH, J.-G. HA, Y.-H. YUN & S.-M. NAM (Republic of Korea)
- 1865 Sintering kinetics of a $18.8Li_2O-8.3ZrO_2-64.2SiO_2-8.7Al_2O_3$ glass ceramic
O.R.K. MONTEDO, F.J. FLORIANO & J. DE O. FILHO (Brazil)
- 1873 Effects of Al_2O_3 on the properties and densification of 8YSZ after pulsed current activated sintering
I.-J. SHON, K.-I. NA, I.-Y. KO & J.-H. PARK (South Korea)
- 1879 Scanning electron microscopy and micro-Raman spectroscopy of slip layers of Hellenistic ceramic wares from Dorylaion/Turkey
A. İSSİ (Turkey), A. RAŠKOVSKA (Republic of Macedonia), A. KARA (Turkey), O. GRUPCE (Republic of Macedonia), B. MINČEVA-SUKAROVA (Republic of Macedonia) & F. OKYAR
- 1889 Nanocrystalline $In_2O_3-SnO_2$ thick films for low-temperature hydrogen sulfide detection
H. LIU, S. WU, S. GONG, J. ZHAO, J. LIU & D. ZHOU (PR China)
- 1895 Mechanochemical synthesis of $Ti_{1-x}Zr_xB_2$ and $Ti_{1-x}Hf_xB_2$ solid solutions
M.A. AVILÉS, J.M. CÓRDOBA, M.J. SAYAGUÉS & F.J. GOTOR (Spain)
- 1905 Structural and magnetic properties of $NiFe_{2-x}Bi_xO_4$ ($x = 0, 0.1, 0.15$) nanoparticles prepared via sol-gel method
M.J. NASR ISFAHANI, P.N. ISFAHANI (Iran), K.L. DA SILVA (Brazil), A. FELDHOFF & V. S K (Germany)
- 1911 Lanthanum dopant induced transition from the ferroelectric to the relaxor state in 0.7PFW-0.3PT ceramics
C.-S. HONG, S.-Y. CHU, C.-C. TSAI & C.-C. HSU (Taiwan)
- 1919 Pseudoplastic deformation pits on polished ceramics due to cavitation erosion
G.G.-A. FATJÓ, M. HADFIELD & K. TABESHFAR (UK)
- 1929 Structure, microstructure and electrical conductivity of 8YSZ containing NiO
R.M. BATISTA & E.N.S. MUCCILLO (Brazil)

- 1935 Basic slag attack of spinel-containing refractory castables
M.A.L. BRAULIO (Brazil), A.G.T. MARTINEZ (Argentina), A.P. LUZ (Brazil), C. LIEBSKE (The Netherlands) & V.C. PANDOLFELLI (Brazil)
- 1947 Effect of carbonization temperature on the structure and microwave absorbing properties of hollow carbon fibres
W. XIE, H. CHENG, Z. CHU, Z. CHEN & C. LONG (China)
- 1953 Regeneration of a solid waste from an edible oil refinery
C. MEZITI & A. BOUKERROUI (Algeria)
- 1959 Effects of NaTaO₃ additions on structure and electrical properties of K_{0.5}Na_{0.5}NbO₃–Bi_{0.5}Na_{0.5}TiO₃–LiSbO₃ piezoelectric ceramics
Y. LIU, Y. HUANG, H. LI, H. DU, H. TANG & G. ZHANG (PR China)
- 1967 Preparation of nanometer AlN powders by combining spray pyrolysis with carbothermal reduction and nitridation
S.H. LEE, J.H. YI, J.H. KIM, Y.N. KO, Y.J. HONG & Y.C. KANG (Republic of Korea)
- 1973 Fabrication of ultrafine-grained alumina ceramics by two different fast sintering methods
F. MENG, F. ZHANG, W. HUANG, Y. YANG, M. GUO, X. JIANG & Z. TIAN (China)
- 1979 Microstructures and dielectric properties of spark plasma sintered Ba_{0.4}Sr_{0.6}TiO₃/CaCu₃Ti₄O₁₂ composite ceramics
Y.J. WU, S.H. SU, S.Y. WU & X.M. CHEN (China)
- 1985 Development of input output relationships for self-healing Al₂O₃/SiC ceramic composites with Y₂O₃ additive using design of experiments
D. MOHANTY, A. SIL & K. MAITI (India)
- 1993 Effect of Na₂CO₃ on hexagonal boron nitride prepared from urea and boric acid
H.E. ÇAMURLU (Turkey)
- 2001 Citric based sol-gel synthesis and photoluminescence properties of un-doped and Sm³⁺ doped Ca₃Y₂Si₃O₁₂ phosphors
V.R. BANDI, B.K. GRANDHE, K. JANG, H.-S. LEE (Republic of Korea), S.-S. YI & J.-H. JEONG (Korea)
- 2007 Synthesis and solubility of calcium fluoride/hydroxy-fluorapatite nanocrystals for dental applications
M. AZAMI, S. JALILIFIROOZINEZHAD, M. MOZAFARI & M. RABIEE (Iran)

Short Communications

- 2015 Investigation on rheological behavior of 8 mol% yttria stabilized zirconia (8YSZ) powder using Tiron
S. MOGHADAS, A. MAGHSOUDIPOUR, M. ALIZADEH & T. EBADZADEH (Iran)
- 2021 Controlled synthesis of defects-containing ZnO by the French process modified with pulsed injection and its luminescence properties
B. CHARNHATTAKORN, T. CHARINPANITKUL, A. SIRISUK & V. PAVARAJARN (Thailand)
- 2025 Hydroxyapatite/diopside ceramic composites and their behaviour in simulated body fluid
M. ZHANG, C. LIU, J. SUN & X. ZHANG (PR China)
- 2031 Pressureless sintering of silicon carbide ceramics containing zirconium diboride
H. YANG, L. ZHANG, X. GUO, X. ZHU & X. FU (China)
- 2037 Effects of the oxygen pressure on the crystalline orientation and strains of YSZ thin films prepared by E-beam PVD
C.-G. KUO, H.-H. HUANG & C.-F. YANG (Taiwan)
- 2043 Formation and characterization of porous spherical biphasic calcium phosphate (BCP) granules using PCL
D.-V. TUYEN & B.-T. LEE (Republic of Korea)
- 2051 Preparation of Eu²⁺-doped AlN phosphors by plasma activated sintering
Z. SHI, W. YANG, S. BAI, G. QIAO & Z. JIN (PR China)
- 2055 Morphology development of ZnO produced by sonothermal process
S. JATTUKUL, S. THONGTEM & T. THONGTEM (Thailand)

Issue 7**Reviews**

- 2061 Sb doping effects on the piezoelectric and ferroelectric characteristics of lead-free $\text{Na}_{0.5}\text{K}_{0.5}\text{Nb}_{1-x}\text{Sb}_x\text{O}_3$ piezoelectric ceramics
I.-H. CHAN, C.-T. SUN, M.-P. HOUNG & S.-Y. CHU (Taiwan)
- 2069 Relaxor behavior in $(\text{Ba}_{1-3x/2}\text{Bi}_x)(\text{Zr}_y\text{Ti}_{1-y})\text{O}_3$ ceramics
A. AOUJGAL (Morocco, France), W.A. GHARBI (France), A. OUTZOURHIT, H. AHAMDANE, A. AMMAR (Morocco), A. TACHAFINE & J.C. CARRU (France)

Original Articles

- 2075 Influence of manganese substitution into the A-site of perovskite type $\text{Ca}_{1-x}\text{Mn}_x\text{TiO}_3$ ceramic
W. PON-ON, S. MEEJOO, A. MEHTAR & I.-M. TANG (Thailand)
- 2081 Study of color change and microstructure development of $\text{Al}_2\text{O}_3\text{--Cr}_2\text{O}_3/\text{Cr}_3\text{C}_2$ nanocomposites prepared by spark plasma sintering
H.-T. LIN, B.-Z. LIU, W.-H. CHEN, J.-L. HUANG & P.K. NAYAK (Taiwan)
- 2089 Preparation and characterization of three-dimensional carbon fiber reinforced zirconium carbide composite by precursor infiltration and pyrolysis process
D. ZHAO, C. ZHANG, H. HU & Y. ZHANG (China)
- 2095 Solid oxide fuel cells with YSZ-BNO Bi-layer electrolyte film deposited by magnetron sputtering
S.-F. WANG, Y.-F. HSU, Y.-C. HUANG & W.-C. WEI (Taiwan)
- 2101 Structural, thermal and crystallization kinetics of $\text{ZnO--BaO--SiO}_2\text{--B}_2\text{O}_3\text{--Mn}_2\text{O}_3$ based glass sealants for solid oxide fuel cells
A. ARORA, V. KUMAR, K. SINGH & O.P. PANDEY (India)
- 2109 Microorganism adhesion inhibited by silver doped Yttria-stabilized zirconia ceramics
K. XU (PR China), Y. LIU (Singapore), S. LIU (Australia), A. LIU, P. LIU (PR China), L. LIU (Australia) & L. LI (PR China)
- 2117 Ibuprofen release from porous hydroxyapatite tablets
M. ÖNER, E. YETİZ, E. AY & U. UYSAL (Turkey)
- 2127 Electrical conduction behaviors of isovalent and acceptor dopants on B site of $(\text{La}_{0.8}\text{Ca}_{0.2})\text{CrO}_{3-\delta}$ perovskites
Y.-P. FU, H.-C. WANG, S.-H. HU & K.-W. TAY (Taiwan)
- 2135 Fabrication and characterization of $(\text{Pb}(\text{Mg}_{1/3}\text{Nb}_{2/3})\text{O}_3, \text{Pb}(\text{Yb}_{1/2}\text{Nb}_{1/2})\text{O}_3, \text{PbTiO}_3)$ ternary system ceramics
E. AKÇA & C. DURAN (Turkey)
- 2143 Influence of carbon black on slurry compositions for tape cast porous piezoelectric ceramics
E. MERCADELLI, A. SANSON, P. PINASCO, E. RONCARI & C. GALASSI (Italy)
- 2151 Synthesis and properties of ceramic-based nanocomposite layer of aluminum carbide embedded with oriented carbon nanotubes
M. ALIOFKHAZRAEI, M. YOUSEFI, S. AHANGARANI & A.S. ROUHAGHDAM (Iran)
- 2159 Properties and rapid consolidation of nanostructured $\text{Al}_2\text{O}_3\text{--Al}_2\text{SiO}_5$ composites by high frequency induction heated sintering
I.-J. SHON, I.-Y. KO, H.-S. KANG, K.-T. HONG, J.-M. DOH & J.-K. YOON (Republic of Korea)
- 2165 Mechanical and thermal properties of 99% and 92% alumina at cryogenic temperatures
Z. XIE, W. XUE, H. CHEN & Y. HUANG (PR China)
- 2169 Electric field inhomogeneity as a cause for fatigue in lead zirconate titanate ferroelectrics
J.-L. CAO, L. PENG, Y.-B. REN, R. LEI, L. QIAO, H.-W. GU, T. LI, D. GUO & Z. YUE (China)
- 2175 Effect of heating rate on microstructure and properties of spark plasma sintered Li- α -sialon
Z. YANG, H. WANG, X. MIN, W. WANG, Z. FU (China), S.W. LEE (Republic of Korea) & K. NIIHARA (Japan)

- 2181 The preparation of Cu-coated Al_2O_3 composite powders by electroless plating
H. WANG, J. JIA, H. SONG, X. HU, H. SUN & D. YANG (China)
- 2185 Direct observation of domain switching and crack nucleation in a piezoelectric material
C. LEACH, N.K. ALI & D.A. HALL (UK)
- 2193 Influence of Cr_2O_3 , LiF, CaF_2 and TiO_2 nucleants on the crystallization behavior and microstructure of glass-ceramics based on blast-furnace slag
G.A. KHATER (Egypt)
- 2201 Hydrothermal and post-heat treatments of TiO_2/ZnO composite powder and its photodegradation behavior on methyl orange
X. XU, J. WANG, J. TIAN, X. WANG, J. DAI & X. LIU (PR China)
- 2207 Physico-chemical investigation on mixed alkali metal ferrites prepared by solution combustion method – A comparative study
B.S. RANDHAWA, M. GUPTA, H.S. DOSANJH & N. KUMAR (India)
- 2215 Electrochemical properties of $\text{LiCo}_y\text{Mn}_{2-y}\text{O}_4$ synthesized using a combustion method in a voltage range of 3.5–5.0 V
M.Y. SONG, I.H. KWON, H.R. PARK (Republic of Korea) & D.R. MUMM (USA)
- 2221 Variation of Poisson's ratio of refractory materials with thermal shocks
J. PODWÓRNY, J. WOJSA & T. WALA (Poland)
- 2229 Synthesis of $\text{La}_{1-x}\text{Sr}_x\text{MnO}_3$ powders by polymerizable complex method: Evaluation of structural, morphological and electrical properties
L. DA CONCEIÇÃO, N.F.P. RIBEIRO & M.M.V.M. SOUZA (Brazil)
- 2237 Fabrication of magnesium aluminate (MgAl_2O_4) spinel foams
I. GANESH (India)
- 2247 Dependence of photocatalytic activity on structural and optical properties of nanocrystalline ZnO powders
S. SUWANBOON, P. AMORNPIKOSUK & N. MUENSIT (Thailand)
- 2255 Mechanical behavior and failure mechanisms of boron carbide based three-layered laminates with weak interfaces
M. LUGOVY, V. SLYUNYAYEV, V. SUBBOTIN (Ukraine), F. LIANG, J. GOU, N. ORLOVSKAYA (USA), T. GRAULE & J. KUEBLER (Switzerland)
- 2263 Effects of ball milling and post-annealing on the transparency of spark plasma sintered Lu_2O_3
L. AN, A. ITO & T. GOTO (Japan)
- 2269 Synthesis and sintering behavior of $\text{La}_{0.8}\text{Sr}_{0.2}\text{CrO}_3$ by a glycine nitrate process
E. THOMAS (USA), D.H. LEE, M.Y. YOON (Republic of Korea), S.H. EHRMAN (USA) & H.J. HWANG (USA, Republic of Korea)
- 2275 Improving degradation rate and apatite formation ability of nanostructure forsterite
F. TAVANGARIAN & R. EMADI (Iran)
- 2281 Synthesis and characterization of holmium doped lithium niobate powders
F.Z. FADIL (France, Morocco), M. AILLERIE (France), T. LAMCHARFI & F. ABDI (Morocco)
- 2287 Andalusite: An amazing refractory raw material with excellent corrosion resistance to sodium vapours
P. PRIGENT, M.L. BOUCHETOU & J. POIRIER (France)
- 2297 Preparation of silica xerogel with high silanol content from sodium silicate and its application as CO_2 adsorbent
T. WITOON, N. TATAN, P. RATTANAVICHIAN & M. CHAREONPANICH (Thailand)
- 2305 Collagen modulating crystallization of apatite in a biomimetic gel system
H. LI (China, USA), Z. GUO, B. XUE, Y. ZHANG & W. HUANG (China)
- 2311 Bioactive glass nanoparticles with negative zeta potential
A. DOOSTMOHAMMADI, A. MONSHI, R. SALEHI, M.H. FATHI, Z. GOLNIYA (Iran) & A.U. DANIELS (Switzerland)

- 2317 TBA-based freeze/gel casting of porous hydroxyapatite scaffolds
J.H. KIM, J.H. LEE, T.Y. YANG, S.Y. YOON, B.K. KIM & H.C. PARK (South Korea)
- 2323 The luminescence spectroscopy and thermal stability of red-emitting phosphor $\text{Ca}_9\text{Eu}(\text{VO}_4)_7$
X. WU, Y. HUANG (China) & H.J. SEO (Republic of Korea)
- 2329 Synthesis of ultra-fine $\alpha\text{-Al}_2\text{O}_3$ fibers via electrospinning method
A. MAHAPATRA, B.G. MISHRA & G. HOTA (India)
- 2335 Hot elastic modulus of $\text{Al}_2\text{O}_3\text{--SiC--SiO}_2\text{--C}$ castables
A.P. LUZ (Brazil), M. HUGER (France) & V.C. PANDOLFELLI (Brazil)
- 2347 Effects of titanate coupling agent on the dielectric properties of NiZn ferrite powders–epoxy resin coatings
W.-S. CHEN, Y.-L. CHANG, H.-I. HSIANG, F.-C. HSU & F.-S. YEN (Taiwan)
- 2353 Doped ceria powders prepared by spray pyrolysis for gas sensing applications
C.-Y. CHEN & C.-L. LIU (Taiwan)
- 2359 Low-temperature preparation of lanthanum-doped BiFeO_3 crystallites by a sol–gel–hydrothermal method
Z. CHEN, J. HU, Z. LU & X. HE (PR China)
- 2365 Electron microscopy of shock deformation in alumina
A.K. MUKHOPADHYAY, K.D. JOSHI, A. DEY, R. CHAKRABORTY, A.K. MANDAL, A. RAV, J. GHOSH, S. BYSAKH, S.K. BISWAS & S.C. GUPTA (India)
- 2377 Low-temperature sintering and microwave dielectric properties of 3Z2B glass– Al_2O_3 composites
D.-X. ZHOU, R.-G. SUN, S.-P. GONG & Y.-X. HU (China)
- 2383 Hydrothermal synthesis of BaTiO_3 from different Ti-precursors and microstructural and electrical properties of sintered samples with submicrometric grain size
H.A. ÁVILA, L.A. RAMAJO, M.M. REBOREDO, M.S. CASTRO & R. PARRA (Argentina)
- 2391 Annealing-induced changes in the nanoscale electrical homogeneity of bismuth ferrite dielectric thin films
Y.-C. LIANG, W.S. CHEN, C.-Y. HU, C.-L. HUANG & W. KAI (Taiwan)
- 2397 Improvement of mechanical properties of macroporous β -tricalcium phosphate bioceramic scaffolds with uniform and interconnected pore structures
K. LIN, L. CHEN, H. QU, J. LU & J. CHANG (PR China)
- 2405 Effect of magnesium chloride concentrations on the properties of magnesium oxychloride cement for nano SiC composite purposes
Y. KARIMI & A. MONSHI (Iran)
- 2411 Microstructural relationship with fracture toughness of undoped and rare earths (Y, La) doped $\text{Al}_2\text{O}_3\text{--ZrO}_2$ ceramic composites
K. MAITI & A. SIL (India)
- 2423 Giant dielectric constant in $\text{Nd}_2\text{NiO}_{4+\delta}$ ceramics obtained by spark plasma sintering
X.Q. LIU, C.L. SONG, Y.J. WU & X.M. CHEN (China)
- 2429 The effect of interfacial bonding of calcium phosphate cements containing bio-mineralized multi-walled carbon nanotube and bovine serum albumin on the mechanical properties of calcium phosphate cements
K.L. LOW, S.H.S. ZEIN, S.H. TAN (Malaysia), D.S. MCPHAIL (UK) & A.R. BOCCACCINI (UK, Germany)
- 2437 Production of glass–ceramics from incinerator ash using lab-scale and pilot-scale thermal plasma systems
T.W. CHENG, C.C. TU, M.S. KO & T.H. UENG (Taiwan)
- 2445 Gentamicin sulphate release from lost foam wollastonite scaffolds using poly(DL-lactide-co-glycolide) acid
F. BARRERA-MÉNDEZ, J.C. ESCOBEDO-BOCARD, D.A. CORTÉS-HERNÁNDEZ, J.M. ALMANZA-ROBLES & E.M. MÚZQUIZ-RAMOS (Mexico)

- 2453 Effects of alumina on the crystallization behavior, densification and dielectric properties of BaO–ZnO–SrO–CaO–Nd₂O₃–TiO₂–B₂O₃–SiO₂ glass–ceramics
H.-I. HSIANG, L.-T. MEI, S.-W. YANG, W.-C. LIAO & F.-S. YEN (Taiwan)
- 2459 Mechanical properties and bioactivity of β -Ca₂SiO₄ ceramics synthesized by spark plasma sintering
H. ZHONG, L. WANG, Y. FAN (China), L. HE (Japan), K. LIN, W. JIANG, J. CHANG & L. CHEN (China)
- 2467 Effects of pre-strain applied at a polyethylene terephthalate substrate before the coating of Al-doped ZnO film on film quality and optical and electrical properties
T.-C. LI, P.-T. HSIEH & J.-F. LIN (Taiwan)
- 2477 Y₃Al₅O₁₂ translucent nanostructured ceramics—Obtaining and optical properties
R.P. YAVETSKIY, E.A. VOVK, A.G. DOROSHENKO, M.I. DANYLENKO, A.V. LOPIN, I.A. PETRUSHA, V.F. TKACHENKO, A.V. TOLMACHEV & V.Z. TURKEVICH (Ukraine)
- 2485 Synthesis and characterization of CdWO₄ nanocrystals
A.M. PRIYA, R.K. SELVAN, B. SENTHILKUMAR, M.K. SATHEESHKUMAR & C. SANJEEVIRAJA (India)
- 2489 Preparation and thermophysical properties of LaMgAl₁₁O₁₉–Yb₃Al₅O₁₂ ceramic composites
Y.-H. WANG, Z.-G. LIU, J.-H. OUYANG, H.-Z. LIU & R.-X. ZHU (China)
- 2495 Influence of SiC addition on tribological properties of SiAlON
A.K. MALLIK, K.M. REDDY (India), N.C. ACIKBAS, F. KARA, H. MANDAL (Turkey), D. BASU & B. BASU (India)
- 2505 Preparation, cell response and apatite-forming ability of microarc oxidized coatings containing Si, Ca and Na on titanium
S. CHENG, D. WEI, Y. ZHOU & H. GUO (PR China)
- 2513 Structural investigation of mechanically activated nanocrystalline BaTiO₃ powders
V.P. PAVLOVIĆ, J. KRSTIĆ, M.J. ŠČEPANOVIĆ, J. DOJČILOVIĆ, D.M. MINIĆ, J. BLANUŠA, S. STEVANOVIĆ, V. MITIĆ & V.B. PAVLOVIĆ (Serbia)
- 2519 Effect of Tb substitution on structural, magnetic and electrical properties of magnesium ferrites
M.A. KHAN, M.U. ISLAM, M. ISHAQUE (Pakistan) & I.Z. RAHMAN (Ireland)
- 2527 Production and study of in vitro behaviour of monolithic α -tricalcium phosphate based ceramics in the system Ca₃(PO₄)₂–Ca₂SiO₄
I.M. MARTÍNEZ, P. VELÁSQUEZ, L. MESEGUER-OLMO & P.N. DE AZA (Spain)
- 2537 An efficient way to improve the electrical stability of Ni_{0.6}Si_{0.2}Al_{0.6}Mn_{1.6}O₄ NTC thermistor
S. LIANG, J. YANG, X. YI, X. ZHANG & Y. BAI (China)
- 2543 Synthesis and characterization of spinel–forsterite nanocomposites
F. TAVANGARIAN & R. EMADI (Iran)
- 2549 Fabrication of bulk macroporous zirconia by combining sol–gel with calcination processes
Z. ZHANG, J. LIU, F. WANG, J. KONG & X. WANG (People's Republic of China)
- 2555 High-temperature behavior of silicon oxycarbide glasses in air environment
T. XU, Q. MA & Z. CHEN (PR China)
- 2561 Structure and properties of plasma sprayed BaTiO₃ coatings: Spray parameters versus structure and photocatalytic activity
P. CTIBOR (Czech Republic), H. AGEORGES (France), V. STENGL, N. MURAFI, I. PIS, T. ZAHORANOVA, V. NEHASIL & Z. PALA (Czech Republic)
- 2569 Fabrication and characterization of a Ni-YSZ anode support using high-frequency induction heated sintering (HFIHS)
J.-Y. YOO, I.-J. SHON, B.-H. CHOI & K.-T. LEE (Republic of Korea)
- 2575 An investigation of Hellenistic period pottery production technology from Harabebezikan/Turkey
A. İSSI, A. KARA & A.O. ALP (Turkey)
- 2583 Hydrolysis control of alumina and AlN mixture for aqueous colloidal processing of aluminum oxynitride
R.S. KUMAR, U.S. HAREESH, P. RAMAVATH & R. JOHNSON (India)

- 2591 Preparation of the reticulated hydroxyapatite ceramics using carbon-coated polymeric sponge with elongated pores as a novel template
J.-H. SUNG, K.-H. SHIN, Y.-H. KOH, W.-Y. CHOI, Y. JIN & H.-E. KIM (Republic of Korea)
- 2597 Preparation of tungsten borides by combustion synthesis involving borothermic reduction of WO_3
C.L. YEH & H.J. WANG (Taiwan)
- 2603 Structural and optical properties of Ho_2TeO_6 micro-crystals embedded in tellurite matrix
C. JOSHI, Y. DWIVEDI & S.B. RAI (India)
- 2609 Synthesis and thermoelectric performance of Ta doped $\text{Sr}_{0.9}\text{La}_{0.1}\text{TiO}_3$ ceramics
H.C. WANG, C.L. WANG, W.B. SU, J. LIU, H. PENG, Y. SUN, J.L. ZHANG, M.L. ZHAO, J.C. LI, N. YIN & L.M. MEI (PR China)
- 2615 Phase reactions associated with the formation of Ti_3SiC_2 from TiC/Si powders
I. KERO, R. TEGMAN & M.-L. ANTTI (Sweden)
- 2621 Synthesis of Al_2O_3 whisker-reinforced yttria-stabilized-zirconia (YSZ) nanocomposites through in situ formation of alumina whiskers
M. ABDULLAH, J. AHMAD, M. MEHMOOD, MUJTABA-UL-HASAN (Pakistan) & H. MAEKAWA (Japan)
- 2625 On the structural and magnetic properties of La-substituted NiCuZn ferrites prepared using egg-white
M.A. GABAL, A.M. ASIRI & Y.M. ALANGARI (Saudi Arabia)
- 2631 Development of hard/soft ferrite nanocomposite for enhanced microwave absorption
S. TYAGI, H.B. BASKEY, R.C. AGARWALA, V. AGARWALA & T.C. SHAMI (India)
- 2643 The sintering kinetics of ultrafine tungsten carbide powders
A.K.N. KUMAR, M. WATABE & K. KUOKAWA (Japan)
- 2655 Preparation, structural and electrical characteristics of praseodymium modified lead titanate
V. SINGH, K.K. BAMZAI, S. SURI & NIDHI (India)
- 2663 Synthesis and characterization of hollow glass–ceramics microspheres
N. XU, J. DAI, Z. ZHU, X. HUANG & P. WU (PR China)
- 2669 Antimony doping effect on barium titanate structure and electrical properties
M.M.V. PETROVIĆ, J.D. BOBIĆ (Serbia), T. RAMOŠKA, J. BANYŠ (Lithuania) & B.D. STOJANOVIĆ (Serbia)
- 2679 Effect of silica doping on the densification and grain growth in zinc oxide
T.K. ROY (India), A. GHOSH (India, UK), D. BHOWMICK, D. SANYAL, S. KOLEY & A. CHAKRABARTI (India)
- 2689 Characterization of the structure of TiB_2/TiC nanocomposite powders fabricated by high-energy ball milling
H. WANG, W. WU, S. SUN, X. BIAN & G. TU (China)
- 2695 Synthesis of $\text{Ba}_2\text{TiOSi}_2\text{O}_7$ and $\text{Ba}_2\text{TiOSi}_{1.8}\text{Ge}_{0.2}\text{O}_7$ ferroelectric ceramics and the structure determination by Rietveld analysis
S.K. BARBAR & M. ROY (India)
- 2701 Zirconium stabilized $\text{Ba}_{0.5}\text{Sr}_{0.5}(\text{Co}_{0.8-x}\text{Zr}_x)\text{Fe}_{0.2}\text{O}_{3-\alpha}$ perovskite hollow fibre membranes for oxygen separation
X. MENG, N. YANG, B. MENG, X. TAN, Z.-F. MA (China) & S. LIU (Australia)
- 2711 Microstructure, mechanical properties and thermal shock resistance of plasma sprayed nanostructured zirconia coatings
G. DI GIROLAMO, F. MARRA, C. BLASI, E. SERRA & T. VALENTE (Italy)
- 2719 Development of aluminum hydroxides in Al–Mg–Si/ SiC_p in infiltrated composites exposed to moist air
M. RODRÍGUEZ-REYES, M.I. PECH-CANUL, J.R. PARGA-TORRES, J.L. ACEVEDO-DÁVILA (México), M. SÁNCHEZ-ARAIZA & H.F. LOPEZ (USA)
- 2723 Co-doping effect of Zn and Sb in SnO_2 : Valence stabilization of Sb and expanded solubility limit
D.-K. KIM, J.-H. LEE, Y.-W. HEO, H.Y. LEE & J.-J. KIM (Republic of Korea)

- 2727 Mechanical properties of flame sprayed free-standing coatings
T. KRATSCHMER, C.G. ANEZIRIS & P. GRUNER (Germany)
- 2737 Structural discrepancies and in vitro nanoapatite formation ability of sol–gel derived glasses doped with different bone stimulator ions
S. SHAHRABI, S. HESARAKI, S. MOEMENI & M. KHORAMI (Iran)
- 2747 Giant dielectric response and mixed-valent structure in the layered-ordered double-perovskite ceramics
W.Z. YANG, M.S. FU, X.Q. LIU, H.Y. ZHU & X.M. CHEN (China)
- 2755 Spark plasma sintering to restrict sintering reactions and enhance properties of hydroxyapatite–mullite biocomposites
A.K. DUBEY, G. SITESH, S. NATH & B. BASU (India)
- 2763 Photostimulated optical effects and some related features of CuO mixed Li_2O – Nb_2O_5 – ZrO_2 – SiO_2 glass ceramics
T. SRIKUMAR (India), I.V. KITKY (Poland), C. SRINIVASA RAO, Y. GANDHI (India), M. PIASECKI, P. BRAGIEL (Poland), V. RAVI KUMAR & N. VEERAAH (India)
- 2781 Study on the photocatalytic activities of TiO_2 films prepared by reactive RF sputtering
C.H. HUANG, C.C. TSAO & C.Y. HSU (Taiwan)
- 2789 Manufacturing porous multi-channel ceramics by laser gelling
F.-H. LIU (Taiwan)
- 2795 Fabrication and characterization of ultrafine WC–8Co– $x\text{CeB}_6$ cemented carbides
X. DAI-HONG, Z. FU-QIN & L. WEI-HONG (China)
- 2803 The synthesis of peculiar structure of spring-like multiwalled carbon nanotubes via mechanothermal method
S.A. MANAFI, M.R. RAHIMPOUR & Y. PAJUHANFAR (Iran)
- 2809 Factors affecting strength and shape retention of zirconia micro bending bars during thermal debinding
F.A. ÇETINEL, W. BAUER, R. KNITTER & J. HAUBELT (Germany)
- 2821 Effects of the structural layer in MEMS substrates on mechanical and electrical properties of $\text{Pb}(\text{Zr}_{0.52}\text{Ti}_{0.48})\text{O}_3$ films
D. LIU, B. ZHOU, S.H. YOON, H.C. WIKLE III, Y. WANG, M. PARK, B.C. PROROK & D.-J. KIM (USA)
- 2829 Microstructure and frictional properties of C/SiC brake materials with sandwich structure
S. FAN, L. ZHANG, L. CHENG & S. YANG (China)
- 2837 Effect of oxygen partial pressure on the structural, optical and electrical properties of sputtered NiO films
A.M. REDDY (India), A.S. REDDY, K.-S. LEE (South Korea) & P.S. REDDY (India)
- 2845 Preparation of humidity-controlling porous ceramics from volcanic ash and waste glass
D.-H. VU (Taiwan, Viet Nam), K.-S. WANG (Taiwan), B.X. NAM, B.H. BAC (Viet Nam) & T.-C. CHU (Taiwan)
- 2855 Microstructure and dielectric properties of $\text{Pb}_{0.94}\text{La}_{0.06}\text{Nb}_2\text{O}_6$ ceramics
X.M. CHEN, X.G. ZHAO, W. DING & P. LIU (People's Republic of China)
- 2861 Effect of passivation and precipitation hardening on processing and mechanical properties of B_4C –Al composites
N. TUNCER, B. TASDELEN & G. ARSLAN (Turkey)
- 2869 Dip-coating of 8YSZ nanopowder for SOFC applications
H. TIKKANEN, C. SUCIU, I. WÆRNHUS & A.C. HOFFMANN (Norway)
- 2879 The effect of fluidized fly ash on the properties of dry pressed ceramic tiles based on fly ash–clay body
R. SOKOLAR & L. VODOVA (Czech Republic)

Short Communications

- 2887 Preparation of porous hydroxyapatite ceramics containing mullite by reaction sintering of clay, alumina and hydroxyapatite
T. EBADZADEH, A. BEHNAMGHADER & R. NEMATI (Iran)

- 2891 A solid-state reaction route to prepare LaB_6 nanocrystals in vacuum
Y. YUAN, L. ZHANG, L. LIANG, K. HE, R. LIU & G. MIN (PR China)
- 2897 Sintering behavior of Zn–Pr–Co–Mn–O varistor ceramics
M.-H. WANG, G. LI, C. YAO & Q.-H. TANG (PR China)
- 2901 Microstructure and electrical properties of Pr_6O_{11} – Co_3O_4 – MnCO_3 – Y_2O_3 -doped ZnO varistors
M.-H. WANG, G. LI & C. YAO (PR China)
- 2907 Powder synthesis and aerosol deposition of the $\text{BaCe}_{0.9}\text{Y}_{0.1}\text{O}_{2.95}$ and $\text{SrCe}_{0.9}\text{Y}_{0.1}\text{O}_{2.95}$ phases for gas separation membrane application
Y.-H. YUN & S.M. NAM (Republic of Korea)
- 2913 Hydrothermal synthesis of $\text{LiMn}_x\text{Co}_{1-x}\text{O}_2$ cathode materials
Y. ZHENG, X. HUANG, J. DAI, Z. ZHU & J. XIE (PR China)
- 2917 Microemulsion process synthesis of lanthanide-doped hydroxyapatite nanoparticles under hydrothermal treatment
Y. SUN, H. YANG & D. TAO (China)
- 2921 Characteristics of ZnO thin films fabricated by shock-consolidated ZnO target
Y. KIM, F. MITSUGI, T. UEDA & T. IKEGAMI (Japan)
- 2927 A comparative study: Hydroxyapatite spherical nanopowders and elongated nanorods
S.K. SWAIN & D. SARKAR (India)
- 2931 Microstructural evolution of ZrB_2 – MoSi_2 composites during heat treatment
W.-M. GUO, Z.-G. YANG & G.-J. ZHANG (China)
- 2937 Structural and microstructural characterization of $\text{SiB}_{0.5}\text{C}_{1.5}\text{N}_{0.8}\text{Al}_{0.3}$ powders prepared by mechanical alloying using aluminum nitride as aluminum source
D. YE, D.-C. JIA, Z.-H. YANG, X.-M. DUAN & Y. ZHOU (China)
- 2941 Stability evaluation of aqueous alumina–zircon–silicon carbide suspensions by application of DLVO theory
H. MAJIDIAN, T. EBADZADEH & E. SALAH (Iran)
- 2947 Thermodynamic simulations and isothermal solubility diagrams as tools for slag foaming control
A.P. LUZ, T.A. ÁVILA, P. BONADIA & V.C. PANDOLFELLI (Brazil)
- 2951 Photoluminescence and photocatalytic properties of uniform PbMoO_4 polyhedral crystals synthesized by microemulsion-based solvothermal method
G.-J. XING, R. LIU, C. ZHAO, Y.-L. LI, Y. WANG & G.-M. WU (China)

Correspondence

- 2957 Enhanced sintering of SiC using infiltration of preceramic polymer
Y. KIM, H. JANG & D.J. KIM (Republic of Korea)

XI Keywords for *Ceramics International*

Issue 8

Reviews

- 2963 Coefficient of thermal expansion of bioactive glasses: Available literature data and analytical equation estimates
D. BELLUCCI, V. CANNILLO & A. SOLA (Italy)
- 2973 Corrosion mechanisms of $\text{Al}_2\text{O}_3/\text{MgAl}_2\text{O}_4$ by V_2O_5 , NiO, Fe_2O_3 and vanadium slag
B. FERNÁNDEZ, J.M. ALMANZA, J.L. RODRÍGUEZ, D.A. CORTES, J.C. ESCOBEDO & E.J. GUTIÉRREZ (Mexico)

Original Articles

- 2981 Synthesis of a TiO_2 ceramic membrane containing $\text{SrCo}_{0.8}\text{Fe}_{0.2}\text{O}_3$ by the sol–gel method with a wet impregnation process for O_2 and N_2 permeation
A.L. AHMAD, N.A. ABDULLAH SANI & S.H. SHARIF ZEIN (Malaysia)

- 2991 The effect of reactor temperature gradient on microstructures of sodium borosilicate glass powders produced by ultrasonic spray pyrolysis technique
C. ÖZGÜR & O. ŞAN (Turkey)
- 2997 Enhancement in dielectric and ferroelectric properties of lead free $\text{Bi}_{0.5}(\text{Na}_{0.5}\text{K}_{0.5})_{0.5}\text{TiO}_3$ ceramics by Sb-doping
K. KUMAR, B.K. SINGH, M.K. GUPTA, N. SINHA & B. KUMAR (India)
- 3005 Novel processable precursor for BN by the polymer-derived ceramics route
Y.-P. LEI, Y.-D. WANG, Y.-C. SONG & C. DENG (PR China)
- 3011 Synthesis and thermal properties of inorganic polymers (geopolymers) for structural and refractory applications from volcanic ash
P.N. LEMOUGNA (Cameroon, New Zealand), K.J.D. MACKENZIE (New Zealand) & U.F.C. MELO (Cameroon, New Zealand)
- 3019 The use of solid residues derived from different industrial activities to obtain calcium silicates for use as insulating construction materials
M. FELIPE-SESÉ, D. ELICHE-QUESADA & F.A. CORPAS-IGLESIAS (Spain)
- 3029 Brazing of Al_2O_3 to Ti–6Al–4V alloy with in situ synthesized TiB-whisker-reinforced active brazing alloy
M. YANG, T. LIN, P. HE & Y. HUANG (China)
- 3037 Silver doped lanthanum chromites by microwave combustion method
A.A. ATHAWALE & P.A. DESAI (India)
- 3045 Microstructural, electrical and magnetic properties of multiferroic $\text{CoFe}_2\text{O}_4/0.68\text{Pb}(\text{Mg}_{1/3}\text{Nb}_{2/3})\text{O}_3\text{--}0.32\text{PbTiO}_3$ nanocomposite thin films
M. FENG, W. WANG, J.C. RAO, Y. ZHOU, D.C. JIA & H.B. LI (PR China)
- 3049 Microstructure, electrical properties, and aging behavior of $\text{ZnO--Pr}_6\text{O}_{11}\text{--CoO--Cr}_2\text{O}_3\text{--Y}_2\text{O}_3\text{--Er}_2\text{O}_3$ varistor ceramics
C.-W. NAHM (Republic of Korea)
- 3055 Oxidation resistance of multi-walled carbon nanotubes coated with polycarbosilane-derived SiC_xO_y ceramic
M. LUO, Y. LI, S. JIN, S. SANG & L. ZHAO (PR China)
- 3063 Hydrotalcite synthesis via co-precipitation reactions using MgO and $\text{Al}(\text{OH})_3$ precursors
R. SALOMÃO, L.M. MILENA, M.H. WAKAMATSU & V.C. PANDOLFELLI (Brazil)
- 3071 Porous Si_3N_4 ceramics prepared via slip casting of Si and reaction bonded silicon nitride
D. YAO, Y. XIA, Y.-P. ZENG, K.-H. ZUO & D. JIANG (China)
- 3077 Structure, optical and electrical properties of ZnO thin films on the flexible substrate by cathodic vacuum arc technology with different arc currents
M.-H. WENG, C.-T. PAN, R.-Y. YANG & C.-C. HUANG (Taiwan)
- 3083 Investigation of nano particle additives on lithium doped KNN lead free piezoelectric ceramics
M.R. SAERI, A. BARZEGAR & H. AHMADI MOGHADAM (Iran)
- 3089 Combustion synthesis of $(\text{Ti}_{1-x}\text{Nb}_x)_2\text{AlC}$ solid solutions from elemental and $\text{Nb}_2\text{O}_5/\text{Al}_4\text{C}_3$ -containing powder compacts
C.L. YEH & J.H. CHEN (Taiwan)
- 3095 Thermal diffusivity of three-dimensional needled C/SiC–TaC composites
J. CHEN, Y. WANG, L. CHENG & L. ZHANG (PR China)
- 3101 Solution combustion synthesis and physicochemical characterization of $\text{ZrO}_2\text{--MoO}_3$ nanocomposite oxides prepared using different fuels
S. SAMANTARAY, B.G. MISHRA, D.K. PRADHAN & G. HOTA (India)
- 3109 Thermodynamic simulation models for predicting $\text{Al}_2\text{O}_3\text{--MgO}$ castable chemical corrosion
A.P. LUZ, M.A.L. BRAULIO (Brazil), A.G.T. MARTINEZ (Argentina) & V.C. PANDOLFELLI (Brazil)

- 3117 Formation, densification, and selected mechanical properties of hot pressed Al_4SiC_4 , Al_4SiC_4 with 30 vol.% WC, and Al_4SiC_4 with 30 vol.% TiC
O. GABALLA (USA, Egypt), B. COOK & A. RUSSELL (USA)
- 3123 Mechanical properties of highly textured porous Ni–YSZ and Co–YSZ cermets produced from directionally solidified eutectics
J.J. ROA (Spain, France), M.A. LAGUNA-BERCERO, A. LARREA, V.M. ORERA & M. SEGARRA (Spain)
- 3133 Synthesis of nanocrystalline ytterbium-doped yttria by citrate-gel combustion method and fabrication of ceramic materials
N. WANG, X. ZHANG, Z. BAI, H. SUN, Q. LIU, L. LU, X. MI & X. WANG (China)
- 3139 Synthesis of $\text{CeAlO}_3/\text{CeO}_2\text{--Al}_2\text{O}_3$ for use as a solid oxide fuel cell functional anode material
S.A. VENÂNCIO & P.E.V. DE MIRANDA (Brazil)
- 3153 Synthesis and characteristics of nanocrystalline YSZ powder by polyethylene glycol assisted coprecipitation combined with azeotropic-distillation process and its electrical conductivity
H.-C. YAO, X.-W. WANG, H. DONG, R.-R. PEI, J.-S. WANG & Z.-J. LI (PR China)
- 3161 Synthesis and characterization of Cu-doped ceria nanopowders
B.Z. MATOVIĆ, D.M. BUČEVAC, M. ROSIĆ, B.M. BABIĆ, Z.D. DOHCEVIĆ-MITROVIĆ, M.B. RADOVIĆ & Z.V. POPOVIĆ (Serbia)
- 3167 Film thickness dependence of the dielectric properties of $\text{SrTiO}_3/\text{BaTiO}_3$ multilayer thin films deposited by double target RF magnetron sputtering
H.-H. HUANG, M.-C. WANG, H.-J. LIN, M.-H. HON, F.-Y. HSIAO, N.-C. WU & C.-S. HSI (Taiwan)
- 3173 Effects of different thermoplastic binders on the processability of feedstocks for ceramic co-extrusion process
M.R. ISMAEL (Switzerland, Germany), F. CLEMENS, T. GRAULE (Switzerland) & M.J. HOFFMANN (Germany)
- 3183 Synthesis of $\gamma\text{-Ga}_2\text{O}_3\text{--Al}_2\text{O}_3$ solid solutions by spray pyrolysis method
T. WATANABE, Y. MIKI, T. MASUDA, H. DEGUCHI, H. KANAI, S. HOSOKAWA, K. WADA & M. INOUE (Japan)
- 3193 Controllable growth of “multi-level tower” ZnO for biodiesel production
F. LIU & Y. ZHANG (PR China)
- 3203 Preparation and characterization of nanometer-sized $(\text{Pb}_{1-x}\text{Ba}_x)\text{TiO}_3$ powders using acetylacetone as a chelating agent in a non-aqueous sol–gel process
H. ZHU, Z. GUO (PR China), W.-D. YANG, W.-F. CHANG & C.-C. WANG (Taiwan)
- 3211 Study on the preferred orientations of nearly cubic PZT particles synthesized by hydrothermal methods using TiCl_3 reagent
S.H. KIM & S. KOMARNENI (USA)
- 3217 Experimental study of the thermo-mechanical behaviour of alumina-silicate refractory materials based on a mixture of Algerian kaolinitic clays
B. AMRANE (France, Algeria), E. OUEDRAOGO, B. MAMEN (France), S. DJAKNOUN & N. MESRATI (Algeria)
- 3229 Pressureless sintering of $\text{B}_4\text{C--TiB}_2$ composites with Al additions
M. MASHHADI, E. TAHERI-NASSAJ, M. MASHHADI (Iran) & V.M. SGLAVO (Italy)
- 3237 Synthesis and characterizations of $\text{Ni}_{0.6}\text{Zn}_{0.2}\text{Fe}_2\text{O}_4\text{--MWCNTs}$ composites for their application in sea bed logging
M.N. AKHTAR, N. YAHYA (Malaysia), K. KOZIOL (UK) & N. NASIR (Malaysia)
- 3247 The effect of fluorine content on the mechanical properties of poly (ϵ -caprolactone)/nano-fluoridated hydroxyapatite scaffold for bone-tissue engineering
N. JOHARI, M.H. FATHI & M.A. GOLOZAR (Iran)
- 3253 The effect of glucose on the formation of the nanocrystalline transition alumina phases
Z. OBRENOVIĆ (Bosnia and Herzegovina, Bosnia and Herzegovina), M. MILANOVIĆ (Serbia), R.R. DJENADIĆ (Germany), I. STIJEPOVIĆ (Serbia), K.P. GIANNAKOPOULOS (Greece), M. PERUŠIĆ (Bosnia and Herzegovina) & L.M. NIKOLIĆ (Serbia)

- 3265 In vitro properties of nano-hydroxyapatite/chitosan biocomposites
K.R. MOHAMED, Z.M. EL-RASHIDY & A.A. SALAMA (Egypt)
- 3273 Effect of CeO_2 addition on densification and microstructure of Al_2O_3 –YSZ composites
I. AKIN, E. YILMAZ, F. SAHIN, O. YUCEL & G. GOLLER (Turkey)
- 3281 Conversion of wooden structures into porous SiC with shape memory synthesis
R. DHIMAN, V. PETRUNIN (Denmark), K. RANA (Turkey) & P. MORGEN (Denmark)
- 3291 Characterization of calcium oxide derived from waste eggshell and its application as CO_2 sorbent
T. WITOON (Thailand)
- 3299 Estimation of mass transfer parameters during dehydroxylation in a large ceramic body by inverse methods
JÁN ONDRUŠKA (Slovakia), ANTON TRNÍK & IGOR MEDVED (Slovakia, Czech Republic)
- 3307 Spontaneously ordered TiO_2 nanostructures
S. SANKAR, K.G. GOPCHANDRAN, P. KUPPUSAMI & S. MURUGESAN (India)
- 3317 Pure and (zinc or iron) doped titania powders prepared by sol–gel and used as photocatalyst
M.P. SEABRA, I.M.M. SALVADO & J.A. LABRINCHA (Portugal)
- 3323 Grafting of fluoroalkylsilanes on microfiltration Tunisian clay membrane
S. KHEMAKHEM & R.B. AMAR (Tunisia)
- 3329 Calcination and associated structural modifications in boehmite and their influence on high temperature densification of alumina
P.P. NAMPI, S. GHOSH & K.G. WARRIER (India)
- 3335 The effect of processing conditions on the microstructure and impact behavior of melt infiltrated Al/SiCp composites
A.M. ZAHEDI, J. JAVADPOUR, H.R. REZAIE (Iran) & M. MAZAHERI (Switzerland)
- 3343 Structural and magnetic properties of zinc ferrite incorporated in amorphous matrix
P. PASCUTA, A. VLADESCU, G. BORODI, E. CULEA & R. TETEAN (Romania)
- 3351 Synthesis and electrical properties of nanostructured $\text{Ba}_2\text{SnYO}_{5.5}$ proton conductor
Y. WANG (PR China, France), A. CHESNAUD, E. BEVILLON, G. DEZANNEAU (France) & J. YANG (PR China)
- 3357 Magnetic studies on one-step chemically synthesized nickel ferrite thin films
C.D. LOKHANDE (India, Republic of Korea), S.S. KULKARNI (India), R.S. MANE, O.-S. JOO & S.-H. HAN (Republic of Korea)
- 3361 Synthesis of La_2NiO_4 via a PVA-based route
T. LIU, Y. XU, Y. LI, Z. WANG & J. ZHAO (China)
- 3365 Morphology control and growth mechanism of magnesium hydroxide nanoparticles via a simple wet precipitation method
P. WANG, C. LI, H. GONG, H. WANG & J. LIU (PR China)
- 3371 Processing and properties of alumina–carbon nano fibre ceramic composites using standard ceramic technology
G. BLUGAN (Switzerland), M. MICHALKOVA, M. HNATKO, P. ŠAJGALÍK (Slovak Republic), TIZIANO MINGHETTI, CHRISTIAN SCHELLE, THOMAS GRAULE, JAKOB KUEBLER (Switzerland)
- 3381 Effect of MnO_2 addition on properties of NiFe_2O_4 -based cermets
J. MA, L. BAO, G. YAO, Y. LIU, X. ZHANG, Z. ZHANG & L. LIANG (China)
- 3389 Mössbauer spectroscopic and chromaticity analysis on colorative mechanism of celadon glaze
J.-Y. KIM, H. NO, A.Y. JEON, U. KIM, J.-H. PEE, W.-S. CHO, K.J. KIM, C.M. KIM & C.S. KIM (Republic of Korea)
- 3397 Influence of an In_2O_3 buffer layer on the properties of ITO thin films
B. HOUNG, S.L. LIN, S.W. CHEN & A. WANG (Taiwan)
- 3405 Manganese effect on the relaxation behaviors of the space charge polarization in $\text{Pb}(\text{Fe}_{2/3}\text{W}_{1/3})_{0.9}\text{Ti}_{0.1}\text{O}_3$ ceramics
C.-S. HONG, S.-Y. CHU, C.-C. TSAI & W.-C. SU (Taiwan)

- 3413 Sol–gel derived $6\text{CaO}\cdot 6\text{SrO}\cdot 7\text{Al}_2\text{O}_3$ thin films using metal alkoxides
P.M. CHAVHAN (India, Republic of Korea), A. SHARMA, R.K. SHARMA (India), C. KIM (Republic of Korea) & N.K. KAUSHIK (India)
- 3419 Performance of a ceramic frit anti-oxidation coating on a $\text{MgO}\text{--}\text{C}$ refractory brick
Z. ASLANOĞU (Turkey)
- 3425 Wastewater filtration performance of multilayer glassy microporous filters
OSMAN ŞAN, CEM ÖZGÜR (Turkey)
- 3431 A CTAB-assisted hydrothermal and solvothermal synthesis of ZnO nanopowders
Y.-X. WANG, J. SUN, X. FAN & X. YU (People's Republic of China)
- 3437 Transferred arc plasma processed mullite from coal ash and bauxite
S. YUGESWARAN (Japan), P.V. ANANTHAPADMANABHAN (India), A. KOBAYASHI (Japan) & L. LUSVARGHI (Italy)
- 3445 The effect of polyvinyl alcohol as a binder and stearic acid as an internal lubricant in the formation, and subsequent sintering of spray-dried alumina
P.P. NAMPI, S. KUME, Y. HOTTA, K. WATARI, M. ITOH, H. TODA & A. MATSUTANI (Japan)
- 3451 Effect of Y_2O_3 and Er_2O_3 co-dopants on phase stabilization of bismuth oxide
S. ARASTEH, A. MAGHSOUDIPOUR, M. ALIZADEH & A. NEMATI (Iran)
- 3457 Silicon nitride based nanocomposites produced by two different sintering methods
O. TAPASZTÓ, P. KUN, F. WÉBER, G. GERGELY, K. BALÁZSI, J. PFEIFER, P. ARATÓ (Hungary), A. KIDARI, S. HAMPSHIRE (Ireland) & C. BALÁZSI (Hungary)
- 3463 Pressureless reaction sintering of yttrium aluminium garnet (YAG) from powder precursor in the hydroxyhydrogel form
S. BHATTACHARYYA, T.K. MUKHOPADHYAY, K. DANA & S. GHATAK (India)
- 3469 The sintering characteristics of pure tetrapod ZnO nanopowders prepared by thermal evaporation deposition (TED)
J. WU, T. LI, C. WANG, B. ZHU, R. WU & C. XIE (PR China)
- 3477 Synthesis of carbon-free $\text{Si}_3\text{N}_4/\text{SiC}$ nanopowders using silica fume
J. SURI, L.L. SHAW (USA) & M.F. ZAWRAH (Egypt)
- 3489 Polymer assisted isolation of hydroxyapatite from *Thunnus obesus* bone
R. PALLELA, J. VENKATESAN & S.K. KIM (Republic of Korea)
- 3499 Characterization of $\text{SrWO}_4\text{--PVA}$ and SrWO_4 spiders' webs synthesized by electrospinning
S. WANNAPOP, T. THONGTEM & S. THONGTEM (Thailand)
- 3509 Effect of Zr/Ti ratio on piezoelectric properties of $\text{Pb}(\text{Ni}_{1/3}\text{Sb}_{2/3})\text{O}_3\text{--Pb}(\text{ZrTi})\text{O}_3$ ceramics
C.M. LONKAR, D.K. KHARAT, H.H. KUMAR, S. PRASAD, M. GHOSH & C.S. KUMBHAR (India)
- 3515 Preparation and characterization of nanocrystalline La-doped ZnO powders through a mechanical milling and their optical properties
S. SUWANBOON & P. AMORNPITOKSUK (Thailand)
- 3523 Synthesis of mono-dispersed spherical $\text{Nd:Y}_2\text{O}_3$ powder for transparent ceramics
Y. HUANG, D. JIANG, J. ZHANG, Q. LIN & Z. HUANG (China)
- 3531 Growth and characterization of epitaxial $(\text{La}_{2/3}\text{Sr}_{1/3})\text{MnO}_3$ films by pulsed laser deposition
D. LIU (USA) & W. LIU (People's Republic of China)
- 3535 Electromagnetic absorption, reflection and interference shielding in X-band frequency range of low cost ceramic building bricks and sandwich type ceramic tiles using mill scale waste as an admixture
G. BANTSIS, C. SIKALIDIS, M. BETSIOU, T. YIOULTSIS & T. XENOS (Greece)
- 3547 Role of immiscible and miscible second phases on the sintering kinetics and microstructural development of nano-crystalline $\alpha\text{-Al}_2\text{O}_3$ -based materials
P. PALMERO (Italy), F. KERN (Germany), M. LOMBARDI (Italy) & R. GADOW (Germany)

- 3557 Studies on ionic conductivity of stabilized zirconia ceramics (8YSZ) densified through conventional and non-conventional sintering methodologies
K. RAJESWARI, M.B. SURESH, U.S. HAREESH, Y.S. RAO, D. DAS & R. JOHNSON (India)
- 3565 Effects of the nature of the doping salt and of the thermal pre-treatment and sintering temperature on Spark Plasma Sintering of transparent alumina
N. ROUSSEL, L. LALLEMANT, B. DURAND, S. GUILLEMET, J.-Y.C. CHING, G. FANTOZZI, V. GARNIER & G. BONNEFONT (France)
- 3575 Solubility limits and microwave dielectric properties of $\text{Ba}_{6-3x}\text{Sm}_{8+2x}\text{Ti}_{18}\text{O}_{54}$ solid solution
L. ZHONG, X.L. ZHU, X.M. CHEN, X.Q. LIU & L. LI (China)
- 3583 Densification behaviour and properties of manganese oxide doped Y-TZP ceramics
S. RAMESH, M. AMIRIYAN, S. MEENALOSHINI, R. TOLOUEI, M. HAMD, J. PRUBOLOKSONO & W.D. TENG (Malaysia)
- 3591 Growth mechanisms of WC in WC–5.75 wt% Co
Y. ZHONG & L.L. SHAW (USA)
- 3599 Influence of small amount of sintering additives on unlubricated sliding wear properties of SiC ceramics
B.V. MANOJ KUMAR, Y.-W. KIM, D.-S. LIM & W.-S. SEO (Republic of Korea)
- 3609 Synthesis and characterization of praseodymium-containing ZrSiO_4 solid solutions from gels
N. MONTOYA, G. HERRERA & J. ALARCÓN (Spain)
- 3617 Study of ceramic ultrafiltration membrane support based on phosphate industry subproduct: Application for the cuttlefish conditioning effluents treatment
M. KHEMAKHEM, S. KHEMAKHEM, S. AYEDI & R.B. AMAR (Tunisia)
- 3627 Synthesis of basic aluminum sulfate assisted by microwave heating
J. JIMÉNEZ-BECERRIL, I. GARCÍA-SOSA & I.A. RIVERO (Mexico)
- 3631 Vacuum infiltration of copper aluminate by liquid aluminium
M. GUEDES, J.M.F. FERREIRA, L.A. ROCHA & A.C. FERRO (Portugal)
- 3637 Effect of silicon and heat-treatment temperature on the morphology and mechanical properties of silicon - substituted hydroxyapatite
L.T. BANG (Malaysia), K. ISHIKAWA (Japan) & R. OTHMAN (Malaysia)
- 3643 Vanadium doping effects on microstructure and dielectric properties of barium titanate ceramics
W. CAI, C. FU, Z. LIN & X. DENG (China)
- 3651 Analysis of structural, thermal and dielectric properties of $\text{LiTi}_2(\text{PO}_4)_3$ ceramic powders
R. RAMARAGHAVULU & S. BUDDHURU (India)
- 3657 Solvothermal synthesis of microsphere ZnO nanostructures in DEA media
R. RAZALI (Malaysia), A.K. ZAK (Malaysia, Iran), W.H.A. MAJID (Malaysia) & M. DARROUDI (Iran)
- 3665 New vanadium doped calcium titanate ceramic pigment
C. GARGORI, S. CERRO, R. GALINDO, A. GARCÍA, M. LLUSAR, J. BADENES & G. MONRÓS (Spain)
- 3671 Microstructural analysis of single crystal SiC prepared by novel liquid phase epitaxy
S.-C. WANG, P.K. NAYAK, Y.-L. CHEN, J.C. SUNG & J.-L. HUANG (Taiwan)
- 3677 Preparation of ultrafine CsCl crystallites by combined cryogenic and room temperature ball milling
C.S. TIWARY, A. VERMA, K. BISWAS, A.K. MONDAL & K. CHATTOPADHYAY (India)
- 3687 Multiferroic properties of single-crystalline $\text{Bi}_{0.8}\text{La}_{0.2}\text{FeO}_3$ micro-sized particles synthesized by molten salt method
L. ZHAI, Y.G. SHI, J.L. GAO, S.L. TANG & Y.W. DU (China)
- 3691 Structural, physical, magnetic and electrical properties of La-substituted W-type hexagonal ferrites
M. AHMAD, F. AEN, M.U. ISLAM, S.B. NIAZI & M.U. RANA (Pakistan)

- 3697 The luminescence and structural characteristics of Eu^{3+} -doped NaBaPO_4 phosphor
S. ZHANG, D. WEI, R. ZHU, Y. HUANG (China) & H.J. SEO (Republic of Korea)
- 3703 Effects of manganese doping on properties of sol–gel derived biphasic calcium phosphate ceramics
I. SOPYAN, S. RAMESH, N.A. NAWAWI (Malaysia), A. TAMPIERI & S. SPRIIO (Italy)

Short Communications

- 3717 Functionally graded porous ceramics with dense surface layer produced by freeze-casting
C. HONG, J. DU, J. LIANG, X. ZHANG & J. HAN (PR China)
- 3723 Effects of heat treatment on the physical properties of lightweight aggregate from water reservoir sediment
Y.-C. LIAO & C.-Y. HUANG (Taiwan)
- 3731 Mechanical synthesis and characterization of $\text{Bi}_4\text{Ti}_3\text{O}_{12}$ nanopowders
R.A. GOLDA, A. MARIKANI & D.P. PADIYAN (India)
- 3737 Microstructure and mechanical properties of the α -SiAlON/ α -SiC composites: Effects of heat treatment
L. LIU, F. YE & Y. ZHOU (China)
- 3743 Single step synthesis of yttrium aluminum garnet ($\text{Y}_3\text{Al}_5\text{O}_{12}$) nanopowders by mixed fuel solution combustion approach
K. LAISHRAM, R. MANN & N. MALHAN (India)
- 3747 Low-temperature calcination at 800 °C of alumina–zirconia nanocomposites using sugar as a gelling agent
R. SEPTAWENDAR, A. SETIATI & S. SUTARDI (Indonesia)
- 3755 Dielectric properties of Zr substituted BST ceramics
R. RANI, S. SINGH, J.K. JUNEJA, K.K. RAINA & C. PRAKASH (India)
- 3759 Growth of SiC nanowhiskers from wooden precursors, separation, and characterization
R. DHIMAN, E. JOHNSON & P. MORGEN (Denmark)
- 3765 Properties of RF magnetron sputtered 0.95 ($\text{Na}_{0.5}\text{Bi}_{0.5}$) TiO_3 –0.05 BaTiO_3 thin films
Y.-H. LIN, P.-S. CHENG, C.-C. WU, T.-P. SUN, J.-J. LIN & C.-F. YANG (Taiwan)
- 3771 Hydrothermal synthesis of $\text{LiMn}_{0.4}\text{Co}_{0.6}\text{O}_2$ cathode materials
Y. ZHENG, X. HUANG, J. DAI & Z. ZHU (PR China)
- 3775 Mechanical and dielectric properties of porous Si_3N_4 ceramics using PMMA as pore former
Y. XIA, Y.-P. ZENG & D. JIANG (PR China)
- 3781 Novel pulse ageing characteristics of ZPCCE varistor ceramics
C.-W. NAHM (Republic of Korea)
- 3785 Investigation of structural, optical and magnetic properties in $\text{PbTi}_{1-x}\text{Fe}_x\text{O}_3$ ceramics
N. VAN MINH, L.M. OANH, P. VAN DOAN, P. VAN HAI & L.H. HOANG (Viet Nam)
- 3789 Halting the calcium aluminate cement hydration process
A.P. LUZ & V.C. PANDOLFELLI (Brazil)

Erratum

- 3795 Erratum to “Sintering behaviour and properties of YAlSiO and YAlSiON glass–ceramics” [*Ceram. Int.* 37 (2011) 1485–1492]
M.A. SAINZ, P. MIRANZO & M.I. OSENDI (Spain)

I Contents of Volume 37

XXX Keyword Index

XLI Keywords for *Ceramics International*