

Contents

D. Suvorov	447	Preface
<i>Symposium A</i>		
Z.C. Orel, J. Maček, M. Marinšek and S. Pejovnik	451	Coprecipitation of copper/zinc compounds in metal salt–urea–water system
T. Chotard, A. Smith and A. Quet	457	Characterisation of liquid transfer processes and water adsorption mechanism on a porous ceramic by acoustic emission means
C.-H. Chen and K.-C. Hsu	463	Dispersion properties of $\text{BaTi}_4\text{O}_9/\text{Ba}_2\text{Ti}_9\text{O}_{20}$ colloids with amphoteric polyelectrolytes
M.V. Nikolić, V. Blagojević, K.M. Paraskevopoulos, T.T. Zorba, D. Vasiljević-Radović, P.M. Nikolić and M.M. Ristić	469	Far infrared properties of sintered NiO
C. Poulier, D.S. Smith and J. Absi	475	Thermal conductivity of pressed powder compacts: tin oxide and alumina
W. Pabst, E. Gregorová and G. Tichá	479	Effective properties of suspensions, composites and porous materials
H.E. Attaoui, M. Saâdaoui, J. Chevalier and G. Fantozzi	483	Static and cyclic crack propagation in Ce-TZP ceramics with different amounts of transformation toughening
J. Maček, B. Novosel and M. Marinšek	487	Ni–YSZ SOFC anodes—Minimization of carbon deposition
V. Kevorkijan, S.D. Škapin, M. Jelen, K. Krnel and A. Meden	493	Cost-effective synthesis of $\text{AlMgB}_{14-x}\text{TiB}_2$
G. Lusvardi, G. Malavasi, L. Menabue, M.C. Menziani, A. Pedone and U. Segre	499	Density of multicomponent silica-based potential bioglasses: Quantitative structure-property relationships (QSPR) analysis
S. Marković, M. Mitrić, N. Cvjetičanin and D. Uskoković	505	Preparation and properties of $\text{BaTi}_{1-x}\text{Sn}_x\text{O}_3$ multilayered ceramics
M. Iuga and F. Raether	511	FEM simulations of microstructure effects on thermoelastic properties of sintered ceramics
A. Ianculescu, A. Brăileanu, G. Voicu and Ș. Stoleriu	517	Phase formation mechanism and characteristics of strontium barium niobate ceramics
S. Zec, S. Bošković, M. Hrovat and M. Kosec	523	Contribution to phase equilibria in the Ce_2O_3 rich part of the $\text{Ce}_2\text{O}_3\text{--SiO}_2\text{--ZrO}_2$ system
T. Tsuchida and T. Kakuta	527	MA-SHS of NbC and NbB_2 in air from the Nb/B/C powder mixtures
N. Uchida, S. Tanaka, K. Uematsu, T. Fujiwara and T. Komatsu	531	Molecular orbital approach to the optical nonlinearities of fresnoite-type crystals

É. Makó	535	The effect of quartz content on the mechanical activation of dolomite
M. Ambrožič and A. Dakskobler	541	Some aspects of numerical analysis of conductivity percolation threshold
M.E. Villafuerte-Castrejón, F. Camacho-Alanís, F. González, A. Ibarra-Palos, G. González, L. Fuentes and L. Bucio	545	Luminescence and structural study of $\text{Bi}_{4-x}\text{Eu}_x\text{Ti}_3\text{O}_{12}$ solid solution
S. Mihaiu, L. Marta and M. Zaharescu	551	SnO_2 and CeO_2 -doped SnO_2 materials obtained by sol–gel alkoxide route
A. Hizebry, H. El Attaoui, M. Saâdaoui, J. Chevalier and G. Fantozzi	557	Effect of Nb and K doping on the crack propagation behaviour of lead zirconate titanate ceramics
H.J. Lee, Y.M. Kim, O.S. Kweon and I.J. Kim	561	Structural and morphological transformation of NaX zeolite crystals at high temperature
A.C. Silva and S.R.H. Mello-Castanho	565	Vitrified galvanic waste chemical stability
F. Riza and Ch. Ftikos	571	Influence of A- and B-site doping on the properties of the system $\text{La}_2\text{CoO}_{4\pm\delta}$
V.P. Pavlović, M.V. Nikolić, Z. Nikolić, G. Branković, Lj. Živković, V.B. Pavlović and M.M. Ristić	575	Microstructural evolution and electric properties of mechanically activated BaTiO_3 ceramics
H.J. Lee, Y.M. Kim, O.S. Kweon and I.J. Kim	581	Crystal growing and reaction kinetic of large NaX zeolite crystals
<i>Symposium B</i>		
O. Vasylykiv, Y. Sakka and V.V. Skorokhod	585	Nano-explosion synthesis of multi-component ceramic nano-composites
M. Zarzecka, M.M. Bućko, J. Brzezińska-Miecznik and K. Haberk	593	YAG powder synthesis by the modified citrate process
C. Oncel, B. Ozkaya and M.A. Gulgun	599	X-ray single phase LSGM at 1350 °C
Z. Konik, J. Małolepszy, W. Roszczynialski and A. Stok	605	Production of expansive additive to portland cement
A. Şakar-Deliormanlı	611	Synergistic effect of polymer-surfactant mixtures on the stability of aqueous silica suspensions
J.-L. Rehspringer, J. Balencie, S. Vilminot, D. Burger, A. Boos and C. Estournès	619	Confining caesium in expanded natural Perlite
G. Bolelli, L. Lusvarghi, T. Manfredini and C. Siligardi	623	Devitrification behaviour of plasma-sprayed glass coatings
A. Karamberi, K. Orkopoulos and A. Moutsatsou	629	Synthesis of glass-ceramics using glass cullet and vitrified industrial by-products
Z. Taslicukur, C. Balaban and N. Kuskonmaz	637	Production of ceramic foam filters for molten metal filtration using expanded polystyrene
M. Sutcu and S. Akkurt	641	ANN model for prediction of powder packing
D. Zhang, B. Su and T.W. Button	645	Improvements in the structural integrity of green ceramic micro-components by a modified soft moulding process

M. Szafran, K. Konopka, E. Bobryk and K.J. Kurzydłowski	651	Ceramic matrix composites with gradient concentration of metal particles
W. Chen, Y. Kinemuchi, T. Tamura, K. Miwa and K. Watari	655	Fabrication of textured ferroelectric ceramics by magnetic alignment via gelcasting
P.-H. Xiang, Y. Kinemuchi and K. Watari	663	Preparation of <i>c</i> -axis-oriented Bi ₄ Ti ₃ O ₁₂ thick films by templated grain growth
E. Gregorová and W. Pabst	669	Porosity and pore size control in starch consolidation casting of oxide ceramics—Achievements and problems
S. Beaudet Savignat, M. Chiron and C. Barthet	673	Tape casting of new electrolyte and anode materials for SOFCs operated at intermediate temperature
I.D. Alecu and R.J. Stead	679	Further tailoring of material properties in non-equimolar aluminium titanate ceramic materials
S. Ran, A.J.A. Winnubst, H. Koster, P.J. de Veen and D.H.A. Blank	683	Sintering behaviour and microstructure of 3Y-TZP + 8 mol% CuO nano-powder composite
S.G. Huang, L. Li, O. Van der Biest and J. Vleugels	689	Microwave sintering of CeO ₂ and Y ₂ O ₃ co-stabilised ZrO ₂ from stabiliser-coated nanopowders
A. Goldstein, Y. Yeshurun and A. Goldenberg	695	B ₄ C/metal boride composites derived from B ₄ C/metal oxide mixtures
J. Baber, A. Klimera and F. Raether	701	In situ measurement of dimensional changes and temperature fields during sintering with a novel thermo-optical measuring device
C. Păcurariu, I. Lazău, Z. Ecsedi, R. Lazău, P. Barvinschi and G. Mărginean	707	New synthesis methods of MgAl ₂ O ₄ spinel
C. Ghitulica, E. Andronescu, O. Nicola, A. Dicea and M. Birsan	711	Preparation and characterization of cordierite powders
S.H. Kang and D.J. Kim	715	Synthesis of nano-titanium diboride powders by carbothermal reduction
Y.-C. Woo, H.-J. Kang and D.J. Kim	719	Formation of TiC particle during carbothermal reduction of TiO ₂
M.M. Bućko and K. Haberkó	723	Hydrothermal synthesis of nickel ferrite powders, their properties and sintering
G. Branković, V. Vukotić, Z. Branković and J.A. Varela	729	Investigation on possibility of mechanochemical synthesis of CaTiO ₃ from different precursors
N. Omura, Y. Hotta, K. Sato, Y. Kinemuchi, S. Kume and K. Watari	733	Wet jet milling of Al ₂ O ₃ slurries
T. Włodek, M. Sopicka-Lizer, H. Gocmez and C. Duran	739	Influence of the milling environment on the reaction progress in the Si–Al ₂ O ₃ system
Z. Tatlı, A. Demir, R. Yılmaz, F. Çalışkan and A.O. Kurt	743	Effects of processing parameters on the production of β-SiAlON powder from kaolinite
O.L. Khasanov, E.S. Dvilis and V.M. Sokolov	749	Compressibility of the structural and functional ceramic nanopowders
Y. Hotta, N. Omura, K. Sato and K. Watari	753	Slip casting using wet-jet milled slurry
E. Volceanov, A. Volceanov and Ș. Stoleriu	759	Assessment on mechanical properties controlling of alumina ceramics for harsh service conditions

E. Volceanov, Ș. Motoc, A.T. Abagiu, A. Volceanov and Ș. Stoleriu	763	Influence of sintering environment on zirconia–metal carbides characteristics
W. Pyda and A. Pyda	769	Effect of sintering environment on the structure of calcia-stabilised TiO ₂ -added zirconia solid solutions
D. Zientara, M.M. Bućko and J. Lis	775	Alon-based materials prepared by SHS technique
A. Gubernat, L. Stobierski and P. Łabaj	781	Microstructure and mechanical properties of silicon carbide pressureless sintered with oxide additives
Z. Tatli and D.P. Thompson	791	Low temperature densification of silicon nitride materials
A. Makiya, Y. Kusumi, S. Tanaka, Z. Kato, N. Uchida, K. Uematsu, T. Kimura and K. Kitazawa	797	Grain oriented titania ceramics made in high magnetic field
V. Gil, J. Tartaj, C. Moure and P. Duran	801	Effect of Bi ₂ O ₃ addition on the sintering and microstructural development of gadolinia-doped ceria ceramics
B.-C. Kim, J.-H. Lee and J.-J. Kim	807	Effect of forming pressure on densification behavior of nanocrystalline ITO powder
K. Park, K.Y. Ko, W.-S. Seo, W.-S. Cho, J.-G. Kim and J.Y. Kim	813	High-temperature thermoelectric properties of polycrystalline Zn _{1-x-y} Al _x Ti _y O ceramics
B.-S. Kim, E.-S. Lim, J.-H. Lee and J.-J. Kim	819	Effect of Bi ₂ O ₃ content on sintering and crystallization behavior of low-temperature firing Bi ₂ O ₃ –B ₂ O ₃ –SiO ₂ glasses
E.-S. Lim, B.-S. Kim, J.-H. Lee and J.-J. Kim	825	Characterization of the low temperature firing BaO–B ₂ O ₃ –SiO ₂ glass: The effect of BaO content
J. Michalski, T. Wejrzanowski, S. Gierlotka, J. Bielinski, K. Konopka, T. Kosmac and K.J. Kurzydłowski	831	The preparation and structural characterization of Al ₂ O ₃ /Ni–P composites with an interpenetrating network
B.-S. Kim and D.J. Kim	837	Ti-based ceramic composites derived from polymer pyrolysis
V.G. Karayannis and A.K. Moutsatsou	843	The contribution of waste in the construction of composite materials
S. Menecier, J. Jarrige, J.C. Labbe and P. Lefort	851	Identification of parameters involved in the bonding of copper tracks on alumina substrates by a laser process
J. Jarrige, T. Joyeux, J.P. Lecompte and J.C. Labbe	855	Comparison between two processes using oxygen in the Cu/AlN bonding
M. Villegas, T. Sierra, F. Lucas, J.F. Fernández and A.C. Caballero	861	Oxidation treatments for SiC particles and its compatibility with glass
Ł. Zych and K. Haberko	867	Some observations on filter pressing and sintering of yttria-stabilized zirconia nanopowder
S. Tanaka, C. Chia-Pin, Z. Kato and K. Uematsu	873	Effect of internal binder on microstructure in compacts made from granules
S.W. Jiang, T. Matsukawa, S. Tanaka and K. Uematsu	879	Effects of powder characteristics, solid loading and dispersant on bubble content in aqueous alumina slurries
<i>Symposium C</i>		
H. Böhm	887	Mechanisms at structural phase transitions
E. Dolekcekic, M.J. Pomeroy and S. Hampshire	893	Structural characterisation of Er–Si–Al–O–N glasses by Raman spectroscopy

H. Haskan, T. Boyraz and M.A. Kilicarslan	899	Investigation of thermal stresses in dental restoration by mathematical method
Z.V. Marinković Stanojević, N. Romčević and B. Stojanović	903	Spectroscopic study of spinel ZnCr_2O_4 obtained from mechanically activated $\text{ZnO}-\text{Cr}_2\text{O}_3$ mixtures
<i>Symposium D</i>		
R. Dominko, M. Gaberscek, M. Bele, D. Mihailovic and J. Jamnik	909	Carbon nanocoatings on active materials for Li-ion batteries
F. Dassenoy, L. Joly-Pottuz, J.M. Martin, D. Vrbancic, A. Mrzel, D. Mihailovic, W. Vogel and G. Montagnac	915	Tribological performances of $\text{Mo}_6\text{S}_3\text{I}_6$ nanowires
N. Millot, S. Le Gallet, D. Aymes, F. Bernard and Y. Grin	921	Spark plasma sintering of cobalt ferrite nanopowders prepared by coprecipitation and hydrothermal synthesis
I.L. Validžić, V. Jokanović, D.P. Uskoković and J.M. Nedeljković	927	Formation of silver iodide particles from thermodynamically stable clusters using ultrasonic spray pyrolysis
S. Giraud, G. Loupias, H. Maskrot, N. Herlin-Boime, S. Valange, E. Guélou, J. Barrault and Z. Gabelica	931	Dip-coating on TiO_2 foams using a suspension of Pt- TiO_2 nanopowder synthesized by laser pyrolysis—preliminary evaluation of the catalytic performances of the resulting composites in deVOC reactions
V. Fruth, E. Tenea, M. Gartner, M. Anastasescu, D. Berger, R. Ramer and M. Zaharescu	937	Preparation of BiFeO_3 films by wet chemical method and their characterization
I. Mohai, L. Gál, J. Szépvölgyi, J. Gubicza and Z. Farkas	941	Synthesis of nanosized zinc ferrites from liquid precursors in RF thermal plasma reactor
C. Chazelas, J.F. Coudert, J. Jarrige and P. Fauchais	947	Synthesis of nanometer alumina particles by plasma transferred arc alternative
S. Kurajica, E. Tkalcec and J. Schmauch	951	CoAl_2O_4 -mullite composites prepared by sol-gel processes
M. Marinšek, S. Pejovnik and J. Maček	959	Modelling of electrical properties of Ni-YSZ composites
J.-H. Lee, H.-J. Park, K. Yoo, B.-W. Kim, J.C. Lee and S. Park	965	Characteristics of nano-sized ZnGa_2O_4 phosphor prepared by solution combustion method and solid state reaction method
R. Peña-Alonso, L. Téllez, A. Tamayo, F. Rubio, J. Rubio and J.L. Oteo	969	Silicon-titanium oxycarbide glasses as bimodal porous inorganic membranes
D. Vrbancic, S. Pejovnik, D. Mihailovic and Z. Kutnjak	975	Electrical conductivity of $\text{Mo}_6\text{S}_3\text{I}_6$ and $\text{Mo}_6\text{S}_{4.5}\text{I}_{4.5}$ nanowires
K. Vanmeensel, A. Laptev, O. Van der Biest and J. Vleugels	979	Field assisted sintering of electro-conductive ZrO_2 -based composites
A. Anžlovar, Z.C. Orel and M. Žigon	987	Copper(I) oxide and metallic copper particles formed in 1,2-propane diol
M. Samoylovich and A. Talis	993	Steiner systems $(t-(v,k,\lambda)$ schemes) and special features of the nanostructures symmetry description
G. Štefanić, S. Musić and A. Gajović	1001	A comparative study of the influence of milling media on the structural and microstructural changes in monoclinic ZrO_2
A. Cellard, R. Zenati, V. Garnier, G. Fantozzi and G. Baret	1017	Optimization of chromium oxide nanopowders dispersion for spray-drying
C. Henrist, A. Rulmont and R. Cloots	1023	Synthesis and characterization of inorganic, lamellar nanofillers with high aspect ratio

Symposium E

A.L. Adenot-Engelvin, C. Dudek, P. Toneguzzo and O. Acher	1029	Microwave properties of ferromagnetic composites and metamaterials
F. Ravussin, J. Van herle, N. Autissier, M. Molinelli, D. Larrain and D. Favrat	1035	Local current measurement in a solid oxide fuel cell repeat element
V.V. Ivanov, V.R. Khrustov, Yu.A. Kotov, A.I. Medvedev, A.M. Murzakaev, S.N. Shkerin and A.V. Nikonov	1041	Conductivity and structure features of $\text{Ce}_{1-x}\text{Gd}_x\text{O}_{2-\delta}$ solid electrolytes fabricated by compaction and sintering of weakly agglomerated nanopowders
D. Zhang, W. Hu, C. Meggs, B. Su, T. Price, D. Iddles, M.J. Lancaster and T.W. Button	1047	Fabrication and characterisation of barium strontium titanate thick film device structures for microwave applications
K.-H. Cho, J.-B. Lim, S. Nahm, H.-T. Kim, J.-H. Kim, J.-H. Paik and H.-J. Lee	1053	Low temperature sintering of $\text{BaO-Sm}_2\text{O}_3\text{-4TiO}_2$ ceramics
R.C. Pullar, S. Farrah and N.McN. Alford	1059	MgWO_4 , ZnWO_4 , NiWO_4 and CoWO_4 microwave dielectric ceramics
B.-J. Kim, M.-H. Kim, S. Nahm, H.-T. Kim, J.-H. Kim, J.-H. Paik, H. Ryu and H.-J. Lee	1065	Effect of B_2O_3 on the microstructure and microwave dielectric properties of $\text{Ba}(\text{Mg}_{1/3}\text{Ta}_{2/3})\text{O}_3$ ceramics
V.B. Bregar, D. Lisjak, A. Žnidaršič and M. Drofenik	1071	The application of effective-medium theory for the nondestructive characterization of ceramic composites
J.S. Park and Y.H. Han	1077	Effects of MgO coating on microstructure and dielectric properties of BaTiO_3
M. Počuča, G. Branković, Z. Branković, D. Vasiljevic-Radović and D. Poleti	1083	Optimization of processing parameters for preparation of LaNiO_3 thin films from the citrate precursors
S. Duguey, R. Lebourgeois, J.-P. Ganne and J.-M. Heintz	1087	High frequency dielectric properties of hot-pressed $\text{Ag}(\text{Nb}_x\text{Ta}_{1-x})\text{O}_3$ solid solutions E-P-09
B. Vodopivec, Z. Kutnjak, J. Holc and M. Kosec	1093	Ferroelectric behavior in 5/65/35 hot-pressed PLZT ceramics
M. Meyar and L. Taïbi-Benziada	1097	Multifunctional ceramics $\text{Ba}_{1-x}\text{Sr}_x(\text{Ti}_{1-x}\text{Li}_x)\text{O}_{3-3x}\text{F}_{3x}$
Z. Branković, G. Branković, S. Bernik and M. Žunić	1101	ZnO varistors with reduced amount of additives prepared by direct mixing of constituent phases
M. Enisz, E. Kristof-Mako and D. Oravetz	1105	Phase transformation in doped Y–Ba–Cu–O superconductors obtained by different melt processing techniques
J.H. Kim, S.H. Yoon and Y.H. Han	1113	Effects of Y_2O_3 addition on electrical conductivity and dielectric properties of Ba-excess BaTiO_3
A. Ioachim, M.I. Toacsan, M.G. Banciu, L. Nedelcu, C.A. Dutu, M. Feder, C. Plapcianu, F. Lifei and P. Nita	1117	Effect of the sintering temperature on the $\text{Ba}(\text{Zn}_{1/3}\text{Ta}_{2/3})\text{O}_3$ dielectric properties
A. Ianculescu, A. Brăileanu and G. Voicu	1123	Synthesis, microstructure and dielectric properties of antimony-doped strontium titanate ceramics
A. Ianculescu, B. Despax, V. Bley, T. Lebey, R. Gavrilă and N. Drăgan	1129	Structure–properties correlations for barium titanate thin films obtained by rf-sputtering
L. Predoană, A. Barău, M. Zaharescu, H. Vassilchina, N. Velinova, B. Banov and A. Momchilov	1137	Electrochemical properties of the LiCoO_2 powder obtained by sol–gel method
P. Ochoa, J.L. Pons, M. Villegas and J.F. Fernandez	1143	Effect of bonding layer on the electromechanical response of the cymbal metal-ceramic piezocomposite

A. Lecomte, F. Bamière, S. Coste, P. Thomas and J.C. Champarnaud-Mesjard	1151	Sol–gel processing of TeO ₂ thin films from citric acid stabilised tellurium isopropoxide precursor
J. Jeong, E.J. Lee and Y.H. Han	1159	Defect chemistry and electrical degradation of BaTiO ₃ co-doped with Ho and Mn
A.S. Kaygorodov, V.V. Ivanov, V.R. Khrustov, Yu.A. Kotov, A.I. Medvedev, V.V. Osipov, M.G. Ivanov, A.N. Orlov and A.M. Murzakaev	1165	Fabrication of Nd:Y ₂ O ₃ transparent ceramics by pulsed compaction and sintering of weakly agglomerated nanopowders
S. Duguey, R. Lebourgeois, C. Grattepain, J.-M. Heintz and J.-P. Ganne	1171	Study of copper substitutions in Ag(Nb _x Ta _{1-x})O ₃ solid solutions
A. Ioachim, R. Ramer, M.I. Toacsan, M.G. Banciu, L. Nedelcu, C.A. Dutu, F. Vasiliu, H.V. Alexandru, C. Berbecaru, G. Stoica and P. Nita	1177	Ferroelectric ceramics based on the BaO–SrO–TiO ₂ ternary system for microwave applications
M.M. Krzmanc, M. Valant and D. Suvorov	1181	The synthesis and microwave dielectric properties of Sr _x Ba _{1-x} Al ₂ Si ₂ O ₈ and Ca _y Ba _{1-y} Al ₂ Si ₂ O ₈ ceramics
A. Vincent, S.B. Savignat and F. Gervais	1187	Elaboration and ionic conduction of apatite-type lanthanum silicates doped with Ba, La _{10-x} Ba _x (SiO ₄) ₆ O _{3-x/2} with $x = 0.25-2$
M. Touzin, D. Goeuriot, H.-J. Fitting, C. Guerret-Piécourt, D. Juvé and D. Tréheux	1193	Relationships between dielectric breakdown resistance and charge transport in alumina materials—Effects of the microstructure
K. Cherif, S. Moalla, S. Sassi and H. Zarrouk	1199	Electrorheological response of modified silica suspensions
<i>Symposium F</i>		
T. Lube and J. Dusza	1203	A silicon nitride reference material—A testing program of ESIS TC6
K. Krnel, Z. Stadler and T. Kosmač	1211	Preparation and properties of C/C–SiC nano-composites
F. Raether, J. Meinhardt and A. Kienzle	1217	Oxidation behaviour of carbon short fibre reinforced C/SiC composites
R. Yilmaz	1223	Thermal diffusivity measurement of SiC fibre reinforced BMAS glass ceramic composites exposed mechanical damage
M. Esfahanian, J. Günster, F. Moztarzadeh and J.G. Heinrich	1229	Development of a high temperature C _p /XSi ₂ –SiC (X = Mo, Ti) composite via reactive melt infiltration
D. Galusek, J. Sedláček, P. Švančárek, R. Riedel, R. Satet and M. Hoffmann	1237	The influence of post-sintering HIP on the microstructure, hardness, and indentation fracture toughness of polymer-derived Al ₂ O ₃ –SiC nanocomposites
D. Jiang, O. Van der Biest and J. Vleugels	1247	ZrO ₂ –WC nanocomposites with superior properties
P. Oikonomou, Ch. Dedeloudis, C.J. Stournaras and Ch. Ftikos	1253	[NZP]: A new family of ceramics with low thermal expansion and tunable properties
M.W. Cho, D.W. Kim and W.S. Cho	1259	Analysis of micro-machining characteristics of Si ₃ N ₄ -hBN composites
V. Liedtke, I.H. Olivares, M. Langer and Y.F. Haruvy	1267	Sol–gel-based carbon/silicon carbide
M. Chmielewski and K. Pietrzak	1273	Processing, microstructure and mechanical properties of Al ₂ O ₃ –Cr nanocomposites
K. Pietrzak, D. Kaliński and M. Chmielewski	1281	Interlayer of Al ₂ O ₃ –Cr functionally graded material for reduction of thermal stresses in alumina–heat resisting steel joints
G. Grabowski and Z. Pędzich	1287	Residual stresses in particulate composites with alumina and zirconia matrices

V. Cannillo, L. Lusvardi, T. Manfredini, M. Montorsi, C. Siligardi and A. Sola	1293	Glass–ceramic functionally graded materials produced with different methods
T. Damjanović, Chr. Argirusis, B. Jokačić, G. Borchardt, K. Moritz, E. Müller, R. Herbig and R. Weiss	1299	Oxidation protection of C/C–SiC composites by an electrophoretically deposited mullite precursor: Cyclic thermogravimetric analysis
Chr. Argirusis, T. Damjanović and G. Borchardt	1303	Yttrium silicate coating system for oxidation protection of C/C–Si–SiC composites: Electrophoretic deposition and oxygen self-diffusion measurements
K. Lambrinou, T. Lauwagie, F. Chalvet, G. de Portu, N. Tassini, S. Patsias, T. Lube and O. Van der Biest	1307	Elastic properties and damping behaviour of alumina–alumina/zirconia laminates
Z. Tatli and D.P. Thompson	1313	The use of MgO-coated SiC powders as low temperature densification materials
R. Yılmaz, A.O. Kurt, A. Demir and Z. Tatli	1319	Effects of TiO ₂ on the mechanical properties of the Al ₂ O ₃ –TiO ₂ plasma sprayed coating
J. Andertová, R. Tláškal, M. Maryška and J. Havrda	1325	Functional gradient alumina ceramic materials—Heat treatment of bodies prepared by slip casting method
S.B. Klopčič, M. Ambrožič, T. Kosmač and S. Novak	1333	Tunnelling cracks in Al ₂ O ₃ /Al ₂ O ₃ –ZrO ₂ layered composites
J. Vleugels, T. Xu, S. Huang, Y. Kan, P. Wang, L. Li and O. Van der Biest	1339	Characterization of (Nd,Y)-TZP ceramics prepared by a colloidal suspension coating technique
B. Nait-Ali, K. Haberko, H. Vesteghem, J. Absi and D.S. Smith	1345	Preparation and thermal conductivity characterisation of highly porous ceramics. Comparison between experimental results, analytical calculations and numerical simulations
M. Boniecki, D. Kaliński, Z. Librant and W. Wesolowski	1351	Superplastic joining of alumina and zirconia ceramics
M. Brach, V. Medri and A. Bellosi	1357	Corrosion of pressureless sintered ZrB ₂ –MoSi ₂ composite in H ₂ SO ₄ aqueous solution
A. Can, D.S. McLachlan, G. Sauti and M. Herrmann	1361	Relationships between microstructure and electrical properties of liquid-phase sintered silicon carbide materials using impedance spectroscopy
P. Hvizdoš, D. Jonsson, M. Anglada, G. Anné and O. Van Der Biest	1365	Mechanical properties and thermal shock behaviour of an alumina/zirconia functionally graded material prepared by electrophoretic deposition
H. Tomaszewski, H. Węglarz, A. Wajler, M. Boniecki and D. Kalinski	1373	Multilayer ceramic composites with high failure resistance
E. Volceanov, A. Volceanov, Ș. Stoleriu, Ș. Motoc, A. Melinescu and C. Plăcianu	1379	Influence of twin cations on zirconia composites stability
J. Gurauskis, A.J. Sánchez-Herencia and C. Baudín	1389	Alumina–zirconia layered ceramics fabricated by stacking water processed green ceramic tapes
S. Eve, M. Gomina, J.-C. Ozouf and G. Orange	1395	Microstructure of latex-filled plaster composites
S. Guicciardi, A. Balbo, D. Sciti, C. Melandri and G. Pezzotti	1399	Nanoindentation characterization of SiC-based ceramics

T. Razpotnik and J. Maček	1405	Synthesis of nickel oxide/zirconia powders via a modified Pechini method
Z. Stadler, K. Krnel and T. Kosmac	1411	Friction behavior of sintered metallic brake pads on a C/C–SiC composite brake disc
A. Klimera, F. Raether and J. Ruska	1419	Improving strength by controlling segregation in liquid phase sintered aluminium nitride ceramics
W.S. Cho, Z.H. Piao, K.J. Lee, Y.C. Yoo, J.H. Lee, M.W. Cho, Y.C. Hong, K. Park and W.S. Hwang	1425	Microstructure and mechanical properties of AlN–hBN based machinable ceramics prepared by pressureless sintering
H.C. Kim, K.S. Lee, O.S. Kweon, C.G. Aneziris and I.J. Kim	1431	Crack healing, reopening and thermal expansion behavior of Al ₂ TiO ₅ ceramics at high temperature
T. Juettner, H. Moertel, V. Svinka and R. Svinka	1435	Structure of kaoline–alumina based foam ceramics for high temperature applications
R. Bermejo, Y. Torres, C. Baudín, A.J. Sánchez-Herencia, J. Pascual, M. Anglada and L. Llanes	1443	Threshold strength evaluation on an Al ₂ O ₃ –ZrO ₂ multilayered system
T. Lube, J. Pascual, F. Chalvet and G. de Portu	1449	Effective fracture toughness in Al ₂ O ₃ –Al ₂ O ₃ /ZrO ₂ laminates
S. Bueno and C. Baudín	1455	Layered materials with high strength and flaw tolerance based on alumina and aluminium titanate
C. Öztürk and Y.K. Tür	1463	Processing and mechanical properties of textured mullite/zirconia composites
J. Soro, A. Smith and C. Gault	1469	Processing by tape casting and mechanical behaviour of aluminous cement-based matrix alumina fibers composites
R. Kumar, G. Rixecker and F. Aldinger	1475	Anelasticity of precursor derived Si–B–C–N ceramics
R. Danzer, W. Harrer, P. Supancic, T. Lube, Z. Wang and A. Börger	1481	The ball on three balls test—Strength and failure analysis of different materials
N. Tassini, K. Lambrinou, I. Mircea, M. Bartsch, S. Patsias and O. Van der Biest	1487	Study of the amplitude-dependent mechanical behaviour of yttria-stabilised zirconia thermal barrier coatings
V. Liedtke, I.H. Olivares, M. Langer and Y.F. Haruvy	1493	Manufacturing and performance testing of sol/gel based oxidation protection systems for re-usable space vehicles
G. Chollon, J.M. Vallerot, D. Helary and S. Jouannigot	1503	Structural and textural changes of CVD-SiC to indentation, high temperature creep and irradiation
Y. Joliff, J. Absi, J.C. Glandus, M. Huger and N. Tessier-Doyen	1513	Experimental and numerical study of the thermomechanical behaviour of refractory model materials
<i>Symposium G</i>		
W. Höland, V. Rheinberger, E. Apel and C. van't Hoen	1521	Principles and phenomena of bioengineering with glass-ceramics for dental restoration
C. Ohtsuki, T. Miyazaki, M. Kamitakahara and M. Tanihara	1527	Design of novel bioactive materials through organic modification of calcium silicate
R. Morrell and S. Hughes	1535	Factors influencing the reliability of ceramic femoral components
H. Arstila, E. Vedel, L. Hupa and M. Hupa	1543	Factors affecting crystallization of bioactive glasses
D. Gutknecht, J. Chevalier, V. Garnier and G. Fantozzi	1547	Key role of processing to avoid low temperature ageing in alumina zirconia composites for orthopaedic application

T. Kokubo, T. Matsushita and H. Takadama	1553	Titania-based bioactive materials
P.S. Uskokovic, C.Y. Tang, C.P. Tsui, N. Ignjatovic and D.P. Uskokovic	1559	Micromechanical properties of a hydroxyapatite/poly-L-lactide biocomposite using nanoindentation and modulus mapping
A. Dakskobler, P. Jevnikar, Č. Oblak and T. Kosmač	1565	The processing-related fracture resistance and reliability of root dental posts made from Y-TZP
E. Apel, C. van't Hoen, V. Rheinberger and W. Höland	1571	Influence of ZrO ₂ on the crystallization and properties of lithium disilicate glass-ceramics derived from a multi-component system
C. van't Hoen, V. Rheinberger, W. Höland and E. Apel	1579	Crystallization of oxyapatite in glass-ceramics
C. You, T. Miyazaki, E. Ishida, M. Ashizuka, C. Ohtsuki and M. Tanihara	1585	Fabrication of poly(vinyl alcohol)–apatite hybrids through biomimetic process
N. Ignjatovic, P. Ninkov, Z. Ajdukovic, D. Vasiljevic-Radovic and D. Uskokovic	1589	Biphasic calcium phosphate coated with poly-D,L-lactide- <i>co</i> -glycolide biomaterial as a bone substitute
D. Stojanovic, B. Jokic, Dj. Veljovic, R. Petrovic, P.S. Uskokovic and Dj. Janackovic	1595	Bioactive glass–apatite composite coating for titanium implant synthesized by electrophoretic deposition
C. Balázs, F. Wéber, Z. Kövér, E. Horváth and C. Németh	1601	Preparation of calcium–phosphate bioceramics from natural resources
<i>Symposium H</i>		
A.M. Berto	1607	Ceramic tiles: Above and beyond traditional applications
C. Bartuli, L. Lusvardi, T. Manfredini and T. Valente	1615	Thermal spraying to coat traditional ceramic substrates: Case studies
F. Andreola, L. Barbieri, A. Corradi and I. Lancellotti	1623	CRT glass state of the art. A case study: Recycling in ceramic glazes
M. Romagnoli, M. Burani, G. Tari and J.M.F. Ferreira	1631	A non-destructive method to assess delamination of ceramic tiles
E. Bernardo, G. Scarinci, S. Hreglich and G. Zangiacomi	1637	Effect of time and furnace atmosphere on the sintering of glasses from dismantled cathode ray tubes
Y. Pontikes, P. Nikolopoulos and G.N. Angelopoulos	1645	Thermal behaviour of clay mixtures with bauxite residue for the production of heavy-clay ceramics
H.A. Yeprem	1651	Effect of iron oxide addition on the hydration resistance and bulk density of doloma
Y. Pontikes, L. Esposito, A. Tucci and G.N. Angelopoulos	1657	Thermal behaviour of clays for traditional ceramics with soda–lime–silica waste glass admixture
D.U. Tulyaganov, S. Agathopoulos, H.R. Fernandes and J.M.F. Ferreira	1665	The influence of incorporation of ZnO-containing glazes on the properties of hard porcelains
L. Fröberg, T. Kronberg, L. Hupa and M. Hupa	1671	Influence of firing parameters on phase composition of raw glazes
K. Traoré, G.V. Ouédraogo, P. Blanchart, J.-P. Jernot and M. Gomina	1677	Influence of calcite on the microstructure and mechanical properties of pottery ceramics obtained from a kaolinite-rich clay from Burkina Faso
J. Szczerba, Z. Pędzich, M. Nikiel and D. Kapuścińska	1683	Influence of raw materials morphology on properties of magnesia-spinel refractories
Z. Radojević and A. Mitrović	1691	Study of montmorillonite and cationic activators system rheological characteristic change mechanism

R.L. Dumitrache, I. Teoreanu and A. Volceanov	1697	Limit molecular formulas and target formulas determination for feldspar porcelain glazes
J. Wasylak and I.V. Kityk	1703	Specific features of the telluride glasses doped by Pr^{3+} nanocrystallites
R. Chrysafi, Th. Perraki and G. Kakali	1707	Sol–gel preparation of $2\text{CaO}\cdot\text{SiO}_2$
S. Tsivilis, K. Sotiriadis and A. Skaropoulou	1711	Thaumasite form of sulfate attack (TSA) in limestone cement pastes
S. Kurama, A. Kara and H. Kurama	1715	Investigation of borax waste behaviour in tile production
Z. Károly, I. Mohai, M. Tóth, F. Wéber and J. Szépvölgyi	1721	Production of glass–ceramics from fly ash using arc plasma
S. Freyburg and A. Schwarz	1727	Influence of the clay type on the pore structure of structural ceramics
M.P. Seabra, J.A. Labrincha and V.M. Ferreira	1735	Rheological behaviour of hydraulic lime-based mortars
C. Caselli, G. Lusvardi, G. Malavasi, L. Menabue and P. Miselli	1743	Multitechnique approach to V-ZrSiO_4 pigment characterization and synthesis optimization
E. Ozel and S. Turan	1751	Production of coloured zircon pigments from zircon
W. Pabst, C. Berthold and E. Gregorová	1759	Size and shape characterization of oblate and prolate particles
M. Radeka, J. Ranogajec, J. Kiurski, S. Markov and R. Marinković-Nedučin	1763	Influence of lichen biocorrosion on the quality of ceramic roofing tiles
L. Sidjanin, D. Rajnovic, J. Ranogajec and E. Molnar	1767	Measurement of Vickers hardness on ceramic floor tiles
T. Kronberg, A.-C. Ritschkoff, R. Mahlberg, J. Mannila, M. Kallio, A. Vesa and L. Hupa	1775	Soil-resistant surfaces for traditional ceramics
A. Gaki, R. Chrysafi and G. Kakali	1781	Chemical synthesis of hydraulic calcium aluminate compounds using the Pechini technique
A. Gaki, Th. Perraki and G. Kakali	1785	Wet chemical synthesis of monocalcium aluminate
E. Bou, A. Moreno, A. Escardino and A. Gozalbo	1791	Microstructural study of opaque glazes obtained from frits of the system: $\text{SiO}_2\text{-Al}_2\text{O}_3\text{-B}_2\text{O}_3\text{-(P}_2\text{O}_5\text{)-CaO-K}_2\text{O-TiO}_2$
C. Eşin, I. Kabalcı, M.L. Öveçoğlu and G. Özen	1797	Crystallization behaviour of $(1 - x)\text{TeO}_2\text{-}x\text{BaO}$ ($x = 0.10, 0.15$ and 0.25 in molar ratio) glasses
M.L. Öveçoğlu, İ. Kabalcı, G. Özen and B. Öz	1801	Microstructural characterization of $(1 - x)\text{TeO}_2\text{-}x\text{PbF}_2$ ($x = 0.10$, and 0.25 mol) glasses
K. Lambrinou and O. Van der Biest	1805	Study of the devitrification behaviour of a barium magnesium aluminosilicate glass-ceramic
L. Fröberg, T. Kronberg, S. Törnblom and L. Hupa	1811	Chemical durability of glazed surfaces
K.A. Nielsen, M. Solvang, S.B.L. Nielsen, A.R. Dinesen, D. Beeaff and P.H. Larsen	1817	Glass composite seals for SOFC application
B. Öz, I. Kabalcı, M.L. Öveçoğlu and G. Özen	1823	Thermal properties and crystallization behavior of some $\text{TeO}_2\text{-K}_2\text{O}$ glasses
A.W.A. El-Shennawi, M.M. Morsi and S.A.M. Abdel-Hameed	1829	Effect of fluoride nucleating catalysts on crystallization of cordierite from modified basalt-based glasses

A. Bulsari, N. Bergman, I. Eusch, J. Fellman, M. Perander and D. Suvorov	1837	Correlation between <i>in vitro</i> and <i>in vivo</i> dissolution behaviour of stonewools by nonlinear modelling techniques
E. Yeugo Fogaing, M. Huger and C. Gault	1843	Elastic properties and microstructure: study of two fused cast refractory materials
E. Karadeniz, C. Gurcan, S. Ozgen and S. Aydin	1849	Properties of alumina based low-cement self flowing castable refractories
D.N. Boccaccini, C. Leonelli, M.R. Rivasi, M. Romagnoli, P. Veronesi, G.C. Pellacani and A.R. Boccaccini	1855	Recycling of microwave inertised asbestos containing waste in refractory materials
D.N. Boccaccini, M. Romagnoli, E. Kamseu, P. Veronesi, C. Leonelli and G.C. Pellacani	1859	Determination of thermal shock resistance in refractory materials by ultrasonic pulse velocity measurement
Z. Backalic, J. Ranogajec, R. Marinkovic-Neducin, M. Vrebalov and M. Radeka	1865	Methodology of discovering and control of clay roofing tile textural inhomogenities
M. Romagnoli and F. Andreola	1871	Mixture of deflocculants: A systematic approach
A. Tucci, L. Esposito, L. Malmusi and E. Rambaldi	1875	New body mixes for porcelain stoneware tiles with improved mechanical characteristics
M. Romagnoli and M.R. Rivasi	1883	Optimal size distribution to obtain the densest packing: A different approach
K. Schindler, A. Roosen, T. Jüttner and G. Rösler	1889	Wet-pressing of handles in table porcelain manufacturing
S.A.M. Abdel-Hameed and I.M. Bakr	1893	Effect of alumina on ceramic properties of cordierite glass–ceramic from basalt rock
R.I. Lazău, C. Păcurariu, D. Becherescu and R. Ianoş	1899	Ceramic pigments with chromium content from leather wastes

I Keyword List

III Notes for Authors