

Contents

M.T. Sebastian, A. Uusimäki and H. Jantunen	2745 Editorial
J.-Y. Ha, J.-W. Choi, C.-Y. Kang, J.-S. Kim, S.-J. Yoon, D.J. Choi and H.-J. Kim	2747 Improvement of dielectric loss of (Ba,Sr)(Ti,Zr)O ₃ ferroelectrics for tunable devices
P. Mohanan, S. Mridula, Binupaul, M.N. Suma, P.V. Bijumon and M.T. Sebastian	2753 FDTD analysis of rectangular dielectric resonator antenna
A. Deleniv	2759 Characterization techniques for thin and thick ferroelectric films
C.P. Yang, P.A. Smith, J. Krupka and T.W. Button	2765 The losses of microwave ferrites at communication frequencies
J.-P. Ganne, R. Lebourgeois M. Paté, D. Dubreuil, L. Pinier and H. Pascard	2771 The electromagnetic properties of Cu-substituted garnets with low sintering temperature
C.-S. Hsi, F.-M. Hsieh and H.-P. Chen	2779 Characteristics of thick film resistors embedded in low temperature co-fired ceramic (LTCC) substrates
Y. Higuchi, Y. Sugimoto, J. Harada and H. Tamura	2785 LTCC system with new high- ϵ_r and high- Q material co-fired with conventional low- ϵ_r base material for wireless communications
Y. Imanaka, N. Hayashi, M. Takenouchi and J. Akedo	2789 Aerosol deposition for post-LTCC
T. Shimada, K. Touji, H.-L. Liu, Y.-T. Tzeng, C.-T. Chia and T. Kolodiazhnyi	2797 Signature of lattice defects in far infrared reflectivity of Ba(Mg _{1/3} Ta _{2/3})O ₃
R.L. Moreira, L.A. Khalam, M.T. Sebastian and A. Dias	2803 Raman-spectroscopic investigations on the crystal structure and phonon modes of Ba(RE _{1/2} Ta _{1/2})O ₃ microwave ceramics
C. Free and M. Henry	2811 Ceramics to 100 GHz: Including a novel free space dielectric measurement technique
J.J. Bian, G.X. Song and K. Yan	2817 Structure and microwave dielectric properties of Ba _{1+x} [(Co _{0.7} Zn _{0.3}) _{1/3} Nb _{2/3}]O ₃ ($-0.015 \leq x \leq 0.015$)
J. Krupka and K. Derzakowski, T. Zychowicz, B.L. Givot, W.C. Egbert and M.M. David	2823 Measurements of the surface resistance and conductivity of thin conductive films at frequency about 1 GHz employing dielectric resonator technique
M.R. Varma and M.T. Sebastian	2827 Effect of dopants on microwave dielectric properties of Ba(Zn _{1/3} Nb _{2/3})O ₃ ceramics
M.-C. Wu, M.-K. Hsieh, C.-W. Yen, Y.-C. Huang, W.-T. Huang and W.-F. Su	2835 Low sintering BaNd ₂ Ti ₄ O ₁₂ microwave ceramics prepared by CuO thin layer coated powder
Y.-C. Huang, M.-C. Wu, T.-H. Chang, J.-F. Kiang and W.-F. Su	2841 Broadband DR antenna made of high- Q ceramic

E.A. Nenasheva, N.F. Kartenko, O.N. Trubitsina, V.F. Matveichuk, S.N. Sibirtsev and I.M. Gaidamaka	2845	Tunability and microwave dielectric properties of BaO–SrO–Nd ₂ O ₃ –TiO ₂ ceramics
Y.H. Jeong, J.B. Lim, J.C. Kim, S. Nahm, H.-J. Sun and H.J. Lee	2849	Microstructure and dielectric properties of amorphous BaSm ₂ Ti ₄ O ₁₂ thin films for MIM capacitor
G.A. Ravi, F. Azough and R. Freer	2855	Effect of Al ₂ O ₃ on the structure and microwave dielectric properties of Ca _{0.7} Ti _{0.7} La _{0.3} Al _{0.3} O ₃
Y. Inagaki, S. Suzuki, I. Kagomiya, K. Kakimoto, H. Ohsato, K. Sasaki, K. Kuroda and T. Shimada	2861	Crystal structure and microwave dielectric properties of SrTiO ₃ doped LaAlO ₃ single crystal grown by FZ
J.C. Kim, M.-H. Kim, S. Nahm, J.-H. Paik, J.-H. Kim and H.-J. Lee	2865	Microwave dielectric properties of Re ₃ Ga ₅ O ₁₂ (Re: Nd, Sm, Eu, Dy and Yb) ceramics and effect of TiO ₂ on the microwave dielectric properties of Sm ₃ Ga ₅ O ₁₂ ceramics
J.-B. Lim, Y.H. Jeong, S. Nahm, J.-H. Paik, H.-J. Sun and H.-J. Lee	2871	Metal–insulator–metal capacitors using Ba ₂ Ti ₉ O ₂₀ dielectric thin film
J.-B. Lim, Y.H. Jeong, N.-H. Nguyen, S. Nahm, J.-H. Paik, J.-H. Kim and H.-J. Lee	2875	Low temperature sintering of the Ba ₂ Ti ₉ O ₂₀ ceramics using B ₂ O ₃ /CuO and BaCu(B ₂ O ₅) additives
M. Komulainen, J. Mähönen, T. Tick, M. Berg, H. Jantunen, M. Henry, C. Free and E. Salonen	2881	Embedded air cavity backed microstrip antenna on an LTCC substrate
A.N. Salak and V.M. Ferreira	2887	Microwave dielectric properties of Bi-substituted La(Mg _{1/2} Ti _{1/2})O ₃
H.-F. Cheng, C.-T. Chia, H.-L. Liu, M.-Y. Chen, Y.-T. Tzeng and I.-N. Lin	2893	Correlation of the phonon characteristics and microwave dielectric properties of the Ba(Mg _{1/3} Ta _{2/3})O ₃ materials
R. Wördenweber, E. Hollmann, M. Ali, J. Schubert, G. Pickartz and T.K. Lee	2899	Ferroelectric properties of compressively strained epitaxial SrTiO ₃ films on sapphire
J. Parka, J. Krupka, R. Dąbrowski and J. Wosik	2903	Measurements of anisotropic complex permittivity of liquid crystals at microwave frequencies
W.W. Cho, I. Kagomiya, K.-I. Kakimoto and O. Hitoshi	2907	Frequency dependence of dielectric properties of metallodielectric SrTiO ₃ –Pt composites
H. Ohsato	2911	Origins of high <i>Q</i> on microwave tungstenbronze-type like Ba _{6–3x} R _{8+2x} Ti ₁₈ O ₅₄ (<i>R</i> : rare earth) dielectrics based on the atomic arrangements
H. Kakimoto, J. Li, T. Harigai, S.-M. Nam, S. Wada and T. Tsurumi	2917	Reflection intensity measurement using non-contact microwave probe and <i>in-plane</i> mappings for dielectric device
T. Hu, J. Juuti and H. Jantunen	2923	RF properties of BST–PPS composites
C.M. Cho, J.-R. Kim, J.H. Noh and K.S. Hong	2927	Effects of Ta-substitution on the dielectric properties of Ba ₆ Ti ₂ (Nb _{1–x} Ta _x) ₈ O ₃₀ thin films
A. Belous, O. Ovchar, B. Jancar and J. Bezjak	2933	The effect of non-stoichiometry on the microstructure and microwave dielectric properties of the columbites A ²⁺ Nb ₂ O ₆
J.H. Noh, H.S. Jung, J.-K. Lee, J.-R. Kim and K.S. Hong	2937	Microwave dielectric properties of nanocrystalline TiO ₂ prepared using spark plasma sintering
P.V. Kapitanova, A.V. Simine, D.V. Kholodnyak and I.B. Vendik	2941	Multilayer thick-film technology as applied to design of microwave devices

B. Malic, I. Boerasu, M. Mandeljc, M. Kosec, V. Sherman, T. Yamada, N. Setter and M. Vukadinovic	2945	Processing and dielectric characterization of $\text{Ba}_{0.3}\text{Sr}_{0.7}\text{TiO}_3$ thin films on alumina substrates
O. Vendik and I. Vendik	2949	Electromechanical coupling coefficient of isotropic sample with a marked electrostriction
M. Lahti, A. Vimpari and K. Kautio	2953	Printable resistors in LTCC systems
M. Macek Krzmann, A. Meden and D. Suvorov	2957	The correlation between the structure and the dielectric properties of $\text{K}_x\text{Ba}_{1-x}\text{Ga}_{2-x}\text{Ge}_{2+x}\text{O}_8$ ceramics
A. Belous, O. Ovchar, D. Durylin, M. Valant, M. Macek-Krzmann and D. Suvorov	2963	Microwave composite dielectrics based on magnesium titanates
S. Kume, M. Yasuoka, S.-K. Lee, A. Kan, H. Ogawa and K. Watari	2967	Dielectric and thermal properties of AlN ceramics
G. Santosh Babu, V. Subramanian and V.R.K. Murthy	2973	Structure determination and microwave dielectric properties of $\text{La}(\text{MgSn})_{0.5}\text{O}_3$ ceramics
A. Kan, H. Ogawa, A. Yokoi and Y. Nakamura	2977	Crystal structural refinement of corundum-structured $\text{A}_4\text{M}_2\text{O}_9$ ($\text{A} = \text{Co}$ and Mg , $\text{M} = \text{Nb}$ and Ta) microwave dielectric ceramics by high-temperature X-ray powder diffraction
T. Riekkinen, J. Molarius and M. Ylilammi	2983	Electrode metallization for high permittivity oxide RF thin film capacitors
A. Yokoi, H. Ogawa, A. Kan and Y. Nakamura	2989	Relationship between crystal structure and microwave dielectric properties of melilite-type ceramic
M.Y. Chen, P.J. Chang, C.T. Chia, Y.C. Lee, I.N. Lin, L.-J. Lin, J.F. Lee, H.Y. Lee and T. Shimada	2995	Extended X-ray absorption fine structure, X-ray diffraction and Raman analysis of nickel-doped $\text{Ba}(\text{Mg}_{1/3}\text{Ta}_{2/3})\text{O}_3$
M.N. Suma, P.V. Bijumon, M.T. Sebastian and P. Mohanan	3001	A compact hybrid CPW fed planar monopole/dielectric resonator antenna
E.S. Kim, B.S. Chun and D.H. Kang	3005	Effects of structural characteristics on microwave dielectric properties of $(1-x)\text{Ca}_{0.85}\text{Nd}_{0.1}\text{TiO}_3-x\text{LnAlO}_3$ ($\text{Ln} = \text{Sm}$, Er and Dy) ceramics
L. Zhang, X.M. Chen, N. Qin and X.Q. Liu	3011	Upper limit of x in $\text{Ba}_{6-3x}\text{Nd}_{8+2x}\text{Ti}_{18}\text{O}_{54}$ new tungsten bronze solid solution
M.-C. Wu, Y.-C. Huang and W.-F. Su	3017	Silver cofirability differences between $\text{Bi}_{1.5}\text{Zn}_{0.92}\text{Nb}_{1.5}\text{O}_{6.92}$ and $\text{Zn}_3\text{Nb}_2\text{O}_8$
A.C. Fowler, M.E. Tobar, C.R. Locke, E.N. Ivanov, J.G. Hartnett, J.D. Anstie and D. Cros	3023	Exciting traveling waves in high Q structures using microstrip
Y.-C. Liou, K.-H. Tseng and T.-C. Chung	3027	Effect of dopants on synthesis of BaTi_4O_9 and $\text{Ba}_2\text{Ti}_9\text{O}_{20}$ ceramics prepared by reaction-sintering process
M.-H. Kim, J.-B. Lim, S. Nahm, J.-H. Paik and H.-J. Lee	3033	Low temperature sintering of $\text{BaCu}(\text{B}_2\text{O}_5)$ -added $\text{BaO}-\text{Re}_2\text{O}_3-\text{TiO}_2$ ($\text{Re} = \text{Sm}$, Nd) ceramics
G. Subodh, C. Pavithran, P. Mohanan and M.T. Sebastian	3039	PTFE/ $\text{Sr}_2\text{Ce}_2\text{Ti}_5\text{O}_{16}$ polymer ceramic composites for electronic packaging applications
M. Terada, K. Kawamura, I. Kagomiya, K.-i. Kakimoto and H. Ohsato	3045	Effect of Ni substitution on the microwave dielectric properties of cordierite

Y. Yamada, K. Wada, I. Kagomiya, K. Kakimoto and H. Ohsato	3049	Soft-chemical reaction of layered perovskite $\text{Na}_2\text{Nd}_2\text{Ti}_3\text{O}_{10}$ and its microwave dielectric properties
D.K. Yim, J.-R. Kim, D.-W. Kim and K.S. Hong	3053	Microwave dielectric properties and low-temperature sintering of $\text{Ba}_3\text{Ti}_4\text{Nb}_4\text{O}_{21}$ ceramics with B_2O_3 and CuO additions
I. Kagomiya, M. Suzuki, K.-i. Kakimoto and H. Ohsato	3059	Microwave dielectric properties of tungstenbronze type like $(\text{Ba}_{1-\alpha}\text{Sr}_\alpha)_{6-3x}\text{R}_{8+2x}\text{Ti}_{18}\text{O}_{54}$ ($\text{R} = \text{Sm}, \text{Nd}$) solid solutions
G.-K. Choi, J.-R. Kim, S.H. Yoon and K.S. Hong	3063	Microwave dielectric properties of scheelite ($\text{A} = \text{Ca}, \text{Sr}, \text{Ba}$) and wolframite ($\text{A} = \text{Mg}, \text{Zn}, \text{Mn}$) AMoO_4 compounds
Y.-C. Chen, T.-H. Hong, H.-F. Cheng, C.-B. Chang, K.-C. Leou and I.-N. Lin	3069	Milling effect on the microwave properties of $\text{Ba}_2\text{Ti}_9\text{O}_{20}$ investigated by EMP technique
J.-R. Kim, D.-W. Kim, I.-S. Cho, B.S. Kim, J.-s. An and K.S. Hong	3075	Low temperature sintering and microwave dielectric properties of $\text{Ba}_3\text{Ti}_5\text{Nb}_6\text{O}_{28}$ with $\text{ZnO}-\text{B}_2\text{O}_3$ glass additions for LTCC applications
I.-S. Cho, J.-R. Kim, D.W. Kim, D.-W. Kim and K.S. Hong	3081	Microwave dielectric properties and Far-infrared spectroscopic analysis of $\text{Ba}_{5+n}\text{Ti}_n\text{Nb}_4\text{O}_{15+3n}$ ($0.3 < n < 1.2$) ceramics
S.H. Yoon, G.-K. Choi, D.-W. Kim, S.-Y. Cho and K.S. Hong	3087	Mixture behavior and microwave dielectric properties of $(1-x)\text{CaWO}_{4-x}\text{TiO}_2$
F. Xiang, H. Wang and X. Yao	3093	Dielectric properties of $\text{SrTiO}_3/\text{POE}$ flexible composites for microwave applications
H. Ogawa, A. Yokoi, R. Umemura and A. Kan	3099	Microwave dielectric properties of $\text{Mg}_3(\text{VO}_4)_2-x\text{Ba}_3(\text{VO}_4)_2$ ceramics for LTCC with near zero temperature coefficient of resonant frequency
J. Sugihara, K.-i. Kakimoto, I. Kagomiya and H. Ohsato	3105	Microwave dielectric properties of porous Mg_2SiO_4 filling with TiO_2 prepared by a liquid phase deposition process
S.F. Karmanenko, O.V. Pakhomov, A.M. Prudan, A.S. Starkov and A. Eskov	3109	Layered ceramic structure based on the electrocaloric elements working as a solid state cooling line
	I	Keyword List
	III	Notes for Authors