

## List of Contents for Volume 29

### Volume 29, Number 1, 2009

- 1 Slurry deposition by airbrush for selective laser sintering of ceramic components  
A.M. WAETJEN, D.A. POLSAKIEWICZ, I. KUHL, R. TELLE & H. FISCHER (Germany)
- 7 Corrosion of the crystalline phases of matte glazes in aqueous solutions  
L. FRÖBERG, L. HUPA & M. HUPA (Finland)
- 15 Phase evolution and microstructural characterization of sintered ceramic bodies from contaminated marine sediments  
M. ROMERO, A. ANDRÉS, R. ALONSO, J. VIGURI & J.M. RINCÓN (Spain)
- 23 Incorporation of wastes from granite rock cutting and polishing industries to produce roof tiles  
P. TORRES, H.R. FERNANDES, S. OLHERO & J.M.F. FERREIRA (Portugal)
- 31 Contribution to porous mullite synthesis from clays by adding Al and Mg powders  
A. ESHARGHAWI, C. PENOT & F. NARDOU (France)
- 39 The effect of BaO and Al<sub>2</sub>O<sub>3</sub> addition on the crystallization behaviour of cordierite glass ceramics in the presence of V<sub>2</sub>O<sub>5</sub> nucleant  
V.K. MARGHUSSIAN, U. BALAZADEGAN & B. EFTEKHARI-YEKTA (Iran)
- 47 3D analysis of crack morphologies in silicate glass using FIB tomography  
F. ELFALLAGH & B.J. INKSON (UK)
- 53 Hot bending strength and creep behaviour at 1000–1400 °C of high alumina refractory castables with spinel, periclase and dolomite additions  
L.A. DÍAZ & R. TORRECILLAS (Spain)
- 59 Alumina-based nanocomposites obtained by doping with inorganic salt solutions: Application to immiscible and reactive systems  
P. PALMERO, V. NAGLIERI (Italy), J. CHEVALIER, G. FANTOZZI (France) & L. MONTANARO (Italy)
- 67 Diffraction, structure and phase stability studies on aluminium titanate  
R.D. SKALA, D. LI & I.M. LOW (Australia)
- 77 Microstructural development of SrAl<sub>12</sub>O<sub>19</sub> in alumina–strontia composites  
K. VISHISTA & F.D. GNANAM (India)
- 85 Ni–YSZ cermet micro-tubes with textured surface  
R. CAMPANA, A. LARREA, J.I. PEÑA & V.M. ORERA (Spain)
- 91 Densification of nanocrystalline Y<sub>2</sub>O<sub>3</sub> ceramic powder by spark plasma sintering  
R. CHAIM, A. SHLAYER (Israel) & C. ESTOURNES (France)
- 99 The porosification of fired LTCC substrates by applying a wet chemical etching procedure  
A. BITTNER & U. SCHMID (Germany)
- 105 Processing and properties of 0.65Pb(Mg<sub>1/3</sub>Nb<sub>2/3</sub>)O<sub>3</sub>–0.35PbTiO<sub>3</sub> thick films  
D. KUŠČER, M. SKALAR, J. HOLC & M. KOSEC (Slovenia)
- 115 Preparation of the Pb(Mg<sub>1/3</sub>Nb<sub>2/3</sub>)O<sub>3</sub> films by aqueous tape casting  
A. ŞAKAR-DELIORMANLI, E. ÇELİK & M. POLAT (Turkey)

- 125 Effect of pH on the production of dispersed  $\text{Bi}_4\text{Ge}_3\text{O}_{12}$  nanoparticles by combustion synthesis  
F.A. ANDRADE DE JESUS, R.S. SILVA, A.C. HERNANDES & Z.S. MACEDO (Brazil)
- 131 Synthesis and characterisation of  $\text{BaCeO}_3$ -based proton conductors obtained from freeze-dried precursors  
M. AMSIF, D. MARRERO-LÓPEZ (Spain), A. MAGRASÓ (Spain, Norway), J. PEÑA-MARTÍNEZ, J.C. RUIZ-MORALES & P. NÚÑEZ (Spain)
- 139 Mechanochemical synthesis of nanoparticulate  $\text{ZnO-ZnWO}_4$  powders and their photocatalytic activity  
A. DODD, A. MCKINLEY, T. TSUZUKI & M. SAUNDERS (Australia)
- 145 Factors governing interfacial reactions in liquid metal/non-oxide ceramic systems: Ni-based alloy–Ti/sintered AlN system  
A. KOLTISOV, F. HODAJ & N. EUSTATHOPOULOS (France)
- 155 Wear behaviour of  $\alpha$ - and  $\alpha/\beta$ -SiAlON ceramics stabilized with  $\text{Nd}_2\text{O}_3$  and  $\text{Y}_2\text{O}_3$   
S. KURAMA (Turkey), I. SCHULZ & M. HERRMANN (Germany)
- 163 Fabrication and characterization of fully dense Si–C–N ceramics from a poly(ureamethylvinyl)silazane precursor  
N. JANAKIRAMAN & F. ALDINGER (Germany)
- 175 Synthesis of SiC by silicon and carbon combustion in air  
Y. YANG, Z.-M. LIN & J.-T. LI (PR China)
- 181 Low-temperature synthesis of high-purity  $\text{Ti}_3\text{AlC}_2$  by MA-SPS technique  
C. YANG, S.Z. JIN, B.Y. LIANG & S.S. JIA (China)
- 187 Reaction synthesis of layered ternary  $\text{Ti}_2\text{AlC}$  ceramic  
V. GAUTHIER-BRUNET, T. CABIOC'H, P. CHARTIER, M. JAOUEN & S. DUBOIS (France)
- 195 Large-scale AlN nanowires synthesized by direct sublimation method  
M. LEI, B. SONG, X. GUO, Y.F. GUO, P.G. LI & W.H. TANG (China)

#### Technical note

- 201 Prediction and control of microstructure evolution for sub-microscale  $\alpha\text{-Al}_2\text{O}_3$  during low-heating-rate sintering based on the master sintering curve theory  
W.Q. SHAO, S.O. CHEN, D. LI, H.S. CAO, Y.C. ZHANG & S.S. ZHANG (PR China)

- I Keyword List
- II Notes for Authors

### Volume 29, Number 2, 2009

#### Special Issue on Transparent Ceramics

##### Editorial

- 205 Introduction  
A. KRELL (Germany)

##### Introductory Overviews

- 207 Transmission physics and consequences for materials selection, manufacturing, and applications  
A. KRELL, T. HUTZLER & J. KLIMKE (Germany)
- 223 AlON: A brief history of its emergence and evolution  
J.W. MCCAULEY, P. PATEL (USA), M. CHEN (Japan, USA), G. GILDE (USA), E. STRASSBURGER (Germany), B. PALIWAL, K.T. RAMESH & D.P. DANDEKAR (USA)
- 237 Transparent ceramics for lighting  
G.C. WEI (USA)

##### Functional Transparent Ceramics

- 245 Layered mixed-anion compounds: Epitaxial growth, active function exploration, and device application  
H. HIRAMATSU, Y. KAMIHARA, H. YANAGI, K. UEDA, T. KAMIYA, M. HIRANO & H. HOSONO (Japan)
- 255 Time-resolved cathodoluminescence and photoluminescence of nanoscale oxides  
L. GRIGORJEVA, D. MILLERS, A. KALINKO, V. PANKRATOV & K. SMITS (Latvia)

**Ceramic Armor**

- 261 Modelling transparent ceramics to improve military armour  
J.M. SANDS, C.G. FOUNTZOULAS, G.A. GILDE & P.J. PATEL (USA)
- 267 Ballistic testing of transparent armour ceramics  
E. STRAßBURGER (Germany)
- 275 Advanced spinel and sub- $\mu\text{m}$   $\text{Al}_2\text{O}_3$  for transparent armour applications  
A. KRELL, J. KLIMKE & T. HUTZLER (Germany)

**Raw Materials and Manufacturing Approaches for Ceramics in Laser and Optical Applications**

- 283 Transparent cubic- $\text{ZrO}_2$  ceramics for application as optical lenses  
U. PEUCHERT, Y. OKANO, Y. MENKE, S. REICHEL (Germany) & A. IKESUE (Japan)
- 293 Light scattering in polycrystalline alumina with bi-dimensionally large surface grains  
H.N. YOSHIMURA & H. GOLDENSTEIN (Brazil)
- 305 Sintering of  $\text{Yb}^{3+}:\text{Y}_2\text{O}_3$  transparent ceramics in hydrogen atmosphere  
J. ZHANG (PR China, UK), L. AN, M. LIU, S. SHIMAI & S. WANG (PR China)
- 311 Fabrication of transparent yttria by HIP and the glass-encapsulation method  
J. MOUZON (Sweden), A. MAITRE (France), L. FRISK, N. LEHTO & M. ODÉN (Sweden)
- 317 Role of powder properties and shaping techniques on the formation of pore-free YAG materials  
L. ESPOSITO & A. PIANCASTELLI (Italy)
- 323 Effects of heating rate on microstructure and transparency of spark-plasma-sintered alumina  
B.-N. KIM, K. HIRAGA, K. MORITA & H. YOSHIDA (Japan)

**Glass Ceramics**

- 329 Glass transition and crystallization of  $0.8\text{TeO}_2 + 0.2\text{CdF}_2$  glass  
D. TATAR, M.L. ÖVEÇOĞLU, G. ÖZEN & B. ERIM (Turkey)

- I Keyword List  
II Notes for Authors

**Volume 29, Number 3, 2009**

- 337 Single crystalline mullite fibres obtained by the internal crystallisation method: Microstructure and creep resistance  
S.T. MILEIKO, A.V. SEREBRYAKOV, V.M. KIIKO, A.A. KOLCHIN, V.N. KURLOV & N.I. NOVOKHATSKAYA (Russia)
- 347 Thermal conductivity of porous alumina ceramics prepared using starch as a pore-forming agent  
Z. ŽIVCOVÁ, E. GREGOROVÁ, W. PABST (Czech Republic), D.S. SMITH, A. MICHOT & C. POULIER (France)
- 355 High temperature creep and tensile properties of alumina formed on Fecralloy foils doped with yttrium  
S.K. SHARMA, G.D. KO & K.J. KANG (Republic of Korea)
- 363 Unidirectional all-oxide mini-composites with crack-deflecting  $\text{NdPO}_4$  interface  
C. KAYA (TURKEY) & E.G. BUTLER (UK)
- 369 Manufacture of hydroxyapatite beads for medical applications  
M. DESCAMPS, J.C. HORNEZ & A. LERICHE (France)
- 377 Raman spectroscopy,  $^{19}\text{F}$  and  $^{31}\text{P}$  MAS-NMR of a series of fluorochloroapatites  
M.D. O'DONNELL, R.G. HILL, R.V. LAW & S. FONG (UK)
- 385 Elastic properties of porous polycrystalline thoria—A relook  
K.K. PHANI & D. SANYAL (India)
- 391 Fabrication of yttria-stabilized-zirconia thick coatings via slurry process with pressure infiltration  
W. LAN & P. XIAO (UK)
- 403 Development of high solid content aqueous 3Y-TZP suspensions for direct inkjet printing using a thermal inkjet printer  
E. ÖZKOL, J. EBERT, K. UIBEL, A.M. WÄTJEN & R. TELLE (Germany)

- 411 Ionic conductivity of tetragonal  $\text{ZrO}_2$  polycrystal doped with  $\text{TiO}_2$  and  $\text{GeO}_2$   
H. YOSHIDA, K. MORITA, B.-N. KIM & K. HIRAGA (Japan)
- 419 Dielectric loss caused by oxygen vacancies in titania ceramics  
R.C. PULLAR, S.J. PENN, X. WANG, I.M. REANEY & N.M. ALFORD (UK)
- 425 Influence of crystal structure on crack propagation under cyclic electric loading in lead–zirconate–titanate  
I. WESTRAM, H. KUNGL, M.J. HOFFMANN & J. RÖDEL (Germany)
- 431 Effect of treatment conditions and titanium source on the hydrothermal synthesis of bismuth titanate particles  
T. KOJIMA, I. YOSHIDA, N. UEKAWA & K. KAKEGAWA (Japan)
- 439 Citrate–nitrate auto-combustion synthesis of perovskite-type nanopowders: A systematic approach  
F. DEGANELLO, G. MARCÌ & G. DEGANELLO (Italy)
- 451 Novel structure of ceramic tape for multilayer devices  
B.-J. CHO, E.-T. PARK & J.-M. LEE (Republic of Korea)
- 457 Carbon burnout and densification of self-constrained LTCC for fabrication of embedded structures in a multi-layer platform  
L.E. KHOONG, Y.M. TAN & Y.C. LAM (Singapore)
- 465 The role of carbon biotemplate density in mechanical properties of biomorphic SiC  
N.R. CALDERON, M. MARTINEZ-ESCANDELL, J. NARCISO & F. RODRÍGUEZ-REINOSO (Spain)
- 473 Processing of silicon carbide–boron carbide–aluminium composites  
G. ARSLAN & A. KALEMTAS (Turkey)
- 481 High-temperature fatigue behavior of SiC-coated carbon/carbon composites in oxidizing atmosphere  
C. LIU, L. CHENG, X. LUAN & H. MEI (PR China)
- 489 Thermal-diffusivity measurement of 3D-stitched C–SiC composites  
S. KUMAR, A. KUMAR, A. SHUKLA, G.R. DEVI & A.K. GUPTA (India)
- 497 Low-cost preparation and frictional behaviour of a three-dimensional needled carbon/silicon carbide composite  
Y. CAI, Y. XU, B. LI, S. FAN, L. ZHANG, L. CHENG & L. YU (PR China)
- 505 Correlation between phase evolution, mechanical properties and instrumented indentation response of  $\text{TiB}_2$ -based ceramics  
A. MUKHOPADHYAY, G.B. RAJU, B. BASU & A.K. SURJ (India)
- 517 Quantitative interpretation of the parabolic and nonparabolic oxidation behavior of nitride ceramic  
X.-M. HOU & K.-C. CHOU (PR China)
- 525 Mechanical properties of Hi-Nicalon fiber-reinforced celsian composites after high-temperature exposures in air  
N.P. BANSAL (USA)
- 537 Corrigendum to “Constrained sintering: A delicate balance of scales” [J. Eur. Ceram. Soc. 28 (2008) 1451–1466]  
D.J. GREEN (USA), O. GUILLON & J. RÖDEL (Germany)

- I Keyword List
- II Notes for Authors

## Volume 29, Number 4, 2009

- 539 Development of microstructure during creep of polycrystalline mullite and a nanocomposite mullite/5 vol.% SiC  
S. GUSTAFSSON, L.K.L. FALK (Sweden), J.E. PITCHFORD, W.J. CLEGG (UK), E. LIDÉN & E. CARLSTRÖM (Sweden)
- 551 Thermal properties of single-phase  $\text{Y}_2\text{SiO}_5$   
Z. SUN, M. LI & Y. ZHOU (China)
- 559 Surface charge and rheological properties of raw porcelain gres suspension with acrylic copolymers bearing carboxylic groups  
P. MARCO & J. LLORENS (Spain)
- 565 Photocatalytic activity of oxide coatings on fired clay substrates  
M. FASSIER, N. CHOUARD, C.S. PEYRATOUT, D.S. SMITH (France), H. RIEGLER, D.G. KURTH (Germany), C. DUCROQUETZ & M.A. BRUNEAUX (France)

- 571 Anisotropic behaviour of andalusite particles used as aggregates on refractory castables  
M.G. KAKROUDI (Islamic Republic of Iran, France), M. HUGER, C. GAULT & T. CHOTARD (France)
- 581 Sintering behavior of periclase–dolomite refractory mixes  
A.G.T. MARTINEZ, M.A. CAMERUCCI, A.L. CAVALIERI, L. MARTORELLO & P.G. GALLIANO (Argentina)
- 587 Microstructural and mechanical consequences of thermal cycles on a high zirconia fuse-cast refractory  
E. LATASTE (France), J.-P. ERAUW (Belgium), C. OLAGNON & G. FANTOZZI (France)
- 595 Sintered material from alkaline basaltic tuffs  
A. KARAMANOV (Bulgaria), L. ARRIZZA (Italy) & S. ERGUL (Turkey)
- 603 Stability of concentrated suspensions of  $\text{Al}_2\text{O}_3$ – $\text{SiO}_2$  measured by multiple light scattering  
O. BURGOS-MONTES & R. MORENO (Spain)
- 611 Thermal and physical characterisation of apatite/wollastonite bioactive glass–ceramics  
V. CANNILLO, F. PIERLI (Italy), S. SAMPATH (USA) & C. SILIGARDI (Italy)
- 621 Improvement in sinterability and phase stability of hydroxyapatite and partially stabilized zirconia composites  
Z. EVIS, M. USTA & I. KUTBAY (Turkey)
- 629 Titania ultrafiltration membrane: Preparation, characterization and photocatalytic activity  
A. ALEM, H. SARPOOLAKY (Iran) & M. KESHMIRI (Canada)
- 637 A model of growth of titanium dioxide crystals with simultaneous transformation from anatase to rutile  
I.L. COOPER, T.A. EGERTON & F. QIU (UK)
- 647 Influence of ytterbium- and samarium-oxides codoping on structure and thermal conductivity of zirconate ceramics  
Z.-G. LIU, J.-H. OUYANG, Y. ZHOU, J. LI & X.-L. XIA (China)
- 653 Porous stabilized zirconia coatings on zircon using volatility diagrams  
P. BARREIRO, P. REY, A. SOUTO & F. GUITIÁN (Spain)
- 661 Alumina developed by pre-gelling starch consolidation (PSC)  
J.L. MINATTI, J.G.A. SANTANA, R.S. FERNANDES & E. CAMPOS (Brazil)
- 669 Colloidal processing, hot pressing and characterisation of electroconductive MWCNT-alumina composites with compositions near the percolation threshold  
M. POORTEMAN, M. TRAIANIDIS, G. BISTER & F. CAMBIER (Belgium)
- 677 A nanophase oxygen storage material: Alumina-coated metal-based ceria  
O. ADAMOPOULOS, E. BJÖRKMANN, Y. ZHANG, M. MUHAMMED (Sweden), T. BOG, L. MUSSMANN & E. LOX (Germany)
- 691 Porous zirconium titanate ceramics synthesized by sol–gel process  
J. MACAN, A. GAJOVIĆ & H. IVANKOVIĆ (Croatia)
- 697 The synthesis and sintering behaviour of  $\text{BaZr}_{0.9}\text{Y}_{0.1}\text{O}_{3-\delta}$  powders prepared by spray pyrolysis  
P.A. STUART (UK), T. UNNO (Japan), R. AYRES-ROCHA, E. DJURADO (France) & S.J. SKINNER (UK)
- 703 Cold chemical lamination of ceramic green tapes  
D. JURKOW, H. ROGUSZCZAK & L. GOLONKA (Poland)
- 711 Shrinkage behavior of LTCC hetero-laminates  
W.B. LIM, Y.S. CHO, Y.J. SEO & J.G. PARK (Republic of Korea)
- 717 Effect of repeated composite sol infiltrations on the dielectric and piezoelectric properties of a  $\text{Bi}_{0.5}(\text{Na}_{0.82}\text{K}_{0.18})_{0.5}\text{TiO}_3$  lead free thick film  
H. ZHANG & S. JIANG (PR China)
- 725 All-ceramic lead-free percolative composite with a colossal dielectric response  
V. BOBNAR, M. HROVAT, J. HOLC & M. KOSEC (Slovenia)
- 731  $\text{CaCu}_3\text{Ti}_4\text{O}_{12}$  ceramics from co-precipitation method: Dielectric properties of pellets and thick films  
B. BARBIER, C. COMBETTES, S. GUILLEMET-FRITSCH, T. CHARTIER, F. ROSSIGNOL, A. RUMEAU, T. LEBEY & E. DUTARDE (France)
- 737 Effect of ZnO on the microstructure and electrical properties of  $\text{WO}_3$ – $\text{Bi}_4\text{Ti}_3\text{O}_{12}$  ceramics  
M. VILLEGAS, T. JARDIEL & A.C. CABALLERO (Spain)
- 743 Electron irradiation induced rock salt type structure from ZnO/Zn intergrowth  
B.-H. HUANG, P. SHEN & S.-Y. CHEN (Taiwan)
- 751 Microstructural, structural and electrical properties of  $\text{La}^{3+}$ -modified  $\text{Bi}_4\text{Ti}_3\text{O}_{12}$  ferroelectric ceramics  
V.B. SANTOS, J.-C. M'PEKO, M. MIR, V.R. MASTELARO & A.C. HERNANDES (Brazil)

- 757 Evaluation of 316 L porous stainless steel for SOFC support  
S. MOLIN, M. GAZDA, B. KUSZ & P. JASINSKI (Poland)
- 763 Fracture toughness determination of  $\text{Ti}_3\text{Si(Al)C}_2$  and  $\text{Al}_2\text{O}_3$  using a single gradient notched beam (SGNB) method  
D. WAN, Y. BAO, J. PENG & Y. ZHOU (PR China)
- 773 Energetics of point defects in TiC  
D. MUSIC (Germany), D.P. RILEY (Australia) & J.M. SCHNEIDER (Germany)
- 779 Preparation, microstructure and mechanical properties of  $\text{ZrB}_2$ – $\text{ZrO}_2$  ceramics  
W. LI, X. ZHANG, C. HONG, W. HAN & J. HAN (PR China)
- 787 Mechanical behavior of two-step hot-pressed  $\text{ZrB}_2$ -based composites with  $\text{ZrSi}_2$   
S.-Q. GUO, Y. KAGAWA & T. NISHIMURA (Japan)
- 795 Influence of carbon on the synthesis of AlN powder from combustion synthesis precursors  
M. QIN, X. DU, J. WANG, I.S. HUMAIL & X. QU (China)
- 801 Understanding the mechanical properties of hot pressed Ba-doped S-phase SiAlON ceramics  
B. BASU, MANISHA & N.K. MUKHOPADHYAY (India)
- 813 Study of SiC–nickel alloy bonding for high temperature applications  
M.L. HATTALI, S. VALETTE, F. ROPITAL, G. STREMSDOERFER (France), N. MESRATI (Algeria) & D. TRÉHEUX (France)
- I Keyword List
- II Notes for Authors

## Volume 29, Number 5, 2009

### Referred Papers Presented at 3rd International Conference on Shaping of Advanced Ceramics (Shaping 3)

- 821 Guest Editorial  
T. CHARTIER (France)
- 823 Opportunities of porous ceramics fabricated by gelcasting in mitigating environmental issues  
M. TAKAHASHI, R.L. MENCHAVEZ, M. FUJI & H. TAKEGAMI (Japan)
- 829 Different methods to synthesize ceramic foams  
J. LUYTEN, S. MULLENS, J. COOYMANS, A.M. DE WILDE, I. THIJS & R. KEMPS (Belgium)
- 833 A novel route to produce porous ceramics  
B. NEIRINCK, J. FRANSAER, O. VAN DER BIEST & J. VLEUGELS (Belgium)
- 837 Processing of ceramic-metal interpenetrating composites  
J. BINNER, H. CHANG & R. HIGGINSON (UK)
- 843 Advanced ceramics from a preceramic polymer and nano-fillers  
E. BERNARDO, P. COLOMBO (Italy) & S. HAMPSHIRE (Ireland)
- 851 Thermal behaviour of a series of poly[B-(methylamino)borazine] for the preparation of boron nitride fibers  
S. DUPERRIER, R. CHIRIAC, C. SIGALA, C. GERVAIS, S. BERNARD, D. CORNU & P. MIELE (France)
- 857 Shaping potentialities of aluminum nitride polymeric precursors. Preparation of thin coatings and 1D nanostructures in liquid phase  
H. TERMOSS, M. BECHELANY, B. TOURY, A. BRIOUDE, S. BERNARD, D. CORNU & P. MIELE (France)
- 863 Preparation of ZnO nanoparticles localized on  $\text{SiC@SiO}_2$  nanocables by a physical templating method  
M. BECHELANY, B. TOURY, A. BRIOUDE, S. BERNARD, D. CORNU & P. MIELE (France)
- 869 Fabrication of stable  $\text{Al}_2\text{O}_3$  slurries and dense green bodies using soft-energy milling process  
Y. HOTTA, K. TSUNEKAWA, T. SHIRAI, K. SATO, M. YASUOKA & K. WATARI (Japan)
- 875 Gelcasting of alumina suspensions containing nanoparticles with glycerol monoacrylate  
C. TALLON (Spain), D. JACH (Poland), R. MORENO, M.I. NIETO (Spain), G. ROKICKI & M. SZAFRAN (Poland)
- 881 Wet forming of concentrated nano- $\text{BaTiO}_3$  suspensions  
I. SANTACRUZ (UK, Spain), M.I. NIETO (Spain), J. BINNER (UK) & R. MORENO (Spain)

- 887 Rotary moulding of ceramic hollow wares  
I.A.H. AL-DAWERY, J.G.P. BINNER, G. TARI, P.R. JACKSON, W.R. MURPHY & M. KEARNS (UK)
- 893 The unification of paste rheologies for the co-extrusion of solid oxide fuel cells  
J. POWELL & S. BLACKBURN (UK)
- 899 Manufacture of 3D structures by cold low pressure lamination of ceramic green tapes  
K. SCHINDLER & A. ROOSEN (Germany)
- 905 Ink-jet printing of ceramic micro-pillar arrays  
M. LEJEUNE, T. CHARTIER, C. DOSSOU-YOVO & R. NOGUERA (France)
- 913 Limits to feature size and resolution in ink jet printing  
J. STRINGER & B. DERBY (UK)
- 919 Optical characterization of stereolithography alumina suspensions using the Kubelka–Munk model  
Y. ABOULIATIM, T. CHARTIER, P. ABELARD, C. CHAPUT & C. DELAGE (France)
- 925 Shaping of advanced ceramics: The case of composite electrodes for lithium batteries  
E. LIGNEEL, B. LESTRIEZ, A. HUDHOMME & D. GUYOMARD (France)
- 931 Shaping of advanced asymmetric structures of proton conducting ceramic materials for SOFC and membrane-based process applications  
M.L. FONTAINE, Y. LARRING, J.B. SMITH, H. RAEDER, Ø.S. ANDERSEN, M.-A. EINARSRUD, K. WIİK & R. BREDESEN (Norway)
- 937 Maldistribution of fluids in extrudates  
M.J. PATEL, J. WEDDERBURN, S. BLACKBURN & D.I. WILSON (UK)
- 943 Characterization of particles packing in alumina green tape  
N. CHANTARAMEE, S. TANAKA, Z. KATO, N. UCHIDA & K. UEMATSU (Japan)
- 949 Electrical conductivity of gelcast alumina sintered under inert atmosphere  
R.L. MENCHAVEZ, M. FUJI & M. TAKAHASHI (Japan)
- 955 *c*-axis oriented ZnO formed in a rotating magnetic field with various rotation speeds  
S. TANAKA, A. MAKIYA, Z. KATO & K. UEMATSU (Japan)
- 961 Hafnium dioxide for porous and dense high-temperature refractories (2600 °C)  
P. PILUSO, M. FERRIER, C. CHAPUT, J. CLAUS & J.-P. BONNET (France)
- I Keyword List
- II Notes for Authors

## **Volume 29, Number 6, 2009**

### **Reviews**

- 969 Laser machining of structural ceramics—A review  
A.N. SAMANT & N.B. DAHOTRE (USA)
- 995 Densification of ZrB<sub>2</sub>-based composites and their mechanical and physical properties: A review  
S.-Q. GUO (Japan)

### **Regular papers**

- 1013 Failure probability of ceramic coil springs  
S. NOHUT & G.A. SCHNEIDER (Germany)
- 1021 Use of a nanoindentation fatigue test to characterize the ductile–brittle transition  
M. SKRZYPCZAK, C. GUERRET-PIECOURT, S. BEC, J.-L. LOUBET & O. GUERRET (France)
- 1029 Discrete element method (DEM) modeling of fracture and damage in the machining process of polycrystalline SiC  
Y. TAN, D. YANG (China) & Y. SHENG (UK)
- 1039 Effect of quartz particle size on the mechanical behaviour of porcelain tile subjected to different cooling rates  
A. DE NONI JUNIOR, D. HOTZA (Brazil), V.C. SOLER & E.S. VILCHES (Spain)
- 1047 Low temperature preparation and machinability of porous ceramics from talc and foamed glass particles  
K. OKADA, F. IKAWA, T. ISOBE, Y. KAMESHIMA & A. NAKAJIMA (Japan)

- 1053 Interaction of  $\text{Al}_2\text{O}_3$ -rich slag with  $\text{MgO}$ – $\text{C}$  refractories during VOD refining— $\text{MgO}$  and spinel layer formation at the slag/refractory interface  
M. GUO, S. PARADA, P.T. JONES, E. BOYDENS, J.V. DYCK, B. BLANPAIN & P. WOLLANTS (Belgium)
- 1061 Microwave-induced combustion process variables for  $\text{MgO}$  nanoparticle synthesis using polyethylene glycol and sorbitol  
E. ESMAEILI, A. KHODADADI & Y. MORTAZAVI (Iran)
- 1069 Stabilization of alumina with polyelectrolyte and comb copolymer in solvent mixtures of water and alcohols  
O. LYCKFELDT, L. PALMQVIST & E. CARLSTRÖM (Sweden)
- 1077 Microstructure and mechanical properties of an alumina–glass low temperature co-fired ceramic  
Y.-F. ZHANG, S.-L. BAI, M. MIAO & Y.-F. JIN (China)
- 1083 Sandwich materials formed by thick alumina tapes and thin-layered alumina–aluminium titanate structures shaped by EPD  
B. FERRARI, A. BARTRET & C. BAUDÍN (Spain)
- 1093 Microstraining in titania-, alumina- and silica-supported  $\text{V}_2\text{O}_5$ -catalysts  
D. HABEL, O. GÖRKE, M. TOVAR, M. WILLINGER, M. ZIEMANN, O. SCHWARZ, R. SCHOMÄCKER & H. SCHUBERT (Germany)
- 1101 Mullite fibres prepared by sol–gel method using polyvinyl butyral  
Y. ZHANG, Y. DING, J. GAO & J. YANG (People's Republic of China)
- 1109  $\text{Ag}^+$ - and  $\text{Zn}^{2+}$ -exchange kinetics and antimicrobial properties of 11 Å tobermorites  
N.J. COLEMAN, A.H. BISHOP, S.E. BOOTH & J.W. NICHOLSON (UK)
- 1119 Enhanced electrochemical activity and long-term stability of Ni–YSZ anode derived from NiO–YSZ interdispersed composite particles  
K. SATO, H. ABE, T. MISONO, K. MURATA, T. FUKUI & M. NAITO (Japan)
- 1125 Electrophoretic deposition of  $\text{La}_{0.6}\text{Sr}_{0.4}\text{Co}_{0.8}\text{Fe}_{0.2}\text{O}_{3-\delta}$  cathodes on  $\text{Ce}_{0.9}\text{Gd}_{0.1}\text{O}_{1.95}$  substrates for intermediate temperature solid oxide fuel cell (IT-SOFC)  
M.J. SANTILLÁN, A. CANEIRO, N. QUARANTA (Argentina) & A.R. BOCCACCINI (UK)
- 1133 Synthesis of  $\text{La}_{0.9}\text{Sr}_{0.1}\text{Al}_{0.85}\text{Mg}_{0.1}\text{Co}_{0.05}\text{O}_{2.875}$  using a polymeric method  
S. LI, B. BERGMAN & Z. ZHAO (Sweden)
- 1139 Doping effect on secondary phases, microstructure and electrical conductivities of  $\text{LaGaO}_3$  based perovskites  
S. LI & B. BERGMAN (Sweden)
- 1147 Micromoulding of PZT film structures using electrohydrodynamic atomization mould filling  
D. WANG, S.A. ROCKS & R.A. DOREY (UK)
- 1157 The effect of Nb doping on dielectric and ferroelectric properties of PZT thin films prepared by solution deposition  
V. KAYASU & M. OZENBAS (Turkey)
- 1165 Synthesis and properties of  $\text{TiO}_2$  added  $\text{NiNb}_2\text{O}_6$  microwave dielectric ceramics using a simple process  
Y.-C. LIOU, C.-Y. SHIUE & M.-H. WENG (Taiwan)
- 1173 Properties of  $\text{Ti}(\text{C},\text{N})$  cermets synthesized by mechanically induced self-sustaining reaction  
J.M. CÓRDOBA, J.C. SÁNCHEZ-LÓPEZ, M.A. AVILÉS, M.D. ALCALÁ & F.J. GOTOR (Spain)

#### Technical note

- 1183 Enhanced ferroelectric properties of Ce-substituted  $\text{BiFeO}_3$  thin films on  $\text{LaNiO}_3/\text{Si}$  substrates prepared by sol–gel process  
X. WANG, H. LIU & B. YAN (China)

#### Corrigendum

- 1189 Corrigendum to “Uniaxial viscosity of gadolinium-doped ceria determined by discontinuous sinter forging” [J. Eur. Ceram. Soc. 27 (2007) 3127–3133]  
J. CHANG (Republic of Korea), O. GUILLON, J. RÖDEL (Germany) & S.-J.L. KANG (Republic of Korea)

**Volume 29, Number 7, 2009****Special Issue on Advanced Materials**

- 1191 Preface  
W. HÖLAND (Liechtenstein)

**Glasses and glass-ceramics**

- 1193 A survey of energy and environmental applications of glass  
R.K. BROW & M.L. SCHMITT (USA)
- 1203 Glasses for solar energy conversion systems  
J. DEUBENER, G. HELSCH, A. MOISEEV & H. BORNHÖFT (Germany)
- 1211 Refractory glass–ceramics based on alkaline earth aluminosilicates  
G.H. BEALL (USA)
- 1221 Self-organized nano-crystallisation of BaF<sub>2</sub> from Na<sub>2</sub>O/K<sub>2</sub>O/BaF<sub>2</sub>/Al<sub>2</sub>O<sub>3</sub>/SiO<sub>2</sub> glasses  
C. BOCKER & C. RÜSSEL (Germany)
- 1227 Advancing glasses through fundamental research  
L. WONDRAČEK (France, Germany) & J.C. MAURO (USA)

**Biomaterials**

- 1235 Ceramic particles and layers for functional application  
H. HOFMANN (Switzerland)
- 1245 Ceramics for medical applications: A picture for the next 20 years  
J. CHEVALIER & L. GREMILLARD (France)
- 1257 Genetic design of bioactive glass  
L.L. HENCH (UK)
- 1267 Development of bioactive materials based on surface chemistry  
T. KOKUBO, T. MATSUSHITA, H. TAKADAMA & T. KIZUKI (Japan)
- 1275 New trends in bioactive scaffolds: The importance of nanostructure  
J.R. JONES (UK)
- 1283 Trends in materials science from the point of view of a practicing dentist  
R. HICKEL (Germany)
- 1291 Future perspectives of biomaterials for dental restoration  
W. HÖLAND, V. RHEINBERGER, E. APEL, C. RITZBERGER, F. ROTHBRUST, H. KAPPERT (Liechtenstein),  
F. KRUMEICH & R. NESPER (Switzerland)
- I Keyword List  
II Notes for Authors

**Volume 29, Number 8, 2009**

- 1299 Multiple scratch tests and surface-related fatigue properties of monolithic ceramics and soda lime glass  
F. PETIT, C. OTT & F. CAMBIER (Belgium)
- 1309 Experimental analysis of the evolution of thermal shock damage using transit time measurement of ultrasonic waves  
F. DAMHOF, W.A.M. BREKELMANS & M.G.D. GEERS (The Netherlands)
- 1323 Fabrication of green and sintered bodies prepared by centrifugal compaction process using wet-jet milled slurries  
K. SATO, Y. HOTTA (Japan), H. YILMAZ (Japan, Turkey) & K. WATARI (Japan)
- 1331 Laser scanning parameters on fabrication of ceramic parts by liquid phase sintering  
H.-C. YEN, M.-L. CHIU & H.-H. TANG (Taiwan)
- 1337 Synthesis and two-step sintering behavior of sol–gel derived nanocrystalline corundum abrasives  
Z. LI, Z. LI, A. ZHANG & Y. ZHU (PR China)
- 1347 Corrosion mechanism of polycrystalline corundum and calcium hexaluminate by calcium silicate slags  
B.A. VÁZQUEZ (Mexico), P. PENA, A.H. DE AZA, M.A. SAINZ & A. CABALLERO (Spain)

- 1361 High strength porous alumina by spark plasma sintering  
D. CHAKRAVARTY, H. RAMESH & T.N. RAO (India)
- 1371 Suppression of grain growth in sub-micrometer alumina via two-step sintering method  
Z. RAZAVI HESABI, M. HAGHIGHATZADEH, M. MAZAHARI (Iran), D. GALUSEK (Slovak Republic) & S.K. SADRNEZHAAD (Iran)
- 1379 Influence of the suspension flocculated state on the microstructure of alumina spheres elaborated by colloidal granulation  
C. PAGNOUX, N. TESSIER-DOYEN, A. PRINGUET, M. CERBELAUD & P. GARCIA-PEREZ (France)
- 1387 Synthesis of ceramic nanotubes using AAO templates  
F. WANG, H. HUANG & S. YANG (China)
- 1393 Hydrolysis-induced aqueous gelcasting for near-net shape forming of ZTA ceramic composites  
I. GANESH (India, Portugal), S.M. OLHERO, P.M.C. TORRES, F.J. ALVES & J.M.F. FERREIRA (Portugal)
- 1403 Investigation of reactions between vanadium oxide and plasma-sprayed yttria-stabilized zirconia coatings  
Z. CHEN, S. SPEAKMAN, J. HOWE, H. WANG, W. PORTER & R. TRICE (USA)
- 1413 Correlations between thermoelectric properties and effective mass caused by lattice distortion in Al-doped ZnO ceramics  
J.P. WIFF, Y. KINEMUCHI, H. KAGA, C. ITO & K. WATARI (Japan)
- 1419 Temperature distribution for electrically conductive and non-conductive materials during Field Assisted Sintering (FAST)  
J. RÄTHEL, M. HERRMANN & W. BECKERT (Germany)
- 1427 Effect of silica sintering additive on the sintering behavior and dielectric properties of strontium barium niobate ceramics  
L. WANG, W. SUI, K. MU & S. LUAN (China)
- 1433 Influence of sputter deposition parameters on the properties of tunable barium strontium titanate thin films for microwave applications  
R. SCHAFFRANEK, A. GIERE, A.G. BALOGH, T. ENZ, Y. ZHENG, P. SCHEELE, R. JAKOBY & A. KLEIN (Germany)
- 1443 Chemical composition and tolerance factor at the morphotropic phase boundary in  $(\text{Bi}_{0.5}\text{Na}_{0.5})\text{TiO}_3$ -based piezoelectric ceramics  
W.-C. LEE, C.-Y. HUANG, L.-K. TSAO & Y.-C. WU (Taiwan)
- 1449 Microstructural, structural and dielectric properties of  $\text{Er}^{3+}$ -modified  $\text{BaTi}_{0.85}\text{Zr}_{0.15}\text{O}_3$  ceramics  
E. ANTONELLI, M. LETONTURIER, J.-C. M'PEKO & A.C. HERNANDES (Brazil)
- 1457 Rapid synthesis of submicron crystalline barium zirconate  $\text{BaZrO}_3$  by precipitation in aqueous basic solution below 100 °C  
F. BOSCHINI, A. RULMONT, R. CLOOTS & B. VERTRUYEN (Belgium)
- 1463 Thermal expansion behaviour of Sr- and Mg-doped  $\text{LaGaO}_3$  solid electrolyte  
P. DATTA (Germany), P. MAJEWSKI (Australia) & F. ALDINGER (Germany)
- 1469  $\text{LaGaO}_3$ -based cermet for solid oxide fuel cell cathodes  
P. DATTA (Germany), P. MAJEWSKI (Australia) & F. ALDINGER (Germany)
- 1477 Spark plasma sintering of lead phosphovanadate  $\text{Pb}_3(\text{VO}_4)_{1.6}(\text{PO}_4)_{0.4}$   
L. CAMPAYO, S. LE GALLET (France), YU. GRIN (Germany), E. COURTOIS, F. BERNARD & F. BART (France)
- 1485 Effects of additives on combustion synthesis of  $\text{Al}_2\text{O}_3$ – $\text{TiB}_2$  ceramic composite  
D. WANG (PR China)
- 1493 Pressureless reactive sintering of  $\text{ZrB}_2$  ceramic  
M. BROCHU (Canada), B.D. GAUNTT (USA), L. BOYER (Canada, USA) & R.E. LOEHMAN (USA)
- 1501 Preparation of nano-size  $\text{ZrB}_2$  powder by self-propagating high-temperature synthesis  
H.E. ÇAMURLU (Turkey) & F. MAGLIA (Italy)
- 1507 Surface densification of porous ZrC by a laser process  
A. BACCIOCHINI, N. GLANDUT & P. LEFORT (France)
- 1513 Optimized vacuum/pressure sol impregnation processing of wood for the synthesis of porous, biomorphic SiC ceramics  
J. LOCS, L. BERZINA-CIMDINA, A. ZHURINSH & D. LOCA (Latvia)
- 1521 Quantitative model for the viscous flow and composition of two-phase silicon nitride-based particles in plasma-spray deposition  
Y. BAO, T. ZHANG, D.T. GAWNE & P. MASON (UK)

- 1529 Characterization of porous silicon nitride ceramics by pressureless sintering using fly ash cenosphere as a pore-forming agent  
Y. SHAO, D. JIA & B. LIU (China)
- 1535 Correlation of wear behavior and indentation fracture resistance in silicon nitride ceramics hot-pressed with alumina and yttria  
H. MIYAZAKI, H. HYUGA, Y.-I. YOSHIZAWA, K. HIRAO & T. OHJI (Japan)

#### Technical note

- 1543 Low temperature firing of  $\text{BiSbO}_4$  microwave dielectric ceramic with  $\text{B}_2\text{O}_3$ – $\text{CuO}$  addition  
D. ZHOU, H. WANG, L.-X. PANG, X. YAO & X.-G. WU (China)

#### Corrigendum

- 1547 Corrigendum to “Sintering stresses and distortion produced by density differences in bi-layer structures” [J. Eur. Ceram. Soc. 26 (2006) 17–25]  
D. RAVI & D.J. GREEN (USA)

- I Keyword List  
II Notes for Authors

### Volume 29, Number 9, 2009

- 1549 Development of a roadmap for advanced ceramics: 2010–2025  
J. RÖDEL (Germany), A.B.N. KOUNGA (Austria), M. WEISSENBERGER-EIBL, D. KOCH, A. BIERWISCH, W. ROSSNER, M.J. HOFFMANN (Germany), R. DANZER (Austria) & G. SCHNEIDER (Germany)
- 1561 Microstructural and mechanical changes by chemical ageing of glazed ceramic surfaces  
V. CANNILLO, L. ESPOSITO, E. RAMBALDI, A. SOLA & A. TUCCI (Italy)
- 1571 Zircon-free frits suitable for single fast-firing opaque wall tile glazes and their industrial productions  
K. PEKKAN & B. KARASU (Turkey)
- 1579 Effects of densification and mullitization on the evolution of the elastic properties of a clay-based material during firing  
P. PIALY (France, Cameroun), N. TESSIER-DOYEN (France), D. NJOPWOUO (Cameroun) & J.-P. BONNET (France)
- 1587 Influence of cassava starch content and sintering temperature on the alumina consolidation technique  
F.A. ALMEIDA (Portugal), E.C. BOTELHO, F.C.L. MELO, T.M.B. CAMPOS & G.P. THIM (Brazil)
- 1595 Rheological properties of alumina feedstocks for the low-pressure injection moulding process  
B. LOEBBECKE, R. KNITTER & J. HAUBEIT (Germany)
- 1603 Fabrication of porous alumina ceramics from powder mixtures with sol–gel derived nanometer alumina: Effect of mixing method  
A. KRITIKAKI & A. TSETSEKOU (GREECE)
- 1613 Effects of  $\text{Y}_2\text{O}_3$  additives and powder purity on the densification and grain boundary composition of  $\text{Al}_2\text{O}_3/\text{SiC}$  nanocomposites  
I.P. SHAPIRO, R.I. TODD, J.M. TITCHMARSH & S.G. ROBERTS (UK)
- 1625 Creep mechanisms of laminated alumina/zirconia-toughened alumina composites  
A. MORALES-RODRÍGUEZ, A. DOMÍNGUEZ-RODRÍGUEZ (Spain), G. DE PORTU (ITALY) & M. JIMÉNEZ-MELENDO (Spain)
- 1631 Development and characterisation of high-density oxide fibre-reinforced oxide ceramic matrix composites with improved mechanical properties  
C. KAYA, F. KAYA (Turkey), E.G. BUTLER, A.R. BOCCACCINI (UK) & K.K. CHAWLA (USA)
- 1641 Effects of milling on co-precipitated 3Y-PSZ powders  
E. FURLANI, E. ANEGGI & S. MASCHIO (Italy)
- 1647 Degradation of plasma-sprayed yttria-stabilized zirconia coatings via ingress of vanadium oxide  
Z. CHEN, J. MABON, J.-G. WEN & R. TRICE (USA)
- 1657 Mechanical properties of  $\text{NiO}/\text{Ni}$ –YSZ composites depending on temperature, porosity and redox cycling  
M. PIHLATIE (Denmark, Finland), A. KAISER & M. MOGENSEN (Denmark)

- 1665 In vitro characterisation of plasma-sprayed apatite/wollastonite glass–ceramic biocoatings on titanium alloys  
V. CANNILLO (Italy), J. COLMENARES-ANGULO (USA), L. LUSVARGHI, F. PIERLI (Italy) & S. SAMPATH (USA)
- 1679 Synthesis and sintering of a monazite–brabantite solid solution ceramics using metaphosphate  
B. GLORIEUX, J.M. MONTEL & M. MATECKI (France)
- 1687 Phase formation and characterization of high Curie temperature  $x\text{BiYbO}_3-(1-x)\text{PbTiO}_3$  piezoelectric ceramics  
G. FENG, H. RONGZI, L. JIAJI, L. ZHEN, C. LIHONG & T. CHANGSHENG (China)
- 1695 The thermal decomposition of  $\text{K}_{0.5}\text{Bi}_{0.5}\text{TiO}_3$  ceramics  
J. KÖNIG, M. SPREITZER, B. JANČAR, D. SUVOROV, Z. SAMARDŽIJA & A. POPOVIČ (Slovenia)
- 1703 Morphology of water-based chemical solution deposition (CSD) lead titanate films on different substrates: Towards island formation  
C. DE DOBBELAERE, A. HARDY, J. D’HAEN, H. VAN DEN RUL, M.K. VAN BAELE & J. MULLENS (Belgium)
- 1713 Bipolar strain hysteresis of poled composites with Nd–Mn-doped PZT fibres  
C. PIENTSCHKE, A. KUVATOV, R. STEINHAUSEN, H. BEIGE, R. KRÜGER, T. MÜLLER, U. HELBIG, D. SPORN, C. SCHUH, S. DENNELER, T. RICHTER & H. SCHLICH (Germany)
- 1721 Investigation of phase boundaries in the system  $(\text{K}_x\text{Na}_{1-x})_{1-y}\text{Li}_y(\text{Nb}_{1-z}\text{Ta}_z)\text{O}_3$  using high-throughput experimentation (HTE)  
T.A. STEGK, H. MGBEMERE, R.-P. HERBER, R. JANSSEN & G.A. SCHNEIDER (Germany)
- 1729 Effect of  $\text{MnO}_2$  on the dielectric and piezoelectric properties of alkaline niobate based lead free piezoelectric ceramics  
H.E. MGBEMERE, R.-P. HERBER & G.A. SCHNEIDER (Germany)
- 1735 Doping behaviors of dysprosium, yttrium and holmium in  $\text{BaTiO}_3$  ceramics  
K.-J. PARK, C.-H. KIM, Y.-J. YOON, S.-M. SONG, Y.-T. KIM & K.-H. HUR (Republic of Korea)
- 1743 Anodically formed oxide films on niobium: Microstructural and electrical properties  
H. STÖRMER, A. WEBER, V. FISCHER, E. IVERS-TIFFÉE & D. GERTHSEN (Germany)
- 1755 Copper tracks processing on alumina by laser cladding: Elaboration and characterization  
S. MENECHIER, J.C. LABBE & P. LEFORT (France)
- 1763 Chemical and thermomechanical compatibility between neodymium manganites and electrolytes based on ceria  
V. GIL, J. TARTAJ & C. MOURE (Spain)
- 1771 Influence of the deposition energy on the composition and thermal cycling behavior of  $\text{La}_2(\text{Zr}_{0.7}\text{Ce}_{0.3})_2\text{O}_7$  coatings  
Z. XU, L. HE, R. MU, S. HE, X. ZHONG & X. CAO (China)
- 1781 Evaluation of the  $\text{La}_{0.75}\text{Sr}_{0.25}\text{Mn}_{0.8}\text{Co}_{0.2}\text{O}_{3-\delta}$  system as cathode material for ITSOFCs with  $\text{La}_9\text{Sr}_1\text{Si}_6\text{O}_{26.5}$  apatite as electrolyte  
C. BONHOMME, S. BEAUDET-SAVIGNAT, T. CHARTIER, P.-M. GEFFROY & A.-L. SAUVET (France)
- 1789 Microstructure and electrical properties of  $\text{ZnO}-\text{Bi}_2\text{O}_3$ -based varistor ceramics by different sintering processes  
D. XU, L. SHI, Z. WU, Q. ZHONG & X. WU (China)
- 1795 Effects of  $\text{CeO}_2$  addition on the properties of cordierite-bonded porous SiC ceramics  
S. LIU, Y.-P. ZENG & D. JIANG (China)
- 1803 Oxidation protection of carbon/carbon composites with SiC/indialite coating for intermediate temperatures  
L. KE-ZHI, L. FENG-TAO, L. HE-JUN, S. XUE-TAO & H. YONG-GANG (PR China)
- 1809 Oxidation behaviour of a pressureless sintered  $\text{HfB}_2-\text{MoSi}_2$  composite  
D. SCITI, A. BALBO & A. BELLOSI (Italy)
- 1817 A study of the sintering behaviour of magnesium diboride  
C.E.J. DANCER, P. MIKHEENKO, A. BEVAN, J.S. ABELL, R.I. TODD & C.R.M. GROVENOR (UK)
- 1825 Fracture toughness of concentric  $\text{Si}_3\text{N}_4$ -based laminated structures  
Z. KRSTIC & V.D. KRSTIC (Canada)

- I Keyword List
- II Notes for Authors

## Volume 29, Number 10, 2009

- 1831 Rheological properties of re-melted paraffin-wax suspensions used for LPIM  
A. DAKSKOBLER & T. KOSMAČ (Slovenia)

- 1837 Application of constant current pulse to suppress bubble incorporation and control deposit morphology during aqueous electrophoretic deposition (EPD)  
L. BESRA, T. UCHIKOSHI, T.S. SUZUKI & Y. SAKKA (Japan)
- 1847 Interaction of polycarboxylate ether with silica fume  
H. HOMMER (Germany)
- 1855 Chemical resistance and cleaning properties of coated glazed surfaces  
M. PIISPANEN, J. MÄÄTTÄ, S. AREVA, A.-M. SJÖBERG, M. HUPA & L. HUPA (Finland)
- 1861 Influence of various chemical treatments on the interactions between hemp fibres and a lime matrix  
M. LE TROËDEC, C.S. PEYRATOUT, A. SMITH & T. CHOTARD (France)
- 1869 Physico-chemical characterisation of bricks all through the manufacture process in relation to efflorescence salts  
A. ANDRÉS, MA.C. DÍAZ, A. COZ, MA.J. ABELLÁN & J.R. VIGURI (Spain)
- 1879 Low temperature preparation of belitic cement clinker  
A. ZAPATA & P. BOSCH (Mexico)
- 1887 Preparation of double-layer glass-ceramic/ceramic tile from bauxite tailings and red mud  
H. YANG, C. CHEN, L. PAN, H. LU, H. SUN & X. HU (China)
- 1895 Structure and properties of high Li<sub>2</sub>O-containing aluminophosphate glasses  
F. MOREAU, A. DURÁN & F. MUÑOZ (Spain)
- 1903 Process parameters analysis of direct laser sintering and post treatment of porcelain components using Taguchi's method  
X. TIAN (China, Germany), J. GÜNSTER, J. MELCHER (Germany), D. LI (China) & J.G. HEINRICH (Germany)
- 1917 Water retention properties of porous geopolymers for use in cooling applications  
K. OKADA, A. OYAMA, T. ISOBE, Y. KAMESHIMA, A. NAKAJIMA (Japan) & K.J.D. MACKENZIE (New Zealand)
- 1925 Densification additives for hydroxyapatite ceramics  
T.V. SAFRONOVA, V.I. PUTLYAEV, M.A. SHEKHIREV, Y.D. TRETYAKOV, A.V. KUZNETSOV & A.V. BELYAKOV (Russia)
- 1933 Three-step sintering of constrained yttria stabilised zirconia layers and its effect on microstructure and gas permeance  
G.J. WRIGHT & J.A. YEOMANS (UK)
- 1939 Slip casting of nanozirconia/MWCNT composites using a heterocoagulation process  
N. GARMENDIA, I. SANTACRUZ, R. MORENO & I. OBIETA (Spain)
- 1947 Compressibility and sinterability of CeO<sub>2</sub>–8YSZ powders synthesized by a wet chemical method  
A.A. BUKAEMSKIY, D. BARRIER & G. MODOLO (Germany)
- 1955 Anatase–rutile transformation in TiO<sub>2</sub>–V<sub>2</sub>O<sub>5</sub> catalyst coatings for ceramic foams  
E.C. BUCHARSKY, G. SCHELL, R. ÖBERACKER & M.J. HOFFMANN (Germany)
- 1963 Increase of Mn solubility with decreasing grain size in ZnO  
B. STRAUMAL (Germany, Russia), B. BARETZKY (Germany), A. MAZILKIN, S. PROTASOVA, A. MYATIEV (Russia) & P. STRAUMAL (Russia, Germany)
- 1971 Novel cold chemical lamination bonding technique—A simple LTCC thermistor-based flow sensor  
D. JURKÓW & L. GOLONKA (Poland)
- 1977 Dip-coated La<sub>2</sub>Ti<sub>2</sub>O<sub>7</sub> as a buffer layer for growth of Bi<sub>3.25</sub>La<sub>0.75</sub>Ti<sub>3</sub>O<sub>12</sub> films with enhanced (0 1 1) orientation  
C.-E. LIU, M. RICHARD-POUET, M.-P. BESLAND, D. ALBERTINI, C. ESTOURNÈS & L. BROHAN (France)
- 1987 Mechanical properties of BaTiO<sub>3</sub> open-porosity foams  
L. WUCHERER, J.C. NINO & G. SUBHASH (USA)
- 1995 Microstructure and grain size dependence of ferroelectric properties of BaTiO<sub>3</sub> thin films on LaNiO<sub>3</sub> buffered Si  
L. QIAO & X. BI (China)
- 2003 Combustion synthesis and characterization of LSCF-based materials as cathode of intermediate temperature solid oxide fuel cells  
A. DUTTA, J. MUKHOPADHYAY & R.N. BASU (India)
- 2013 Piezoelectric and dielectric behavior of 0-3 cement-based composites mixed with carbon black  
H. GONG (China), Z. LI (Hong Kong), Y. ZHANG & R. FAN (China)
- 2021 Densification of AlN using boron and carbon additives  
S.-H. LEE, H. TANAKA & T. AOYAGI (Japan)

- 2029 The precise determination of nitrogen in boron nitride  
W. GRUNER, J. HABLER, P. BARTH, J. BEHM & J. SUNDERKÖTTER (Germany)
- 2037 Mechanical properties of 2.45 GHz microwave sintered  $\text{Si}_3\text{N}_4\text{--Y}_2\text{O}_3\text{--MgO--ZrO}_2$  system  
S. CHOCKALINGAM & D.A. EARL (USA)
- 2045 Emissivity and catalytic measurements on SiC-coated carbon fibre reinforced silicon carbide composite  
D. ALFANO, L. SCATTEIA, S. CANTONI (Italy) & M. BALAT-PICHELIN (France)
- 2053  $\text{MoSi}_2\text{--Si}_3\text{N}_4$  composites: Influence of starting materials and fabrication route on electrical and mechanical properties  
K.V. MANUKYAN, S.L. KHARATYAN (Armenia), G. BLUGAN, P. KOCHER & J. KUEBLER (Switzerland)
- 2061 Advanced coatings on the basis of Si(C)N precursors for protection of steel against oxidation  
M. GÜNTNER, T. KRAUS, A. DIERDORF, D. DECKER, W. KRENKEL & G. MOTZ (Germany)
- 2069 Effect of milling energy on mechanical activation of  $(\text{Mo} + \text{Si}_3\text{N}_4)$  powders during the synthesis of  $\text{Si}_3\text{N}_4\text{--MoSi}_2$  *in situ* composites  
S. SINGH, M.M. GODKHINDI, R.V. KRISHNARAO & B.S. MURTY (India)
- 2079 Synthesis and characterization of continuous freestanding silicon carbide films with polycarbosilane (PCS)  
R. YAO, Z. FENG, Y. YU, S. LI, L. CHEN & Y. ZHANG (China)
- 2087 Spark plasma sintering and pressureless sintering of SiC using aluminum borocarbide additives  
S.-H. LEE, H. TANAKA & Y. KAGAWA (Japan)
- 2097 Effect of Al dopant on the hydrothermal oxidation behavior of  $\text{Ti}_3\text{SiC}_2$  powders  
H.B. ZHANG, X. WANG, C. BERTHOLD, K.G. NICKEL (Germany) & Y.C. ZHOU (PR China)
- 2105 Oxidation behaviour of a  $(\text{Mo}, \text{W})\text{Si}_2$ -based composite in dry and wet oxygen atmospheres in the temperature range 350–950 °C  
K. HELLSTRÖM, J.E. TANG, T. JONSSON, M. HALVARSSON, R. POMPE, M. SUNDBERG & J.-E. SVENSSON (Sweden)
- 2119 Temperature dependent hardness and strength properties of  $\text{TiB}_2$  with  $\text{TiSi}_2$  sinter-aid  
G.B. RAJU, B. BASU (India), N.H. TAK & S.J. CHO (Republic of Korea)

#### Technical note

- 2129 Carbothermal synthesis of boron nitride coating on PAN carbon fiber  
M. DAS, A.K. BASU, S. GHATAK & A.G. JOSHI (India)

- I Keyword List  
II Notes for Authors

#### Volume 29, Number 11, 2009

- 2135 Ceramic toughness assessment through edge chipping measurements—Influence of interfacial friction  
F. PETIT, V. VANDENEDE & F. CAMBIER (Belgium)
- 2143 High-alumina porcelain with the addition of a  $\text{Li}_2\text{O}$ -bearing fluxing agent  
M. OBERŽAN, J. HOLC, M. BUH, D. KUŠČER, I. LAVRAČ & M. KOSEC (Slovenia)
- 2153 Effect of soaking time on phase composition and topography and surface microstructure in vitrocrySTALLINE whiteware glazes  
L. FRÖBERG, T. KRONBERG & L. HUPA (Finland)
- 2163 First-principles investigation on the corrosion resistance of rare earth disilicates in water vapor  
Y. WANG & J. LIU (PR China)
- 2169 Mullite coatings on ceramic substrates: Stabilisation of  $\text{Al}_2\text{O}_3\text{--SiO}_2$  suspensions for spray drying of composite granules suitable for reactive plasma spraying  
A. SCHRIJNEMAKERS, S. ANDRÉ, G. LUMAY, N. VANDEWALLE, F. BOSCHINI, R. CLOOTS & B. VERTRUYEN (Belgium)
- 2177 Mechanical properties of textured ceramics from muscovite–kaolinite alternate layers  
F. GRIDI-BENNADJI, D. CHATEIGNER, G. DI VITA & P. BLANCHART (France)
- 2185 Characterisation of fluorine containing glasses and glass-ceramics by  $^{19}\text{F}$  magic angle spinning nuclear magnetic resonance spectroscopy  
R.G. HILL, R.V. LAW, M.D. O'DONNELL, J. HAWES, N.L. BUBB, D.J. WOOD, C.A. MILLER, M. MIRSANEH & I. REANEY (UK)

- 2193 Synthesis by pyrolysis of aerosols and ceramic application of Cr-doped  $\text{CaYAlO}_4$  red–orange pigments  
T.S. LYUBENOVA, J.B. CARDA & M. OCAÑA (Spain)
- 2199 The system Clinker– $\text{MgO}$ – $\text{CaZrO}_3$  and its application to the corrosion behavior of  $\text{CaZrO}_3/\text{MgO}$  refractory matrix by clinker  
S. SERENA, M.A. SAINZ & A. CABALLERO (Spain)
- 2211 Damage evaluation of two alumina refractory castables  
M. GHASSEMI KAKROUDI (Islamic Republic of Iran), M. HUGER, C. GAULT & T. CHOTARD (France)
- 2219 Starch consolidation of alumina: Fabrication and mechanical properties  
J. CHANDRADASS, K.H. KIM, D.S. BAE (South Korea), K. PRASAD, G. BALACHANDAR, S.A. DIVYA & M. BALASUBRAMANIAN (India)
- 2225 Investigation of sintering mechanisms of alumina using kinetic field and master sintering diagrams  
F. RAETHER & P. SCHULZE HORN (Germany)
- 2235 Onset coarsening-coalescence kinetics of  $\gamma$ -type related  $\text{Al}_2\text{O}_3$  nanoparticles: Implications to their assembly in a laser ablation process  
I.-L. LIU & P. SHEN (Taiwan)
- 2249 Microstructural and in vitro characterisation of high-velocity suspension flame sprayed (HVSFS) bioactive glass coatings  
G. BOLELLI, V. CANNILLO (Italy), R. GADOW, A. KILLINGER (Germany), L. LUSVARGHI (Italy) & J. RAUCH (Germany)
- 2259 Highly loaded UV curable nanosilica dispersions for rapid prototyping applications  
M. WOZNIAK (Switzerland, Poland), T. GRAULE, Y. DE HAZAN (Switzerland), D. KATA & J. LIS (Poland)
- 2267 Study on structural evolution of nanostructured 3 mol% yttria stabilized zirconia coatings during low temperature ageing  
B. LIANG, C. DING (PR China), H. LIAO & C. CODDET (France)
- 2275 Mechanical stress effect on oxygen ion mobility in 8 mol% yttria-stabilized zirconia electrolyte  
W. ARAKI, Y. IMAI & T. ADACHI (Japan)
- 2281 Lanthanum cobaltite nanoparticles using the polymeric precursor method  
M. POPA & J.M. CALDERON-MORENO (Romania)
- 2289 Birefringence measurements of creep near an electrode tip in transparent PLZT  
Q.D. LIU, N.A. FLECK, J.E. HUBER & D.P. CHU (UK)
- 2297 Quantitative microstructural analysis and piezoelectricity of highly dense, submicron-structured  $\text{NaNbO}_3$  ceramics from mechanically activated precursors  
A. MOURE, T. HUNGRÍA, A. CASTRO & L. PARDO (Spain)
- 2309 The master sintering curves for  $\text{BaTi}_{0.975}\text{Sn}_{0.025}\text{O}_3/\text{BaTi}_{0.85}\text{Sn}_{0.15}\text{O}_3$  functionally graded materials  
S. MARKOVIĆ & D. USKOKOVIĆ (Serbia)
- 2317 Nano-sized  $\text{BaSnO}_3$  powder via a precursor route: Comparative study of sintering behaviour and mechanism of fine and coarse-grained powders  
R. KÖFERSTEIN, L. JÄGER, M. ZENKNER & S.G. EBBINGHAUS (Germany)
- 2325 Dielectric and piezoelectric properties of  $\text{Cu}^{2+}$ -doped alkali Niobates  
N. MARANDIAN HAGH, K. KERMAN, B. JADIDIAN & A. SAFARI (USA)
- 2333 Preparation of barium hexaferrite coatings using atmospheric plasma spraying  
D. LISJAK (Slovenia), K. BOBZIN, K. RICHARDT, M. BÉGARD (Germany), G. BOLELLI, L. LUSVARGHI (Italy), A. HUJANEN, P. LINTUNEN (Finland), M. PASQUALE, E. OLIVETTI (Italy), M. DROFENIK (Slovenia) & T. SCHLÄFER (Germany)
- 2343 Photocatalytic activities of N-doped nano-titanias and titanium nitride  
Z. ZHANG, J.B.M. GOODALL, D.J. MORGAN, S. BROWN, R.J.H. CLARK, J.C. KNOWLES, N.J. MORDAN, J.R.G. EVANS, A.F. CARLEY, M. BOWKER & J.A. DARR (UK)
- 2355 Facile synthesis of bimetallic carbonitrides,  $\text{V}_{1-x}\text{Ti}_x(\text{C,N})$ , by microwave carbothermal reduction–ammonolysis/carburisation (MW-CRAC) methods  
C.P. WEST, I. HARRISON, E.J. CUSSEN & D.H. GREGORY (UK)

- 2363 Wetting and adhesion of Si on  $\text{Si}_3\text{N}_4$  and BN substrates  
B. DREVET, R. VOYTOVYCH, R. ISRAEL & N. EUSTATHOPOULOS (France)
- 2369 Mechanical and fatigue strengths of silicon nitride ceramics in liquid aluminum alloys  
M. OKAYASU, M. HITOMI & H. YAMAZAKI (Japan)
- 2379 Microstructure and densification of  $\text{ZrB}_2$ –SiC composites prepared by spark plasma sintering  
I. AKIN (Turkey), M. HOTTA (Japan), F.C. SAHIN, O. YUCEL, G. GOLLE (Turkey) & T. GOTO (Japan)
- 2387 Thermal shock resistance and fracture toughness of liquid-phase-sintered SiC-based ceramics  
A. KOVALČÍKOVÁ, J. DUSZA & P. ŠAJGALÍK (Slovak Republic)
- 2395 Reaction forming of silicon carbide ceramic using phenolic resin derived porous carbon preform  
S. XU, G. QIAO, D. LI (PR China), H. YANG, Y. LIU (Australia) & T. LU (PR China)
- 2403 Reaction of TiC with  $\text{SiCl}_4$  vapor with formation of SiC–TiC composites  
S. SHIMADA & A. ONUMA (Japan)
- 2411 Sintering, high temperature strength and oxidation resistance of liquid-phase-pressureless-sintered SiC–AlN ceramics with addition of rare-earth oxides  
G. MAGNANI, F. ANTOLINI, L. BEAULARDI, E. BURRESI, A. COGLITORE & C. MINGAZZINI (Italy)

### Technical notes

- 2419 Fabrication of dense material having homogeneous  $\text{GdAlO}_3$ – $\text{Al}_2\text{O}_3$  eutectic-like microstructure with off-eutectic composition by consolidation of the amorphous  
Y. HARADA, N. UEKAWA, T. KOJIMA & K. KAKEGAWA (Japan)
- 2423 Hot corrosion behavior of  $\text{V}_2\text{O}_5$ -coated  $\text{Gd}_2\text{Zr}_2\text{O}_7$  ceramic in air at 700–850 °C  
Z.-G. LIU, J.-H. OUYANG, Y. ZHOU & X.-L. XIA (China)

- I Keyword List  
II Notes for Authors

## Volume 29, Number 12, 2009

### Review

- 2429 Interfacial protonic conduction in ceramics  
H.J. PARK, C. KWAK, K.H. LEE, S.M. LEE & E.S. LEE (Republic of Korea)

### Regular papers

- 2439 New cellular ceramics from high alkane phase emulsified suspensions (HAPES)  
S. BARG, E.G. DE MORAES, D. KOCH & G. GRATHWOHL (Germany)
- 2447 A new test to determine the tensile strength of brittle balls—The notched ball test  
P. SUPANCIC, R. DANZER, S. WITSCHNIG, E. POLACZEK & R. MORRELL (Austria)
- 2461 Effect of angled indentation on mechanical properties  
S. SABER-SAMANDARI & K.A. GROSS (Australia)
- 2469 Sintering of glass matrix composites with small rigid inclusions  
M. EBERSTEIN, S. REINSCH, R. MÜLLER, J. DEUBENER & W.A. SCHILLER (Germany)
- 2481 Friction and wear mechanisms of  $\text{K}_2\text{O}$ – $\text{B}_2\text{O}_3$ – $\text{Al}_2\text{O}_3$ – $\text{SiO}_2$ – $\text{MgO}$ –F glass-ceramics  
A.R. MOLLA, B.V.M. KUMAR & B. BASU (India)
- 2491 Capillary rise properties of porous mullite ceramics prepared by an extrusion method using organic fibers as the pore former  
K. OKADA, S. UCHIYAMA, T. ISOBE, Y. KAMESHIMA, A. NAKAJIMA & T. KURATA (Japan)
- 2499 Materials and technological evolution of ancient cobalt-blue-decorated ceramics: Pigments and work patterns in tin-glazed objects from Aragon (Spain) from the 15th to the 18th century AD  
J. PÉREZ-ARANTEGUI, B. MONTULL, M. RESANO & J.M. ORTEGA (Spain)
- 2511 Synthesis of YAP nanopowder by a soft chemistry route  
J.F. CARVALHO, F.S. DE VICENTE (France, Brazil), S. PAIRIS, P. ODIER (France), A.C. HERNANDES (Brazil) & A. IBANEZ (France)

- 2517 The effect of silica doping on neodymium diffusion in yttrium aluminum garnet ceramics: implications for sintering mechanisms  
R. BOULESTEIX, A. MAÎTRE, J.-F. BAUMARD, Y. RABINOVITCH, C. SALLÉ, S. WEBER (France) & M. KILO (Germany)
- 2527 Studies on a novel bioactive glass and composite coating with hydroxyapatite on titanium based alloys: Effect of  $\gamma$ -sterilization on coating  
S. BHARATI, C. SOUNDRAPANDIAN, D. BASU & S. DATTA (India)
- 2537 Sintering of 4YSZ ( $\text{ZrO}_2 + 4 \text{ mol\% Y}_2\text{O}_3$ ) nanoceramics for solid oxide fuel cells (SOFCs), their structure and ionic conductivity  
D. MÆLAND, C. SUCIU, I. WÆRNHUS & A.C. HOFFMANN (Norway)
- 2549 Analysis of reactions during sintering of CuO-doped 3Y-TZP nano-powder composites  
L. WINNUBST, S. RAN, E.A. SPEETS & D.H.A. BLANK (The Netherlands)
- 2559 Synthesis, sintering and electrical properties of yttria–calcia-doped ceria  
A. MOURE, J. TARTAJ & C. MOURE (Spain)
- 2567 Influence of anode pore forming additives on the densification of supported  $\text{BaCe}_{0.7}\text{Ta}_{0.1}\text{Y}_{0.2}\text{O}_{3-\delta}$  electrolyte membranes based on a solid state reaction  
L. BI (PR China), S. FANG (PR China, The Netherlands), Z. TAO, S. ZHANG, R. PENG & W. LIU (PR China)
- 2575 Template-assisted synthesis of  $\text{PbTiO}_3$  nanotubes  
P.M. RØRVIK (Norway), K. TADANAGA, M. TATSUMISAGO (Japan), T. GRANDE & M.-A. EINARSRUD (Norway)
- 2581 Microstructural changes in  $(\text{K}_{0.5}\text{Na}_{0.5})\text{NbO}_3$  ceramics sintered in various atmospheres  
J.G. FISHER & S.-J.L. KANG (Republic of Korea)
- 2589 Crystal structure and orthorhombic–tetragonal phase transition of nanoscale  $(\text{Li}_{0.06}\text{Na}_{0.47}\text{K}_{0.47})\text{NbO}_3$   
C. WANG, Y.-D. HOU, H.-Y. GE, M.-K. ZHU & H. YAN (People's Republic of China)
- 2595 Effects of  $\text{Bi}_4\text{Ti}_3\text{O}_{12}$  addition on the microstructure and dielectric properties of modified  $\text{BaTiO}_3$  under a reducing atmosphere  
T.A. JAIN, C.C. CHEN & K.Z. FUNG (Taiwan)
- 2603 Thermal behaviour of  $\text{La}_{0.8}\text{Sr}_{0.2}\text{Fe}_{1-x}\text{Ga}_x\text{O}_{3-\delta}$  ( $x = 0$  or  $x = 0.3$ )  
A. JULIAN, E. JUSTE, P.M. GEFFROY, N. TESSIER-DOYEN, P. DEL GALLO, N. RICHET & T. CHARTIER (France)
- 2611 Liquid phase assisted densification of superhard  $\text{B}_6\text{O}$  materials  
M. HERRMANN, J. RAETHEL, A. BALES, K. SEMPFF (Germany), I. SIGALAS (South Africa) & M. HOEHN (Germany)
- 2619 Joining of Ti–Al–C ceramics by oxidation at low oxygen partial pressure  
A. LI, C. HU, M. LI & Y. ZHOU (China)
- 2627 Effect of sintering additive on crystallographic orientation in AlN prepared by slip casting in a strong magnetic field  
T.S. SUZUKI, T. UCHIKOSHI & Y. SAKKA (Japan)
- 2635 Effect of temperature on the pre-creep mechanical properties of silicon nitride  
E. SÁNCHEZ-GONZÁLEZ, P. MIRANDA, F. GUIBERTEAU & A. PAJARES (Spain)
- 2643 Capillary infiltration studies of liquids into 3D-stitched C–C preforms. Part A: Internal pore characterization by solvent infiltration, mercury porosimetry, and permeability studies  
S. KUMAR, A. KUMAR, A. SHUKLA, A.K. GUPTA & R. DEVI (India)
- 2651 Capillary infiltration studies of liquids into 3D-stitched C–C preforms. Part B: Kinetics of silicon infiltration  
S. KUMAR, A. KUMAR, R. DEVI, A. SHUKLA & A.K. GUPTA (India)

#### Technical notes

- 2659 A new process for lamellar texturing of thermoelectric  $\text{Ca}_3\text{Co}_4\text{O}_9$  oxides by spark plasma sintering  
J.G. NOUDEM (France)
- 2665 Effect of abrasive grinding on the strength of Y-TZP  
C.-J. HO, H.-C. LIU & W.-H. TUAN (Taiwan)

- I Keyword List
- II Notes for Authors

**Volume 29, Number 13, 2009**

- 2671 Ni-doped hibonite ( $\text{CaAl}_{12}\text{O}_{19}$ ): A new turquoise blue ceramic pigment  
G. COSTA, M.J. RIBEIRO, W. HAJJAJI, M.P. SEABRA, J.A. LABRINCHA (Portugal), M. DONDI & G. CRUCIANI (Italy)
- 2679 Effect of nano iron oxide as an additive on phase and microstructural evolution of Mag-Chrome refractory matrix  
A. AZHARI, F. GOLESTANI-FARD & H. SARPOOLAKY (Iran)
- 2685 Colour in ceramic glazes: Efficiency of the Kubelka–Munk model in glazes with a black pigment and opacifier  
L.M. SCHABBACH, F. BONDIOLI, A.M. FERRARI (Italy), C.O. PETTER & M.C. FREDEL (Brazil)
- 2691 Reduction of the porcelain firing temperature by preparation of the raw materials  
E. KIVITZ, B. PALM, J.G. HEINRICH, J. BLUMM & G. KOLB (Germany)
- 2697 HF etching effect on sandblasted soda-lime glass properties  
M. KOLLI, M. HAMIDOUCE, N. BOUAOUADJA (Algeria) & G. FANTOZZI (France)
- 2705 Transparent mullite ceramic from single-phase gel by Spark Plasma Sintering  
G. ZHANG, Y. WANG, Z. FU, H. WANG, W. WANG, J. ZHANG (PR China), S.W. LEE (Republic of Korea) & K. NIIHARA (Japan)
- 2713 Influence of milling, sonication and fluoride doping of pseudoboehmites on their phase transformation behaviour to corundum  
C. STOSIEK, S. BREHME, G. SCHOLZ & E. KEMNITZ (Germany)
- 2721 Corrosion behaviour of chromium-free ceramics for liquid slag removal in Pressurized Pulverized Coal Combustion  
M. MÜLLER, K. HILPERT & L. SINGHEISER (Germany)
- 2727 Selection of binders for *in situ* spinel refractory castables  
M.A.L. BRAULIO, L.R.M. BITTENCOURT & V.C. PANDOLFELLI (Brazil)
- 2737 Study of deformation and porosity evolution of low temperature co-fired ceramic for embedded structures fabrication  
L.E. KHOONG, Y.M. TAN & Y.C. LAM (Singapore)
- 2747 Relationships between microstructure, mechanical and dielectric properties of different alumina materials  
L. HADDOUR, N. MESRATI (Algeria), D. GOEURIOT & D. TRÉHEUX (France)
- 2757 Influence of tape cast parameters on texture formation in alumina by templated grain growth  
M.D. SNEL, J. VAN HOOLST, A.-M. DE WILDE, M. MERTENS, F. SNIJKERS & J. LUYTEN (Belgium)
- 2765 Elastic properties of porous oxide ceramics prepared using starch as a pore-forming agent  
Z. ŽIVCOVÁ, M. ČERNÝ, W. PABST & E. GREGOROVÁ (Czech Republic)
- 2773 Loadable  $\text{TiO}_2$  scaffolds—A correlation study between processing parameters, micro CT analysis and mechanical strength  
G. FOSTAD, B. HAFELL, A. FØRDE (Norway), R. DITTMANN (Switzerland), R. SABETRASEKH (Norway), J. WILL (Germany), J.E. ELLINGSEN, S.P. LYGSTADAAS & H.J. HAUGEN (Norway)
- 2783  $\text{Fe}_2\text{O}_3$ -doped forsterite ceramics as a joining partner for  $\text{ZrO}_2$  in a laser brazing process  
F. HEILMANN, G. RIXECKER, F.D. BÖRNER, W. LIPPMANN & A. HURTADO (Germany)
- 2791 On the origin of the sigmoid shape in the  $\text{UO}_2$  oxidation weight gain curves  
L. QUÉMARD, L. DESGRANGES, V. BOUINEAU, M. PIJOLAT, G. BALDINOZZI, N. MILLOT, J.C. NIÉPCE & A. POULESQUEN (France)
- 2799 Influence of annealing on the photochemical deposition of silver onto PZT thin films under UV irradiation  
D. TIWARI & S. DUNN (UK)
- 2807 In situ preparation of  $\text{CoFe}_2\text{O}_4$ – $\text{Pb}(\text{ZrTi})\text{O}_3$  multiferroic composites by gel-combustion technique  
A.R. IORDAN (Romania), M. AIRIMIOAIEI (Italy), M.N. PALAMARU (Romania), C. GALASSI (Italy), A.V. SANDU, C.E. CIOMAGA, F. PRIHOR, L. MITOSERIU & A. IANCULESCU (Romania)
- 2815  $\text{SrCo}_{0.9}\text{Sc}_{0.1}\text{O}_{3-\delta}$  perovskite hollow fibre membranes for air separation at intermediate temperatures  
B. MENG, Z. WANG, X. TAN (PR China) & S. LIU (Australia)
- 2823 Chemical compatibility of proton conducting  $\text{LaNbO}_4$  electrolyte with potential oxide cathodes  
J.R. TOLCHARD, H.L. LEIN & T. GRANDE (Norway)

- 2831 Sintering behaviour of  $\text{La}_{1-x}\text{Sr}_x\text{Co}_{0.2}\text{Fe}_{0.8}\text{O}_{3-\delta}$  ( $0.3 \leq x \leq 0.8$ ) mixed conducting materials  
A. MÖBIUS, D. HENRIQUES & T. MARKUS (Germany)
- 2841 The relationship between microstructure, fracture and abrasive wear in  $\text{Al}_2\text{O}_3/\text{SiC}$  nanocomposites and microcomposites containing 5 and 10% SiC  
A. LIMPICHAIPANIT & R.I. TODD (UK)
- 2849 Investigation of thermal expansion of 3D-stitched C–SiC composites  
S. KUMAR, A. KUMAR, A. SHUKLA, G.R. DEVI & A.K. GUPTA (India)
- 2857 Emulsion processing of polymer-derived porous Si/C/(O) ceramic bodies  
V. BAKUMOV, M. SCHWARZ & E. KROKE (Germany)
- 2867 Porosity control of porous silicon carbide ceramics  
S.-H. CHAE, Y.-W. KIM, I.-H. SONG, H.-D. KIM (Republic of Korea) & M. NARISAWA (Japan)
- 2873 Carbon-rich SiCN ceramics derived from phenyl-containing poly(silylcarbodiimides)  
G. MERA, R. RIEDEL, F. POLI (Germany) & K. MÜLLER (Germany, Italy)
- 2885 Intercalation of Al into MC ( $M = \text{Ti}, \text{V}, \text{Cr}$ )  
D. MUSIC, H. KÖLPIN, M. TO BABEN & J.M. SCHNEIDER (Germany)
- 2893 Densification, microstructure and mechanical properties of  $\text{ZrB}_2$ –SiCw ceramic composites  
T. ZHU, L. XU, X. ZHANG, W. HAN, P. HU & L. WENG (PR China)

- I Keyword List
- II Notes for Authors

## Volume 29, Number 14, 2009

- 2903 Characterisation of glasses in the  $\text{TeO}_2$ – $\text{WO}_3$ – $\text{PbO}$  system  
D. MUNOZ-MARTÍN, M.A. VILLEGAS, J. GONZALO & J.M. FERNÁNDEZ-NAVARRO (Spain)
- 2915 Processing of transparent glass-ceramics by nanocrystallisation of  $\text{LaF}_3$   
N. HÉMONO, G. PIERRE, F. MUÑOZ, A. DE PABLOS-MARTÍN, M.J. PASCUAL & A. DURÁN (Spain)
- 2921 Sintered esseneite–wollastonite–plagioclase glass–ceramics from vitrified waste  
E. BERNARDO, L. ESPOSITO, E. RAMBALDI, A. TUCCI (ITALY), Y. PONTIKES & G.N. ANGELOPOULOS (Greece)
- 2929 Effects of different potassium salts on the formation of mullite as the only crystal phase in kaolinite  
J. LI, H. LIN, J. LI & J. WU (China)
- 2937 Fabrication and characterization of 45S5 bioglass reinforced macroporous calcium silicate bioceramics  
K. LIN, J. CHANG, Z. LIU, Y. ZENG & R. SHEN (PR China)
- 2945 Investigation of a high stable b-cristobalite ceramic powder from  $\text{CaO}$ – $\text{Al}_2\text{O}_3$ – $\text{SiO}_2$  system  
O. ŞAN & C. ÖZGÜR (Turkey)
- 2951 Microwave-assisted synthesis of  $\text{Pr}$ – $\text{ZrSiO}_4$ ,  $\text{V}$ – $\text{ZrSiO}_4$  and  $\text{Cr}$ – $\text{YAlO}_3$  ceramic pigments  
M. BLOSI, M. DONDI, S. ALBONETTI, G. BALDI, A. BARZANTI & C. ZANELLI (Italy)
- 2959 Determination of the particle interactions, rheology and the surface roughness relationship for dental restorative ceramics  
M. KES, H. POLAT, S. KELESOGLU, M. POLAT & G. AKSOY (Turkey)
- 2969 Mg-substituted hydroxyapatite nanopowders: Synthesis, thermal stability and sintering behaviour  
I. CACCIOTTI, A. BIANCO, M. LOMBARDI & L. MONTANARO (Italy)
- 2979 Mechanical properties of cellular ceramics obtained by gel casting: Characterization and modeling  
C. BARTULI, E. BEMPORAD, J.M. TULLIANI, J. TIRILLÒ, G. PULCI & M. SEBASTIANI (Italy)
- 2991 High temperature properties of ZnO ceramics studied by the impulse excitation technique  
A.K. SWARNAKAR (Belgium), L. DONZEL (Switzerland), J. VLEUGELS & O. VAN DER BIEST (Belgium)
- 2999 Mechanochemical reaction in the  $\text{K}_2\text{CO}_3$ – $\text{Nb}_2\text{O}_5$  system  
T. ROJAC, M. KOSEC (Slovenia), M. POŁOMSKA, B. HILCZER (Poland), P. ŠEGEDIN & A. BENCAN (Slovenia)

- 3007 Effects of precursor chemistry and thermal treatment conditions on obtaining phase pure bismuth ferrite from aqueous gel precursors  
A. HARDY, S. GIELIS, H. VAN DEN RUL, J. D'HAEN, M.K. VAN BAEL & J. MULLENS (Belgium)
- 3015 Effects of rheology on the interface of Pb(Zr, Ti)O<sub>3</sub> monofilament composites obtained by co-extrusion  
M.R. ISMAEL (Switzerland, Germany), F. CLEMENS, W.M. BOHAC, T. GRAULE (Switzerland) & M.J. HOFFMANN (Germany)
- 3023 Distribution of  $\Sigma 3$  misorientations in polycrystalline strontium titanate  
S.-J. SHIH, C. BISHOP & D.J.H. COCKAYNE (UK)
- 3031 Preparation of Na-beta"-alumina film by tape casting process  
N. LI, Z. WEN, Y. LIU, X. XU, J. LIN & Z. GU (PR China)
- 3039 Fabrication of 80 mm diameter-sized solid oxide fuel cells using a water-based NiO–YSZ slurry  
N. HASHIMOTO, S. NIIJIMA & J.-I. INAGAKI (Japan)
- 3045 Effect of ZnO on the structure, microstructure and electrical properties of KNN-modified piezoceramics  
F. RUBIO-MARCOS, J.J. ROMERO, M.G. NAVARRO-ROJERO & J.F. FERNANDEZ (Spain)
- 3053 Inelastic deformation under indentation and scratch loads in a ZrB<sub>2</sub>–SiC composite  
D. GHOSH, G. SUBHASH & G.R. BOURNE (USA)
- 3063 Effects of Re<sub>2</sub>O<sub>3</sub> (Re = La, Nd, Y and Yb) addition in hot-pressed ZrB<sub>2</sub>–SiC ceramics  
W.-M. GUO (PR China), J. VLEUGELS (Belgium), G.-J. ZHANG, P.-L. WANG (PR China) & O. VAN DER BIEST (Belgium)
- 3069 Effect of pyrolyzation temperature on wood-derived carbon and silicon carbide  
K.E. PAPPACENA, S.P. GENTRY, T.E. WILKES, M.T. JOHNSON, S. XIE, A. DAVIS & K.T. FABER (USA)
- 3079 Polymer-derived mullite–SiC-based nanocomposites  
R. RIEDEL, L. TOMA, C. FASEL & G. MIEHE (Germany)
- 3091 Microstructure and mechanical properties of C/C–SiC composites fabricated by a rapid processing method  
J. WANG, M. LIN, Z. XU, Y. ZHANG, Z. SHI, J. QIAN, G. QIAO & Z. JIN (China)

#### Technical Note

- 3099 Structure and multiferroic properties of BiFeO<sub>3</sub> powders  
D.-C. JIA, J.-H. XU, H. KE, W. WANG & Y. ZHOU (China)

- I Keyword List  
II Notes for Authors

#### Volume 29, Number 15, 2009

- 3105 Modelling the tap density of inorganic powders using neural networks  
V. MORESCHI, S. LALOT, C. COURTOIS & A. LERICHE (France)
- 3113 Direction dependent mechanical properties of extruded cordierite honeycombs  
C. BUBECK (Germany)
- 3121 Durability of clay roofing tiles: the influence of microstructural and compositional variables  
M. RAIMONDO, C. CERONI, M. DONDI, G. GUARINI, M. MARSIGLI, I. VENTURI & C. ZANELLI (Italy)
- 3129 Fabrication of zero-thermal-expansion ZrSiO<sub>4</sub>/Y<sub>2</sub>W<sub>3</sub>O<sub>12</sub> sintered body  
I. YANASE, M. MIYAGI & H. KOBAYASHI (Japan)
- 3135 The crystalline-to-amorphous transition in shock-loaded mullite Al<sub>2</sub><sup>VI</sup>(Al<sub>2+2x</sub>Si<sub>2-2x</sub>)<sup>IV</sup>O<sub>10-x</sub> in the light of shear modulus anisotropy  
W. BRAUE, B. HILDMANN, H. SCHNEIDER & U. HORNE MANN (Germany)
- 3147 Post-deposition laser treatment of plasma sprayed titania-hydroxyapatite functionally graded coatings  
V. CANNILLO, L. LUSVARGHI, A. SOLA & M. BARLETTA (Italy)
- 3159 Crystallization kinetics of amorphous alumina–zirconia–silica ceramics  
T. CHRÁSKA, J. HOSTOMSKÝ, M. KLEMENTOVÁ & J. DUBSKÝ (Czech Republic)

- 3167 Fabrication of yttria-stabilized-zirconia coatings using electrophoretic deposition: Effects of agglomerate size distribution on particle packing  
C. JI, I.P. SHAPIRO & P. XIAO (UK)
- 3177 Hot pressed and spark plasma sintered zirconia/carbon nanofiber composites  
J. DUSZA (Slovak Republic), G. BLUGAN (Switzerland), J. MORGIEL (Poland), J. KUEBLER (Switzerland), F. INAM, T. PEIJS, M.J. REECE (UK) & V. PUCHY (Slovak Republic)
- 3185 Influence of the urea content on the YSZ hydrothermal synthesis under dilute conditions and its role as dispersant agent in the post-reaction medium  
I. GONZALO-JUAN, B. FERRARI & M.T. COLOMER (Spain)
- 3197 Influence of the thermal history on the mechanical properties of two alumina based castables  
M. GHASSEMI KAKROUDI (Islamic Republic of Iran, France), E. YEUGO-FOGAING, M. HUGER, C. GAULT & T. CHOTARD (France)
- 3205 High-temperature mechanical behavior of  $\text{Al}_2\text{O}_3$ /graphite composites  
E. ZAPATA-SOLVAS, R. POYATO, D. GÓMEZ-GARCÍA, A. DOMÍNGUEZ-RODRÍGUEZ (Spain) & N.P. PADTURE (USA)
- 3211 Effect of the hydroxyl content and molecular weight of polyvinyl butyral on tape properties  
R.A. CUTLER & B. KLEINLEIN (USA)
- 3219 Thermal expansion of zirconia–zirconium titanate materials obtained by slip casting of mixtures of Y-TZP– $\text{TiO}_2$   
E. LÓPEZ-LÓPEZ, C. BAUDÍN & R. MORENO (Spain)
- 3227 A novel method for the fabrication of freestanding PZT features on substrates  
J.G. VAN BENNEKOM, L. WINNUST, W. NIJDAM, M. WESSLING & R.G.H. LAMMERTINK (The Netherlands)
- 3235 Dielectric and piezoelectric properties of  $(\text{Ba}_{0.95}\text{Ca}_{0.05})(\text{Ti}_{0.88}\text{Zr}_{0.12})\text{O}_3$  ceramics sintered in a protective atmosphere  
S.-W. ZHANG, H. ZHANG, B.-P. ZHANG & G. ZHAO (China)
- 3243 Microstructure transition from normal to abnormal grains for  $\text{BaTiO}_3$   
Y.-H. CHEN, S.-C. LU, W.-H. TUAN & C.-Y. CHEN (Taiwan)
- 3249 Ho-doped  $\text{BaTiO}_3$ : Polymorphism, phase equilibria and dielectric properties of  $\text{BaTi}_{1-x}\text{Ho}_x\text{O}_{3-x/2}$ ;  $0 \leq x \leq 0.17$   
Y. LIU & A.R. WEST (UK)
- 3259 Accelerated formation of barium titanate by solid-state reaction in water vapour atmosphere  
T. KOZAWA, A. ONDA & K. YANAGISAWA (Japan)
- 3265 Thick-film NTC thermistors and LTCC materials: The dependence of the electrical and microstructural characteristics on the firing temperature  
M. HROVAT, D. BELAVIČ (Slovenia), J. KITA (Germany), J. HOLC, J. CILENŠEK & S. DRNOVŠEK (Slovenia)
- 3273 Investigation of the dielectric and piezoelectric properties of potassium sodium niobate ceramics close to the phase boundary at  $(\text{K}_{0.35}\text{Na}_{0.65})\text{NbO}_3$  and partial substitutions with lithium and antimony  
H.E. MGBEMERE (Germany), R.-P. HERBER (Portugal) & G.A. SCHNEIDER (Germany)
- 3279 Investigation of the morphological changes promoted by heating of Si–C–O ceramics derived from a phenyl-rich hybrid polymer. Effect of Ni in the polymeric precursor  
M.G. SEGATELLI, E. RADOVANOVIC, M. DO CARMO GONÇALVES & I.V.P. YOSHIDA (Brazil)

#### Technical notes

- 3289 Particle size separation by alternating electrophoretic deposition  
B. RAISSI, E. MARZBANRAD & A.R. GARDESHZADEH (Iran)
- 3293 Improvement of the high temperature properties of the  $\text{LiYO}_2$ – $\text{Si}_3\text{N}_4$  system by removing residual Li  
S.-H. LEE (Republic of Korea) & R. MAGER (Germany)

- I Keyword List
- II Notes for Authors

#### Volume 29, Number 16, 2009

- 3299 Sintering and crystallisation of 45S5 Bioglass® powder  
O. BRETCANU, X. CHATZISTAVROU (UK), K. PARASKEVOPOULOS (Greece), R. CONRADT (Germany), I. THOMPSON & A.R. BOCCACCINI (UK)

- 3307 Mechanical evaluation of cordierite precursor green bodies obtained by starch thermogelling  
M.L. SANDOVAL, M.A. PUCHEU, M.H. TALOU, A.G. TOMBA MARTINEZ & M.A. CAMERUCCI (Argentina)
- 3319 Nanocomposite  $\text{Fe}_2\text{O}_3$ – $\text{SiO}_2$  inclusion pigments from post-functionalized mesoporous silicas  
M. LLUSAR, V. ROYO, J.A. BADENES, M.A. TENA & G. MONRÓS (Spain)
- 3333 Burnout behavior of ceramic coated open cell polyurethane (PU) sponges  
M. DRESSLER, S. REINSCH, R. SCHADRACK & S. BENEMANN (Germany)
- 3341 Size effects on  $\chi$ - to  $\alpha$ - $\text{Al}_2\text{O}_3$  phase transformation  
P.-L. CHANG, Y.-C. WU, S.-J. LAI & F.-S. YEN (Taiwan)
- 3349 Solution precursor high-velocity oxy-fuel spray ceramic coatings  
D. CHEN, E.H. JORDAN & M. GELL (USA)
- 3355 Acoustic characterization and microstructure of high zirconia electrofused refractories  
C. PATAPY, C. GAULT, M. HUGER & T. CHOTARD (France)
- 3363 Influence of green state processes on the sintering behaviour and the subsequent optical properties of spark plasma sintered alumina  
Y. AMAN, V. GARNIER & E. DJURADO (FRANCE)
- 3371 Processing of ultrafine  $\text{ZrO}_2$  toughened WC composites  
O. MALEK, B. LAUWERS, Y. PEREZ, P. DE BAETS & J. VLEUGELS (Belgium)
- 3379 Effect of  $\text{Ti}_5\text{Si}_3$  on wear properties of  $\text{Ti}_3\text{Si(Al)C}_2$   
Y. LIU, J. CHEN & Y. ZHOU (China)
- 3387 Thermal stability and mechanical properties of SiC particulate-reinforced Si–C–N composites after heating at 2000 °C  
S.-H. LEE (Republic of Korea)
- 3395 Static and dynamic mechanical properties of boron carbide processed by spark plasma sintering  
S. HAYUN, V. PARIS, M.P. DARIEL, N. FRAGE & E. ZARETZKY (Israel)
- 3401 Reactive hot pressing of zirconium diboride  
A.L. CHAMBERLAIN, W.G. FAHRENHOLTZ & G.E. HILMAS (USA)
- 3409 Thermal properties of the nitrogen-rich Ca- $\alpha$ -Sialons  
Y. CAI, M. NYGREN, Z. SHEN, J. GRINS & S. ESMAILZADEH (Sweden)

#### Technical note

- 3419 A ternary compound additive for vacuum densification of  $\beta$ -silicon carbide at low temperature  
J.-S. LEE, S.-H. LEE, T. NISHIMURA, N. HIROSAKI & H. TANAKA (Japan)

II List of contents for volume 29

XXIV Author index for volume 29

XXXIII Keywords index for volume 29

XL Keyword List

XLI Notes for Authors