

Keyword Index

- γ - Al_2O_3 , 2235
- γ -Alumina, 1603
- A. Calcinations, 3099
- A. Films, 1855, 1977
- A. Grain growth, 1977, 3045
- A. Injection moulding, 1831
- A. Microwave processing, 2951
- A. Milling, 139
- A. Powders-chemical preparation, 2969
- A. Powders-solid state reaction, 139, 2945, 3235
- A. Precursors-organic, 163
- A. Shaping, 1083
- A. Sintering, 1679, 1735, 1977, 2021, 2679, 3167, 3299
- A. Sol–gel processes, 1713
- A. Stereolithography, 2259
- A. Suspensions, 1831, 2169, 3167
- AAO template, 1387
- Abnormal grain growth, 3023
- ACEPD, 3289
- Activation energy, 2225, 3341
- Actuators, 1721
- Adsorption, 1847
- Advanced ceramics, 1549
- Agglomeration, 1379
- Air separation, 2815
- Airbrush, 1
- Al, 31
- Al-doped ZnO, 1413
- Alkaline attack, 1561
- Alkaline earths, 1211
- Alkaline phosphatase, 1257
- Al–Mg alloys, 837
- Al_2O_3 , 1, 77, 201, 323, 347, 363, 603, 661, 669, 833, 869, 969, 1069, 1077, 1323, 1337, 1371, 1595, 1613, 1625, 1631, 1837, 1879, 2219, 2419, 2713, 2747, 2757, 2765, 3159, 3341, 3363
- Al_2O_3 (D), 1755
- Al_2O_3 foams, 837
- Al_2O_3 interfacial layer, 2619
- $\text{Al}_2\text{O}_3/\text{SiC}$, 2841
- $\text{Al}(\text{OH})_3$, 1361
- AlON, 207, 223
- Al_2O_3 –YAG, 59
- Al_2O_3 – ZrO_2 , 59
- Al_4SiC_4 , 3419
- Alternating electrophoretic deposition, 3289
- Al_2TiO_5 , 67, 1083
- Alumina, 293, 355, 875, 919, 943, 1379, 1587, 2225, 3349
- Alumina Al_2O_3 , 207, 275
- Alumina–dicalcium silicate slags, 1347
- Aluminate, 1879
- Aluminum alloy, 2369
- Aluminum nitride, 795
- Ammonium lignosulphonate, 1869
- Ammonium nitrate, 1879
- Anatase phase transformation, 1955
- Andalusite, 571
- Angiogenesis, 1257
- Anisotropic packing structure, 943
- Anisotropy, 571
- Annealing, 3293
- Anode-supported SOFC, 2003
- Antimony oxide, 2991
- Apatite, 377, 621, 1267, 1665, 1781, 1925, 2527, 3147
- Applications, 829
- Aqueous precursor, 1703
- Armour, 207, 261, 473
- Artificial saliva, 2481
- Attrition, 1477
- B. Composites, 1083, 1713, 2045, 2651
- B. Electron microscopy, 39, 163
- B. Grain size, 1679, 2915
- B. Microstructure, 2969
- B. Microstructure-final, 39, 2679, 3045, 3299
- B. Mullite, 39
- B. Nanocomposites, 163
- B. Nanosilica, 2259
- B. Platelets, 139
- B. Spectroscopy, 163
- B. Surfaces, 1977
- B. X-ray methods, 2951
- BaCeO_3 , 131
- Ballistic limit, 267
- Ballistic testing, 267
- Barium aluminosilicate, 525
- Barium carbonate, 1869
- Barium titanate, 3243, 3249
- BaTiO_3 , 881, 1987, 2595
- BaTiO_3 and Titanates, 431, 1433, 1449, 1995, 2309, 3259
- Batteries, 1895, 3031
- BaZrO_3 –Y, 697
- Bending strength, 1603
- BET, 2235
- $(\text{Bi}, \text{Na})\text{TiO}_3$, 1443
- $\text{Bi}_{0.5}\text{K}_{0.5}\text{TiO}_3$, 1695
- $\text{Bi}_4\text{Ge}_3\text{O}_{12}$, 125
- Binder, 451, 925
- Binder chemistry, 3211
- Binders, 2727
- Bioactive glass, 1257
- Bioactive glass coatings, 2249
- Bioactivity, 1267
- Biocoatings, 1665
- Bioglass®, 3299
- Biomedical applications, 369, 611, 621, 833, 1109, 1235, 1245, 1267, 1275, 1925, 2527, 2773, 2937
- Birefringence, 2289
- BiSbO_4 , 1543
- Bismuth oxide, 2991
- $\text{Bi}_4\text{Ti}_3\text{O}_{12}$ -based compound, 751
- $\text{Bi}_{1-x}\text{Ce}_x\text{FeO}_3$ thin film, 1183
- BiYbO_3 , 1687
- Blue ceramic pigment, 2671
- BN, 2029
- Bone, 1257
- Borides, 1493, 1501, 1809, 1817, 2611, 3053, 3401
- Boron carbide, 3395
- Boron nitride, 2129
- Breakdown, 2747
- Brick, 1869

- C. Chemical properties, 139, 2045
 C. Corrosion, 1855
 C. Dielectric properties, 3099, 3235
 C. Ferroelectric properties, 1713
 C. Hardness, 3167
 C. Magnetic properties, 3099
 C. Microreactors, 2259
 C. Optical properties, 2045, 2951
 C. Piezoelectric properties, 1713, 3045, 3235
 C. Strength, 1831
 C. Thermal expansion, 2211
 C. Thermal properties, 1679, 2969, 3299
 C. Toughness and toughening, 1083
 $\text{CaCu}_3\text{Ti}_4\text{O}_{12}$, 731
 Calcination, 637, 653, 677, 1061, 2087, 2713, 3341
 Calcite, 1879
 Calcium hexaluminate–dicalcium silicate slags, 1347
 Capacitor, 1743
 Capillary rise, 2491
 Carbides, 181, 187, 473, 773, 1419, 2097, 2355, 2857, 2885, 3371, 3387, 3419
 Carbon, 457, 795, 2013, 2129, 2873, 3069
 Carbon black, 925
 Carbon nanofiber, 3177
 Carbon/carbon composites, 481
 Carbon–carbon, 3091
 Cassava, 1587
 Castables, 2211, 2727
 Cell culture, 1257
 Cellular ceramics, 2439, 2979
 Celsius, 1211
 Cement, 1879
 Cement-based composites, 2013
 CeO_2 , 677, 1763, 1771, 1795
 Ceramic, 255, 1283, 1809, 2959
 Ceramic coatings, 1521
 Ceramic composites, 525, 1631
 Ceramic foams, 829, 1955
 Ceramic layer, 1235
 Ceramic nanocomposites, 3079
 Ceramic nanotubes, 1387
 Ceramic pigment, 2951
 Ceramic processing, 1521
 Ceramic proton conductors, 931
 Ceramic springs, 1013
 Ceramics, 711, 823, 887, 1291, 2135, 2317, 3205
 Cermets, 1173
 CGO interlayer, 2003
 Characterization, 829
 Chemical properties, 7, 559, 1109, 1895
 Chemical vapor infiltration, 3091
 Chrome-free refractories, 2199
 Chromium, 2193
 Citrate–nitrate auto-combustion synthesis, 439
 Clays, 31, 1047, 1579
 Clinker, 1879, 2199
 Clinker– MgO – CaZrO_3 system, 2199
 Coagulation casting, 887
 Coal slag, 2721
 Coarsening-coalescence, 2235
 Coatings, 391, 611, 2129
 Coating porosity, 2249
 Co-extrusion, 893
 Collagen, 1257
 Colour, 1291, 2499, 2685, 3319
 Combustion, 1061, 1879
 Combustion processing, 125
 Combustion synthesis, 795, 1485
 Combustion synthesis in air, 175
 Composite cathode, 1469
 Composites, 77, 363, 473, 489, 497, 677, 725, 1047, 1245, 1283, 1485, 1625, 1657, 1781, 1861, 2053, 2069, 2309, 2387, 2403, 2411, 2527, 2643, 2849, 3129, 3205, 3371, 3379, 3387
 Consolidation, 2419
 Constrained sintering, 2225
 Contact angle, 2959
 Contact fracture, 2635
 Copper, 1755
 Copper oxide, 2549
 Cordierite, 1211, 1795, 39
 Cordierite inorganic precursors, 3307
 Corrosion, 7, 481, 757, 1347, 1403, 1647, 1803, 2105, 2163, 2199, 2423, 2721
 Cracking, 587, 2135
 Cracks, 47
 Creep, 337, 539, 1625, 2289, 3205, 3293
 Creep and tensile properties, 355
 Creep behaviour, 53
 C-rich SiCN ceramics, 2873
 Crystallization, 595
 Crystallography, 743
 Curie temperature, 1687
 Cutting tools, 155

 D. Al_2O_3 , 1083, 1831
 D. Apatite, 2969
 D. BaTiO_3 , 1735
 D. BaTiO_3 and titanates, 3235
 D. BiFeO_3 , 3099
 D. Borides, 2021
 D. Carbides, 2021
 D. Carbon/SiC, 2045
 D. Glass-ceramics, 39, 1855, 2915
 D. Halides, 2915
 D. Mullite, 2169
 D. Nitrides, 2021
 D. Perovskites, 1977, 2951, 3045
 D. PZT, 1713
 D. Silicate, 2915
 D. SiO_2 , 2945
 D. Spinels, 2679
 D. UV curing, 2259
 D. ZnO, 139
 D. ZrO_2 , 3167
 Damage, 587
 Damage behaviour, 2211, 3355
 Damping, 2991
 Defect-free processing, 207, 275
 Defects, 261, 419, 773, 2799, 2885
 Dense ceramics, 661
 Dense surface, 1507
 Densification, 91, 787, 995, 1603
 Density, 391
 Density functional theory, 773, 2885
 Dental ceramics, 207, 2959
 Dental materials, 1291
 Dental restoration, 1291
 Diametral compression test, 3307
 DIB-FEA, 2979
 Dielectric properties, 99, 105, 419, 711, 725, 731, 737, 1157, 1165, 1183, 1427, 1433, 1543, 1729, 2013, 2325, 2333, 2595, 3273
 Diffusion, 145, 2309, 2369, 2517
 Diffusion and thermal barrier, 1507
 Direct inkjet printing, 403
 Direct laser sintering, 1903
 Discrete element method, 1029
 Dispersants, 1069
 DLVO, 2959
 Dolomite, 53
 Doping, 1735
 Drying, 1235, 2219
 3D-stitched C–SiC, 489, 2849
 Ductile–brittle transition, 1021
 Dwell, 267
 Dynamic properties, 3395

 E. Actuators, 3045
 E. Biomedical applications, 2969
 E. Glass, 2259
 E. Nuclear applications, 1679
 E. Refractories, 2021, 2169, 2211, 2679, 2945
 E. Structural applications, 1083, 3299
 EBSD, 3023
 Edge chipping, 2135
 Effective mass, 1413
 Efflorescence, 1869

- Elastic properties, 385
 Electrical conductivity, 669, 737, 949, 3177
 Electrical impedance, 2537
 Electrical properties, 245, 481, 751, 757, 925, 1119, 1419, 1449, 1687, 1743, 1781, 1789, 2053, 2659, 2807, 3265
 Electrically conductive alumina, 949
 Electroceramics, 3249
 Electrode, 925
 Electron beam irradiation, 2079
 Electron irradiation, 743
 Electron microscopy, 15, 187, 419, 539, 629, 1703, 1743, 2499, 2595, 2791, 2929, 3053, 3135, 3265, 3279
 Electronics, information and communication, 1549
 Electrophoretic deposition, 1125, 1631, 1837
 E-modulus, 2991
 Emulsified suspensions, 2439
 Encapsulation, 311
 Energy and environment, 1549
 Energy saving, 2691
 Engine components, 551, 1211, 1803, 2163, 2395, 3113
 Enstatite, 1211
 Environmental barrier coatings, 2163
 Epitaxial thin films, 245
 Esthetics, 1291
 Extrusion, 937, 2491, 3015, 3113
- F. Nanodispersion, 2259
 Failure, 1283
 Failure analysis, 261, 1013
 Fast-firing, 1571
 Fatigue, 481, 1021, 1299
 Fatigue property, 2369
 Fecralloy, 355
 Ferrites, 2333, 2807
 Ferroelectric properties, 1183
 Ferroelectric, 2289
 Ferroelectric properties, 425, 751, 1147, 1157, 1449, 1729, 1995, 3273
 FIB, 47
 Fiber, 2129
 Fiber–matrix interface, 525
 Fibers, 851
 Fibres, 1101, 1861, 3015
 Field Assisted Sintering, 1419
 Films, 105, 565, 731, 1147, 1433, 1703, 1995
 Final microstructure, 1789
 Fired clay products, 565
 Firing, 1039, 1543, 1695, 1817, 2153, 3039
 Flash X-ray techniques, 267
 Flexural strength, 1393, 2619
- Fluoride doping, 2713
 Foam, 823
 Foresight, 1549
 Fracture, 813, 1013, 1021, 1029, 1283, 1299, 2053, 2841, 3177
 Fracture toughness, 1211, 1393, 1825
 Freestanding SiC films, 2079
 Friction, 2135
 Frost resistance, 3121
 FT-IR, 857
 Fuel cells, 85, 439, 757, 833, 931, 1119, 1463, 1657, 1763, 1781, 1933, 2275, 2429, 2567, 3023, 3039, 3185
 Functional applications, 899, 1433, 2491
 Functionally graded coatings, 3147
 Fuse-cast refractory, 587
- Garnet YAG, 207
 $\text{Gd}_2\text{Zr}_2\text{O}_7$, 2423
 Gel, 1587
 Gel casting, 2979
 Gelcasting, 949
 Gemstones, 207
 Gene expression, 1257
 Genes, 1257
 Geopolymer, 1917
 2.45 GHz microwave sintering, 2037
 Glasses, 47, 711, 1221, 1227, 1895, 2527, 2697, 2937
 Glass ceramics, 99, 451, 899, 1291, 1803, 2469, 3279
 Glass dielectrics, 1193
 Glass microspheres, 1193
 Glass seals, 1193
 Glass transition, 1227
 Glass–ceramics, 7, 611, 1211, 1221, 1571, 1665, 1887, 2185, 2481, 2921
 Glass-encapsulation, 311
 Glassy phase, 587
 Glaze, 7, 2153
 Glazed ceramic tile, 1561
 Grain boundaries, 411, 539, 1613, 1963, 2537, 2559, 3023
 Grain boundary phase, 155
 Grain growth, 91, 323, 637, 1323, 1371, 2343, 2517, 2537, 2581, 2595, 2627, 2659, 3243
 Grain size, 125, 677, 1221, 1337, 1361, 1501, 1925, 1933, 1963, 1995, 2317, 2589, 2685
 Granite, 23
 Granulation, 1379
 Graphite, 3205
 Grinding, 2665
- Hafnium dioxide, 961
 Halides, 1221
- Hardness, 391, 801, 1173, 1211, 1393, 1535, 2403, 2611, 3053
 Heat treatment, 2387
 Hertzian test, 2635
 Heterostructure, 2429
 Hexa-aluminate, 77
 HF, 2697
 Hibonite structure, 2671
 High temperature, 587
 High temperature strength, 2119
 High temperature ultrasonic echography, 1579
 High toughness, 1291
 High-speed centrifugal compaction process (HCP), 1323
 High-throughput experimentation, 1721
 High-velocity suspension flame spraying (HVSFS), 2249
 History, 223
 Hollow fibre, 2815
 Hollow ware, 887
 Hot hardness, 2119
 Hot isostatic pressing (HIP), 311
 Hot modulus of rupture, 53
 Hot pressing, 505, 779, 801, 2053, 2119, 3409
 Hot-pressing, 497
 Hugoniot elastic limit, 3395
 HVOF, 3349
 Hydrogen membranes, 931
 Hydrolysis-assisted solidification, 1393
 Hydrolysis-induced aqueous gelcasting, 1393
 Hydrothermal, 431
 Hydrothermal oxidation, 2097
 Hydroxyapatite, 369, 2461
- Igneous rocks, 595
 Impedance, 2537
 Impedance spectroscopy, 131
 Impulse excitation technique, 2991
 Impurities, 411, 1963, 3293
 In situ hot pressing, 3379
 In vitro tests, 2249
 Inclusion ceramic pigments, 3319
 Inclusions, 1579, 1695, 2469
 Indentation, 47
 Indentation fracture technique, 1535
 Indialite, 1211
 Inert gas, 949
 Infiltration, 391, 473, 1647
 Injection moulding, 1595
 Ink jet printing, 913
 Inorganic powder, 3105
 Interaction mechanisms, 1053
 Interface (B), 1755

- Interfaces, 145, 363, 813, 1267, 1763, 1803, 1847, 1861, 2363, 2581
 Interfacial protonic conduction, 2429
 Intermediate temperature, 2815
 Internal crystallisation method, 337
 Inter-particle interactions, 2959
 Interpenetrating composites, 837
 Interphase, 1631
 Iodine conditioning, 1477
 Ionic conductivity, 411, 1139, 1895, 2275, 2559, 3031
 IR emitters, 207

 Joining, 145, 703, 813, 899, 1971, 2619, 2783
 Joining (A), 1755

 Kinetic field, 2225
 Kinetics, 517
 KNN, 1721
 Kubelka–Munk, 919

 LaCoO₃ powder nanoparticles, 2281
 LaGaO₃, 1463
 Laminated structures, 1825
 Laminates, 1625
 Lamination, 451, 703, 899
 Lamp envelopes, 237
 LaNbO₄, 2823
 Lanthanum aluminate, 1133
 Lanthanum gallate, 1139
 Laser ceramics, 207
 Laser processing, 1755
 Laser sintering, 1
 Laser treatment, 3147
 Laser zone melting, 85
 Lead free, 1729
 Lead free piezoelectric, 717
 Lead phosphovanadate, 1477
 Lead-free piezoelectrics, 2325, 2581
 Lenses, 207
 Lifetime, 481, 1245
 Light Scattering, 603
 Light transmission, 207, 275
 Lighting, 207
 Liquid phase, 3243
 Lithium battery, 925
 Longevity, 1283
 Low temperature co-fired ceramic, 457, 2737
 Low temperature degradation, 2267
 LSCF, 2831
 LSCF cathode, 2003
 LTCC, 703, 711, 1077, 1971
 Luminescence, 125, 255

 Machinability, 1047
 Macroporous calcium silicate, 2937

 Magnetic properties, 2333, 2807
 Marine sediments, 15
 Mass spectrometry, 3333
 Master Sintering Curve, 2309
 Material property, 2369
 Materials compatibility, 2823
 Mechanical activation, 2297
 Mechanical degradation, 1561
 Mechanical engineering, 1549
 Mechanical properties, 155, 425, 465, 505, 525, 571, 581, 595, 763, 779, 787, 801, 995, 1013, 1029, 1077, 1309, 1529, 1657, 1861, 1903, 1987, 2087, 2219, 2379, 2411, 2461, 2527, 2627, 2635, 2765, 2893, 2921, 2937, 3063, 3091, 3113, 3197, 3307, 3395
 Mechanochemical synthesis, 2999
 Membranes, 629, 2567, 2603
 MEMS, 913
 Metal oxides, 1387
 Metallurgical molds, 1211
 Mg, 31
 MgB₂, 1817
 MgF₂, 621
 MgO, 969, 1061, 1069
 MgO and spinel layers, 1053
 MgO–C refractories, 1053
 MgO–CaZrO₃ refractory matrix, 2199
 Microlithography, 207
 Micromoulding, 1147, 3227
 Microstructure, 187, 237, 293, 329, 425, 465, 581, 787, 837, 1029, 1077, 1139, 1561, 1809, 1947, 2037, 2079, 2219, 2379, 2395, 2549, 2705, 2727, 2773, 2841, 2893, 3063, 3091, 3177
 Microstructure-Final, 85, 105, 201, 337, 347, 439, 611, 647, 751, 1039, 1093, 1379, 1449, 1579, 1703, 2153, 2747, 2499, 2581, 2611, 2765, 3121, 3147, 3243, 3371
 Microstructure-prefiring, 955, 3031
 Microwave applications, 1433
 Microwave processing, 1061, 2355
 MIEC, 2831
 Milling, 175, 869, 1021, 1173, 1323, 1493, 1641, 2069, 2691, 2713, 2999
 Mineralization, 1257
 Mini-composites, 363
 Mixing, 1721, 2469
 (Mo, W)Si₂, 2105
 Modeling, 1227, 2643
 Modelling, 261, 937, 3105
 Modulus, 1211
 Molecular orbital calculation, 411
 Monte Carlo modelling, 637
 Mortar, 1879
 MoSi₂, 505

 Mullite, 31, 337, 539, 1101, 1211, 1903, 2177, 2491, 2705, 2929, 3079, 3135
 Multiferroic properties, 3007
 Muscovite–kaolinite alternate layers, 2177

 Na-beta-alumina, 3031
 Nano iron oxide, 2679
 Nanocable, 863
 Nanocomposites, 59, 539, 669, 677, 875, 1245, 1275, 1613, 1939, 2537, 2589, 2841, 3159, 3319
 Nanocrystalline, 91, 1133, 2003
 Nanocrystals, 2915
 Nanoindentation, 2461, 2979
 Nanoparticles, 863, 2537
 Nanopowder, 1603, 2549
 Nano-sized fillers, 843
 Nano-slurry, 391
 Nanostructure, 2429
 Nanostructured coating, 2267
 Nanostructured powders, 1235
 Nanostructures, 857
 Nanotubes, 669, 1939, 2575
 Nanowires, 195, 863, 3279
 Nb₂O₅, 1743
 NdPO₄, 363
 Neural network, 3105
 Nextel™ 720, 1631
 Ni-alloy, 813
 Nickel doping, 2671
 Niobates, 115, 1165, 1721, 2297, 2325, 2581, 2589, 2999
 Nitride ceramic, 517
 Nitrides, 145, 195, 2029, 2355, 2363
 Nitrogen determination, 2029
 Nitrogen rich, 3409
 Ni–YSZ, 1119
 NMR, 377, 857, 2185
 Non-destructive evaluation, 1309, 1579, 3355
 Nuclear applications, 1947, 2791
 Nucleation, 1211

 Optical applications, 283
 Optical properties, 195, 237, 245, 283, 293, 305, 317, 323, 637, 2685, 2697, 2705, 2783, 3363
 Optical properties and continuous hydrothermal flow synthesis, 2343
 Optical spectroscopy, 2671, 2903
 Optoceramics, 283
 Orthorhombic–tetragonal phase transition, 2589
 Osteoblast, 1257
 Osteocalcin, 1257

- Osteoconduction, 1257
 Osteogenesis, 1257
 Osteoproduction, 1257
 Oxidation, 517, 1809, 2061
 Oxidation resistance, 1173
 Oxidation-induced crosslinking, 2079
 Oxide materials, 1469
 Oxides, 237
 Oxyfluoride, 2185
 Oxyfuel, 2831
 Oxygen deficiency, 419
 Oxygen permeation, 2815

 Packing, 3167
 Partial coprecipitation, 1427
 Partially stabilized zirconia, 2979
 Particle orientation, 943
 Particle size, 3341
 Particle size separation, 3289
 Particle suspension, 913
 Particles, 795
 Paste, 937
 Paste rheology, 893
 PbTiO_3 , 1687, 2575
 PECS, 3371
 Periclase, 53
 Periclase–dolomite refractories, 581
 Peritectic melting, 1925
 Permittivity, 3249
 Perovskite membrane, 2815
 Perovskites, 105, 115, 439, 725, 1133, 1139, 1443, 1457, 1463, 1695, 1729, 1995, 2317, 2325, 2575, 2603, 2823, 3007, 3023, 3273
 Persistence length, 669
 Phase diagram, 3249
 Phase equilibrium, 223
 Phase evolution, 505
 Phase migration, 937
 Phase transformation, 779, 3341
 Phase transition, 795
 Phosphates, 1679
 Photo-catalysis, 1193
 Photocatalytic activity, 629
 Photoelectron spectroscopies, 1469
 Photoluminescence, 2079
 Physical templating, 863
 Piezoelectric ceramics, 1687
 Piezoelectric properties, 1443, 1729, 2013, 2325, 3273
 Piezoelectricity, 2297
 Pigment, 2193
 Plasma spraying, 1665
 Plasma-sprayed coating, 1647
 Plasticity, 1021, 1595, 1657, 3053, 3135

 Platelets, 801, 1047, 1579
 PNZT, 1157
 Poly[B-(methylamino)borazine], 851
 Polyelectrolyte, 1847
 Polymer-derived ceramics, 3079
 Polymeric method, 1133
 Polymerizable complex, 2281
 Poly[N-(alkylimino)alane], 857
 Polysiloxane, 2867
 Polyurethane (PU), 3333
 Polyvinyl butyral, 1101
 Porcelain, 559, 1903, 2143, 2691
 Pore forming additive, 2567
 Porosity, 31, 99, 323, 347, 369, 385, 629, 653, 691, 833, 1047, 1235, 1275, 1361, 1513, 1529, 1587, 1603, 1817, 1917, 1987, 2395, 2439, 2491, 2737, 2765, 2773, 2857, 2867, 3069, 3121, 3319, 3363
 Porosity control, 2867
 Porous cathodes, 1125
 Porous ceramics, 1795, 3333
 Porous core, 1507
 Porous tile, 823
 Potassium salts, 2929
 Potassium sodium bismuth titanate, 717
 Powder solid-state reactions, 59
 Powder synthesis, 1235
 Powders-chemical preparation, 431, 439, 559, 731, 875, 1457, 1501, 1641, 2029, 2511, 2559, 2575, 3007, 3185
 Powders-gas phase reaction, 653, 2343
 Powders-solid state reaction, 175, 1119, 1165, 1463, 1493, 1721, 1763, 1925, 2355, 2469, 3273, 3419
 Preceramic precursors, 843
 Precursor, 2061
 Precursor synthesis, 131
 Precursors-organic, 875, 2317, 2873, 3387
 Preferential oxidation, 2619
 Pre-gelling starch consolidation, 661
 Pressing, 703, 1947, 1971
 Pressure, 1227
 Pressureless infiltration, 837
 Printing, 905
 Process technology, 1549
 Processing, 223, 2439
 Projectile erosion, 267
 Properties, 223
 Protective atmosphere, 3235
 Proton conducting electrolyte, 2823
 Proton conductor, 131, 697
 Pseudo-second-order kinetics, 1109
 Pulse current, 1837
 Pyrochlore phase, 1687
 Pyrolysis, 851

 PZT, 425, 905, 1147, 2013, 2799, 2807, 3015, 3227

 Quantitative microstructure analysis, 2297

 Radiation damage, 743
 Raman, 377
 Raman spectroscopy, 2267
 Rapid prototyping, 1331
 Rare-earth, 1735
 Rare-earth oxides, 2411, 3063
 Reactive hot pressing, 3401
 Reactive infiltration, 465
 Recycling, 23
 Refractories, 67, 571, 587, 833, 961, 1053, 1261, 1309, 1347, 1419, 1457, 1485, 1501, 1847, 2105, 2199, 2721, 2727, 3197, 3355
 Refractory castables, 53
 Regenerative medicine, 1257
 Reinforcement, 2747, 2937
 Residual stress, 1039, 2275, 2665
 Rheology, 603, 1595, 2959, 3015
 Roadmap, 1549
 Roof tiles, 23
 Rotational moulding, 887
 Rough surface, 2461

 Scaffolds, 1275
 Scattering, 293, 919
 Scintillator applications, 125
 Scratch resistance, 1561
 Scratch test, 1299, 2135
 Screen printing, 717
 Secondary phases, 1139
 Semiconductor substrates, 1211
 Sensors, 457, 1971, 1987, 2737, 2783, 3265
 Severe accident, 961
 Shaping, , 317, 369, 403, 875, 881, 899, 955, 1069, 2659, 2857, 3363
 Shock deformation, 3135
 SHS, 1501
 Sialon, 3409
 SiC, 175, 465, 473, 489, 497, 813, 863, 969, 1029, 1513, 1613, 1795, 2087, 2379, 2387, 2395, 2403, 2411, 2867, 3069, 3091, 3279, 3419
 SiC fibers, 525
 SiC whisker, 2893
 Si–C–N, 163
 Silicates, 551, 559, 653, 1109, 1221, 1879, 1917, 2163, 3113
 Silicides, 2069, 2105
 Silicon carbide, 3053
 Silicon carbide (SiC), 3079

- Silicon infiltration, 2651
 Silicon nitride, 1521, 1825, 2037, 2635
 Si_3N_4 , 801, 969, 1419, 1529, 1535, 2069, 2447, 3293, 3409
 Si_3N_4 ceramic, 2369
 Sinter forging, 2225
 Sinterability, 2893
 Sintering, 15, 31, 59, 67, 105, 115, 181, 187, 201, 237, 293, 305, 317, 323, 457, 581, 595, 621, 647, 691, 697, 751, 1077, 1165, 1331, 1337, 1371, 1449, 1485, 1493, 1529, 1613, 1695, 1789, 1803, 1817, 1925, 1933, 1947, 2087, 2143, 2219, 2309, 2317, 2395, 2411, 2419, 2469, 2517, 2549, 2559, 2567, 2611, 2627, 2691, 2737, 2921, 2929, 3219, 3227, 3419
 Sintering additive, 1427
 Sintering behavior, 1427
 Sintering behaviour, 2831
 Sintering kinetics, 2225
 Sintering temperature, 2537
 SiO_2 , 603, 1331, 1847, 2105, 2517, 3159, 3279, 3319
 Slip casting, 869, 1825, 2627
 Sludge, 23
 SOFC, 1657, 2823
 Soft tissues, 1257
 Softening, 851
 Soil mechanics, 937
 Solar glass, 1203
 Solar glass receiver, 1203
 Solar photocatalytic substrate, 1203
 Solar power, 1193
 Solar reflector, 1203
 Sol–gel, 1603
 Sol–gel processes, 629, 691, 1101, 1183, 1275, 1337, 1513, 1703, 1917, 2575, 2589, 2705, 3007
 Solid electrolyte, 2429
 Solid oxide fuel cells, 893, 1125, 2537
 Solid-state reaction, 245, 2333, 2567, 3159
 Soluble salts, 1869
 Solution deposition, 1157
 Solution precursor, 913
 Solution precursor spray, 3349
 Sonication, 2713
 Spark plasma sintering, 91, 1361, 1477, 2379, 2659, 3363
 Spark plasma sintering (SPS), 3395
 Spectroscopy, 305, 565, 1895, 2499, 2685, 2873, 3069
 Spin coating, 931
 Spinel $\text{MgO}\cdot\text{Al}_2\text{O}_3$, 207, 275
 Spinels, 53, 261, 1101, 2727
 Spinnability, 851
 Spodumene, 2143
 Spray pyrolysis, 697, 2193
 Springs, 1013
 Sr-feldspar, 1211
 Starch, 1587
 Starch consolidation, 3307
 Starch-consolidation casting, 347, 2765
 Steelmaking slags, 1053
 Stereolithography, 919
 Strength, 1013, 1211, 1331, 1361, 1485, 2053, 2129, 2143, 2447, 2665, 2697, 2773, 2867, 3401
 Strontia, 77
 Strontium barium niobate (SBN), 1427
 Structural and functional properties, 1549
 Structural applications, 337, 1771, 1903, 1917, 2061, 2069, 2087, 2403, 2447, 2921, 3135, 3387
 Structural ceramics, 3121
 Structure, 2903
 Sublimation method, 195
 Substrates, 99, 451, 457, 2737, 2857, 3227
 Superconductivity, 245, 1817
 Surfaces, 565, 1299, 1331, 1963, 2061, 2153, 2959
 Suspensions, 1, 115, 403, 559, 603, 669, 869, 875, 881, 905, 925, 1069, 1147, 1323, 1837, 1939, 2627, 3185, 3219, 1379
 Synthesis, 829, 2281
 Tap relative density, 3105
 Tape casting, 115, 451, 731, 943, 1781, 2757, 3031, 3039, 3211, 3227
 Tape-casting, 931
 Tellurite glasses, 329, 2903
 TEM, 2235
 Temperature dependence, 2635
 Templated grain growth (TGG), 2757
 Templating, 2857
 Tensile behaviour, 3197
 Tensile strength, 3211
 Tensile test, 2211
 Testing, 763
 Textured ceramics, 2177
 TGA, 851
 Thermal analysis, 3333
 Thermal and electrical conductivities, 995
 Thermal barrier coatings, 1771
 Thermal conductivity, 347, 489, 497, 551, 647
 Thermal evolution, 2281
 Thermal expansion, 465, 571, 1093, 1211, 1463, 1469, 2143, 2603, 2783, 2849, 3129, 3219
 Thermal history, 3197
 Thermal properties, 67, 329, 489, 551, 1771, 2849, 2873, 2903, 3293, 3387, 3409
 Thermal protection system, 2045
 Thermal shock resistance, 571, 1309, 1795, 2387
 Thermal spray, 1521
 Thermal spraying, 2333
 Thermally grown oxide, 355
 Thermistors, 1971
 Thermoelectric properties, 1413
 Thick films, 717
 Thin coatings, 857
 ThO_2 , 385
 Ti_3AlC_2 , 181
 TiB_2 , 2119, 505
 $\text{Ti}(\text{C},\text{N})$, 1173
 Tiles, 1561, 1887
 Tilted sample, 2461
 TiO_2 , 419, 565, 637, 905, 1093, 1165, 1267, 2343, 2773, 3147
 Ti_5Si_3 , 3379
 $\text{Ti}_3\text{SiAlC}_2$, 763
 Tissue engineering, 1257
 Titanates, 737
 Titania, 629
 Titanium aluminum carbides, 2619
 TMA, 3129, 851
 Tolerance factor, 1443
 Tomography, 47
 Tools, 207
 Toughness, 763
 Toughness and toughening, 1245, 1535, 2387, 2747, 3371
 Traditional ceramics, 175, 969, 1039, 2499, 2685, 3121
 Transition metals, 2355
 Translucent ceramics, 207
 Transparent, 283, 311
 Transparent armour, 267, 275
 Transparent ceramics, 207, 267, 305
 UO_2 , 2791
 Urea, 1879
 Varistors, 1789
 Vickers hardness, 2037
 Viscosity, 587, 3211
 V_2O_5 , 1093, 1403, 1647, 2423
 Volatility diagrams, 653
 $\text{V}_2\text{O}_5\text{--TiO}_2$ catalyst, 1955
 Washcoat, 1955
 Waste, 1887
 Waste materials, 23, 823
 Waste vitrification, 1193
 Water vapour, 3259
 Water-based slurry, 3039
 Wear, 2481, 2841
 Wear parts, 1337
 Wear resistance, 155, 497, 1173, 1299, 1535, 2747, 3379

- Wet etching, 99
 Wetting, 145
 Wollastonite, 1665
 Wood, 1513
- X-ray diffraction, 1469, 2671
 X-ray methods, 15, 67, 181, 1093, 1183, 1443, 2603, 2791, 2929, 3007, 3069, 3113, 3265
- YAG, 317, 2517, 255
 YAlO₃ (YAP), 2511
 (Yb_xSm_{1-x})₂Zr₂O₇, 647
 YCaAlO₄, 2193
 Yield stress, 1831
 Y₂O₃, 91, 305, 311, 1403
- Young's modulus, 2603, 3211
 Y₂SiO₅, 551
 YSZ, 391
 Ytterbium-doped fibre laser, 1507
 Yttria, 311
 Yttria Y₂O₃, 207
 Yttria-doped ceria, 2559
 Yttrium tungstate, 3129
 3Y-TZP, 3177
- Zeolite, 1879
 Zeta potential, 317
 Zinc oxide, 2991
 Zircon, 3129
 Zircon-free opaque wall tile glaze, 1571
 Zirconia, 2549, 3349
- Zirconia ZrO₂, 207
 Zirconium carbide, 1507
 Zirconium diborides, 995
 Zirconium titanate, 691, 3219
 ZnO, 255, 743, 863, 955, 1413, 1789, 1963
 ZrB₂, 787
 ZrB₂, 1493, 2379, 2893
 ZrB₂–SiC, 3063
 ZrO₂, 1, 85, 255, 283, 403, 411, 587, 757, 1403, 1625, 1641, 1647, 1771, 1933, 1939, 1947, 2267, 2275, 2665, 2765, 2783, 3159, 3185, 3219, 3355
 ZrSi₂, 787
 ZTA ceramics, 1393
 Zu, 743