

Contents

Editorial

- C. Leach & R. Freer** 139 JECS Electroceramics XI volume—Editorial

Processing and Basic Science

- A.G. Belous, K.V. Kravchyk, O.V. Pashkova, Y.P. Gomza & S.D. Nesin** 141 Spontaneous fractal ordering of zirconium oxide nanoparticles during synthesis from solution
- R.I. Merino, J.I. Peña & V.M. Orera** 147 Compositionally graded YSZ–NiO composites by surface laser melting
- F. Inam, H. Yan, D.D. Jayaseelan, T. Peijs & M.J. Reece** 153 Electrically conductive alumina–carbon nanocomposites prepared by Spark Plasma Sintering
- I.-N. Lin, C.-B. Chang, K.-C. Leou & H.-F. Cheng** 159 Effect of reaction sintering process on the microwave dielectric properties of $\text{Ba}_2\text{Ti}_9\text{O}_{20}$ materials
- T. Ishigaki, M. Yoshimura, N. Matsushita, K. Uematsu, K. Toda & M. Sato** 165 Melt synthesis of Eu-doped oxide phosphors using arc-imaging furnace
- G. Liu, D. Zhang & T.W. Button** 171 Preparation of concentrated barium titanate suspensions incorporating nano-sized powders
- S. Park, H.-S. Kim, J.-H. Lee, Y.C. Kim, J.C. Lee & Y.-J. Chung** 177 Photoreaction of gold ions from potassium gold cyanide wastewater using solution-combusted ZnO nanopowders
- R. Bertholdo, M.C. Assis, P. Hammer, S.H. Pulcinelli & C.V. Santilli** 181 Controlled growth of anodic aluminium oxide films with hexagonal array of nanometer-sized pores filled with textured copper nanowires
- R. Schafrank, J. Schaffner & A. Klein** 187 *In situ* photoelectron study of the $(\text{Ba,Sr})\text{TiO}_3/\text{RuO}_2$ contact formation
- R.C.K. Kaminski, S.H. Pulcinelli, C.V. Santilli, F. Meneau, S. Blanchandin & V. Briois** 193 Thermo-reversible sol–gel transition of TiO_2 nanoparticles with surface modified by p-toluene sulfonic acid
- G. Pezzotti, M. Higashino, K. Tsuji & W. Zhu** 199 Non-destructive three-dimensional Raman analysis of domain orientation in barium titanate single-crystal
- R. Steinhausen, S. Kern, C. Pientschke, H. Beige, F. Clemens & J. Heiber** 205 A new measurement method of piezoelectric properties of single ceramic fibres
- O. Malyshkina, A. Movchikova, R. Steinhausen, H.T. Langhammer & H. Beige** 211 Study of the pyroelectric profile in BTS piezoceramics by the single frequency thermal square wave method

J. Fleig, B. Rahmati, S. Rodewald & J. Maier	215	On the localized impedance spectroscopic characterization of grain boundaries: General aspects and experiments on undoped SrTiO ₃
A.A.L. Ferreira, J.C.C. Abrantes & J.R. Frade	221	Correlation between impedance spectra of bulk ceramics and films with in-plane configuration
R.A. Rocha, E.N.S. Muccillo, L. Dessemond & E. Djurado	227	Thermal ageing of nanostructured tetragonal zirconia ceramics: Characterization of interfaces
H. Nakano, N. Ishizawa & N. Kamegashira	233	<i>In-situ</i> observation of phase transformations in layered perovskite BaEu ₂ Mn ₂ O ₇
D. Ricinschi, C.E. Ciomaga, L. Mitoseriu, V. Buscaglia & M. Okuyama	237	Ferroelectric–relaxor crossover characteristics in Ba(Zr _x Ti _{1-x})O ₃ ceramics investigated by AFM-piezoresponse study
K.H. Lee, K.-W. Chae, C.I. Cheon & J.S. Kim	243	Photoluminescence and structural characteristics of double tungstates A(M _{1-x} Pr _x)W ₂ O ₈ (A = Li, Cs, M = Al, Sc, La)
H. Grünbichler, J. Kreith, R. Bermejo, P. Supancic & R. Danzer	249	Modelling of the ferroic material behaviour of piezoelectrics: Characterisation of temperature-sensitive functional properties
<i>Dielectrics and Ferroelectrics: Multiferroics and Piezoelectrics</i>		
I. Kagomiya, K.-I. Kakimoto & H. Ohsato	255	Precursor phenomenon on ferroelectric transition in multiferroic YMn ₂ O ₅
S.A. Solopan, O.I. V'yunov, A.G. Belous, A.I. Tovstolytkin & L.L. Kovalenko	259	Magnetoelectric effect in composite structures based on ferroelectric–ferromagnetic perovskites
X. Yan, J. Chen, Y. Qi, J. Cheng & Z. Meng	265	Hydrothermal synthesis and characterization of multiferroic Bi _{1-x} La _x FeO ₃ crystallites
Y. Zhang, S. Yu & J. Cheng	271	The study of BiCr _x Fe _{1-x} O ₃ thin films synthesized by sol–gel technique
Z. Branković, Z.M. Stanojević, L. Mančić, V. Vukotić, S. Bernik & G. Branković	277	Multiferroic bismuth manganite prepared by mechanochemical synthesis
X. Qi, W.-C. Chang, J.-C. Kuo, I.-G. Chen, Y.-C. Chen, C.-H. Ko & J.-C.-A. Huang	283	Growth and characterisation of multiferroic BiFeO ₃ films with fully saturated ferroelectric hysteresis loops and large remanent polarisations
E. Erdem, K. Kiraz, M. Somer & R.-A. Eichel	289	Size effects in Fe ³⁺ -doped PbTiO ₃ nanocrystals—Formation and orientation of (Fe' _{Ti} —V _O ••)* defect-dipoles
K.-I. Kakimoto, K. Ando & H. Ohsato	295	Grain size control of lead-free Li _{0.06} (Na _{0.5} K _{0.5}) _{0.94} NbO ₃ piezoelectric ceramics by Ba and Ti doping
Y. Inagaki, K.-I. Kakimoto & I. Kagomiya	301	Crystal growth and ferroelectric property of Na _{0.5} K _{0.5} NbO ₃ and Mn-doped Na _{0.5} K _{0.5} NbO ₃ crystals grown by floating zone method
<i>Dielectrics and Ferroelectrics: Microwave Dielectrics, Metamaterials and LTCC</i>		
L. Cai & J.C. Nino	307	Phase formation and dielectric properties of Ln ₂ (Ln' _{0.5} Nb _{0.5}) ₂ O ₇ (Ln = rare earth element)
H. Ohsato, I. Kagomiya, M. Terada & K. Kakimoto	315	Origin of improvement of <i>Q</i> based on high symmetry accompanying Si–Al disordering in cordierite millimeter-wave ceramics
E.S. Kim & S.N. Seo	319	Dependence of dielectric properties on structural characteristics of (Zn _{1/3} A _{2/3}) _{0.5} (Ti _{1-x} B _x) _{0.5} O ₂ (A = Nb ⁵⁺ , Ta ⁵⁺ , B = Ge ⁴⁺ , Sn ⁴⁺) ceramics at microwave frequencies

J.J. Bian & Y.F. Dong	325	New high Q microwave dielectric ceramics with rock salt structures: $(1 - x)\text{Li}_2\text{TiO}_3 + x\text{MgO}$ system ($0 \leq x \leq 0.5$)
T. Shimada, K. Ichikawa, T. Minemura, T. Kolodiaznyi, J. Breeze, N.M. Alford & G. Annino	331	Temperature and frequency dependence of dielectric loss of $\text{Ba}(\text{Mg}_{1/3}\text{Ta}_{2/3})\text{O}_3$ microwave ceramics
M.-Y. Chen, C.Y. Chiu, C.-T. Chia, J.F. Lee & J.J. Bian	335	Raman spectra and extended X-ray absorption fine structure characterization of $\text{La}_{(2-x)/3}\text{Na}_x\text{TiO}_3$ and $\text{Nd}_{(2-x)/3}\text{Li}_x\text{TiO}_3$ microwave ceramics
E.S. Kim & C.J. Jeon	341	Microwave dielectric properties of ATiO_3 (A = Ni, Mg, Co, Mn) ceramics
K. Sakai, N. Asano, Y. Wada & S. Yoshikado	347	Composite electromagnetic wave absorber made of soft magnetic material and polystyrene resin and control of permeability and permittivity
C.P. Yang, P.A. Smith, G. Dolman, T.W. Button, T. Price & D. Iddles	355	Barium strontium titanate dielectric helical resonators
K.-I. Kakimoto, J. Furuhashi, H. Ogawa & M. Aki	359	Microstructure and dielectric response of $(\text{Ba},\text{Sr})\text{TiO}_3$ filler-dispersed resin composites
U. Balachandran, D.K. Kwon, M. Narayanan & B. Ma	365	Development of PLZT dielectrics on base metal foils for embedded capacitors
C. Bienert & A. Roosen	369	Characterization and improvement of LTCC composite materials for application at elevated temperatures
J.-S. Kim, M.-E. Song, M.-R. Joung, J.-H. Choi, S. Nahm, S.-I. Gu, J.-H. Paik & B.-H. Choi	375	Effect of B_2O_3 addition on the sintering temperature and microwave dielectric properties of Zn_2SiO_4 ceramics
K. Sonoda, T. Hu, J. Juuti, Y. Moriya & H. Jantunen	381	Fabrication and properties of composites from BST and polypropylene-graft-poly(styrene-stat-divinylbenzene)
J. Banys, S. Rudys, M. Ivanov, J. Li & H. Wang	385	Dielectric properties of cubic bismuth based pyrochlores containing lithium and fluorine
V.K. Palukuru, J. Peräntie, M. Komulainen, T. Tick & H. Jantunen	389	Tunable microwave devices using low-sintering-temperature screen-printed barium strontium titanate (BST) thick films
E.A. Nenasheva, N.F. Kartenko, I.M. Gaidamaka, O.N. Trubitsyna, S.S. Redozubov, A.I. Dedyk & A.D. Kanareykin	395	Low loss microwave ferroelectric ceramics for high power tunable devices
T. Kasagi, T. Tsutaoka & K. Hatakeyama	401	Dielectric properties of Permalloy granular composite materials
D. Zhang, T.W. Button, V.O. Sherman, A.K. Tagantsev, T. Price & D. Iddles	407	Effects of glass additions on the microstructure and dielectric properties of barium strontium titanate (BST) ceramics
U. Došler, M.M. Kržmanc & D. Suvorov	413	The synthesis and microwave dielectric properties of $\text{Mg}_3\text{B}_2\text{O}_6$ and $\text{Mg}_2\text{B}_2\text{O}_5$ ceramics
<i>Thin Films</i>		
C.W. James, T. Comyn, R.A. Dorey, D. Underhill & S.J. Milne	419	Laser-transfer processing of functional ceramic films
K. Matsumoto, Y. Adachi, I. Sakaguchi, N. Ohashi & H. Haneda	423	Preparation and characterization of $\text{Zn}^{18}\text{O}/\text{Zn}^{16}\text{O}$ isotope heterostructure thin films
J. Puustinen, J. Lappalainen, J. Hiltunen & V. Lantto	429	Optical scattering of nanocrystalline $\text{Pb}(\text{Zr}_x\text{Ti}_{1-x})\text{O}_3$ films

A. Ito, H. Masumoto, T. Goto & S. Sato	435	Characterization of alkaline earth metals ruthenate thin films
T. Genevès, L. Imhoff, B. Domenichini, P.M. Peterlé & S. Bourgeois	441	CVD elaboration and <i>in situ</i> characterization of barium silicate thin films
H.-F. Cheng, Y.-W. Chen, P.T. Joseph, C.-C. Hung, H.-Y. Chiang & I.-N. Lin	447	Dielectric and optical properties of electroceramic PBZNZT thin films prepared by pulsed laser deposition process
F. Chen, J. Cheng, S. Yu & Z. Meng	453	Structural and electrical properties of $\text{Pb}(\text{Zr}_{0.53}\text{Ti}_{0.47})\text{O}_3$ films prepared on $\text{La}_{0.5}\text{Sr}_{0.5}\text{CoO}_3$ coated Si substrates
C. Hong, H. Kim, S. Park & C. Lee	459	Optical properties of porous silicon coated with ultrathin gold film by RF-magnetron sputtering
D. Czekaj, A. Lisińska-Czekaj, T. Orkisz, J. Orkisz & G. Smalarz	465	Impedance spectroscopic studies of sol–gel derived barium strontium titanate thin films
X.H. Zhu, E. Defaÿ, B. Guigues, G. Le Rhun, C. Dubarry & M. Aid	471	Low-temperature fabrication of $\text{Ba}_{1-x}\text{Sr}_x\text{TiO}_3$ thin films with good dielectric properties on platinized silicon substrates
N. Preda, L. Mihut, M. Baibarac, I. Baltog, J. Pandeale, C. Andronescu & V. Fruth	475	Films and crystalline powder of BiI_3 intercalated with ammonia
J.-M. Cho, K.-H. Lee, C.I. Cheon, N.I. Cho & J.S. Kim	481	Characterization of the biaxial textures of MgO thin films grown by E-beam evaporation
K. Vojisavljević, G. Branković, T. Srećković, A. Rečnik & Z. Branković	485	Preparation of ultrathin PZT films by a chemical solution deposition method from a polymeric citrate precursor
S. Heiroth, T. Lippert, A. Wokaun, M. Döbeli, J.L.M. Rupp, B. Scherrer & L.J. Gauckler	489	Yttria-stabilized zirconia thin films by pulsed laser deposition: Microstructural and compositional control
J. Lappalainen, J. Puustinen, J. Hiltunen & V. Lantto	497	Pulsed-laser deposited amorphous-like PZT thin-films: Microstructure and optical properties
W.-L. Jang, Y.-M. Lu, W.-S. Hwang & W.-C. Chen	503	Electrical properties of Li-doped NiO films
J.-C. Lee, S.-Y. Um, Y.-W. Heo, J.-H. Lee & J.-J. Kim	509	Phase development and crystallization of CuAlO_2 thin films prepared by pulsed laser deposition
K.-H. Cho, C.-H. Choi, J.-Y. Choi, T.-G. Seong, S. Nahm, C.-Y. Kang, S.-J. Yoon & J.-H. Kim	513	Leakage current mechanism and effect of oxygen vacancy on the leakage current of $\text{Bi}_5\text{Nb}_3\text{O}_{15}$ films
C.-H. Choi, J.-Y. Choi, K.-H. Cho, M.-J. Yoo, J.-H. Choi, S. Nahm, C.-Y. Kang, S.-J. Yoon & J.-H. Kim	517	Investigation on the valence state of Te ions in the $\text{Bi}_6\text{Ti}_5\text{TeO}_{22}$ thin film using X-ray photoelectron spectroscopy
S.A.S. Rodrigues, A.G. Rolo, A. Khodorov, M. Pereira & M.J.M. Gomes	521	Determination of residual stress in PZT films produced by laser ablation with X-ray diffraction and Raman spectroscopy
<i>Thermistors and Varistors</i>		
S.-T. Kuo & W.-H. Tuan	525	Grain growth behaviour of ZnO-based multilayer varistors
M. Takada & S. Yoshikado	531	Effect of thermal annealing on electrical degradation characteristics of Sb–Bi–Mn–Co-added ZnO varistors
A.B. Glot, S.V. Mazurik, B.J. Jones, A.N. Bondarchuk, R. Bulpett & N. Verma	539	Current limiting and negative differential resistance in indium oxide based ceramics
J. Fan, H. Zhao, Y. Xi, Y. Mu, F. Tang & R. Freer	545	Characterisation of $\text{SnO}_2\text{–CoO–MnO–Nb}_2\text{O}_5$ ceramics

S.M. Gheno, R.H.G.A. Kiminami, M.R. Morelli & P.I. Paulin Filho	549	Electric force microscopy investigations of barrier formations in ZnO-based varistors
H. Takeda, H. Harinaka, T. Shiosaki, M.A. Zubair, C. Leach, R. Freer, T. Hoshina & T. Tsurumi	555	Fabrication and positive temperature coefficient of resistivity properties of semiconducting ceramics based on the $\text{BaTiO}_3\text{--}(\text{Bi}_{1/2}\text{K}_{1/2})\text{TiO}_3$ system
<i>Cost539</i>		
S. Yoon, J. Dornseiffer, T. Schneller, D. Hennings, S. Iwaya, C. Pithan & R. Waser	561	Percolative $\text{BaTiO}_3\text{--Ni}$ composite nanopowders from alkoxide-mediated synthesis
E.D. Ion, B. Malič, I. Arčon, J.P. Gomilšek, A. Kodre & M. Kosec	569	Characterization of lanthanum zirconate prepared by a nitrate-modified alkoxide synthesis route: From sol to crystalline powder
L. Mancic, K. Marinkovic, B.A. Marinkovic, M. Dramicanin & O. Milosevic	577	YAG: Ce^{3+} nanostructured particles obtained <i>via</i> spray pyrolysis of polymeric precursor solution
K. Maca, V. Pouchly & P. Zalud	583	Two-Step Sintering of oxide ceramics with various crystal structures
A. Aimable, M.T. Buscaglia, V. Buscaglia & P. Bowen	591	Polymer-assisted precipitation of ZnO nanoparticles with narrow particle size distribution
L.P. Curecheriu, A. Ianculescu & L. Mitoseriu	599	Tunability properties in the paraelectric state of the $\text{Pb}(\text{Mg}_{1/3}\text{Nb}_{2/3})\text{O}_3$ ceramics
E. Bartonickova, K. Wiik, K. Maca, H.L. Lein & E.A. Rudberg	605	Synthesis and oxygen transport properties of $\text{La}_{0.2}\text{Sr}_{0.8}\text{Fe}_{1-x}\text{Ti}_x\text{O}_{3-\delta}$ ($x = 0.2, 0.4$) intended for syn-gas production
R. Grigalaitis, J. Banyš, J. Macutkevici, R. Adomavicius, A. Krotkus, K. Bormanis & A. Sternberg	613	Broadband dielectric spectroscopy of $\text{PbMg}_{1/3}\text{Nb}_{2/3}\text{O}_3\text{--PbSc}_{1/2}\text{Nb}_{1/2}\text{O}_3$ ceramics
D. Berger, C. Matei, G. Voicu & A. Bobaru	617	Synthesis of $\text{La}_{1-x}\text{Sr}_x\text{MO}_3$ ($M = \text{Mn, Fe, Co, Ni}$) nanopowders by alanine-combustion technique
Z.Ž. Lazarević, M. Vijatović, Z. Dohčević-Mitrović, N.Ž. Romčević, M.J. Romčević, N. Paunović & B.D. Stojanović	623	The characterization of the barium titanate ceramic powders prepared by the Pechini type reaction route and mechanically assisted synthesis
G.-H. Zhang, X.-M. Hou & K.-C. Chou	629	Kinetics of non-isothermal oxidation of AlN powder

I Keyword List

II Notes for Authors